

Paysolutions For Ubercart 6.x-2.14


1. Install Ubercart , Token โดยนำไฟล์ ubercart , token ไปวางไว้ที่ root/modules/
2. แยกไฟล์ Paysolutions_Ubercart.zip แล้วนำ folder uc_paysolutions ไปวางไว้ที่ root/modules/ubercart/payment/
3. แก้ไขไฟล์ uc_paysolutions.module ค้นหาคำว่า merchantid แล้วแก้ไข merchantid => '000000000' ให้เป็น merchantid => 'ที่ได้จากการสมัครใช้งาน ePayment กับทาง Paysolutions'
4. Login Administrator เข้าไปที่ Home -> Site building -> Modules -> เลือก -> PAYSOLUTIONS แล้วกด Save configuration

▼ Ubercart - payment

Enabled	Name	Version	Description
<input type="checkbox"/>	2Checkout	6.x-2.0-rc3	Enable to process payments using 2Checkout.com. Depends on: Payment (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled)
<input type="checkbox"/>	Authorize.net	6.x-2.0-rc3	Process payments using Authorize.net. Supports AIM and ARB. Depends on: Payment (enabled), Credit Card (disabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input type="checkbox"/>	Credit Card	6.x-2.0-rc3	Receive credit card payments through checkout. Depends on: Store (enabled), Payment (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled) Required by: Test Gateway (disabled), Authorize.net (disabled), CyberSource (disabled)
<input type="checkbox"/>	CyberSource	6.x-2.0-rc3	Enable to process payments using CyberSource Silent Order POST. Depends on: Payment (enabled), Credit Card (disabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input type="checkbox"/>	Google Checkout	6.x-2.0-rc3	Integrates Google's Checkout, Merchant Calculated Shipping, and Order Processing APIs. Depends on: Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Payment Method Pack	6.x-2.0-rc3	Provides the check/money order, COD, and 'other' payment methods. Depends on: Cart (enabled), Payment (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	PayPal	6.x-2.0-rc3	Integrates various PayPal payment services and IPN feedback. Depends on: Payment (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled)
<input checked="" type="checkbox"/>	PAYSOLUTIONS	6.x-2.0-rc3	Enable to process payments using thaipay.com. Depends on: Payment (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled)
<input type="checkbox"/>	Test Gateway	6.x-2.0-rc3	Adds a credit card gateway that simulates a successful payment for testing checkout. Depends on: Payment (enabled), Credit Card (disabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)

Save configuration

5. เข้าไปที่ Home -> Administrator -> Store administrator -> Configuration -> Payment settings -> Edit -> Payment methods -> paysolutions settings



The screenshot shows the 'paysolutions settings' form with the following fields and annotations:

- 1** Merchantid with Paysolutions: 26504666
- 2** Secret word for order verification: PAYSOLUTIONS
- 3** Language preference: English
- 4** Payment method title: PAYSOLUTIONS - is a simple credit card payment system:
- 5** Order review submit button text: Submit Order
- 6** thaipay.com checkout type: Single page checkout

Buttons at the bottom: Save configuration, Reset to defaults

- 5.1 Merchant ID with Paysolutions : Merchant 8 หลัก ที่ได้จากการสมัครใช้งาน ePayment กับทาง Paysolutions
- 5.2 Secret word for order verification : ตัวแสดง Payment Gateway ให้เป็น PAYSOLUTIONS
- 5.3 Language Preference: ภาษาที่ใช้ ให้เป็น English
- 5.4 Payment method title: ตัวแสดงรายละเอียด ของ Payment Gateway ให้เป็น : PAYSOLUTIONS - is a simple credit card payment system
- 5.5 Order review submit button text: ปุ่มแสดงตอนกด ตกลง ตั้งค่าให้เป็น Submit Order
- 5.6 Paysolutions checkout type: หน้า สั่งซื้อสินค้า ตั้งค่าให้เป็น Single page checkout

6. ร้านค้าสามารถกำหนด สกุลเงิน ได้ที่ Home -> Administrator -> Store administrator -> Configuration -> Store settings -> Edit -> Format settings -> Currency format

▼ Currency format

Default currency:
 1
While not used directly in formatting, the currency code is used by other modules as the primary currency for your site. Enter here your three character ISO 4217 currency code.

Current format:
 2

Currency Sign:
 3
☐ Display currency sign after amount.

Thousands Marker:
 4

Decimal Marker:
 5

Number of decimal places:
 6

—> Weight format

—> Length format

—> Date format

- | | | |
|-----|--------------------|--|
| 6.1 | Default currency : | สกุลเงิน ตั้งค่าเป็น THB |
| 6.2 | Currency format : | ตัวอย่าง การตั้งค่า สกุลเงิน |
| 6.3 | Currency Sign : | สัญลักษณ์ของ สกุลเงิน ตั้งค่าเป็น. " ฿ " |
| 6.4 | Thousands Marker : | สัญลักษณ์ ระบุ หลักพัน ตั้งค่าเป็น จุลภาค. " , " (Comma) |
| 6.5 | Decimal Marker : | สัญลักษณ์ ระบุ ตำแหน่ง จุลทศนิยม. " . " |