





The image shows a code editor window with a file named 'GradeEvaluation.java' and a terminal window running the Java code. The code calculates the average of three marks (maths, science, history) and prints the average and the corresponding grade based on the average value.


```
public class GradeEvaluation {  
    public static void main(String[] args) {  
  
        int maths = 80;  
        int science = 85;  
        int history = 90;  
  
        int average = (maths + science + history) / 3;  
        System.out.println("Average Marks: " + average);  
  
        if (average >= 90) {  
            System.out.println("Grade: A");  
        } else if (average >= 70) {  
            System.out.println("Grade: B");  
        } else if (average >= 50) {  
            System.out.println("Grade: C");  
        } else if (average >= 30) {  
            System.out.println("Grade: D");  
        } else {  
            System.out.println("Fail");  
        }  
    }  
}
```

Terminal Output:

```
C:\Users\nikhi\OneDrive\Desktop\lgb>javac GradeEvaluation.java  
C:\Users\nikhi\OneDrive\Desktop\lgb>java GradeEvaluation.java  
Average Marks: 85  
Grade: B  
C:\Users\nikhi\OneDrive\Desktop\lgb>
```




```
GradeEvaluation.java  LeapYear.java  X  +  
File Edit View  
public class LeapYear {  
    public static void main(String[] args) {  
        int year = 2024;  
        if ((year % 4 == 0 && year % 100 != 0) || (year % 400 == 0)) {  
            System.out.println(year + " is a leap year.");  
        } else {  
            System.out.println(year + " is not a leap year.");  
        }  
    }  
}
```




```
C:\Windows\System32\cmd.e  X  +  v  -  □  X  
C:\Users\nikhi\OneDrive\Desktop\lgb>javac LeapYear.java  
C:\Users\nikhi\OneDrive\Desktop\lgb>java LeapYear.java  
2024 is a leap year.  
C:\Users\nikhi\OneDrive\Desktop\lgb>
```



```
public class DayOfWeek {  
    public static void main(String[] args) {  
  
        int day = 3;  
  
        switch (day) {  
            case 1:  
                System.out.println("Sunday");  
                break;  
            case 2:  
                System.out.println("Monday");  
                break;  
            case 3:  
                System.out.println("Wednesday");  
                break;  
            case 4:  
                System.out.println("Thursday");  
                break;  
            case 5:  
                System.out.println("Friday");  
                break;  
            case 6:  
                System.out.println("Saturday");  
                break;  
            case 7:  
                System.out.println("Sunday");  
                break;  
            default:  
                System.out.println("Invalid day number");  
        }  
    }  
}
```





```
public class UninitializedFixed {  
    public static void main(String[] args) {  
  
        byte a = 0;  
        short b = 0;  
        int c = 0;  
        long d = 0L;  
        float e = 0.0f;  
        double f = 0.0;  
        char g = 'A';  
        boolean h = false;  
  
        System.out.println(a);  
        System.out.println(b);  
        System.out.println(c);  
        System.out.println(d);  
        System.out.println(e);  
        System.out.println(f);  
        System.out.println(g);  
        System.out.println(h);  
    }  
}
```

