

PROJECT

WEBSITE : **FOOD WASTE SYSTEM (recycling/ reusing)**

There is growing evidence that a significant share of global food is thrown away. Reducing food waste is a key sustainability challenge for the food service industry. .Everyday people are wasting food.

We are designing this website in order to reduce that food wastage problem. In this software the donor (the one who has extra food) can enter their Location, amount of food they want to distribute. Then a simple notification is generated in the website and the agent among that location can login & can gather the details of the food donor .The donor can hold an account in this application & whenever there is food wastage he can login and enter the details of food and location.

- Within this website , I'm planning to add the interface so that people wanting to donate food can register and their food will be picked and delivered to needy .

Options available : details about website

Registration

Locations details

Users/NGO /volunteer

- Interactive UI
- Database Security and availability
- Good search module
- News Feed
- Availability of Volunteers
- Mobile friendly

- Good response time
- Live Tracking
- Better recommendation

A) NGOs

- Authentication
- Uploading organization info.
- Booking acceptance/decline
- Room for cancellation
- Customer Feedback

B) Users

- Location based service
- User information
- Usage history
- User authentication
- Addition and Modification of information
- Assign user passwords
- Be a Volunteers

CODE :

MAIN.HTML

```
<!DOCTYPE html>

<html lang="en">
<head>
<title>Food Waste Management</title>

    <meta charset="UTF-8">

    <meta name="description" content="NGO Application for Software Engineering">
    <meta name="author" content="PAYAL KHAH">
    <meta name="keywords"
content="FOODWASTE,NGO,Anand,Website,FoodWasteManagement">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1">

    <meta http-equiv="refresh" content="2000">

<link rel="shortcut icon" type="image/icon" href="images/savefood.png"/>
<link rel="stylesheet" href="css/bootstrap.min.css">
<link rel="stylesheet" href="css/bootstrapF.min.css">
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/font-awesome.min.css">
<link rel="stylesheet" href="css/owl.theme.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/flexsliderF.css">
<link rel="stylesheet" href="css/jquery.fancyboxF.css">
<link rel="stylesheet" href="css/mainF.css">
<link rel="stylesheet" href="css/responsiveF.css">
<link rel="stylesheet" href="css/animateF.min.css">
```

```

<link rel="stylesheet" href="css/font-iconF.css">

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-
awesome.min.css">


<!-- Main css -->

<link rel="stylesheet" href="css/style.css">


<!-- Google Font -->

<link href='https://fonts.googleapis.com/css?family=Poppins:400,500,600' rel='stylesheet'
type='text/css'>


</head>

<body data-spy="scroll" data-offset="50" data-target=".navbar-collapse">


<!-- =====

      PRE LOADER

===== -->

<div class="preloader">


      <div class="sk-chase">

        <div class="sk-chase-dot"></div>
        <div class="sk-chase-dot"></div>
        <div class="sk-chase-dot"></div>
        <div class="sk-chase-dot"></div>
        <div class="sk-chase-dot"></div>
        <div class="sk-chase-dot"></div>

      </div>


</div>


<!-- =====

```

NAVIGATION LINKS

===== -->

```
<div class="navbar navbar-fixed-top custom-navbar" role="navigation">
  <div class="container">

    <!-- navbar header -->
    <div class="navbar-header">
      <button class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
        <span class="icon icon-bar"></span>
        <span class="icon icon-bar"></span>
        <span class="icon icon-bar"></span>
      </button>
      <a href="#intro" class="navbar-brand">FoodWasteManagement</a>
    </div>

    <div class="collapse navbar-collapse">

      <ul class="nav navbar-nav navbar-right">
        <li><a href="#intro">Home</a></li>
        <li><a href="#overview">Mission/Vision</a></li>
        <li><a href="#feed">NewsFeed</a></li>
        <li><a href="#contact">Contact</a></li>
        <li><a href="Login_v4/login.html" style="color: white;font-
size: 25px;" >Log In</a></li>
      </ul>

    </div>

  </div>
</div>
```

```

<div style="background-color: black;">
    <br> </div>

<!-- =====

    INTRO SECTION
===== -->
<section id="intro" class="parallax-section">
    <div class="container">
        <div class="row">

            <div class="col-md-12 col-sm-12">

                <!--<h2 class="wow bounceIn" data-wow-delay="0.9s"
style="font-size: 75px">SEPTEMBER 18-19</h2> -->

                <h1 class="wow fadeInUp" data-wow-delay="0.2s"
style="font-size: 105px;color: black;text-shadow: 4px 4px #000000">Let's Do The
Good</h1>

            </div>

        </div>

    </div>

</section>
<div style="background-color: black;">
    <br> </div>

<br>

<!-- =====

    OVERVIEW SECTION
===== -->
<section class="parallax-section">
    <div class="container">

```

<div class="row">

<div class="wow fadeInUp col-md-6 col-sm-6" >

<h1>What Is FoodWasteManagement</h1>

<p>In recent years, growing concern about environmental and economic costs, hunger and resource conservation associated with food waste have raised public awareness of food loss. This in turn has accelerated public and private efforts to make better use of available food supplies by recovering safe and nutritious food that would otherwise be wasted. That's according to Estimating and Addressing America's Food Losses, a 1997 article in the U.S. Department of Agriculture's Food Review.

Food waste occurs across the food system from the farm, post-harvest, processing, transporting, wholesaling, retailing and the consumers.

Food waste generated by disease, spoilage, restaurant plate waste, and plant and animal material produced during processing are not suitable for human consumption. These are better suited to composting. Other waste can be recovered to be consumed. Examples of waste that can be recovered for consumption are: edible crops remaining in fields after harvest, blemished food, surplus perishable food from restaurants or caterers and surplus packaged foods from retail food outlets.</p>

<p>Poverty is the principal cause of hunger. The causes of poverty include poor people's lack of resources, an extremely unequal income distribution in the world and within specific countries, conflict, and hunger itself.</p>

<p>FoodWasteManagement is committed to promote and facilitate food waste reduction through redistribution of surplus food and recycling of food waste.</p>

</div>

<div class="wow fadeInUp col-md-6 col-sm-6" >

</div>

</div>


```

<div class="row">
    <div class="wow fadeInUp col-sm-6 col-md-6" >
        
    </div>

```

<p>The world produces enough food to feed everyone, but about a third of it gets lost (due to financial or technical constraints, harvests die prematurely) or wasted, which equals to 1.3 billion tons of food annually. The U.S. wastes 222 million tons, or about a third of the nation's food, which equals more than \$48 billion in waste, according to the United Nations Environment Programme.</p>

<p>In order for a child to have a chance at a bright future, they need to eat healthy meals every day. When they're hungry, children are more likely to be hospitalized, and they face a higher risk of health conditions because of weak immune systems. A brain starved of vital nutrients is one that can't concentrate.</p>

<p>Even if they are consuming an adequate volume of food, children may not be receiving enough of the vitamins and minerals they need to grow up healthy, and are therefore malnourished.</p>

```

</div><br>

```

```

<div id="overview" style="background-color: black;">

```

```

    <br>

```

```

</div>

```

```

<div >

```

```

    <center color><h1>Mission/Vision</h1></center>

```

```

    <h4 style="border-style: dotted; padding: 20px;">FoodWasteManagement's mission is to reduce food waste, thereby reducing hunger and improving the environment.</h4><br>

```

```

    <h4 style="border-style: dotted; padding: 20px;">FoodWasteManagement's goal is to encourage the highest use of wholesome unmarketable food, through the development of sustainable public-private partnerships between food companies, food charities, and other waste diverters with a focus on bridging the technology, communication and infrastructure gap that results in large amounts of food waste.</h4><br>

```

```

    <h4 style="border-style: dotted; padding: 20px;">Through our hotline we help connect food donors with non-profit organizations who provide meals or groceries to food insecure people, the elderly or children.</h4><br>

```


<h4 style="border-style: dotted; padding: 20px;">Through mentoring and technical assistance we help communities develop their own programs to reduce waste and reduce food insecurity.</h4>

<h4 style="border-style: dotted; padding: 20px;">Through education and awareness campaigns we educate businesses, community organizations and consumers about food waste and sustainability.</h4>

</div>

</div>

</section>

<hr>

<div style="background-color: black;">

 </div>

<!-- =====

VIDEO SECTION

===== -->

<section id="video" class="parallax-section">

<div class="container">

<div class="row">

<div class="wow fadeInUp col-md-6 col-sm-10" data-wow-delay="0.3s">

<h1>Hunger in India</h1>

<h3>India, with a population of over 1.3 billion, has seen tremendous growth in the past two decades. Gross Domestic Product has increased 4.5 times and per capita consumption has increased 3 times. Similarly, food grain production has increased almost 2 times. However, despite phenomenal industrial and economic growth and while India produces sufficient food to feed its population, it is unable to provide access to food to a large number of people, especially women and children.</h3>

</div> <p>According to FAO estimates in 'The State of Food Security and Nutrition in the World, 2019' report, 194.4 million people are undernourished in India. By this measure 14.5% of the population is undernourished in India. Also, 51.4% of women in reproductive age between 15 to 49 years are anaemic. Further according to the report 37.9% of the children aged under five in India are stunted (too short for their age), while 20.8% suffer from wasting, meaning their weight is too low for their height. Malnourished children

have a higher risk of death from common childhood illnesses such as diarrhea, pneumonia, and malaria. The Global Hunger Index 2018 ranks India at 103 out of 119 countries on the basis of three leading indicators -- prevalence of wasting and stunting in children under 5 years, under 5 child mortality rate, and the proportion of undernourished in the population.</p>

```

    <div class="wow fadeInUp col-md-6 col-sm-10" data-wow-
delay="0.6s">

        <div class="embed-responsive embed-responsive-16by9">

            <iframe width="560" height="315"
src="https://www.youtube.com/embed/sYZ9JQkZzxc" frameborder="0" allow="autoplay;
encrypted-media" allowfullscreen></iframe>

        </div>

    </div>

</div>

</section>

    <div style="background-color: black;">

        <br>

    </div>

<!-- =====

PROGRAM SECTION

===== -->

<section id="feed" class="parallax-section">

    <div class="container">

        <div class="row">

            <h1 style="text-align: center;border: 2px dashed grey;padding: 10px
10px;">News Feed</h1>

            <div class="wow fadeInUp col-md-10 col-sm-10" data-wow-
delay="0.9s">

```

```

<div class="tab-content">

    <div role="tabpanel">

        <div class="col-md-3">

            

        </div>

        <div class="col-md-1"></div>

        <div class="col-md-8 col-sm-10">

            <h5 style="padding: 0px 5px;"><i
class="fa fa-map-marker"></i> ANAND </h5>

            <h3 style="padding-top: 0px;">(1)</h3>

            <p>TWO FAMILIES WILL NOT
SLEEP WITHOUT FOOD TODAY.</p>

        </div>

    </div>

    <div class="program-divider col-md-12 col-sm-
12">`</div>

    <div class="col-md-3">

        

        </div>

        <div class="col-md-1"></div>

        <div class="col-md-8 col-sm-10">

            <h5 style="padding: 0px 5px;"><i
class="fa fa-map-marker"></i> VADODARA </h5>

            <h3 style="padding-top: 0px;">(2)</h3>

            <p>SIX FAMILIES WILL NOT SLEEP
WITHOUT FOOD TODAY.</p>

        </div>

```

<div class="program-divider col-md-12 col-sm-12"></div>

```

                                <div class="col-md-3">
                                    
                                </div>
                                <div class="col-md-1"></div>
```

<div class="col-md-8 col-sm-10">
<h5 style="padding: 0px 5px;"><i
class="fa fa-map-marker"></i> SURAT </h5>

<h3 style="padding-top: 0px;">(3)</h3>

<p>THREE FAMILIES WILL NOT
SLEEP WITHOUT FOOD TODAY.</p>

```
<br>
<br><div style="background-color: black;">
    <br> </div>
```

```
<!-- =====
REGISTER SECTION
===== -->
```

```
<section style="background-color: GREY; id="register" class="parallax-section" >
    <div class="container">
        <div class="row">
```

```

        <div class="wow fadeInUp col-md-5 col-sm-5" data-wow-
delay="0.6s">
            <h1 style="color: white;font-size: 55px">Be A
Volunteer</h1><br>
            <h4 style="color: white;">IF YOU ARE READY TO
HELP.BE THE PART OF THE BEST.</h4><br>
            <h3 style="color: white;">Let's do something amazing.</h3>
        </div>

<div class="col-md-2 col-sm-2"></div>

        <div class="wow fadeInUp col-md-5 col-sm-5" data-wow-
delay="0.7s">
            <form action="volunteer.php" method="post">
                <input name="firstname" type="text" class="form-
control" id="firstname" placeholder="First Name" required>
                <input name="lastname" type="text" class="form-
control" id="lastname" placeholder="Last Name">
                <input name="phone" type="Number" class="form-
control" id="phone" placeholder="Phone Number" required>
                <input name="email" type="email" class="form-
control" id="email" placeholder="Email Address" required>
                <p style:color = "WHITE"; >Choose City --</p> <select
name="city" id="city" class="form-control" required>
                    <option>Anand</option>
                    <option>Vadodara</option>
                    <option>Ahmedabad</option>
                </select>
                <br>
                <div>
                    <input style:color = "BLACK" name="submit"
type="submit" class="form-control" id="submit" value="Join In">
                </div>
            </form>
        </div>

```

```

        </div>

    </div>

</section><div style="background-color: black;">
    <br> </div>

<!-- =====
    NGO SECTION
===== -->

<br>

<section class="parallax-section">
    <div class="container">
        <div class="row">

            <div class="col-md-12 col-sm-12">
                <div class="section-title">
                    <center><h2>NGO Partnership</h2></center>

                </div>

            </div>

            <div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.1s">
                <a href="https://http://mcksfood.com/" target="_blank">
                    
                </a>

            </div>

```

```
<div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.2s">
```

```
<a href="https://www.giveindia.org/" target="_blank">
```

```

```

```
</a>
```

```
</div>
```

```
<div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.3s">
```

```
<a href="https://www.feedingindia.org/" target="_blank">
```

```

```

```
</a>
```

```
</div>
```

```
<div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.4s">
```

```
<a href="https://nofoodwaste.org/" target="_blank">
```

```

```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--/section-->
```

```
<br>
```

```
<div style="background-color: black;">
```

```
<br>
```

```

</div>

<!-- =====
SPONSORS SECTION
===== -->
<!--section id="sponsors" class="parallax-section"-->
    <div class="container">
        <div class="row">

            <div class="col-md-12 col-sm-12">
                <div class="section-title">
                    <center><h2>Our Sponsors</h2></center>

                </div>
            </div>

            <div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.1s">
                
            </div>

            <div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.2s">
                
            </div>

            <div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.3s">
                

```



```

        </div>

        <div class="wow fadeInUp col-md-3 col-sm-6 col-xs-6" data-wow-
delay="0.4s">
            
        </div>

```

```

    </div>
</div>
</section>
<div style="background-color: black;">
    <br> </div>

```

```

<!-- =====
CONTACT SECTION
===== -->
<section id="contact" class="parallax-section" style="background-color: BROWN;">
    <div class="container">
        <div class="row">

```

```

            <div class="wow fadeInUp col-md-6 col-sm-6" data-wow-
delay="0.3s">
                <div class="contact_des" style="padding-top: 50px;">
                    <h1 style="color: white;">Contact</h1>
                    <h3 style="color: white;">WANNA DO
GOOD.START HERE.</h3>
                    <br>
                    <br>
                    <p>
                    <ul class="social-icon">

```


</p>

</div>

</div>

<div class="wow fadeInUp col-md-6 col-sm-6" data-wow-delay="0.9s">

<div class="contact_detail" style="background-color: BROWN;>

<div class="section-title" >

<h4 style="color: WHITE;">WANT US TO CONTACT YOU.</h2>

</div>

<form action="contact.php" method="post">

<input style="background-color: BLACK; name="name" type="text" class="form-control" id="name" placeholder="Name" required >

<input style="background-color: BLACK;name="email" type="email" class="form-control" id="email" placeholder="Email">

<textarea style="background-color: BLACK;name="message" rows="5" class="form-control" id="message" placeholder="Message" required></textarea>

<div class="col-md-6 col-sm-10">

<input name="submit" type="submit" class="form-control" id="submit" value="SEND">

</div>

</form>

</div>

</div>

```

        </div>
    </div>
</section>
<!-- =====
    DETAIL SECTION
===== -->
<br>
<section id="detail" class="parallax-section">
    <div class="container">
        <div class="row">

            <div class="wow fadeInLeft col-md-4 col-sm-4" data-wow-
delay="0.3s">

                <i class="fa fa-group"></i>
                <h3 style="color: white;">100+ Volunteers</h3>
            </div>

            <div class="wow fadeInUp col-md-4 col-sm-4" data-wow-
delay="0.5s">

                <i class="fa fa-motorcycle"></i>
                <h3 style="color: white;">150+ FAMILIES SERVED</h3>
            </div>

            <div class="wow fadeInRight col-md-4 col-sm-4" data-wow-
delay="0.7s">

                <i class="fa fa-map-marker"></i>
                <h3 style="color: white;">4 Cities</h3>
            </div>

        </div>
    </div>

```

```

        </div>
</section>
<br>

<!-- =====
FOOTER SECTION
===== -->
<footer >
    <div class="container">
        <div class="row">

            <div class="col-md-12 col-sm-12">
                <h4 class="wow fadeInUp" data-wow-delay="0.6s">Copyright
&copy; Food-Waste-Management 2020 </h4>
                <p>All Rights Reserved.</p>

            </div>

            <div class="col-md-12 col-sm-12">
                <br>

            </div>
        </div>
    </div>
</footer>
<!-- =====
SCRIPTS
===== -->
<script src="js/jquery.js"></script>

```

```

<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.parallax.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/custom.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
<script src="js/bootstrapF.min.js"></script>
<script src="js/jquery.flexslider-minF.js"></script>
<script src="js/jquery.fancybox.packF.js"></script>
<script src="js/retina.minF.js"></script>
<script src="js/modernizrF.js"></script>
<script src="js/mainF.js"></script>
<script src="js/bootstrapF.min.js"></script>

</body>
</html>

```

CREATE.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>New Account</title>
    <meta charset="UTF-8">
    <meta name="description" content="NGO Application for Software Engineering">
    <meta name="author" content="UDESH SHARMA and HINAL VADHIYA">
    <meta name="keywords"
content="FOODWASTE,NGO,Anand,Website,FoodWasteManagement">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1">

```

```

<meta http-equiv="refresh" content="2000">

<link rel="shortcut icon" type="image/icon" href="images/FFGlogo3.png"/>

<!--
=====
=====-->

<!--
=====
=====-->

<link rel="stylesheet" type="text/css" href="vendor/bootstrap/css/bootstrap.min.css">

<!--
=====
=====-->

<link rel="stylesheet" type="text/css" href="fonts/font-awesome-4.7.0/css/font-
awesome.min.css">

<!--
=====
=====-->

<link rel="stylesheet" type="text/css" href="fonts/iconic/css/material-design-iconic-
font.min.css">

<!--
=====
=====-->

<link rel="stylesheet" type="text/css" href="vendor/animate/animate.css">

<!--
=====
=====-->

<link rel="stylesheet" type="text/css" href="vendor/css-
hamburgers/hamburgers.min.css">

<!--
=====
=====-->

<link rel="stylesheet" type="text/css"
href="vendor/ansition/css/ansition.min.css">

<!--
=====
=====-->

```

```

        <link rel="stylesheet" type="text/css" href="vendor/select2/select2.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css"
href="vendor/daterangepicker/daterangepicker.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="css/util.css">

        <link rel="stylesheet" type="text/css" href="css/main.css">

<!--
=====
=====-->

</head>

<body>

<div class="preloader">

        <div class="sk-rotating-plane"></div>

</div>

        <div class="limiter">

                <div class="container-login100" style="background-image:
url('images/4299.jpg');">

                        <div class="container-login100 col-md-3"></div>

                        <div class="wrap-login100 col-md-6" style="background-color:
#f0f0f0;">

                                <form class="login100-form validate-form" action="login.php"
method="get">

                                        <br>

                                        <span class="login100-form-title p-b-49">3>

                                                Sign Up

```


<!--<div class="top-row">

<div class="field-wrap">

<label>

First Name*

</label>

<input type="text" required autocomplete="off" />

</div>

<div class="field-wrap">

<label>

Last Name*

</label>

<input type="text" required autocomplete="off"/>

</div>

</div>-->

<div class="pad">

<table>

<tr><td style="padding-right: 125px;">

<div class="wrap-input50 validate-input m-b-23 " data-validate = "Firstname is required" >

Firstname

<input class="input100" type="text" name="fname" >

</div></td>

<td>

<div class="wrap-input50 validate-input m-b-23 " >

Lastname


```

name="lname" >
                                <input class="input100" type="text"

                                </div></td>

</tr>
</table>
<table>
    <tr>
        <td style="padding-right: 200px;">
            <div class="wrap-input50 validate-input m-b-
23" style="width: 150px;">
                <span class="label-input100">Age</span>
                <input class="input100" type="number"
name="age" >
                    </div>
                </td>
                <td>
                    <div class="wrap-input5000 validate-input m-b-
23">
                        <span class="label-
input100">Gender</span><br><p></p>
                        <input type="radio" name="gender"
value="male"><b> Male </b><br><p><p></p></p>
                        <input type="radio" name="gender"
value="female"><b> Female </b>
                    </div>
                </td>
    </tr>
</table>
    <div class="wrap-input100 validate-input m-b-23" data-validate = "Address is
required">
        <span class="label-input100">Address</span>
        <input class="input100" type="text"
name="address" >

```

</div>

<div class="wrap-input100 validate-input m-b-23" data-validate = "Phone Number is required" style="width: 275px;">

Contact
Number

<input class="input100" type="number"
name="phonenummer" >

</div>

<div class="wrap-input100 validate-input m-b-23" data-validate = "Email Id is required" style="width: 500px;">

Email
address

<input class="input100" type="email"
name="emailid" >

</div>

<div class="wrap-input100 validate-input m-b-23" data-validate = "Username is required" style="width: 325px;">

<span class="label-
input100">Username

<input class="input100" type="text"
name="username" >

</div>

<div class="wrap-input100 validate-input" data-validate="Password is required" style="width: 325px;">

Password

<input class="input100" type="password"
name="password">

```

        </div>
        <br>
        <div class="wrap-input100 validate-input" data-
validate="Rewrite Password" style="width: 325px;">
            <span class="label-input100">Confirm
Password</span>
            <input class="input100" type="password"
name="confirmpass">
        </div>
        </div>
        <br>
        <center>
        <div class="container-login100-form-btn col-md-4">
            <div class="wrap-login100-form-btn">
                <div class="login100-form-
bgbtn"></div>
                <button class="login100-form-btn">
                    Login
                </button>
            </div>
        </div>
        </center>
        <div class="txt1 text-center p-t-54 p-b-20">
            <span>
                Or
            </span>
        </div>
        <center>
        <p style="color: black;font-size: 15px;">Already have
an account?</p>
        </center>

```

```

        <center>
        <div class="container-login100-form-btn col-md-4">
            <div class="wrap-login100-form-btn">
                <center>
                    <div class="login100-form-
bgbtn"></div>
                    <button type="button"
onclick="window.location='login.html'" class="txt2">
                        Sign In
                    </button></center>
                </div>
            </div></center><br>

            </div>
        </form>
        <div class="container-login100 col-md-3"></div></div>
    </div>
</div>

<!--
=====
=====-->
    <script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<!--
=====
=====-->
    <script src="vendor/animstion/js/animstion.min.js"></script>
<!--
=====
=====-->
    <script src="vendor/bootstrap/js/popper.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.min.js"></script>

```

```

<!--
=====
----->

    <script src="vendor/select2/select2.min.js"></script>

<!--
=====
----->

    <script src="vendor/daterangepicker/moment.min.js"></script>
    <script src="vendor/daterangepicker/daterangepicker.js"></script>

<!--
=====
----->

    <script src="vendor/countdowntime/countdowntime.js"></script>

<!--
=====
----->

    <script src="js/main.js"></script>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.parallax.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/custom.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
<script src="js/bootstrapF.min.js"></script>
<script src="js/jquery.flexslider-minF.js"></script>
<script src="js/jquery.fancybox.packF.js"></script>
<script src="js/retina.minF.js"></script>
<script src="js/modernizrF.js"></script>
<script src="js/mainF.js"></script>
<script src="js/bootstrapF.min.js"></script>

```

```
</body>
</html>
```

LOGIN.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Login Page</title>
    <meta charset="UTF-8">
    <meta name="description" content="NGO Application for Software Engineering">
    <meta name="author" content="UDESH SHARMA and HINAL VADHIYA">
    <meta name="keywords"
content="FOODWASTE,NGO,Anand,Website,FoodWasteManagement">
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1">

    <meta http-equiv="refresh" content="2000">
    <link rel="shortcut icon" type="image/icon" href="images/FFGlogo3.png"/>

<!--
=====
=====-->

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="vendor/bootstrap/css/bootstrap.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="fonts/font-awesome-4.7.0/css/font-
awesome.min.css">

<!--
=====
=====-->
```

```

    <link rel="stylesheet" type="text/css" href="fonts/iconic/css/material-design-iconic-
font.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="vendor/animate/animate.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="vendor/css-
hamburgers/hamburgers.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css"
href="vendor/ansition/css/ansition.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="vendor/select2/select2.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css"
href="vendor/daterangepicker/daterangepicker.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="css/util.css">
    <link rel="stylesheet" type="text/css" href="css/main.css">

<!--
=====
=====-->

</head>

<body>

<div class="preloader">

```

```

        <div class="sk-chase-dot"></div>

</div>

<div class="limiter">
    <div class="container-login100" style="background-image:
url('images/4299.jpg');">
        <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54"
style="background-color: #f0f0f0;">
            <form class="login100-form validate-form"
action="authentication.php" method="post">
                <span class="login100-form-title p-b-49"3>
                    Login
                </span>

                <div class="wrap-input100 validate-input m-b-23" data-
validate = "Username is required">
                    <span class="label-
input100">Username</span>
                    <input class="input100" type="text"
name="username" id="username" >
                </div>

                <div class="wrap-input100 validate-input" data-
validate="Password is required">
                    <span class="label-input100">Password</span>
                    <input class="input100" type="password"
name="password" id="password">
                </div>

                <div class="text-right p-t-8 p-b-31">
                    <a href="forgot.html">

```


Forgot password?

</div>

<div class="container-login100-form-btn">

<div class="wrap-login100-form-btn">

<div class="login100-form-

bgbtn"></div>

<button class="login100-form-btn">

Login

</button>

</div>

</div>

<div class="txt1 text-center p-t-54 p-b-20">

Or

</div>

<div class="container-login100-form-btn">

<div class="wrap-login100-form-btn">

<center>

<div class="login100-form-

bgbtn"></div>

<button type="button"

onclick="window.location='create.html'" class="txt2">

Create an account

</button></center>

</div></div>

</div>

```

        </form>
    </div>
</div>
</div>

<div id="dropDownSelect1"></div>

<!--
=====
----->

    <script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<!--
=====
----->

    <script src="vendor/ansition/js/ansition.min.js"></script>
<!--
=====
----->

    <script src="vendor/bootstrap/js/popper.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<!--
=====
----->

    <script src="vendor/select2/select2.min.js"></script>
<!--
=====
----->

    <script src="vendor/daterangepicker/moment.min.js"></script>
    <script src="vendor/daterangepicker/daterangepicker.js"></script>
<!--
=====
----->

    <script src="vendor/countdowntime/countdowntime.js"></script>

```

```

<!--
=====
=====-->

    <script src="js/main.js"></script>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.parallax.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/custom.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
<script src="js/bootstrapF.min.js"></script>
<script src="js/jquery.flexslider-minF.js"></script>
<script src="js/jquery.fancybox.packF.js"></script>
<script src="js/retina.minF.js"></script>
<script src="js/modernizrF.js"></script>
<script src="js/mainF.js"></script>
<script src="js/bootstrapF.min.js"></script>

</body>
</html>

```

FORGOT.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Forgot Password</title>
    <meta charset="UTF-8">
    <meta name="description" content="NGO Application for Software Engineering">

```

```

        <meta name="author" content="UDESH SHARMA and HINAL VADHIYA">

        <meta name="keywords"
content="FOODWASTE,NGO,Anand,Website,FoodWasteManagemnet">

        <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1">


        <meta http-equiv="refresh" content="2000">

        <link rel="shortcut icon" type="image/icon" href="images/FFGlogo3.png"/>

<!--
=====
=====-->

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="vendor/bootstrap/css/bootstrap.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="fonts/font-awesome-4.7.0/css/font-
awesome.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="fonts/iconic/css/material-design-iconic-
font.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="vendor/animate/animate.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="vendor/css-
hamburgers/hamburgers.min.css">

<!--
=====
=====-->

```

```

        <link rel="stylesheet" type="text/css"
href="vendor/animations/css/animations.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="vendor/select2/select2.min.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css"
href="vendor/daterangepicker/daterangepicker.css">

<!--
=====
=====-->

        <link rel="stylesheet" type="text/css" href="css/util.css">
        <link rel="stylesheet" type="text/css" href="css/main.css">

<!--
=====
=====-->

</head>

<body>

<div class="preloader">

        <div class="sk-rotating-plane"></div>

</div>

        <center>

                <h1 align="center" style="padding-top: 365px;">Better Remember !</h1>

        </center>

<!--
=====
=====-->

```

```

<script src="vendor/jquery/jquery-3.2.1.min.js"></script>

<!--
=====
=====-->

<script src="vendor/animstation/js/animstation.min.js"></script>

<!--
=====
=====-->

<script src="vendor/bootstrap/js/popper.js"></script>
<script src="vendor/bootstrap/js/bootstrap.min.js"></script>

<!--
=====
=====-->

<script src="vendor/select2/select2.min.js"></script>

<!--
=====
=====-->

<script src="vendor/daterangepicker/moment.min.js"></script>
<script src="vendor/daterangepicker/daterangepicker.js"></script>

<!--
=====
=====-->

<script src="vendor/countdowntime/countdowntime.js"></script>

<!--
=====
=====-->

<script src="js/main.js"></script>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.parallax.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/custom.js"></script>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>

```

```
<script src="js/bootstrapF.min.js"></script>
<script src="js/jquery.flexslider-minF.js"></script>
<script src="js/jquery.fancybox.packF.js"></script>
<script src="js/retina.minF.js"></script>
<script src="js/modernizrF.js"></script>
<script src="js/mainF.js"></script>
<script src="js/bootstrapF.min.js"></script>
```

```
</body>
```

```
</html>
```

WEBSITE LOOK :











