DAY-24
PYTHON 90 DAYS CHALLENGES

14.2 OOPS Principles

14.2.1 Encapsulation

Encapsulation means **binding data and methods together inside a class** and controlling how data is accessed or modified.

Basic Idea

Data + Methods = Encapsulation

1. Encapsulation keeps related data and behavior inside one class.
2. It helps protect data from direct unwanted changes.
3. Python does not have strict private variables like Java or C++.
4. Python uses naming conventions to show access level.
5. Encapsulation is commonly handled using:
    1. Public attributes
    2. Protected attributes
    3. Private/name-mangled attributes
    4. Getter and setter methods
    5. @property

PYTHON CODE

```
class BankAccount:
    def __init__(self, balance):
        self.__balance = balance

    def deposit(self, amount):
        if amount > 0:
            self.__balance += amount

    def get_balance(self):
        return self.__balance

account = BankAccount(1000)
account.deposit(500)
print(account.get_balance())
```

Output: 1500

Here, __balance is not directly accessed from outside. It is accessed using methods.

Public, Protected, and Private Members

Python uses naming conventions for access control.

Access Level Table

Nishchal

Type	Syntax	Meaning	Example
Public	name	Can be accessed normally	self.name
Protected	_name	Meant for internal use	self._salary
Private / Name mangling	__name	Avoid accidental outside access	self.__pin

Example 1

```
PYTHON CODE
class Student:
    def __init__(self):
        self.name = "Aman"
        self._marks = 85
        self.__grade = "A"

student = Student()
print(student.name)
print(student._marks)
```

Output: Aman
85
Direct access to __grade will fail:
print(student.__grade)
Output: AttributeError: 'Student' object has no attribute '__grade'

Important Point

Double underscore does not make data fully private.
It performs name mangling to avoid accidental access.
Internally, Python changes:
__grade -> _Student__grade
So technically it can still be accessed, but it should not be used directly.

Getter and Setter Methods

Getter and setter methods are used to read and update private data safely.

CodeWithNishchal

```python
def get_value(self):
    return self.__value

def set_value(self, value):
    self.__value = value
```

1. Getter method reads private data.
2. Setter method updates private data.
3. Setter can validate data before updating.
4. This protects the object from invalid values.

Example 1

PYTHON CODE

```python
class Student:
    def __init__(self, marks):
        self.__marks = marks

    def get_marks(self):
        return self.__marks

    def set_marks(self, marks):
        if marks >= 0:
            self.__marks = marks
        else:
            print("Marks cannot be negative")
student = Student(80)
student.set_marks(90)
print(student.get_marks())
```

Output: 90

Encapsulation Using @property

Nishchal

@property allows a method to behave like an attribute.

Syntax

```python
@property
def attribute_name(self):
    return value
```

1. @property is a clean way to control access to data.
2. It allows validation before changing data.
3. It supports getter and setter behavior.
4. It makes code look simple while still protecting data.

Example 1

PYTHON CODE

```
class Student:
    def __init__(self, marks):
        self.marks = marks

    @property
    def marks(self):
        return self._marks

    @marks.setter
    def marks(self, value):
        if value < 0:
            raise ValueError("Marks cannot be
negative")
        self._marks = value

student = Student(85)
student.marks = 95
print(student.marks)
```

Output: 95

14.2.2 Inheritance

Nishchal

Inheritance allows one class to reuse the properties and methods of another class.

Syntax

```python
class ChildClass(ParentClass):
    statement
```

Explanation

1. Inheritance supports code reuse.
2. The parent class is also called base class or superclass.
3. The child class is also called derived class or subclass.
4. The child class can use parent class attributes and methods.
5. The child class can also define its own attributes and methods.
6. The child class can override parent methods.
7. Inheritance represents an **is-a** relationship.

Basic Example

PYTHON CODE

```python
class Animal:
    def eat(self):
        print("Eating")

class Dog(Animal):
    def bark(self):
        print("Barking")
dog = Dog()
dog.eat()
dog.bark()
```

Output: Eating
Barking

Inheritance Flow

Parent class

hNishchal

|
v
Child class
|
v
Child class can reuse parent features

Why Inheritance is Used

Use	Meaning
Code reuse	Child class reuses parent code
Extensibility	Child class can add new features
Maintainability	Common logic stays in parent class
Polymorphism	Same method can behave differently
Real-world modeling	Represents is-a relationship

Example:
Dog is an Animal
Car is a Vehicle
Student is a Person

Types of Inheritance in Python

Python supports these major types of inheritance:

Type	Meaning
Single inheritance	One child inherits from one parent
Multilevel inheritance	Child inherits from parent, and another child inherits from that child
Hierarchical inheritance	Multiple child classes inherit from one parent
Multiple inheritance	One child inherits from multiple parents
Hybrid inheritance	Combination of two or more inheritance types

CodeWithNishchal

Single Inheritance

Single inheritance means one child class inherits from one parent class.

Syntax

```python
class Parent:
    pass

class Child(Parent):
    pass
```

Example 1

```
PYTHON CODE
class Animal:
    def eat(self):
        print("Eating")

class Dog(Animal):
    def bark(self):
        print("Barking")

dog = Dog()
dog.eat()
dog.bark()
```

Output: Eating
Barking

CodeWithNishchal

Multilevel Inheritance

Multilevel inheritance means a class inherits from a child class, forming a chain.

Syntax

```python
class A:
    pass

class B(A):
    pass

class C(B):
    pass
```

Example 1

```python
class Animal:
    def eat(self):
        print("Eating")

class Dog(Animal):
    def bark(self):
        print("Barking")

class Puppy(Dog):
    def weep(self):
        print("Weeping")

puppy = Puppy()
puppy.eat()
puppy.bark()
puppy.weep()
```

Output:
Eating
Barking
Weeping

Hierarchical Inheritance

Hierarchical inheritance means multiple child classes inherit from one parent class.

Nishchal

Syntax

```python
class Parent:
    pass

class Child1(Parent):
    pass

class Child2(Parent):
    pass
```

Example 1

```
PYTHON CODE
class Animal:
    def eat(self):
        print("Eating")


class Dog(Animal):
    def bark(self):
        print("Barking")

class Cat(Animal):
    def meow(self):
        print("Meowing")

dog = Dog()
cat = Cat()
dog.eat()
dog.bark()
cat.eat()
cat.meow()
```

Output: Eating
Barking
Eating
Meowing

Diagram



Multiple Inheritance

Multiple inheritance means one child class inherits from more than one parent class.

Code Nishchal

Syntax

```
PYTHON CODE
class Parent1:
    pass

class Parent2:
    pass

class Child(Parent1, Parent2):
    pass
```

1. Python supports multiple inheritance.
2. A child class can use methods from multiple parent classes.
3. If parents have methods with the same name, Python uses MRO.
4. MRO means Method Resolution Order.

Example 1

```
PYTHON CODE
class Father:
    def father_skill(self):
        print("Gardening")

class Mother:
    def mother_skill(self):
        print("Painting")

class Child(Father, Mother):
    def child_skill(self):
        print("Coding")

child = Child()

child.father_skill()
child.mother_skill()
child.child_skill()
```

Output:

Gardening
Painting
Coding

Diagram

Father Mother
  \ /

Nishchal

v v

Child

Hybrid Inheritance

Hybrid inheritance is a combination of two or more types of inheritance.

1. Hybrid inheritance mixes different inheritance types.
2. It can include multiple, multilevel, or hierarchical inheritance together.
3. It is powerful but can become complex.
4. MRO is important in hybrid inheritance.

Example 1

PYTHON CODE

```
class Person:
    def show_person(self):
        print("Person")

class Student(Person):
    def show_student(self):
        print("Student")

class Employee(Person):
    def show_employee(self):
        print("Employee")

class TeachingAssistant(Student, Employee):
    def show_ta(self):
        print("Teaching Assistant")

ta = TeachingAssistant()
ta.show_person()
ta.show_student()
ta.show_employee()
ta.show_ta()
```

Output:

Person

Student


Employee

Teaching Assistant

Diagram

Person

Nishchal


/ \
v v
Student Employee
\ /
v v
TeachingAssistant