

PIZZA SALES SQL QUERIES

KPI's

1.Total Revenue -

```
SELECT SUM(total_price) FROM pizza_sales;
```

	SUM(total_price)
▶	817860.049999993

2.Average Order Value –

```
SELECT (SUM(total_price) / COUNT(DISTINCT order_id)) AS Avg_order_Value  
FROM pizza_sales;
```

	average_order
▶	38.307262295081635

3. Total Pizzas Sold

```
SELECT SUM(quantity) AS Total_pizza_sold FROM pizza_sales;
```

	Total_pizza_sold
▶	49574

5. Average Pizzas Per Order

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /  
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2))  
AS Avg_Pizzas_per_order  
FROM pizza_sales;
```

	Avg_Pizzas_per_order
▶	2.32

B. Daily Trend for Total Orders

```
SELECT DAYNAME(STR_TO_DATE(order_date, '%d-%m-%Y')) AS order_day,  
COUNT(DISTINCT order_id) AS total_orders  
FROM pizza_sales  
GROUP BY DAYNAME(STR_TO_DATE(order_date, '%d-%m-%Y'));
```

Output:

	order_day	total_orders
▶	Friday	3538
	Monday	2794
	Saturday	3158
	Sunday	2624
	Thursday	3239
	Tuesday	2973
	Wednesday	3024

C. Monthly Trend for Orders

```
select monthname(str_to_date(order_date , '%d-%m-%Y')) as Month_Name, COUNT(DISTINCT
order_id) as Total_Orders
```

```
from pizza_sales
```

```
GROUP BY Month_Name
```

```
ORDER BY Total_Orders DESC;
```

Output

	Month_Name	Total_Orders
▶	July	1935
	May	1853
	January	1845
	August	1841
	March	1840
	April	1799
	November	1792
	June	1773
	February	1685
	December	1680
	September	1661
	October	1646

D. % of Sales by Pizza Category

```
SELECT pizza_category, CAST(SUM(total_price) AS DECIMAL(10,2)) as total_revenue,
```

```
CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales) AS DECIMAL(10,2)) AS
PCT
```

```
FROM pizza_sales
```

```
GROUP BY pizza_category;
```

	pizza_category	total_revenue	PCT
▶	Classic	220053.10	26.91
	Veggie	193690.45	23.68
	Supreme	208197.00	25.46
	Chicken	195919.50	23.96

E. % of Sales by Pizza Size

```
SELECT pizza_size, CAST(SUM(total_price) AS DECIMAL(10,2)) as total_revenue,  
  
CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales) AS DECIMAL(10,2)) AS  
PCT  
  
FROM pizza_sales  
  
GROUP BY pizza_size  
  
ORDER BY pizza_size
```

	pizza_size	total_revenue	PCT
▶	L	375318.70	45.89
	M	249382.25	30.49
	S	178076.50	21.77
	XL	14076.00	1.72
	XXL	1006.60	0.12

F. Total Pizzas Sold by Pizza Category

```
SELECT pizza_category, SUM(quantity) as Total_Quantity_Sold  
  
FROM pizza_sales  
  
WHERE MONTH(STR_TO_DATE(order_date,'%d-%m-%Y')) = 2  
  
GROUP BY pizza_category  
  
ORDER BY Total_Quantity_Sold DESC
```

pizza_category	Total_Quantity_Sold
Classic	1178
Supreme	964
Veggie	944
Chicken	875

H. Bottom 5 Pizzas by Revenue

```
SELECT pizza_name, SUM(total_price) AS Total_Revenue  
  
FROM pizza_sales  
  
GROUP BY pizza_name  
  
ORDER BY Total_Revenue ASC  
  
LIMIT 5;
```

	pizza_name	Total_Revenue
▶	The Brie Carre Pizza	11588.4999999999
	The Green Garden Pizza	13955.75
	The Spinach Supreme Pizza	15277.75
	The Mediterranean Pizza	15360.5
	The Spinach Pesto Pizza	15596

I. Top 5 Pizzas by Quantity

```
SELECT pizza_name, SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold DESC
LIMIT 5;
```

	pizza_name	Total_Pizza_Sold
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

J. Bottom 5 Pizzas by Quantity

```
SELECT pizza_name, SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold ASC
LIMIT 5;
```

	pizza_name	Total_Pizza_Sold
	The Brie Carre Pizza	490
	The Mediterranean Pizza	934
	The Calabrese Pizza	937
	The Spinach Supreme Pizza	950
	The Soppressata Pizza	961

K. Top 5 Pizzas by Total Orders

```
SELECT pizza_name, COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY pizza_name
```

ORDER BY Total_Orders DESC

LIMIT 5;

	pizza_name	Total_Orders
►	The Classic Deluxe Pizza	2329
	The Hawaiian Pizza	2280
	The Pepperoni Pizza	2278
	The Barbecue Chicken Pizza	2273
	The Thai Chicken Pizza	2225

L. Borrom 5 Pizzas by Total Orders

SELECT pizza_name, COUNT(DISTINCT order_id) AS Total_Orders

FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Orders ASC

LIMIT 5;

	pizza_name	Total_Orders
	The Brie Carre Pizza	480
	The Mediterranean Pizza	912
	The Calabrese Pizza	918
	The Spinach Supreme Pizza	918
	The Chicken Pesto Pizza	938

NOTE

If you want to apply the pizza_category or pizza_size filters to the above queries you can use WHERE clause. Follow some of below examples

SELECT pizza_name, COUNT(DISTINCT order_id) AS Total_Orders

FROM pizza_sales

WHERE pizza_category = 'Classic'

GROUP BY pizza_name

ORDER BY Total_Orders ASC

LIMIT 5;

