v(-8pt) text(size: 28pt, weight: 800, fill: dark)[JUAN PABLO BEDOYA PAYÁN] v(2pt) text(size: 12pt, weight: 500, fill: accent)[Full Stack Developer · Software Engineering Student (7th/8th semester)] v(2pt) text(size: 9pt, fill: muted)[pablobedoya3521@gmail.com · +57 301 929 8995 · Armenia, Quindío, Colombia h(4pt) · h(4pt) github.com/Payan3521 · linkedin.com/in/juan-pablo-bedoya-payán · wa.me/573019298995]

upper(title)

Software Engineering student at Universidad EAM (Armenia, Quindío), currently in 7th of 8 semesters. Started in February 2024, previously earned a Technical Degree in Software Analysis and Development from SENA (high school technical program).
I work as a Full Stack developer: backend, frontend, mobile, cloud (AWS), DevOps, security, and AI integration. Strengths: technical leadership, clear communication, fast self-learning, advanced AI usage, future vision, thorough documentation, and organization. English A2 advanced (reading/writing). Seeking opportunities from 2026 onward.

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

Key Achievements:

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

Core Stack:

skill-chip(“TypeScript”, “expert”), skill-chip(“NestJS”, “advanced”), skill-chip(“React”, “expert”), skill-chip(“Next.js”, “advanced”), skill-chip(“PostgreSQL”, “advanced”), skill-chip(“Docker”, “expert”), skill-chip(“AWS”, “advanced”), skill-chip(“GitHub Actions”, “expert”), skill-chip(“Traefik”, “advanced”), skill-chip(“Tailwind CSS”, “expert”), skill-chip(“Prisma”, “advanced”),

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

upper(title)

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }

text(fill: dark)[desc]

text(size: 8pt, fill: gray, weight: 500)[— End of résumé —]