v(-8pt) text(size: 28pt, weight: 800, fill: dark)[JUAN PABLO BEDOYA PAYÁN] v(2pt) text(size: 12pt, weight: 500, fill: accent)[Full Stack Developer · Ingeniería de Software (7.º/8.º semestre)] v(2pt) text(size: 9pt, fill: muted)[pablobedoya3521@gmail.com · +57 301 929 8995 · Armenia, Quindío, Colombia h(4pt) · h(4pt) github.com/Payan3521 · linkedin.com/in/juan-pablo-bedoya-payán · wa.me/573019298995]

upper(title)

Estudiante de Ingeniería de Software en la Universidad EAM (Armenia, Quindío), cursando 7.º de 8 semestres. Inicié la carrera en febrero de 2024 y antes obtuve el título técnico en Análisis y Desarrollo de Software por el SENA (media técnica).
Me desempeño como Full Stack: backend, frontend, móvil, cloud (AWS), DevOps, seguridad e integración de IA. Mis fortalezas: liderazgo técnico, comunicación clara, aprendizaje autodidacta rápido, uso avanzado de IA, visión de futuro, documentación exhaustiva y orden. Inglés A2 avanzado (lectura/escritura). Busco oportunidades actualmente.

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

Logros destacados:

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

Stack principal:

skill-chip(“TypeScript”, “expert”), skill-chip(“NestJS”, “advanced”), skill-chip(“React”, “expert”), skill-chip(“Next.js”, “advanced”), skill-chip(“PostgreSQL”, “advanced”), skill-chip(“Docker”, “expert”), skill-chip(“AWS”, “advanced”), skill-chip(“GitHub Actions”, “expert”), skill-chip(“Traefik”, “advanced”), skill-chip(“Tailwind CSS”, “expert”), skill-chip(“Prisma”, “advanced”),

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

upper(title)

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

title

..skills.map(s => skill-chip(s.name, s.level))

upper(title)

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }
  text(fill: dark)[desc]

text(weight: 600, size: 10.5pt)[title] if date != none { h(4pt) text(size: 9pt, fill: muted)[date] } if location != none { h(4pt) text(size: 9pt, fill: muted)[location] }

text(fill: dark)[desc]

text(size: 8pt, fill: gray, weight: 500)[— Fin del currículum —]