
CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.



PACKET VALIDATION

Frame decoding	14 / 14 complete
Checksums	14 / 14 IPv4 + UDP valid
Exchanges	7 matched query/reply pairs
Reply latency	2 ms for each exchange

ASSESSMENT AND COVERAGE

Prompt compliance
Client and DNS server differ from the requested IPs.

Declared test intent
3 Positive + 4 Negative control; supplied by the user.

Detector evidence
Alert/no-alert expectations only; no replay receipt.

EXCHANGE 1 · EXACT QNAME IN FRAMES 1–2

`ABC0.41414141303030.m.studiotikva.com`

1 3-char nonce + state 0 | 2 hex client ID | 3 branch marker | 4 base domain

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 1–6 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000	192.0.2.2	198.51.100.53	DNS	97	Positive | A query ABC0.41414141303030.m.studiotikva.com
2	0.002	198.51.100.53	192.0.2.2	DNS	150	Positive | A response 192.0.2.120 for ABC0.41414141303030.m.studiotikva.com
3	1.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.q.studiotikva.com
4	1.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.q.studiotikva.com
5	2.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.p.studiotikva.com
6	2.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.p.studiotikva.com

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.



PACKET VALIDATION

Frame decoding	14 / 14 complete
Checksums	14 / 14 IPv4 + UDP valid
Exchanges	7 matched query/reply pairs
Reply latency	2 ms for each exchange

ASSESSMENT AND COVERAGE

Prompt compliance
Client and DNS server differ from the requested IPs.

Declared test intent
3 Positive + 4 Negative control; supplied by the user.

Detector evidence
Alert/no-alert expectations only; no replay receipt.

EXCHANGE 4 · EXACT QNAME IN FRAMES 7–8

`AB0.41414141303030.m.studiotikva.com`

1 2 chars before state 0; short for .m | 2 hex client ID | 3 branch marker | 4 base domain

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 7–12 OF 14


No.	Time	Source	Destination	Protocol	Length	Info
7	3.000	192.0.2.2	198.51.100.53	DNS	96	Negative control | A query AB0.41414141303030.m.studiotikva.com
8	3.002	198.51.100.53	192.0.2.2	DNS	148	Negative control | A response 192.0.2.120 for AB0.41414141303030.m.studiotikva.com
9	4.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query QWER1.41414141303030.x.studiotikva.com
10	4.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for QWER1.41414141303030.x.studiotikva.com
11	5.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query QWER1.4141414130303G.q.studiotikva.com
12	5.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for QWER1.4141414130303G.q.studiotikva.com

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.



PACKET VALIDATION

Frame decoding	14 / 14 complete
Checksums	14 / 14 IPv4 + UDP valid
Exchanges	7 matched query/reply pairs
Reply latency	2 ms for each exchange

ASSESSMENT AND COVERAGE

Prompt compliance
Client and DNS server differ from the requested IPs.

Declared test intent
3 Positive + 4 Negative control; supplied by the user.

Detector evidence
Alert/no-alert expectations only; no replay receipt.

EXCHANGE 7 · EXACT QNAME IN FRAMES 13–14

`q.QWER1.41414141303030.studiotikva.com`

1 q in the first label
2 QWER1 in the second label
3 identifier in marker position
4 base domain

PACKET LIST / RENDERED FROM TSHARK FIELDS

RECORDS 13–14 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
13	6.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query q.QWER1.41414141303030.studiotikva.com
14	6.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for q.QWER1.41414141303030.studiotikva.com

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 1–6 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000	192.0.2.2	198.51.100.53	DNS	97	Positive | A query ABC0.41414141303030.m.studiotikva.com
2	0.002	198.51.100.53	192.0.2.2	DNS	150	Positive | A response 192.0.2.120 for ABC0.41414141303030.m.studiotikva.com
3	1.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.q.studiotikva.com
4	1.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.q.studiotikva.com
5	2.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.p.studiotikva.com
6	2.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.p.studiotikva.com

SELECTED FRAME 1 / POSITIVE · EXPECTED ALERT

IPv4

Source	192.0.2.2
Destination	198.51.100.53

UDP

Source port	53000
Destination port	53

DNS

Transaction ID	0x0e07
Message	Query
Flags	0x0100
QNAME	ABC0.41414141303030.m.studiotikva.com
QTYPE	A (1)
Answers	0

PACKET BYTES / HEX + ASCII

```
0000   02 00 00 00 00 02 02 00 00 00 00 01 08 00 45 00   ..............E.
0010   00 53 00 01 00 00 40 11 8e 2e c0 00 02 02 c6 33   .S....@........3
0020   64 35 cf 08 00 35 00 3f aa 06 0e 07 01 00 00 01   d5...5.?........
0030   00 00 00 00 00 00 04 41 42 43 30 0e 34 31 34 31   .......ABC0.4141
0040   34 31 34 31 33 30 33 30 33 30 01 6d 0b 73 74 75   4141303030.m.stu
0050   64 69 6f 74 69 6b 76 61 03 63 6f 6d 00 00 01 00   diotikva.com....
0060   01                                                .
```

EXCHANGE 1 · EXACT QNAME IN FRAMES 1–2

`ABC0.41414141303030.m.studiotikva.com`

1 3-char nonce + state 0 · 2 hex client ID · 3 branch marker · 4 base domain

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 7–12 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
7	3.000	192.0.2.2	198.51.100.53	DNS	96	Negative control | A query AB0.41414141303030.m.studiotikva.com
8	3.002	198.51.100.53	192.0.2.2	DNS	148	Negative control | A response 192.0.2.120 for AB0.41414141303030.m.studiotikva.com
9	4.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query QWER1.41414141303030.x.studiotikva.com
10	4.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for QWER1.41414141303030.x.studiotikva.com
11	5.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query QWER1.41414141303030G.q.studiotikva.com
12	5.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for QWER1.41414141303030G.q.studiotikva.com

SELECTED FRAME 7 / NEGATIVE CONTROL · EXPECTED NO ALERT

IPv4

Source	192.0.2.2
Destination	198.51.100.53

UDP

Source port	53000
Destination port	53

DNS

Transaction ID	0x0e07
Message	Query
Flags	0x0100
QNAME	AB0.41414141303030.m.studiotikva.com
QTYPE	A (1)
Answers	0

PACKET BYTES / HEX + ASCII

```
0000   02 00 00 00 00 02 02 00 00 00 00 01 08 00 45 00   ..............E.
0010   00 52 00 01 00 00 40 11 8e 2f c0 00 02 02 c6 33   .R....@../.....3
0020   64 35 cf 08 00 35 00 3e bb 3b 0e 07 01 00 00 01   d5...5.>.;......
0030   00 00 00 00 00 00 03 41 42 30 0e 34 31 34 31 34   .......AB0.41414
0040   31 34 31 33 30 33 30 33 30 01 6d 0b 73 74 75 64   141303030.m.stud
0050   69 6f 74 69 6b 76 61 03 63 6f 6d 00 00 01 00 01   iotikva.com.....
```

EXCHANGE 4 · EXACT QNAME IN FRAMES 7–8

`AB0.41414141303030.m.studiotikva.com`

1 2 chars before state 0; short for .m
2 hex client ID
3 branch marker
4 base domain

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 13–14 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
13	6.000	192.0.2.2	198.51.100.53	DNS	98	Negative control | A query q.QWER1.41414141303030.studiotikva.com
14	6.002	198.51.100.53	192.0.2.2	DNS	152	Negative control | A response 192.0.2.120 for q.QWER1.41414141303030.studiotikva.com

SELECTED FRAME 13 / NEGATIVE CONTROL · EXPECTED NO ALERT

IPv4

Source	192.0.2.2
Destination	198.51.100.53

UDP

Source port	53000
Destination port	53

DNS

Transaction ID	0x0e07
Message	Query
Flags	0x0100
QNAME	q.QWER1.41414141303030.studiotikva.com
QTYPE	A (1)
Answers	0

PACKET BYTES / HEX + ASCII

```
0000   02 00 00 00 00 02 02 00 00 00 00 01 08 00 45 00   ..............E.
0010   00 54 00 01 00 00 40 11 8e 2d c0 00 02 02 c6 33   .T....@..-.....3
0020   64 35 cf 08 00 35 00 40 bd 71 0e 07 01 00 00 01   d5...5.@.q......
0030   00 00 00 00 00 00 01 71 05 51 57 45 52 31 0e 34   .......q.QWER1.4
0040   31 34 31 34 31 34 31 33 30 33 30 33 30 0b 73 74   1414141303030.st
0050   75 64 69 6f 74 69 6b 76 61 03 63 6f 6d 00 00 01   udiotikva.com...
0060   00 01                                             ..
```

EXCHANGE 7 · EXACT QNAME IN FRAMES 13–14

`q.QWER1.41414141303030.studiotikva.com`

1 q in the first label
2 QWER1 in the second label
3 identifier in marker position
4 base domain

CAPTURE OBSERVATION / TSHARK DISSECTION

CAV3RN DNS test capture

14 PACKETS
6.002 s 1989 bytes

The seven DNS A exchanges correspond to the prompt's three positive cases and four intentional negative controls, with one request/reply pair per case. The observed client 192.0.2.2 and DNS server 198.51.100.53 differ from the specified 192.168.2.33 and 192.0.2.53.

PACKET LIST / RENDERED FROM TSHARK FIELDS — RECORDS 1–6 OF 14

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000	192.0.2.2	198.51.100.53	DNS	97	Positive | A query ABC0.41414141303030.m.studiotikva.com
2	0.002	198.51.100.53	192.0.2.2	DNS	150	Positive | A response 192.0.2.120 for ABC0.41414141303030.m.studiotikva.com
3	1.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.q.studiotikva.com
4	1.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.q.studiotikva.com
5	2.000	192.0.2.2	198.51.100.53	DNS	98	Positive | A query QWER1.41414141303030.p.studiotikva.com
6	2.002	198.51.100.53	192.0.2.2	DNS	152	Positive | A response 192.0.2.120 for QWER1.41414141303030.p.studiotikva.com

SELECTED FRAME 6 / POSITIVE · EXPECTED ALERT

IPv4

Source	198.51.100.53
Destination	192.0.2.2

UDP

Source port	53
Destination port	53000

DNS

Transaction ID	0x0e07
Message	Response
Flags	0x8580
QNAME	QWER1.41414141303030.p.studiotikva.com
A answer	192.0.2.120
Answer TTL	120 s

PACKET BYTES / HEX + ASCII

```
0000   02 00 00 00 00 01 02 00 00 00 00 02 08 00 45 00   ..............E.
0010   00 8a 00 01 00 00 40 11 8d f7 c6 33 64 35 c0 00   ......@....3d5..
0020   02 02 00 35 cf 08 00 76 21 23 0e 07 85 80 00 01   ...5...v!#......
0030   00 01 00 00 00 00 05 51 57 45 52 31 0e 34 31 34   .......QWER1.414
0040   31 34 31 34 31 33 30 33 30 33 30 01 70 0b 73 74   14141303030.p.st
0050   75 64 69 6f 74 69 6b 76 61 03 63 6f 6d 00 00 01   udiotikva.com...
0060   00 01 05 51 57 45 52 31 0e 34 31 34 31 34 31 34   ...QWER1.4141414
0070   31 33 30 33 30 33 30 01 70 0b 73 74 75 64 69 6f   1303030.p.studio
0080   74 69 6b 76 61 03 63 6f 6d 00 00 01 00 01 00 00   tikva.com.......
0090   00 78 00 04 c0 00 02 78                           .x.....x
```

EXCHANGE 3 · EXACT QNAME IN FRAMES 5–6

`QWER1.41414141303030.p.studiotikva.com`

1 5-char random label · 2 hex client ID · 3 branch marker · 4 base domain