



台灣業者方案資料庫

Report generated by Tenable Nessus™

Mon, 13 Jul 2026 11:44:05 Taipei Standard Time

TABLE OF CONTENTS

Vulnerabilities by Host

- solution-finder-gray.vercel.app..... 4

Vulnerabilities by Host

solution-finder-gray.vercel.app



Scan Information

Start time: Mon Jul 13 11:26:52 2026
End time: Mon Jul 13 11:44:05 2026

Host Information

DNS Name: solution-finder-gray.vercel.app
IP: 64.29.17.3
OS: SonicWALL

Vulnerabilities

46180 - Additional DNS Hostnames

Synopsis

Nessus has detected potential virtual hosts.

Description

Hostnames different from the current hostname have been collected by miscellaneous plugins. Nessus has generated a list of hostnames that point to the remote host. Note that these are only the alternate hostnames for vhosts discovered on a web server.

Different web servers may be hosted on name-based virtual hosts.

See Also

https://en.wikipedia.org/wiki/Virtual_hosting

Solution

If you want to test them, re-scan using the special vhost syntax, such as :

`www.example.com[192.0.32.10]`

Risk Factor

None

Plugin Information

Published: 2010/04/29, Modified: 2022/08/15

Plugin Output

tcp/0

The following hostnames point to the remote host :

- mta.vercel.app
- pop.vercel.app
- imap.vercel.app
- pop2.vercel.app
- ads.vercel.app
- backend.vercel.app
- bugs.vercel.app
- connect.vercel.app
- corporate.vercel.app
- docs.vercel.app
- downloadcenter.vercel.app
- downloads.vercel.app
- global.vercel.app
- investors.vercel.app
- jobs.vercel.app
- list.vercel.app
- mail.vercel.app
- public.vercel.app
- remote.vercel.app
- research.vercel.app
- resources.vercel.app
- shopping.vercel.app
- software.vercel.app
- store.vercel.app
- support.vercel.app
- supportcentral.vercel.app
- webmail.vercel.app
- welcome.vercel.app
- www2.vercel.app

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2010/04/21, Modified: 2026/06/16

Plugin Output

tcp/0

```
The remote operating system matched the following CPE :
```

```
cpe:/o:sonicwall:sonicos -> SonicWall SonicOS
```

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/05/23, Modified: 2025/03/12

Plugin Output

tcp/0

```
Remote device type : unknown  
Confidence level : 56
```

10107 - HTTP Server Type and Version

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/80/www

```
The remote web server type is :  
Vercel
```

10107 - HTTP Server Type and Version

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/443/www

```
The remote web server type is :  
Vercel
```

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/01/30, Modified: 2024/02/26

Plugin Output

tcp/80/www

```
Response Code : HTTP/1.1 308 Permanent Redirect

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : no
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

    Content-Type: text/plain
    Location: https://solution-finder-gray.vercel.app/
    Refresh: 0;url=https://solution-finder-gray.vercel.app/
    server: Vercel
    Connection: close
    Transfer-Encoding: chunked

Response Body :

Redirecting...
```

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

n/a

Risk Factor	Impact	Control
1. Lack of industry connections	Reduced sales and market reach	Networking and strategic partnerships
2. Limited marketing budget	Low brand awareness	Targeted digital marketing and social media
3. Inconsistent product quality	Customer dissatisfaction and returns	Strict quality control and supplier management
4. Overdependence on a single market	Vulnerability to market fluctuations	Diversification into new markets and product lines
5. Poor timing of product launch	Missed market opportunities	Thorough market research and timing analysis
6. Limited cash flow	Operational challenges and delays	Efficient financial management and fundraising
7. Intense competition	Price wars and reduced margins	Differentiation and value-added services
8. Regulatory changes	Compliance costs and legal issues	Proactive legal counsel and regulatory updates
9. Supply chain disruptions	Production delays and increased costs	Diversified suppliers and inventory management
10. Limited customer loyalty	High churn rate and low repeat business	Customer engagement programs and loyalty incentives

None

Plugin Information

Published: 2007/01/30, Modified: 2024/02/26

Plugin Output

tcp/443/www

```

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : yes
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

    Cache-Control: private, no-store, max-age=0
    Content-Type: text/html; charset=utf-8
    Server: Vercel
    X-Vercel-Challenge-Token:
2.1783913546.60.ZmZiOTNjY2Y2OGYzNTNlNDRkNjlmMDQ5YWYyM2E2Nzc7YjU2ODBjMDM7Yjg0MDE5MjM4OTc1YzYwND1jZjExNjE2OTg5WkK+9TGN8c=.a3703f49b30c6e595b9033ba5d7550cf
X-Vercel-Id: hkg1::1783913546-0wlhtyodffnV8Nq3kQi6K0K6EFx3IHds
X-Vercel-Mitigated: challenge
Date: Mon, 13 Jul 2026 03:32:26 GMT
Transfer-Encoding: chunked

Response Body :

<!DOCTYPE html><html lang="en" data-astro-cid-nbv56vs3> <head><meta charset="utf-8"><meta
name="viewport" content="width=device-width, initial-scale=1"><meta name="theme-color"
content="#000"><title>Vercel Security Checkpoint</title><style>.spinner[data-astro-cid-jlpqxutv]
{display:flex;flex-direction:column;justify-content:center;align-items:center}.spinner-circle[data-

```

```
<!DOCTYPE html><html lang="en" data-astro-cid-nbv56vs3> <head><meta charset="utf-8"><meta
name="viewport" content="width=device-width, initial-scale=1"><meta name="theme-color"
content="#000"><title>Vercel Security Checkpoint</title><style>.spinner[data-astro-cid-jlpqxutv]
{display:flex;flex-direction:column;justify-content:center;align-items:center}.spinner-circle[data-
```

```

astro-cid-jlpqxutv]{transform-origin:center;animation:spinner-circle-animate 1s step-start
infinite}rect[data-astro-cid-jlpqxutv]{fill:var(--ds-gray-900)}@keyframes spinner-circle-
animate{0%{transform:rotate(0)}10%{transform:rotate(36deg)}20%{transform:rotate(72deg)}30%{transform:rotate(108deg)}
ds-gray-900: hsla(0, 0%, 40%, 1);--ds-gray-alpha-1000: hsla(0, 0%, 0%, .91);--background-color:
hsla(0, 0%, 100%, 1);--link-color: #0070f3}@media (prefers-color-scheme: dark){:root{--ds-gray-900:
hsla(0, 0%, 63%, 1);--ds-gray-alpha-1000: hsla(0, 0%, 100%, .92);--background-color: hsla(0, 0%,
4%, 1);--link-color: #3291ff}}html{box-sizing:border-box}[data-astro-cid-nbv56vs3],:after [data-
astro-cid-nbv56v [...]]

```

46215 - Inconsistent Hostname and IP Address

Synopsis

The remote host's hostname is not consistent with DNS information.

Description

The name of this machine either does not resolve or resolves to a different IP address.

This may come from a badly configured reverse DNS or from a host file in use on the Nessus scanning host.

As a result, URLs in plugin output may not be directly usable in a web browser and some web tests may be incomplete.

Solution

Fix the reverse DNS or host file.

Risk Factor

None

Plugin Information

Published: 2010/05/03, Modified: 2016/08/05

Plugin Output

tcp/0

```
The host name 'solution-finder-gray.vercel.app' resolves to 64.29.17.195, not to 64.29.17.3
```

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/80/www

```
Port 80/tcp was found to be open
```

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/443/www

```
Port 443/tcp was found to be open
```

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2026/06/17

Plugin Output

tcp/0

Information about this scan :

```
Nessus version : 10.11.2
Nessus build : 20042
Plugin feed version : 202607081825
Scanner edition used : Nessus
Scanner OS : WINDOWS
Scanner distribution : win-x86-64
Scan type : Normal
Scan name : #####
```

```
Scan policy used : Advanced Scan
Scanner IP : 192.168.50.18
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 9.760 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 50
Max checks : 5
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2026/7/13 11:27 Taipei Standard Time (UTC +08:00)
Scan duration : 1014 sec
Scan for malware : no
Fully Scan Operational Technology devices : no
Safely Scan Operational Technology devices with OT Discovery : no
```

42823 - Non-compliant Strict Transport Security (STS)

Synopsis

The remote web server implements Strict Transport Security incorrectly.

Description

The remote web server implements Strict Transport Security. However, it does not respect all the requirements of the STS draft standard.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/11/16, Modified: 2014/09/19

Plugin Output

tcp/443/www

```
The response from the web server listening on port 80 :  
- does not contain a Status-Code of 301.
```

209654 - OS Fingerprints Detected

Synopsis

Multiple OS fingerprints were detected.

Description

Using a combination of remote probes (TCP/IP, SMB, HTTP, NTP, SNMP, etc), it was possible to gather one or more fingerprints from the remote system. While the highest-confidence result was reported in plugin 11936, "OS Identification", the complete set of fingerprints detected are reported here.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2025/02/26, Modified: 2025/03/03

Plugin Output

tcp/0

```
Following OS Fingerprints were found
```

```
Remote operating system : SonicWALL
Confidence level : 56
Method : MLSinFP
Type : unknown
Fingerprint : unknown
```

```
Following fingerprints could not be used to determine OS :
HTTP:!:Server: Vercel
```

```
SinFP:!:
P1:B10013:F0x12:W65535:00:M0:
P2:B10013:F0x12:W65535:00204ffff0303070402000101:M1460:
P3:B00000:F0x00:W0:00:M0
P4:191602_7_p=80R
```

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2003/12/09, Modified: 2025/06/03

Plugin Output

tcp/0

```
Remote operating system : SonicWALL
Confidence level : 56
Method : MLSinFP
```

```
Not all fingerprints could give a match. If you think that these
signatures would help us improve OS fingerprinting, please submit
them by visiting https://www.tenable.com/research/submitsignatures.
```

```
HTTP!::Server: Vercel
```

```
SinFP!::
P1:B10013:F0x12:W65535:00:M0:
P2:B10013:F0x12:W65535:00204ffff0303070402000101:M1460:
P3:B00000:F0x00:W0:00:M0
P4:191602_7_p=80R
```

```
The remote host is running SonicWALL
```

10919 - Open Port Re-check

Synopsis

Previously open ports are now closed.

Description

One of several ports that were previously open are now closed or unresponsive.

There are several possible reasons for this :

- The scan may have caused a service to freeze or stop running.
- An administrator may have stopped a particular service during the scanning process.

This might be an availability problem related to the following :

- A network outage has been experienced during the scan, and the remote network cannot be reached anymore by the scanner.
- This scanner may have been blacklisted by the system administrator or by an automatic intrusion detection / prevention system that detected the scan.
- The remote host is now down, either because a user turned it off during the scan or because a select denial of service was effective.

In any case, the audit of the remote host might be incomplete and may need to be done again.

Solution

Steps to resolve this issue include :

- Increase checks_read_timeout and/or reduce max_checks.
- Disable any IPS during the Nessus scan

Risk Factor

None

References

XREF IAVB:0001-B-0509

Plugin Information

Published: 2002/03/19, Modified: 2023/06/20

Plugin Output

tcp/0

Port 443 was detected as being open but is now closed

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2026/03/23

Plugin Output

tcp/80/www

```
A web server is running on this port.
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2026/03/23

Plugin Output

tcp/443/www

```
A TLSv1.3 server answered on this port.
```

tcp/443/www

```
A web server is running on this port through TLSv1.3.
```

172489 - SonicWall SonicOS Installed

Synopsis

SonicWall SonicOS is installed on the remote host

Description

SonicWALL SonicOS, a firewall operating system, is installed on the remote host.

See Also

<https://www.sonicwall.com/products/sonicos/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/03/13, Modified: 2025/09/29

Plugin Output

tcp/0

```
Path      : /  
Version   : unknown
```

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/11/16, Modified: 2019/11/22

Plugin Output

tcp/443/www

The STS header line is :

```
Strict-Transport-Security: max-age=63072000; includeSubDomains; preload
```

10287 - Traceroute Information

Synopsis

It was possible to obtain traceroute information.

Description

Makes a traceroute to the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 1999/11/27, Modified: 2026/04/27

Plugin Output

udp/0

```
For your information, here is the traceroute from 192.168.50.18 to 64.29.17.3 :
192.168.50.18
192.168.50.1
10.70.0.254
61.66.218.1
220.228.20.145
192.72.107.97
139.175.58.145
139.175.58.202
?
64.29.17.3

Hop Count: 10
```