```
-- phpMyAdmin SQL Dump
-- version 4.9.5deb2
-- https://www.phpmyadmin.net/
-- Host: localhost:3306
-- Creato il: Set 20, 2021 alle 16:38
-- Versione del server: 8.0.26-0ubuntu0.20.04.2
-- Versione PHP: 7.4.3
SET SQL MODE = "NO AUTO VALUE ON ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time zone = "+00:00";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `webdevs`
-- Dump dei dati per la tabella `clientes`
INSERT INTO `clientes` (`id cliente`, `nome cliente`, `email cliente`,
`cpf cliente`, `data cadastro cliente`, `ativo cliente`) VALUES
(1, 'Corrumpitur politicis', 'corrumpitur@politicis.co.jp', '01234567890', '2021-09-20', 'V'),
(2, 'Quid igitur est solutio', 'igitur.est@solutio.gov.co',
'12345678909', '2021-09-18', 'F'),
(3, 'Corrumpitur politicis', 'corrumpitur@politicis.co.jp',
'01234567890', '2021-09-14', NULL),
(4, 'Quid igitur est solutio', 'igitur.est@solutio.gov.co',
'12345678909', '2021-09-20', 'F'),
(5, 'Quid igitur est solutio', 'igitur.est@solutio.gov.jp',
'12345678909', '2021-09-20', 'V'),
(6, 'Corrumpitur politicis', 'corrumpitur@politicis.co.fr',
'01234567890', '2021-09-14', NULL);
COMMIT;
/*!40101 SET CHARACTER SET CLIENT=@OLD CHARACTER SET CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
```