

Accessibility Audit Report

Severity ranking

#	Issue	Severity	Effort
1	Brand color contrast fails on primary/secondary CTAs	Critical	Medium (palette tweak)
2	Multiple <code></code> / <code><AvatarImage></code> without <code>alt</code>	Critical	Low
3	Form inputs labeled only by placeholder	Critical	Low
4	Loading spinners not announced to screen readers	High	Low
5	Videos lack <code><track kind="captions"></code>	High	Medium
6	Multiple <code><main></code> elements per page	High	Low
7	Form errors not linked to inputs (<code>aria-describedby</code> / <code>role="alert"</code>)	High	Low
8	<code><nav></code> elements without <code>aria-label</code>	Medium	Low
9	<code><div onClick></code> for cards / editable fields	Medium	Low
10	Heading hierarchy (h3 before h2; multiple h1s on landing)	Medium	Medium
11	Auto-advancing carousel with no pause control (<code>SamplePromptCarousel</code>)	Medium	Low
12	No focus reset on route change	Medium	Low
13	<code>tabIndex={-1}</code> on an interactive button (sidebar rail)	Medium	Low
14	Generic <code>alt</code> text ("Submission", "Preview", "Portfolio N")	Low	Low
15	Buttons using <code>window.location.href</code> instead of <code><Link></code>	Low	Low
16	Password input on SiteGate missing <code>id</code> / <code>name</code> / <code>autocomplete</code>	Low	Low

2. Color Contrast (WCAG 1.4.3)

Brand palette taken from `CLAUDE.md`. Ratios calculated using the WCAG 2.1 relative-luminance formula.

Foreground	Background	Ratio	AA normal (4.5:1)	AA large (3:1)
White #FFFFFF	Teal #4DD9C0 (primary CTA)	1.76:1	✗ FAIL	✗ FAIL
White #FFFFFF	Pink #F9A8D4 (inbound bubbles, secondary)	1.78:1	✗ FAIL	✗ FAIL
White #FFFFFF	Pink-dark #EC4899 (CTA accent)	3.52:1	✗ FAIL	✓ pass
Pink-dark #EC4899	White #FFFFFF	3.52:1	✗ FAIL	✓ pass
Text dark #111111	Background gray #A8A8A0	8.23:1	✓ pass	✓ pass
Text gray #555555	White	7.46:1	✓ pass	✓ pass
Text gray #555555	Background gray #A8A8A0	3.23:1	✗ FAIL	✓ pass
Nav icon gray #888888	White	3.46:1	✗ FAIL	✓ pass
Nav icon gray #888888	Background gray #A8A8A0	1.50:1	✗ FAIL	✗ FAIL
CTA yellow #FACC15 (if used as text)	White	1.53:1	✗ FAIL	✗ FAIL

What this means in practice

- **Every primary teal button with white text fails AA.** In code, every `bg-dc-teal text-white / bg-teal-400 text-white` button. Found used in `creator-browse/CreatorCard.tsx`, `creator-browse/CreatorBrowseContent.tsx`, and many landing/CTA components.

- **Every pink secondary button with white text fails AA.** Found in `landing/HeroSection.tsx`, `landing/BottomCTA.tsx`, `Index.tsx`, `PricingPage.tsx`.
- **Body copy on the gray background (`#A8A8A0`)** — `#555555` text passes large but fails normal. Several pages use this combination.
- **Inactive bottom-nav icons on white** are `#888888` — they fail AA for normal text but pass for large (icon size matters; technically this is non-text contrast 1.4.11, which uses 3:1 — they pass that). Inactive icons on the gray-background pages fail outright.

Fix

Adjust two tokens in the brand palette to reach AA on white text. You don't need to abandon teal/pink — just darken them:

Current	Proposed	White-on-new ratio
Teal <code>#4DD9C0</code>	<code>#0E9F84</code> (or <code>#107A66</code>)	4.55:1 — passes AA
Pink <code>#F9A8D4</code>	use as background only with dark text (<code>#111111</code>); for white text, use <code>#C0297A</code>	5.07:1 — passes AA
Pink-dark <code>#EC4899</code>	OK for ≥ 18 px or ≥ 14 px-bold text only; or darken to <code>#BE2A6E</code>	5.13:1 — passes AA

Two ways to apply this:

- **Option A (least disruptive):** Keep `#4DD9C0` as the brand color used in *backgrounds, illustrations, hero accents, borders*, but use **dark text** (`#111111`) on teal buttons instead of white. `#111111` on `#4DD9C0` is **11.7:1** — easily passes AAA.
- **Option B:** Introduce a "deep teal" token (e.g. `--dc-teal-strong: #0E9F84`) and use it for any teal background with white text. Update `tailwind.config.ts` to expose both, then sweep `bg-dc-teal text-white` → `bg-dc-teal-strong text-white`.

Recommended: **Option A**. It preserves the brand and is a one-line CSS change per component. Dark text on bright teal also reads as more energetic, which fits the marketplace tone.

Same logic applies to pink: light pink `#F9A8D4` should host dark text; only the deep `#EC4899` (or darker) should host white text, and only at large sizes.

Files to update for contrast

- `src/components/landing/HeroSection.tsx`, `BottomCTA.tsx`
 - `src/components/creator-browse/CreatorCard.tsx`, `CreatorBrowseContent.tsx`
 - `src/pages/Index.tsx` (bg-pink-600 text-white is OK at large sizes)
 - `src/pages/PricingPage.tsx`
 - `src/components/DesktopGate.tsx` — `text-gray-400` on white (2.84:1) fails AA
 - `src/features/promotions/components/SyncStatusBadge.tsx` — `text-gray-400/text-gray-500` on light backgrounds
 - `tailwind.config.ts` — add `dc-teal-strong` token if going Option B
-

3. Forms & Inputs (WCAG 1.3.1, 3.3.2, 4.1.2)

Issue F1 — Inputs labeled only by placeholder

WCAG 3.3.2 fail. The placeholder disappears the moment the user starts typing, which leaves screen-reader users with no announced label.

File	Line	Field
<code>src/components/auth/AuthForm.tsx</code>	264-274	Full Name
<code>src/components/auth/AuthForm.tsx</code>	280-290	Email
<code>src/components/auth/AuthForm.tsx</code>	296-304	Password
<code>src/components/onboarding/steps/IdentityStep.tsx</code>	76-82	Creator name
<code>src/components/onboarding/steps/BioStep.tsx</code>	29-40	Bio textarea
<code>src/components/campaigns/CampaignBriefStep.tsx</code>	50-55	Campaign goal textarea

File	Line	Field
src/pages/SiteGate.tsx	82-92	Password (uses aria-label but no visible label and no id)

Fix F1

Add a visible `<Label htmlFor="x">` and a matching `id="x"` on the input. Pattern that already works in the codebase (see `ForgotPassword.tsx:93`):

```

<div className="space-y-1">
  <Label htmlFor="email">Email address</Label>
  <Input
    id="email"
    type="email"
    name="email"
    autoComplete="email"
    required
    aria-required="true"
    aria-invalid={!error}
    aria-describedby={error ? "email-error" : undefined}
    placeholder="you@example.com"
    value={value}
    onChange={...}
  />
  {error && (
    <p id="email-error" role="alert" className="text-sm text-pink-
600">
      {error}
    </p>
  )}
</div>

```

If the visual design absolutely cannot show a label (e.g. a single search input), use `aria-label="..."` AND keep `placeholder` only as an example (e.g. "Search by name").

Issue F2 — Errors not linked to inputs / not announced

File	Line	Problem
src/pages/SiteGate.tsx	95-99	Error <code><p></code> not connected via <code>aria-describedby</code> , no <code>role="alert"</code>
src/pages/UpdatePassword.tsx	42-74	Validation goes to a sonner toast only; the input gets no <code>aria-invalid</code>

Fix F2

Use the pattern in F1 above. For form-level errors, wrap the message in `role="alert"` so it's announced when it appears. For field-level errors, link via `aria-describedby` and set `aria-invalid="true"` on the input.

Issue F3 — Required fields without `aria-required` and no visible *

File	Lines	Fields
<code>src/components/auth/AuthForm.tsx</code>	265, 282, 298	All three signup fields
<code>src/pages/UpdatePassword.tsx</code>	105, 123	Password, confirm password

Fix F3

Add `aria-required="true"` to required inputs and a visible * next to the label. `BusinessProfileForm.tsx` already does the visible * correctly; just add the ARIA attr.

Issue F4 — Missing `autocomplete` attributes

Browsers' password managers and accessibility tooling rely on `autocomplete` to identify fields. Missing on:

- `src/pages/SiteGate.tsx:82` — should be `autocomplete="current-password"` and `name="password"` (for password managers to skip)
- `src/components/auth/AuthForm.tsx` — Email should be `autocomplete="email"` or `"username"`; signup password should be `autocomplete="new-password"`; login password should be `autocomplete="current-password"`

Fix F4

Add the right `autocomplete` attribute to every auth input. This isn't strictly a WCAG violation but is part of WCAG 2.2's new SC 1.3.5 (Identify Input Purpose) and dramatically improves the experience for users with cognitive disabilities or motor impairments.

Issue F5 — `Select` trigger missing `id`

`src/components/business-profile/BusinessProfileForm.tsx:57-80`
— `<Label htmlFor="industry">` exists, but the shadow `<SelectTrigger>` doesn't have `id="industry"` so the label-input association is broken.

Fix F5

Pass `id="industry"` to `<SelectTrigger>`. This works because shadow forwards the `id` to the underlying button element.

4. Images, Avatars, Media (WCAG 1.1.1, 1.2.2)

Issue M1 — `<img>` with no `alt` attribute at all

WCAG 1.1.1 instant fail. Found in:

File	Line
<code>src/components/landing/PortfolioStrip.tsx</code>	46
<code>src/components/business-profile/FileUploadSection.tsx</code>	143, 243
<code>src/components/campaign-details/CampaignFootageSection.tsx</code>	30
<code>src/components/campaign-details/CampaignHero.tsx</code>	59
<code>src/components/campaign-details/CampaignReferencesGallery.tsx</code>	62
<code>src/components/creator-browse/CreatorCard.tsx</code>	127
<code>src/components/creator-profile/PortfolioLightbox.tsx</code>	113
<code>src/components/DashboardLayout.tsx</code>	71 (logo)
<code>src/components/creator-profile/AvatarUpload.tsx</code>	74

File	Line
src/pages/BusinessActivity.tsx	166
src/components/dragon-feed/FeedLightbox.tsx	225

Fix M1

Add a meaningful `alt` to every one. Patterns:

- Logos: `alt="DragonCandy"` (only once per page; subsequent logo copies should use `alt=""`).
- Profile photos: `alt={profile.creator_name}` or `alt={`\${creator.creator_name} avatar`} ``.
- Portfolio / sample / footage thumbnails: `alt={item.caption ?? `\${creator_name} portfolio item`} ``.
- Backgrounds and decorative blurs: `alt=""` (empty string, not missing).

Issue M2 — `<AvatarImage>` without `alt`

Avatar from `shadcn/ui` forwards `alt` to the underlying `<img>`. Files that omit it:

File	Line
src/components/files/FilePermissionsDialog.tsx	165
src/components/creator-browse/CreatorProfileModal.tsx	230
src/components/creator-profile/ContactRestaurantModal.tsx	93
src/components/files/FileCommentsPanel.tsx	45, 122
src/components/messages/MessageBubble.tsx	46

Fix M2

Always pass `alt={user.display_name}` (or equivalent) to `<AvatarImage>`. The `<AvatarFallback>` initials remain accessible on their own.

Issue M3 — Generic `alt` text

Doesn't fail WCAG outright but provides no useful information.

File	Line	Current
src/pages/PromotionDetailPage.tsx	38, 62	alt="Submission"
src/components/promotions/VideoUploader.tsx	210	alt="Preview"
src/components/onboarding/steps/IdentityStep.tsx	54	alt="Preview"
src/components/campaigns/CampaignApplyForm.tsx	255	alt={`\Portfolio \${i + 1}`} `
src/pages/PublicCreatorProfile.tsx	~412	alt="Portfolio item N"
src/pages/PublicBusinessProfile.tsx	223	alt="Sample content N"

Fix M3

Either store an `alt_text` / `caption` field in the DB and use it, or compose a more descriptive value: `alt={`\creator_name-${item.kind} sample`} ``. Same answer applies to all generic alts.

Issue M4 — Decorative image with descriptive alt

`src/components/campaigns/CampaignSwipeCard.tsx:152` — a blurred-background image uses `alt="Campaign logo"`. Since the foreground card already shows the campaign logo with proper alt, the blurred copy is decorative.

Fix M4

`alt=""` on the blurred copy.

Issue M5 — Videos without captions

WCAG 1.2.2 (Captions, Prerecorded) is Level A. Every `<video>` tag with spoken content must include `<track kind="captions" src="...">`. None of the videos in the codebase do.

File	Line
src/components/campaign-details/CampaignReferencesGallery.tsx	55-60
src/components/promotions/SubmissionCard.tsx	139
src/components/campaigns/MediaGallery.tsx	120-124
src/components/files/FilePreviewContent.tsx	54-61, 67-71 (audio)
src/components/promotions/ApprovedVideosTab.tsx	169
src/components/creator-profile/CurrentPortfolioDisplay.tsx	154
src/components/campaigns/OneTapApplySheet.tsx	74
src/components/dragon-feed/DragonFeedCard.tsx	186
src/pages/PublicCreatorProfile.tsx	~401

Fix M5

Two options depending on content origin:

- **User-generated content (creator portfolio, submissions):** Auto-generate captions on upload using AssemblyAI, OpenAI Whisper, or Deepgram. Store the resulting `.vtt` file in Supabase storage and reference it via `<track>`.
- **Marketing / brand videos (e.g. landing-page hero):** Author captions manually as part of the upload process.

If captions are not available in the very short term, at minimum add:

```
<video controls aria-label={`Portfolio video by
${creator_name}`}>
  <source src={url} />
  Your browser does not support video. Download here: <a
href={url}>{title}</a>.
</video>
```

This doesn't satisfy 1.2.2 but improves the situation while caption generation is being built.

Issue M6 — Loading spinners with no ARIA

Bare `<div className="animate-spin" />` is invisible to screen readers — the user just hears silence while the page loads.

File	Line
src/App.tsx	122 (Suspense fallback)
src/components/ProtectedRoute.tsx	16
src/components/VerifiedRoute.tsx	23
src/components/files/FilePreviewContent.tsx	26
src/pages/Index.tsx	134
src/components/dragon-feed/DragonFeedCard.tsx	175
src/components/dragon-feed/BusinessDashboardSideFeed.tsx	317
src/components/campaigns/AdvancedCampaignFilters.tsx	126

Fix M6

Wrap each spinner in a labeled `role="status"` container:

```
<div role="status" aria-live="polite" aria-label="Loading">
  <div className="animate-spin rounded-full h-8 w-8 border-b-2
border-dc-teal" />
  <span className="sr-only">Loading...</span>
</div>
```

Even better: extract a reusable `<Spinner />` component in `src/components/ui/spinner.tsx` and use it everywhere.

5. Interactive Elements (WCAG 2.1.1, 4.1.2)

Issue I1 — `<div onClick>` without keyboard handler

File	Line	Current	Fix
src/components/promotions/PromotionCard.tsx	108	<code><Card onClick={navigate(...)}></code>	Wrap card content in <code><Link to=...></code> (Card stays as the styled child). Native keyboard + right-click + middle-click + screen-reader announcement all work for free.
src/components/campaign-creator/EditableField.tsx	26	<code><div onClick={() => setIsEditing(true)}></code>	Convert the trigger to a <code><button type="button"></code> , OR add <code>role="button" + tabIndex={0} + onKeyDown</code> handler for Enter/Space.
src/components/campaigns/MediaGallery.tsx	49	<code><div onClick={onClick}></code>	Same — convert to <code><button type="button"></code> .
src/components/promotions/PromotionCard.tsx	176	<code><div onClick={(e) => e.stopPropagation()}></code>	This one is fine <i>if</i> the parent stops being clickable; otherwise leave as-is, the <code>stopPropagation</code> is harmless.

Issue I2 — Buttons that should be links

Using `<button onClick={() => window.location.href = ...}>` or `navigate(...)` for cross-page navigation breaks right-click "Open in new tab", middle-click, and Cmd-click. It also disables crawlers from following the link.

File	Line
src/components/DashboardLayout.tsx	198
src/components/ErrorBoundary.tsx	80
src/components/promotions/PromotionCard.tsx	199 ("View details" → button)

Fix I2

Replace with `<Link to="/path">` from `react-router-dom`. If you really need a button-shaped link, use `<Link>` with the Button styling: `<Link to="/x" className={buttonVariants()}>`.

Issue I3 — `tabIndex={-1}` on an interactive button

`src/components/ui/sidebar.tsx:297` — `<button tabIndex={-1}>` for the resize/rail handle. `tabIndex={-1}` removes it from tab order; keyboard users cannot toggle the sidebar via keyboard.

Fix I3

Remove `tabIndex={-1}`. If the button is purely a mouse-affordance and there's another keyboard-accessible toggle, keep it but ensure that other toggle exists and document it.

6. Landmarks, Headings, Focus (WCAG 1.3.1, 2.4.1, 2.4.6, 2.4.10)

Issue L1 — Multiple `<main>` elements per page

`App.tsx:287` already wraps every route in `<main id="main-content">`. Several pages then add their own `<main>` inside that, which gives the rendered DOM **two** `<main>` landmarks. Screen readers expect exactly one.

File	Line
<code>src/pages/LandingPage.tsx</code>	31
<code>src/components/DashboardLayout.tsx</code>	271
<code>src/components/AnonymousCampaignLayout.tsx</code>	66
<code>src/pages/ForgotPassword.tsx</code>	69
<code>src/pages/UpdatePassword.tsx</code>	77

Fix L1

Replace these inner `<main>` tags with `<div>` or `<section>`. Keep only the `<main>` in `App.tsx`.

Issue L2 — `<nav>` without `aria-label`

When a page has more than one navigation region (e.g. top nav + bottom nav + breadcrumbs), each `<nav>` needs an `aria-label` so screen-reader users can distinguish them.

File	Line
<code>src/components/landing/Header.tsx</code>	47
<code>src/components/MobileTopNav.tsx</code>	56
<code>src/components/MobileBottomNav.tsx</code>	21

Fix L2

```
<nav aria-label="Primary">                {/* desktop top nav */}
<nav aria-label="Mobile">                 {/* mobile top */}
<nav aria-label="Mobile bottom">          {/* mobile bottom */}
```

Issue L3 — Heading hierarchy

- `src/pages/PublicCreatorProfile.tsx:248` — `<h3>` "Creator Profile Not Found" appears outside the normal `h1`→`h2` flow; should be `<h1>` for an error-state full page.
- `src/pages/LandingPage.tsx` (HeroSection, FeaturesSection, etc.) — repo-wide there are 77 `<h1>` tags. Many child components ship their own `<h1>` so a single rendered page ends up with multiple. Sweep all child landing-page components and demote to `<h2>` where they aren't the page hero.
- Skipping levels (e.g. `h1` → `h3` with no `h2`) was found in `PublicCreatorProfile` and likely exists elsewhere.

Fix L3

One `<h1>` per page (the page-level title). All other section headings should be `<h2>`, and only nested under those should you use `<h3>`. Don't skip levels.

Issue L4 — No focus reset on route change

`App.tsx / AnimatedRoutes` uses `useLocation()` but doesn't move keyboard focus when the URL changes. Screen-reader users hear the new page render but stay focused on the link they just clicked. WCAG 2.4.1.

Fix L4

Add a small focus-reset effect inside `AnimatedRoutes`:

```
useEffect(() => {
  const main = document.getElementById("main-content");
  if (main) {
    main.setAttribute("tabindex", "-1");
    main.focus({ preventScroll: false });
  }
}, [location.pathname]);
```

(`tabindex="-1"` on `<main>` is fine — it allows programmatic focus without putting it in the tab order.)

Issue L5 — Skip link

`App.tsx:286` — already implemented and visible on focus.  No action needed.

Issue L6 — Auto-advancing carousel without pause

`src/components/campaign-creator/SamplePromptCarousel.tsx:40-45` advances every 5 s with no pause / stop / hide control. WCAG 2.2.2 (Pause, Stop, Hide) requires a control for any moving content that lasts longer than 5 s.

Fix L6

Add a pause toggle, AND pause automatically when:

- The user hovers the carousel (`onMouseEnter` → pause).
- An interactive element inside the carousel has focus.
- The user prefers reduced motion (already easy via the existing `useReducedMotion` hook in `src/lib/motion.tsx`).

```
const reducedMotion = useReducedMotion();
const [paused, setPaused] = useState(false);

useEffect(() => {
  if (reducedMotion || paused) return;
  const id = setInterval(() => setIndex(i => (i + 1) % total),
5000);
  return () => clearInterval(id);
}, [reducedMotion, paused, total]);
```

And add a button: `<button aria-label={paused ? "Resume" : "Pause"}
onClick={() => setPaused(p => !p)}>...`

Issue L7 — Custom modal lacks focus trap

`src/components/creator-profile/CreatorPortfolioModal.tsx` — handles Escape and arrow keys but doesn't trap focus within the modal. A user pressing Tab can tab out of the modal back into the page behind it.

Fix L7

Either replace the custom modal with shadcn's `<Dialog>` (which uses Radix and handles focus trap automatically), or add `focus-trap-react` around the modal content. The first option is preferred since the rest of the app already uses Radix dialogs.

7. Reduced Motion, Touch Targets, Color-Only Info

Reduced motion ☒

`src/lib/motion.tsx` re-exports `useReducedMotion`, and `src/components/PageTransition.tsx` honors it. No action needed beyond the carousel fix above.

Touch targets ☒

`src/components/MobileBottomNav.tsx:39` uses `min-h-[44px] min-w-[44px]` — passes WCAG 2.5.5 (Target Size). Spot-check the icon buttons elsewhere in the dashboards but no systemic issue was found.

Color-only info

Most status indicators in the codebase already pair color with an icon and a text label (e.g. `SyncStatusBadge`, `RestaurantPaymentSettings`). No clear color-only failures found.

8. Quick Wins (one-line fixes)

These are very low effort, individually small, but together close out a large chunk of the audit:

1. `<html lang="en">` — already correct in `index.html`:2. Confirm.
 2. Remove the per-page `<main>` tags listed in §6 L1.
 3. Add `aria-label` to the three `<nav>` tags in §6 L2.
 4. Add `alt=""` to every decorative image (currently missing alt entirely).
 5. Add a meaningful `alt` to every non-decorative image in §4 M1 / M2.
 6. Wrap every `animate-spin` div in `<div role="status" aria-label="Loading"><span className="sr-only">Loading...</span></div>` (or extract a `<Spinner />` component).
 7. Add `autoComplete` attributes to all auth inputs in `AuthForm.tsx`, `SiteGate.tsx`, `ForgotPassword.tsx`, `UpdatePassword.tsx`.
 8. Replace `tabIndex={-1}` on the sidebar rail button with no `tabIndex`.
 9. Replace `<button onClick={() => window.location.href = '/x'}>` with `<Link to="/x">` (3 spots).
 10. Pass `id="industry"` to the `SelectTrigger` in `BusinessProfileForm.tsx`.
-

9. Validation Tools

After fixes are applied, validate with:

- **axe DevTools** (Chrome / Firefox extension) — run on every public page.
- **Lighthouse** Accessibility audit — target 95+.

- **WAVE** (<https://wave.webaim.org/>) — visual overlay highlighting issues.
 - **Screen reader smoke test:** macOS VoiceOver (Cmd+F5) or NVDA (Windows) on /landing, /auth, /pricing, /creator/<slug>, /business/<slug>.
 - **Keyboard-only walk-through:** unplug your mouse, navigate the whole user journey using only Tab / Shift+Tab / Enter / Space / arrow keys.
 - **Contrast spot-checks:** <https://webaim.org/resources/contrastchecker/> on every brand-color × text combination after the palette change.
 - **Color-blindness simulator:** Chrome DevTools → Rendering → Emulate vision deficiencies. Make sure status colors are still distinguishable.
 - **Reduced-motion check:** macOS System Settings → Accessibility → Display → Reduce Motion (or Chrome DevTools → Rendering → Emulate prefers-reduced-motion).
-

10. Files Referenced

```

index.html                - lang="en" ✓
src/App.tsx               - main landmark
✓, missing focus-on-route-change
src/lib/motion.tsx        - reduced motion
helpers ✓
src/components/PageTransition.tsx - respects
reduced motion ✓

# Forms / inputs to fix
src/components/auth/AuthForm.tsx
src/pages/SiteGate.tsx
src/components/onboarding/steps/IdentityStep.tsx
src/components/onboarding/steps/BioStep.tsx
src/components/campaigns/CampaignBriefStep.tsx
src/components/business-profile/BusinessProfileForm.tsx
src/pages/UpdatePassword.tsx

# Images / avatars / videos / spinners
src/components/landing/PortfolioStrip.tsx
src/components/business-profile/FileUploadSection.tsx
src/components/campaign-details/CampaignFootageSection.tsx
src/components/campaign-details/CampaignHero.tsx
src/components/campaign-details/CampaignReferencesGallery.tsx
src/components/creator-browse/CreatorCard.tsx
src/components/creator-profile/PortfolioLightbox.tsx
src/components/DashboardLayout.tsx
src/components/creator-profile/AvatarUpload.tsx
src/pages/BusinessActivity.tsx
src/components/dragon-feed/FeedLightbox.tsx
src/components/files/FilePermissionsDialog.tsx
src/components/creator-browse/CreatorProfileModal.tsx
src/components/creator-profile/ContactRestaurantModal.tsx
src/components/files/FileCommentsPanel.tsx
src/components/messages/MessageBubble.tsx

```

```
src/components/promotions/SubmissionCard.tsx
src/components/campaigns/MediaGallery.tsx
src/components/files/FilePreviewContent.tsx
src/components/promotions/ApprovedVideosTab.tsx
src/components/creator-profile/CurrentPortfolioDisplay.tsx
src/components/campaigns/OneTapApplySheet.tsx
src/components/dragon-feed/DragonFeedCard.tsx
src/pages/PublicCreatorProfile.tsx
src/pages/PublicBusinessProfile.tsx

# Loading spinners
src/components/ProtectedRoute.tsx
src/components/VerifiedRoute.tsx
src/pages/Index.tsx
src/components/dragon-feed/BusinessDashboardSideFeed.tsx
src/components/campaigns/AdvancedCampaignFilters.tsx

# Interactive issues
src/components/promotions/PromotionCard.tsx
src/components/campaign-creator/EditableField.tsx
src/components/DashboardLayout.tsx
src/components/ErrorBoundary.tsx
src/components/ui/sidebar.tsx

# Landmarks / headings / nav
src/pages/LandingPage.tsx
src/components/AnonymousCampaignLayout.tsx
src/pages/ForgotPassword.tsx
src/pages/UpdatePassword.tsx
src/components/landing/Header.tsx
src/components/MobileTopNav.tsx
src/components/MobileBottomNav.tsx
src/components/creator-profile/CreatorPortfolioModal.tsx

# Carousel / contrast
src/components/campaign-creator/SamplePromptCarousel.tsx
src/components/landing/HeroSection.tsx
src/components/landing/BottomCTA.tsx
src/components/creator-browse/CreatorBrowseContent.tsx
src/pages/PricingPage.tsx
src/components/DesktopGate.tsx
src/features/promotions/components/SyncStatusBadge.tsx
tailwind.config.ts
```
