Install rSoccer on Windows

These steps address two `rc-robosim` build errors observed on Windows 11 with Python 3.10:

- `Could NOT find ODE`: install the ODE physics library with conda (libode from conda-forge) and pass its location in CMAKE_ARGS bellow.
- `Compatibility with CMake < 3.5 has been removed`: pass the compatibility setting in `CMAKE_ARGS` below.

1. Install prerequisites

You need Miniconda (or Anaconda) and Microsoft's Visual Studio Build Tools. If the Build Tools are missing, download them from:
https://visualstudio.microsoft.com/visual-cpp-build-tools/

select the "Desktop development with C++" workload, and finish the installer first.

```shell
conda create -n rsoccer python=3.10
conda activate rsoccer
conda install -c conda-forge libode
```

2. Get the project and create a conda environment

If you already have the repository, enter its directory and skip cloning.

```shell
git clone https://github.com/robocin/rSoccer.git
cd rSoccer
```

For a new environment:

```shell
conda create -n rsoccer python=3.10
```

Activate the new or existing environment, then install ODE into it:

```shell
conda activate rsoccer
conda install -c conda-forge libode
```

3. Install in editable mode

Run from the repository directory with the environment activated:

```shell
$p = $env:CONDA_PREFIX -replace '\\','/'
$env:CMAKE_ARGS = "-DODE_INCLUDE_DIRS=$p/Library/include"
$env:CMAKE_ARGS += " -DODE_LIBRARY_RELEASE=$p/Library/lib/ode_double.lib"
$env:CMAKE_ARGS += " -DCMAKE_POLICY_VERSION_MINIMUM=3.5"
python -m pip install -e .
```

This sets CMAKE_ARGS for the current PowerShell window only; no system configuration change is needed. If you close the window, run these lines again before installing. Internet access is required to download dependencies. Keep ODE installed: the simulator needs it at runtime too.

4. Verify

```shell
python -m pip check
python -c "import rsoccer_gym; import robosim; print('Imports OK')"
```

Expected output includes No broken requirements found. and Imports OK.

If ODE is removed from the environment, reinstall it with conda install -c conda-forge libode, activate your environment, and repeat steps 3–4.