



แบบฝึกหัดที่ 5 การนำ Bootstrap ไปใช้งานกับเว็บไซต์

ผู้จัดทำ

ชื่อ สุรดิษ นามสกุล หิรัญญานนท์

เลขประจำตัว

63122201023

เสนอ


ผศ. เสติยร จันทรปลา

**รายงานนี้เป็นส่วนหนึ่งของวิชา CSS2208 การพัฒนาโปรแกรมประยุกต์ฐานข้อมูลกับเว็บ
สาขาวิชาวิทยาการคอมพิวเตอร์
คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยราชภัฏสวนสุนันทา
ภาคเรียนที่ 2 ปีการศึกษา 2564**

แบบฝึกหัดที่ 5 การนำ Bootstrap ไปใช้งานกับเว็บไซต์
ออกแบบเว็บไซต์สำหรับขายสินค้าโดยใช้ Bootstrap 1 เว็บไซต์
ให้ นศ. สมมติชื่อร้าน และเลือกตัวอย่างสินค้าต่าง ๆ ตามความเหมาะสม
โดยให้มีส่วนประกอบดังต่อไปนี้

1. ส่วนหัวของเว็บไซต์

ให้ใช้ Navbar กำหนดชื่อเว็บไซต์หรือโลโก้ ตามความเหมาะสม
กำหนดเมนูตามความเหมาะสมและสร้างเพจของแต่ละเมนู ให้ครบทุกเมนู
โดยเลือกแสดงเนื้อหาโดยใช้ คอมโพเนนต์ของ Bootstrap ตามความเหมาะสม





2. ส่วนสไลด์

ให้ออกแบบภาพสำหรับนำมาทำสไลด์ ซึ่งภาพต้องมีความสัมพันธ์กับเว็บไซต์ที่จัดทำ
อย่างน้อย 3 สไลด์




3. ส่วนเนื้อหาหลัก

ให้แสดงรายการสินค้าโดยใช้ Card และ Modal



4. ส่วนท้าย (Footer)ออกแบบตามความเหมาะสม



Code

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Document</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet"
  integrity="sha384-
1BmE4kWBq78iYhFtdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous" />

</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="index.html">
        
        
      </a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
```

```

<div class="collapse navbar-collapse" id="navbarNavDropdown">
  <ul class="navbar-nav">
    <li class="nav-item">
      <a class="nav-link" href="#">Shop</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Promotions</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Support</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Contact</a>
    </li>
  </ul>
</div>
</div>
</nav>

```

```

<div id="carouselExampleIndicators" class="carousel slide" data-bs-
ride="carousel">
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#carouselExampleIndicators"
data-bs-slide-to="0" class="active"
    aria-current="true" aria-label="Slide 1"></button>
    <button type="button" data-bs-target="#carouselExampleIndicators"
data-bs-slide-to="1"
    aria-label="Slide 2"></button>
    <button type="button" data-bs-target="#carouselExampleIndicators"
data-bs-slide-to="2"
    aria-label="Slide 3"></button>
  </div>
  <div class="carousel-inner">
    <div class="carousel-item active">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
  </div>
  <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleIndicators"

```

```

        data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleIndicators"
        data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>

<section id="val">
    <div class="row row-cols-1 row-cols-md-3 g-4 mt-auto">
        <div class="col">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Insignia Gem</h5>
                    <p class="card-text">
                        ราคา 200.-
                    </p>
                </div>
                <div class="card-footer">
                    <a data-bs-toggle="modal" data-bs-target="#myModalH01">see
more</a>
                </div>
            </div>
        </div>
        <div class="col">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Bloodless Gem</h5>
                    <p class="card-text">
                        ราคา 250.-
                    </p>
                </div>
                <div class="card-footer">
                    <a data-bs-toggle="modal" data-bs-target="#myModalH02">see
more</a>
                </div>
            </div>
        </div>
    </div>

```

```

<div class="col">
  <div class="card h-100">
    
    <div class="card-body">
      <h5 class="card-title">Blessed Gem</h5>
      <p class="card-text">
        ราคา 200.-
      </p>
    </div>
    <div class="card-footer">
      <a data-bs-toggle="modal" data-bs-target="#myModalH03">see
more</a>
    </div>
  </div>
</div>

```

```

<div class="col">
  <div class="card h-100">
    
    <div class="card-body">
      <h5 class="card-title">Blue Gem</h5>
      <p class="card-text">
        ราคา 190.-
      </p>
    </div>
    <div class="card-footer">
      <a data-bs-toggle="modal" data-bs-target="#myModalH04">see
more</a>
    </div>
  </div>
</div>

```

```

<div class="col">
  <div class="card h-100">
    
    <div class="card-body">
      <h5 class="card-title">Wayward Gem</h5>
      <p class="card-text">
        ราคา 200.-
      </p>
    </div>
    <div class="card-footer">
      <a data-bs-toggle="modal" data-bs-target="#myModalH05">see
more</a>
    </div>
  </div>
</div>

```

```

        </div>
    </div>

    <div class="col">
        <div class="card h-100">
            
            <div class="card-body">
                <h5 class="card-title">Wind Gem</h5>
                <p class="card-text">
                    ราคา 150.-
                </p>
            </div>
            <div class="card-footer">
                <a data-bs-toggle="modal" data-bs-target="#myModalH06">see
more</a>
            </div>
        </div>
    </div>
</div>
</section>

<div class="modal fade" id="myModalH01">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">
                    Insignia Gem
                </h5>
                <button class="btn-close" data-bs-dismiss="modal"></button>
            </div>
            <div class="modal-body">
                <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
                    </div>
                    The next Mantra you cast within a short timeframe will have a
25% windup reduction.
                </div>
                <div class="modal-footer">
                    <button class="btn btn-secondary" data-bs-dismiss="modal">
                        cancel
                    </button>
                    <button class="btn btn-success">buy</button>
                </div>
            </div>
        </div>
    </div>
</div>
</div>

```

```

<div class="modal fade" id="myModalH02">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">
          Bloodless Gem
        </h5>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
          </div>
        Heals user by 50% of the damage dealt by the Mantra.<br />
        Reduces damage of mantra for 20%.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">
          cancel
        </button>
        <button class="btn btn-success">buy</button>
      </div>
    </div>
  </div>
</div>

<div class="modal fade" id="myModalH03">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">
          Blessed Gem
        </h5>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
          </div>
        Removes cooldowns for mantras without the Blessed Gem equipped.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">
          cancel
        </button>
        <button class="btn btn-success">buy</button>
      </div>
    </div>
  </div>
</div>

```



```
<div class="modal fade" id="myModalH04">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">
          Blue Gem
        </h5>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
          </div>
        Reduces Mantra ether cost by half.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">
          cancel
        </button>
        <button class="btn btn-success">buy</button>
      </div>
    </div>
  </div>
</div>
```

```
<div class="modal fade" id="myModalH05">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">
          Wayward Gem
        </h5>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
          </div>
        You will teleport to the first enemy hit by the mantra.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">
          cancel
        </button>
        <button class="btn btn-success">buy</button>
      </div>
    </div>
  </div>
</div>
```

```

<div class="modal fade" id="myModalH06">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">
          Wind Gem
        </h5>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        <div class="row row-cols-1 row-cols-sm-2 g-4 mt-auto">
        </div>
        Hitting an enemy with the mantra will increase your speed<br />
        for 5 seconds equivalent to the speed buff given <br />
        after sliding down a slope.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">
          cancel
        </button>
        <button class="btn btn-success">buy</button>
      </div>
    </div>
  </div>
</div>

<footer class="bg-dark">
  <div class="container py-5">
    <div class="row py-4">
      <div class="col-lg-4 col-md-6 mb-4 mb-lg-0">
      <p class="font-italic text-muted">Deep Gems (not to be confused
with the Vibrant Gem) are powerful modifiers
that can be placed in the insignia slot of a mantra. Only 1
Gem can be equipped on a single mantra.</p>
      <ul class="list-inline mt-4">
        <li class="list-inline-item"><a href="#" target="_blank"
title="twitter"><i class="fa fa-twitter"></i></a>
        </li>
        <li class="list-inline-item"><a href="#" target="_blank"
title="facebook"><i class="fa fa-facebook"></i></a>
        </li>
        <li class="list-inline-item"><a href="#" target="_blank"
title="instagram"><i
class="fa fa-instagram"></i></a></li>

```

```

        <li class="list-inline-item"><a href="#" target="_blank"
title="pinterest"><i
            class="fa fa-pinterest"></i></a></li>
        <li class="list-inline-item"><a href="#" target="_blank"
title="vimeo"><i class="fa fa-vimeo"></i></a></li>
    </ul>
</div>
<div class="col-lg-2 col-md-6 mb-4 mb-lg-0">
    <h6 class="text-uppercase font-weight-bold mb-4">Shop</h6>
    <ul class="list-unstyled mb-0">
        <li class="mb-2"><a href="#" class="text-
muted">Stores</a></li>
        <li class="mb-2"><a href="#" class="text-muted">Our
Blog</a></li>
    </ul>
</div>
<div class="col-lg-2 col-md-6 mb-4 mb-lg-0">
    <h6 class="text-uppercase font-weight-bold mb-4">contacts</h6>
    <ul class="list-unstyled mb-0">
        <li class="mb-2"><a href="#" class="text-
muted">FB:Brbrbrbr</a></li>
        <li class="mb-2"><a href="#" class="text-
muted">IG:Brbrbrbr</a></li>
        <li class="mb-2"><a href="#" class="text-
muted">Twitter:Brbrbrbr</a></li>
        <li class="mb-2"><a href="#" class="text-
muted">Tel:Brbrbrbr</a></li>
    </ul>
</div>
<div class="col-lg-4 col-md-6 mb-lg-0">
    <h6 class="text-uppercase font-weight-bold mb-4">Newsletter</h6>
    <p class="text-muted mb-4">Promotions Time: 24hr</p>

</div>
</div>
</div>
</div>

</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"
    integrity="sha384-
ka7Sk0GlN4gmtz2MlQnikT1wXgYs0g+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
    crossorigin="anonymous"></script>
</body>
</html>

```

