
# Bowling backstage: complete handoff

An explorable service environment behind eighteen bowling lanes, prepared for integration into an existing Roblox game.



**Editable source + FBX/GLB assets + collision proxies + placement data + visual references**

# What Claude should do

## The integration goal

Add this authored backstage behind the bowling alley already in the game. Preserve the existing public lanes, controls, scoring, ball physics and functional pins. Use the supplied meshes instead of rebuilding the environment from screenshots.

## The approved design

- Generic detailed 3D cartoon art at believable human scale.

- An irregular 53 x 35 metre footprint, about 2.4 times the initial floor area; rooms and workshop extend back and to the right.

- Offset storage lofts, bridges, long ramp, rear lookout and stairs. Avoid compressing it into a small rectangular room.

- Exposed pinsetter workings, visible ball returns and low ledges. Preserve the narrow crawl route for a small squirrel character.

- Warm amber capsule lamps, cream and teal paint, golden rails, rafters, pipes, instruments and a little corner dampness.

## The important details

Office and separate staff/supply room; lockers and personal belongings; two mop trolleys; lane conditioner; repair benches, motors, belts and tools; upper spare-parts stock; and a wire bin of damaged pins.


The office entrance has a paper schedule, old-fashioned punch clock and hanging time-card pockets. Recent additions are nine floor mats, four varied wall cabinets with coat hangers and workwear, and one ordinary corner security camera.

## What remains for the target game

Upload/import the assets under the correct Roblox owner or group; align them to the existing lanes; review collisions and materials; connect visual mechanisms to existing game events; and playtest character access and device performance.

The squirrel character is not included. The custom squirrel warning poster and pepper were deferred. No existing Roblox game code or place has been changed by this work.

# Expanded plan and connection layout




The footprint is 1,549.5 square metres. The office and staff room sit farther back at different angles; the workshop occupies the side wing. All eighteen service-front connections, head-pin base spots and ledges are listed in Data/layout.json.

# Pinsetter hardware and low traversal routes



Service side: open machinery, projecting ledges and the new floor mats.



Low view along the ball-return channel. Its opening is intentional.

## Preserve the mechanics and openings

Eighteen bays contain setting decks, sweeps, elevators, distributors, reserve pins, gears, belts, motors, supports and bearings. Nine paired returns run between them.

## Use the separate collision asset

Do not put one large collision box around the machine bank. The low access ledges and return channels are intended for a small squirrel; fit must be tested with the actual character.

# Upper storage, bridges and rear stairs



The storage platforms have offset edges and open circulation.



A rear bridge reaches a lookout with a second route down.

## Keep the expanded circulation

The main ramp rises to a storage level about 3.63 metres above the floor. Narrow bridges connect platforms; the rear stairs complete a ground-level loop.

## Retain the reference tour

The editable Blender source keeps an 85-second walkthrough on frames 1-2040 at 24 fps. It is an authoring reference, not a replacement for the game camera.

# Office and staff / cleaning storage



Office: desk, monitor, chair, binders, repair log, mug and wall clock.



Staff storage: lockers, bag, lunch cooler, supplies and mop equipment.

## Distinct rear rooms

Their furnished assets have been moved back and splayed at different angles. The latest source additionally contains entrance mats and a side-wall office cabinet.

## Everyday backstage character

Keep personal belongings, cleaning supplies, practical workplace posters, the schedule, punch clock and hanging time-card pockets. Avoid replacing these with generic empty rooms.

# Side workshop and rear court




The extended side wing holds maintenance equipment and parts.




The rear court connects the offset rooms and circulation routes.

## Repair and maintenance props

The set contains a lane-conditioning machine, rolling tool chest, workbenches, spare motors and belts, hand tools, cartons and a square wire bin containing damaged pins.

## Use references as design evidence

These images explain the approved layout. The editable source and current game exports contain the complete final scene, including the last mat and cabinet additions.

# Latest everyday details




Mismatched cabinets, wire hangers, workwear and a floor runner.



A regular ivory box camera on a short wall bracket, aimed down.

## Recent additions are part of the complete asset

There are nine floor mats and four wall cabinets across the environment. Hooks and wire hangers sit below the cabinets, with jackets and a yellow vest. An existing utility stand was moved clear of the runner.

## Keep the camera ordinary

The security camera is a modeled prop with a lens, shallow hood, mounting plate, cable and conduit. It has no scripted surveillance behavior.

# Roblox import and placement contract

## Import the real assets

- Use Imports/Backstage_Visuals.glb, or the equivalent FBX. Do not import both copies.

- Import Backstage_Collision.glb / .fbx as a separate model. Keep Merge Meshes OFF for both imports.

- Use the experience owner or group for uploaded assets. Keep scene position and imported pivots. Choose Scale Unit: Stud.

- The optional Studio/Backstage_Import_Tools.rbxmx contains five helper ModuleScripts, not the geometry. Review it before invoking Prepare on the imported models.

- Set the convex proxy MeshParts to Hull collision fidelity in Studio Properties. The helper anchors them, makes them transparent and keeps visuals noncollidable.

### Existing gameplay stays authoritative

Hide the supplied demonstration pins and return balls where the game already owns those objects. The package does not implement bowling scoring or physical pinsetter simulation.

## Coordinates and scale

ServiceFrontCenter is the shared floor anchor at the eighteen short lane-tail interfaces. +X points toward lane 18; +Y is up; +Z points toward the customer lanes. Backstage extends toward -Z.

One source metre is converted to 1/0.28 studs. The authored lane pitch is 5.714286 studs; the full floor spans about 189.3 x 125 studs. Exact positions are in Data/layout.json.

Four calibration markers define the origin and ten-stud right, back and up vectors. The helper measures them to correct importer scale and orientation before applying the requested target CFrame.

If the existing lane pitch is P studs, use uniform scale P / 5.714286 after finding the correct front-center placement. Preserve the relative geometry of the ledges, machines and crawl spaces.

Import, scaling and collision instructions are expanded in ROBLOX_IMPORT_GUIDE.txt. The helper code and source mapping are included in the asset package.

# Files, validation and the next conversation

## What the asset download contains

### Source/

Editable Blender scene, native animation and a prepared export scene.

### Imports/

Full FBX and GLB visual and collision files; 38 modular FBX exports.

### Data/

Exact layout, original-object inventory, material palette, node mappings, motion groups and sampled loop transforms.

### Studio/

Readable Luau import helpers and a ready-to-insert helper model. Nothing runs automatically on insertion.

### References/ and Validation/

Visual references, mesh-budget reports and format reimport results.

## Upload to Claude chat

Start with this PDF and CLAUDE_HANDOFF.txt. Add Data/layout.json for exact placement. Keep the large binary meshes locally for Studio; do not rename them as text files.

## Measured checks

- 1,154 visual mesh nodes; 541,632 triangles in total.

- Largest mesh: 11,916 triangles, below the 20,000-triangle per-mesh limit.

- 669 simplified collision pieces and 243 articulated source objects.

- FBX and GLB visuals and collisions reopened in Blender with matching scale and visual bounds. 0 final topology warning nodes.

## Still required: Studio import and playtest

The existing game has not been opened or changed. Asset upload, target-game placement, material tuning, character collision checks and device performance tests remain for Studio.

### Primary references

Claude upload support

Roblox 3D Importer

Roblox mesh specifications

Roblox units