Pedro Augusto Gomes

1.

2.



3.



4.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
queimadas_db
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
CREATE TABLE clientes (
id_cliente SERIAL PRIMARY KEY,
nome VARCHAR(100) NOT NULL,
cpf VARCHAR(11) UNIQUE NOT NULL,
endereco TEXT,
telefone VARCHAR(15)
);
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('Marcus Silva', '12345678900', 'Rua ABC, 111', '11999990000'),
('Mariana Oliveira', '98765432100', 'Rua DEF, 333', '11988887777');
CREATE TABLE contas (
id_conta SERIAL PRIMARY KEY,
numero_conta VARCHAR(10) UNIQUE NOT NULL,
saldo DECIMAL(10,2) DEFAULT 0,
id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
);
Data Output
Messages
Notifications
CREATE TABLE
Query returned successfully in 39 msec.
Total rows:
Query complete 00:00:00.039
Query returned successfully in 39 msec.
CRLF
Ln 15, Col 1
17:38
05/04/2026

5.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
queimadas_db
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
cpf VARCHAR(11) UNIQUE NOT NULL,
endereco TEXT,
telefone VARCHAR(15)
);
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('Marcus Silva', '12345678900', 'Rua ABC, 111', '11999990000'),
('Mariana Oliveira', '98765432100', 'Rua DEF, 333', '11988887777');
CREATE TABLE contas (
id_conta SERIAL PRIMARY KEY,
numero_conta VARCHAR(10) UNIQUE NOT NULL,
saldo DECIMAL(10,2) DEFAULT 0,
id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
);
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000333', 8300.00, 1),
('000444', 5100.00, 2);
Data Output
Messages
Notifications
INSERT 0 2
Query returned successfully in 42 msec.
Total rows:
Query complete 00:00:00.042
Query returned successfully in 42 msec.
CRLF
Ln 22, Col 1
17:39
05/04/2026

6.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
queimadas_db
postgres
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
Query Query History
Scratch Pad
numero_conta VARCHAR(10) UNIQUE NOT NULL,
saldo DECIMAL(10,2) DEFAULT 0,
id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
);
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000333', 8300.00, 1),
('000444', 5100.00, 2);
CREATE TABLE transacoes (
id_transacao SERIAL PRIMARY KEY,
id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
destino_transferencia INT REFERENCES contas(id_conta)
);
Data Output Messages Notifications
CREATE TABLE
Query returned successfully in 89 msec.
Total rows: Query complete 00:00:00.089
Query returned successfully in 89 msec.
CRLF Ln 27, Col 1
17:39
05/04/2026

7.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
queimadas_db
postgres
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
Query Query History
Scratch Pad
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000333', 8300.00, 1),
('000444', 5100.00, 2);
CREATE TABLE transacoes (
id_transacao SERIAL PRIMARY KEY,
id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
destino_transferencia INT REFERENCES contas(id_conta)
);
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
(1, 'Depósito', 800.00, NULL),
(2, 'Saque', 300.00, NULL),
(1, 'Transferência', 150.00, 2);
Data Output Messages Notifications
INSERT 0 3
Query returned successfully in 43 msec.
Total rows: Query complete 00:00:00.043
Query returned successfully in 43 msec.
CRLF Ln 36, Col 1
17:40
05/04/2026

8.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
queimadas_db
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
('000333', 8300.00, 1),
('000444', 5100.00, 2);
CREATE TABLE transacoes (
id_transacao SERIAL PRIMARY KEY,
id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
destino_transferencia INT REFERENCES contas(id_conta)
);
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
(1, 'Depósito', 800.00, NULL),
(2, 'Saque', 300.00, NULL),
(1, 'Transferência', 150.00, 2);
select * from clientes
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
id_cliente [PK] integer
nome character varying (100)
cpf character varying (11)
endereco text
telefone character varying (15)
1 1 Marcus Silva 12345678900 Rua ABC, 1... 11999990000
2 2 Mariana Oliveira 98765432100 Rua DEF, 333 11988887777
Successfully run. Total query runtime: 70 msec. 2 rows affected.
Total rows: 2
Query complete 00:00:00.070
CRLF
Ln 41, Col 23
17:40
05/04/2026

9.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
queimadas_db
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
destino_transferencia INT REFERENCES contas(id_conta)
);
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
(1, 'Depósito', 800.00, NULL),
(2, 'Saque', 300.00, NULL),
(1, 'Transferência', 150.00, 2);
select * from clientes
SELECT
c.numero_conta,
c.saldo,
cl.nome AS cliente
FROM contas c
INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
numero_conta character varying (10)
saldo numeric (10,2)
cliente character varying (100)
1 000333 8300.00 Marcus Silva
2 000444 5100.00 Mariana Oliveira
Successfully run. Total query runtime: 64 msec. 2 rows affected.
Total rows: 2
Query complete 00:00:00.064
CRLF
Ln 42, Col 1
17:41
05/04/2026

10.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
queimadas_db
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
33 destino_transferencia INT REFERENCES contas(id_conta)
34);
35
36 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
37 (1, 'Depósito', 800.00, NULL),
38 (2, 'Saque', 300.00, NULL),
39 (1, 'Transferência', 150.00, 2);
40
41 select * from clientes
42
43 SELECT
44 c.numero_conta,
45 c.saldo,
46 cl.nome AS cliente
47 FROM contas c
48 INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;
49
50 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
51 ('Carlos Souza', '11122233344', 'Rua C, 789', '11977776666');
52
Data Output
Messages
Notifications
INSERT 0 1
Query returned successfully in 53 msec.
Total rows:
Query complete 00:00:00.053
Query returned successfully in 53 msec.
CRLF
Ln 50, Col 1
17:42
05/04/2026

11.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
PostgreSQL 17
local
Databases (4)
abp_db
clima_alerta
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
queimadas_db
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
Login/Group Roles
Tablespaces
queimadas_db/po...
sistema_bancario/postgres@local*
sistema_bancario/postgres@local
No limit
Query
Query History
Scratch Pad
36 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
37 (1, 'Depósito', 800.00, NULL),
38 (2, 'Saque', 300.00, NULL),
39 (1, 'Transferência', 150.00, 2);
40
41 select * from clientes
42
43 SELECT
44 c.numero_conta,
45 c.saldo,
46 cl.nome AS cliente
47 FROM contas c
48 INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;
49
50 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
51 ('Carlos Souza', '11122233344', 'Rua C, 789', '11977776666');
52
53 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
54 ('000555', 800.00, 3);
55
Data Output
Messages
Notifications
INSERT 0 1
Query returned successfully in 40 msec.
Total rows:
Query complete 00:00:00.040
Query returned successfully in 40 msec.
CRLF
Ln 53, Col 1
17:43
05/04/2026

12.



13.



SQL

```
CREATE DATABASE sistema_bancario;

CREATE TABLE clientes (
 id_cliente SERIAL PRIMARY KEY,
 nome VARCHAR(100) NOT NULL,
 cpf VARCHAR(11) UNIQUE NOT NULL,
 endereco TEXT,
```

```
 telefone VARCHAR(15)
);

INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('Marcus Silva', '12345678900', 'Rua ABC, 111', '11999990000'),
('Mariana Oliveira', '98765432100', 'Rua DEF, 333', '11988887777');

CREATE TABLE contas (
 id_conta SERIAL PRIMARY KEY,
 numero_conta VARCHAR(10) UNIQUE NOT NULL,
 saldo DECIMAL(10,2) DEFAULT 0,
 id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
);

INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000333', 8300.00, 1),
('000444', 5100.00, 2);


CREATE TABLE transacoes (
 id_transacao SERIAL PRIMARY KEY,
 id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
 tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
 valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
 data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
 destino_transferencia INT REFERENCES contas(id_conta)
);

INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
(1, 'Depósito', 800.00, NULL),
(2, 'Saque', 300.00, NULL),
(1, 'Transferência', 150.00, 2);

select * from clientes

SELECT
    c.numero_conta,
    c.saldo,
    cl.nome AS cliente
FROM contas c
INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;

INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('Carlos Souza', '11122233344', 'Rua C, 789', '11977776666');

INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000555', 800.00, 3);
```

```sql
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia)
VALUES (1, 'Transferência', 100.00, 3);

SELECT
    c.numero_conta,
    c.saldo,
    cl.nome AS cliente
FROM contas c
LEFT JOIN clientes cl ON c.id_cliente = cl.id_cliente;
```