

Referencias bibliográficas:

National Center for Biotechnology Information. ClinVar; VCV001984141.6, NM_005120.3(MED12):c.629C>T (p.Ala210Val) [Internet]. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information; [citado 1 feb 2026]. Disponible en: <https://www.ncbi.nlm.nih.gov/clinvar/variation/1984141/>

Kim S, Xu X, Hecht A, Boyer TG. Mediator is a transducer of Wnt/beta-catenin signaling. J Biol Chem. 2006 May 19;281(20):14066-75. doi: 10.1074/jbc.M602696200.

Israeli H, Degtjarik O, Fierro F, Chunilal V, Gill AK, Roth NJ, Botta J, Prabahar V, Peleg Y, Chan LF, Ben-Zvi D, McCormick PJ, Niv MY, Shalev-Benami M. Structure reveals the activation mechanism of the MC4 receptor to initiate satiation signaling. Science. 2021 May 21;372(6544):808-814. doi: 10.1126/science.abf7958.

Hinney A, Schmidt A, Nottebom K, Heibült O, Becker I, Ziegler A, Gerber G, Sina M, Görg T, Mayer H, Siegfried W, Fichter M, Remschmidt H, Hebebrand J. Several mutations in the melanocortin-4 receptor gene including a nonsense and a frameshift mutation associated with dominantly inherited obesity in humans. J Clin Endocrinol Metab. 1999 Apr;84(4):1483-6. doi: 10.1210/jcem.84.4.5728.

Dehghani MR, Mehrjardi MYV, Dilaver N, Tajamolian M, Enayati S, Ebrahimi P, Amoli MM, Farooqi S, Maroofian R. Potential role of gender specific effect of leptin receptor deficiency in an extended consanguineous family with severe early-onset obesity. Eur J Med Genet. 2018 Aug;61(8):465-467. doi: 10.1016/j.ejmg.2018.03.006. Epub 2018 Mar 12. PMID: 29545012.

Clément, K., Vaisse, C., Lahlou, N. et al. A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. *Nature* 392, 398–401 (1998).
<https://doi.org/10.1038/32911>