



**Droughts delay juvenile salmon migration and
truncate diversity in habitat use**


Pedro Morais, Anna Sturrock⁺, Corey C. Phillis, George Whitman, Stephanie M. Carlson,
Rachel C. Johnson


+ Equal contribution as the first author


Correspondence: Pedro Morais; Email: pedro.morais@austin.utexas.edu













































































































































































Figure S1. Individual otolith strontium-isotope profiles of juvenile winter-run Chinook salmon. Each panel presents the profile of an individual fish, identified by sample code and assigned brood year. The normalized otolith $^{87}\text{Sr}/^{86}\text{Sr}$ ratio (black line and points; left y-axis) and Sr signal in volts (light red line and points; right y-axis) are plotted against distance from the otolith core (μm). Vertical error bars around $^{87}\text{Sr}/^{86}\text{Sr}$ measurements represent ± 2 SE (standard error). Point colors indicate habitat assignments: Lassen Tributaries (LAS), Sacramento River (SAC), Feather River or Delta (FEA/DEL), American River (AME), Delta (DEL), and unassigned. Shaded horizontal bands represent the reference $^{87}\text{Sr}/^{86}\text{Sr}$ ranges associated with LAS, SAC, FEA/DEL, AME, and DEL habitats. Horizontal dashed lines denote boundaries between selected habitat ranges and also with the ocean reference threshold. The solid vertical black line indicates the estimated distance from the otolith core at freshwater exit.