



Tecnológico de Monterrey

Escuela de Ingeniería y Ciencias

Implementación de redes de área amplia y servicios distribuidos (Gpo 501)
TC3003B.501

Actividad 6: NAT Grupal


Profesor
Jorge Rodríguez Ruiz

Alumnos

Hector Julian Zarate Ramirez	A01027743
Luis Daniel Filorio Luna	A1028418
Pedro Mauri Martínez	A01029143
Omar Emiliano Sanchez	A01749975
Sofía Moreno Lopez	A01028251

1 de mayo de 2026

Foto de acceso desde computadora de otro equipo:



Configuración final del router del equipo:

```
None
Current configuration : 6205 bytes
!
! Last configuration change at 03:03:37 UTC Sat Apr 25 2026
!
version 17.6
service timestamps debug datetime msec
service timestamps log datetime msec
service call-home
platform qfp utilization monitor load 80
platform punt-keepalive disable-kernel-core
!
hostname Router
!
boot-start-marker
boot-end-marker
!
```

```
no aaa new-model
!
login on-success log
!
subscriber templating
vtp version 1
multilink bundle-name authenticated
!
crypto pki trustpoint TP-self-signed-3998331821
  enrollment selfsigned
  subject-name cn=IOS-Self-Signed-Certificate-3998331821
  revocation-check none
  rsakeypair TP-self-signed-3998331821
!
crypto pki trustpoint SLA-TrustPoint
  enrollment pkcs12
  revocation-check crl
!
!
crypto pki certificate chain TP-self-signed-3998331821
  certificate self-signed 01
    30820330 30820218 A0030201 02020101 300D0609 2A864886 F70D0101 05050030
    31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274
    69666963 6174652D 33393938 33333138 3231301E 170D3235 30383235 32333330
    35305A17 0D333530 38323532 33333035 305A3031 312F302D 06035504 03132649
    4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D33 39393833
    33313832 31308201 22300D06 092A8648 86F70D01 01010500 0382010F 00308201
    0A028201 01009CF3 36ADB8ED 9C02BDE6 4AFC5773 B6D9BC6B 629489AD 07BD7EAD
    7751928D 7B610080 6737D813 9E57440F 0D6FBE26 55A2B852 04A635AE A79D8EBF
    059DE6D4 F5F50CCB BBE96CC6 83B75EBE 7AB24A23 DF8EB13F E51FD5E4 39DB045A
    FA25DD7C 24DACCE8 3988D861 3A247F7F 8735BF4A B590155B 742237E5 3279CF81
    C30ABB34 35FAD67F 904F33D4 49BDBC9F 136AB886 18898742 2081D636 27089313
    3F4FC397 C4C159C4 A7B39D48 A8A8A643 0DA28E39 2D590DCB 7755B7CA A7411AB1
    CD4E31D8 ED8A7B87 C976390A 7F50FB00 87BBC59D 003DC6FD C47F6E15 F1E68D84
    EFD9B914 D3BB0FDE AF91CE5E 441B9DAD F839DDFB 94176B5C 64731D88 4F42886C
    F625A58B EDC50203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF
    301F0603 551D2304 18301680 1486CC31 C4918348 52AA5C6A DD02F7FA A3EB1B9F
    7C301D06 03551D0E 04160414 86CC31C4 91834852 AA5C6ADD 02F7FAA3 EB1B9F7C
    300D0609 2A864886 F70D0101 05050003 82010100 07FD0C71 F1F30782 AECDD3D6
    2D1689EE 683ACDE5 567B1EDE 1CA2D14C 5739AF85 84283F32 70979FF5 61CF09B0
    3C1E55B0 1D0928FB 0EE7C08B FECF64EA B65149DD FE416250 796F2A76 A3E56C95
    4B7645AF 9FE5C3AB 5DE14975 7877A377 48ECD270 1D0B14D2 7A761B85 0A64E735
    BBF8D560 544DE2CA 19618733 E6D1D731 940BB5B5 1D3F30AB FCB7152B 6C24AF9C
    2A7B882B 3D8A4178 0DB7AA48 7045B233 1DA9E54C 46F4FE67 FFF694AA 564CF54D
    94875D65 FA8EA331 22E614E3 C9819071 882A9A09 949BC9F4 4B4A16FE 038B0583
```

```
49C1B25E CD88CB25 889EAAEE9 2ADF398F 97CC4C3C BC74FD5D 58859189 93FEBA2D
F3351EB5 6A05F5AA B77D3280 A133800D D57564DF
```

```
quit
```

```
crypto pki certificate chain SLA-TrustPoint
```

```
certificate ca 01
```

```
30820321 30820209 A0030201 02020101 300D0609 2A864886 F70D0101 0B050030
32310E30 0C060355 040A1305 43697363 6F312030 1E060355 04031317 43697363
6F204C69 63656E73 696E6720 526F6F74 20434130 1E170D31 33303533 30313934
3834375A 170D3338 30353330 31393438 34375A30 32310E30 0C060355 040A1305
43697363 6F312030 1E060355 04031317 43697363 6F204C69 63656E73 696E6720
526F6F74 20434130 82012230 0D06092A 864886F7 0D010101 05000382 010F0030
82010A02 82010100 A6BCBD96 131E05F7 145EA72C 2CD686E6 17222EA1 F1EFF64D
CBB4C798 212AA147 C655D8D7 9471380D 8711441E 1AAF071A 9CAE6388 8A38E520
1C394D78 462EF239 C659F715 B98C0A59 5BBB5CBD 0CFEBEA3 700A8BF7 D8F256EE
4AA4E80D DB6FD1C9 60B1FD18 FFC69C96 6FA68957 A2617DE7 104FDC5F EA2956AC
7390A3EB 2B5436AD C847A2C5 DAB553EB 69A9A535 58E9F3E3 C0BD23CF 58BD7188
68E69491 20F320E7 948E71D7 AE3BCC84 F10684C7 4BC8E00F 539BA42B 42C68BB7
C7479096 B4CB2D62 EA2F505D C7B062A4 6811D95B E8250FC4 5D5D5FB8 8F27D191
C55F0D76 61F9A4CD 3D992327 A8BB03BD 4E6D7069 7CBADF8B DF5F4368 95135E44
DFC7C6CF 04DD7FD1 02030100 01A34230 40300E06 03551D0F 0101FF04 04030201
06300F06 03551D13 0101FF04 05300301 01FF301D 0603551D 0E041604 1449DC85
4B3D31E5 1B3E6A17 606AF333 3D3B4C73 E8300D06 092A8648 86F70D01 010B0500
03820101 00507F24 D3932A66 86025D9F E838AE5C 6D4DF6B0 49631C78 240DA905
604EDCDE FF4FED2B 77FC460E CD636FDB DD44681E 3A5673AB 9093D3B1 6C9E3D8B
D98987BF E40CBD9E 1AECA0C2 2189BB5C 8FA85686 CD98B646 5575B146 8DFC66A8
467A3DF4 4D565700 6ADF0F0D CF835015 3C04FF7C 21E878AC 11BA9CD2 55A9232C
7CA7B7E6 C1AF74F6 152E99B7 B1FCF9BB E973DE7F 5BDDEB86 C71E3B49 1765308B
5FB0DA06 B92AFE7F 494E8A9E 07B85737 F3A58BE1 1A48A229 C37C1E69 39F08678
80DDCD16 D6BACECA EEBC7CF9 8428787B 35202CDC 60E4616A B623CDBD 230E3AFB
418616A9 4093E049 4D10AB75 27E86F73 932E35B5 8862FDAE 0275156F 719BB2F0
D697DF7F 28
```

```
quit
```

```
!
```

```
license udi pid C8200L-1N-4T sn FJC282212SH
```

```
memory free low-watermark processor 67708
```

```
!
```

```
diagnostic bootup level minimal
```

```
!
```

```
spanning-tree extend system-id
```

```
!
```

```
redundancy
```

```
mode none
```

```
!
```

```
interface GigabitEthernet0/0/0
```

```
ip address 172.16.1.1 255.255.255.0
```

```

    ip nat inside
    negotiation auto
!
interface GigabitEthernet0/0/1
    ip address 100.100.0.3 255.255.255.0
    ip nat outside
    negotiation auto
!
no ip http server
ip http authentication local
ip http secure-server
ip forward-protocol nd
ip nat inside source static tcp 172.16.1.3 80 100.100.0.3 80 extendable
ip nat inside source list 1 interface GigabitEthernet0/0/1 overload
ip route 0.0.0.0 0.0.0.0 100.100.0.100
!
ip access-list standard 1
    10 permit 172.16.1.0 0.0.0.255
!
control-plane
!
line con 0
    stopbits 1
line aux 0
line vty 0 4
    login
    transport input ssh
line vty 5 14
    login
    transport input ssh
!
call-home
    ! If contact email address in call-home is configured as
    sch-smart-licensing@cisco.com
    ! the email address configured in Cisco Smart License Portal will be used as
    contact email address to send SCH notifications.
    contact-email-addr sch-smart-licensing@cisco.com
    profile "CiscoTAC-1"
    active
    destination transport-method http
!
end

```