```
C:\Users\Alunos\Desktop\pdmII-251>mkdir avaliacoes

C:\Users\Alunos\Desktop\pdmII-251>mkdir exercicios

C:\Users\Alunos\Desktop\pdmII-251>cd avaliacoes

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-01

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-02

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-03

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-04

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-05

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-06

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-07

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-08

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-09

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>mkdir avaliacao-10

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>cd avaliacao-01

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes\avaliacao-01>echo. > README.md

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes\avaliacao-01>cd avaliacao-02
O sistema não pode encontrar o caminho especificado.

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes\avaliacao-01>cd..

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes>cd avaliacao-02

C:\Users\Alunos\Desktop\pdmII-251\avaliacoes\avaliacao-02>echo. > README.md
```

```
C:\Users\Alunos\Desktop\pdmII-251>git init
Initialized empty Git repository in C:/Users/Alunos/Desktop/pdmII-251/.git/

C:\Users\Alunos\Desktop\pdmII-251>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        avaliacoes/

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Alunos\Desktop\pdmII-251>mkdir exercicios
Já existe uma subpasta ou um arquivo exercicios.

C:\Users\Alunos\Desktop\pdmII-251>cd exercicios

C:\Users\Alunos\Desktop\pdmII-251\exercicios>mkdir exercicio-01
```

```
C:\Users\Alunos\Desktop\pdmII-251>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        avaliacoes/
        exercicios/

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Alunos\Desktop\pdmII-251>git add .

C:\Users\Alunos\Desktop\pdmII-251>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   avaliacoes/avaliacao-01/README.md
        new file:   avaliacoes/avaliacao-02/README.md
        new file:   avaliacoes/avaliacao-03/README.md
        new file:   avaliacoes/avaliacao-04/README.md
        new file:   avaliacoes/avaliacao-05/README.md
        new file:   avaliacoes/avaliacao-06/README.md
        new file:   avaliacoes/avaliacao-07/README.md
        new file:   avaliacoes/avaliacao-08/README.md
        new file:   avaliacoes/avaliacao-09/README.md
        new file:   avaliacoes/avaliacao-10/README.md
        new file:   exercicios/exercicio-01/README.md
        new file:   exercicios/exercicio-02/README.md
        new file:   exercicios/exercicio-03/README.md
        new file:   exercicios/exercicio-04/README.md
        new file:   exercicios/exercicio-05/README.md
        new file:   exercicios/exercicio-06/README.md
        new file:   exercicios/exercicio-07/README.md
        new file:   exercicios/exercicio-08/README.md
        new file:   exercicios/exercicio-09/README.md
        new file:   exercicios/exercicio-10/README.md
```

```
C:\Users\Alunos\Desktop\pdmII-251>git config --global user.name
PedroBarbosaIF
```

```
C:\Users\Alunos\Desktop\pdmII-251>git commit -m "criacao repositorio pdmII-251"
[main (root-commit) 414920e] criacao repositorio pdmII-251
 20 files changed, 20 insertions(+)
 create mode 100644 avaliacoes/avaliacao-01/README.md
 create mode 100644 avaliacoes/avaliacao-02/README.md
 create mode 100644 avaliacoes/avaliacao-03/README.md
 create mode 100644 avaliacoes/avaliacao-04/README.md
 create mode 100644 avaliacoes/avaliacao-05/README.md
 create mode 100644 avaliacoes/avaliacao-06/README.md
 create mode 100644 avaliacoes/avaliacao-07/README.md
 create mode 100644 avaliacoes/avaliacao-08/README.md
 create mode 100644 avaliacoes/avaliacao-09/README.md
 create mode 100644 avaliacoes/avaliacao-10/README.md
 create mode 100644 exercicios/exercicio-01/README.md
 create mode 100644 exercicios/exercicio-02/README.md
 create mode 100644 exercicios/exercicio-03/README.md
 create mode 100644 exercicios/exercicio-04/README.md
 create mode 100644 exercicios/exercicio-05/README.md
 create mode 100644 exercicios/exercicio-06/README.md
 create mode 100644 exercicios/exercicio-07/README.md
 create mode 100644 exercicios/exercicio-08/README.md
 create mode 100644 exercicios/exercicio-09/README.md
 create mode 100644 exercicios/exercicio-10/README.md

C:\Users\Alunos\Desktop\pdmII-251>git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        readme.md

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Alunos\Desktop\pdmII-251>git add .

C:\Users\Alunos\Desktop\pdmII-251>git commit -m "oi"
[main 8ea2888] oi
 1 file changed, 1 insertion(+)
 create mode 100644 readme.md

C:\Users\Alunos\Desktop\pdmII-251>git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 338 bytes | 338.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/PedroBarbosaIF/pdmII-251.git
   414920e..8ea2888  main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\Alunos\Desktop\pdmII-251>
```