



TECHNICAL GLOSSARY

Pessoa 5 — Linear Official Documentation Guide

A comprehensive exploration of the core concepts, workflows, and technical integrations that power high-performance product teams.

MANAGEMENT

01

"Cycles create a healthy routine and focus teams on what needs to happen next."

Cycles

A recurring period of time (usually 2 weeks) for teams to plan and complete tasks.

Example: The "Growth Team" starts Cycle 42 to focus on user onboarding.

02

"Each team has its own backlog... issues that are not being actively kept."

Backlog

A repository for all tasks that are identified but not yet prioritized for a specific cycle.

Example: Moving a low-priority UI polish task to the Backlog for later review.


03

"Projects group issues towards a specific, time-bound deliverable."

Projects

High-level initiatives with defined goals, leads, and target completion dates.

Example: "Dark Mode Launch" project containing 15 technical issues.



EXECUTION & FLOW

04

"The most basic concept in Linear is the issue... represents a task."

Issues

Individual units of work identified by a unique ID (e.g., ENG-123) and a status.

Example: Creating an issue titled "Fix broken checkout button on mobile."

05

"Ordered issue statuses defined per-team... group issues on list views."

Workflows

The progression of an issue through various states like Todo, In Progress, and Done.

Example: Customizing a "Peer Review" status between Started and Completed.


06

"Review issues before accepting them and moving them to backlog."

Triage

A special inbox for new issues, allowing leads to screen and categorize incoming requests.

Example: Reviewing a community bug report before adding it to the Roadmap.



TECHNICAL CORE

07

"One API to sync permissioned issue tracking data... REST + JSON format."

API

The interface used to programmatically interact with Linear data models.

Example: Using a Python script to auto-generate weekly performance reports via API.

08

"Receive HTTP push notifications whenever data is created or updated."

Webhooks

Automated messages sent from Linear to other apps when specific events occur.

Example: Triggering a Discord alert when a critical bug is moved to "Urgent."


09

"Automate merge request workflows... issues update when MRs are merged."

Git Integration

The bidirectional link between code repositories (GitHub/GitLab) and Linear issues.

Example: Using "Fixes ENG-45" in a PR title to auto-close the issue on merge.



KEY TAKEAWAYS

10. Milestones

"Organize issues inside an individual project into meaningful stages."

Crucial for tracking progress within large projects. Example: "Beta Release" milestone.

Workspace

"Container for all issues, teams and concepts relating to a company."

The primary organization level. Example: Your company's unique Linear URL.

Momentum Over Sprints

Linear's philosophy emphasizes a healthy routine and automated cycles over high-pressure "sprints."

Documentation Reference

For more details, visit the official site: linear.app/docs

Questions & Discussion

IMAGE SOURCES



https://cdn.prod.website-files.com/64f6d2ace102eb12e147f7a6/69a5638ec90e29fae7a3dad6_6822fbf44c52aeebc74648e8_cleanshot_2025_05_12_at_18_58_38_2x_1_2x.webp

Source: www.morgen.so



<https://site-assets.gitscrum.com/gitscrum-board-06.png>

Source: gitscrum.com



https://www.datocms-assets.com/115132/1776981340-2026_04-23_fem_api-hero_4x5.png?ar64=NDo1&auto=format&fit=crop

Source: mercury.com