Module 3 Review Assignment

Pedro Gómez Martín

April 21, 2017

1

$$a_n = \frac{(1+n)!}{n!}$$

$$a_n = \frac{(n+1)(n)(n-1)\cdots}{(n)(n-1)\cdots}$$

$$a_n = n+1$$

$$\lim_{\infty} [n+1] = \infty$$

2

$$\sum_{n=0}^{\infty} \frac{(-2)^{n+3}}{5^{n+2}}$$

$$\sum_{n=0}^{\infty} \frac{(-2)^n (-2)^3}{5^n (5)^2}$$

$$\frac{(-2)^3}{(5)^2} \sum_{n=0}^{\infty} \left(\frac{-2}{5}\right)^n$$

$$-\frac{8}{25} \sum_{n=0}^{\infty} (-1)^n \left(\frac{2}{5}\right)^n$$

$$-\frac{8}{25} \cdot \frac{5}{7} = \boxed{-\frac{40}{175}}$$

3

$$\sum_{n=1}^{\infty} \frac{1}{n(n+2)} \to \frac{A}{n} + \frac{B}{n+2} = \frac{1}{n(n+2)} \to A(n+2) + Bn = 1 \implies A = \frac{1}{2} B = -\frac{1}{2}$$

$$\frac{1}{2} \lim_{N \to \infty} \left[\sum_{n=0}^{N} \left(\frac{1}{n+2} - \frac{1}{n} \right) \right] = \frac{1}{2} \left(1 + \frac{1}{2} + \lim_{N \to \infty} \left[\frac{1}{N+2} \right] \right) = \frac{3}{4}$$

4

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}(n+2\cdot 3^n)}{2^{2n+1}} = \sum_{n=1}^{\infty} \frac{(-1)^n(-1)(n+2)\cdot 3^n}{2^{2n}\cdot 2} = \frac{1}{2} \sum_{n=1}^{\infty} (-1)^n \frac{(n+2)\cdot 3^n}{2^{2n}}$$

$$\lim_{n\to\infty} \frac{(n+2\cdot 3^n)}{2^{2n}} = 0$$

$$\frac{(1+2)3}{2^2} \; \frac{(2+2)3^2}{2^4}$$

$$\frac{9}{4} \frac{\cancel{A} \cdot 9}{\cancel{A} \cdot 4} \qquad \frac{(3+2)3^5}{2^6}$$

$$\frac{9}{4} \frac{A \cdot 9}{A \cdot 4} \qquad \frac{(3+2)3^3}{2^6} = \frac{5 \cdot 27}{64} = \frac{135}{64}$$
h. h.

$$a_n = \frac{(-1)^{n+1} (n+2) 3^n}{2^{2n}}$$
$$b_n = \frac{(n+2) 3^n}{2^{2n}}$$

 a_1 cancels a_2 and from a_3 on, b_n converges.

5

$$a) \sum_{n=1}^{\infty} (\sqrt{2})^n$$
 geometric series
$$r = \sqrt{2}$$

$$|r| > 1$$

the series diverges by the nth term test

$$\begin{vmatrix} b) \sum_{n=1}^{\infty} \frac{\sqrt{n}}{n^2 + \ln{(n)}} \\ \lim_{n \to \infty} \left[\frac{n^{\frac{1}{2}}}{n^2} : \frac{1}{n^2} \right] \\ \lim_{n \to \infty} \left[\frac{n^{\frac{1}{2}+2}}{n^2} \right] \to \text{By the limit comparison test, both converge} \\ \text{and by direct comparison test} \\ \sum_{n=1}^{\infty} e^{-1} n! = \sum_{n=1}^{\infty} \frac{n!}{e^n} \\ \lim_{n \to \infty} \left[\sqrt[n]{\left\lfloor \frac{n!}{e^n} \right\rfloor} \right] = \infty \\ \text{by the Root test } \sum_{n=1}^{\infty} e^{-1} n! \text{ diverges.}$$

$$\sum_{n=1}^{\infty} e^{-1}n! = \sum_{n=1}^{\infty} \frac{n!}{e^n}$$

$$\lim_{n \to \infty} \left[\sqrt[n]{\left| \frac{n!}{e^n} \right|} \right] = \infty$$
by the Root test $\sum_{n=1}^{\infty} e^{-1}n!$ diverges.

6

$$a) \sum_{n=1}^{\infty} \left(\frac{1}{3}\right)^n$$
 converges

$$b) \sum_{n=1}^{\infty} \frac{1}{\ln n} \left[\frac{1}{\ln n} > \frac{1}{n} \right]$$

by direct comparison test, $a_n > b_n$ the series diverges

c)
$$\sum_{n=1}^{\infty} \frac{2n}{n+1} \frac{2(n+1)}{(n+1)+1} : \frac{2n}{n+1} \to \frac{2(n+1)^2}{2n(n+2)} = \frac{(n+1)^2}{n^2+2n}$$

 $\sum_{n=1}^{\infty} \frac{2n}{n+1}$ diverges by the nth term test

$$\lim_{n \to \infty} \left\lceil \frac{(n+1)^2}{n^2 + 2n} \right\rceil = 1 \ 1 \neq 0$$

- d) $\sum_{n=1}^{\infty} (-1)^n \frac{1}{\ln(n)}$ by the alternating series test, the series converge conditionally.
- e) $\sum\limits_{n=1}^{\infty}\frac{1}{n(2n+1)}$ Converges by direct comparison to $\sum\limits_{n=1}^{\infty}\frac{1}{n^2}$

7

$$\sum_{n=1}^{4} (-1)^{n+1} \left(\frac{1}{2}\right)^n = S_n$$

- a) $S_4 = +\left(\frac{1}{2}\right) \left(\frac{1}{4}\right) + \left(\frac{1}{8}\right) \left(\frac{1}{16}\right) = \frac{4+1}{8} \frac{4+1}{16} = \frac{10-5}{16} = \frac{5}{16}$
- $b) \frac{5}{16} < S_n < \frac{11}{32}$ $c) \frac{\frac{1}{2}}{1 (\frac{1}{2})} \cdot \frac{1}{2} = \frac{1}{2}$ d) yes

8

a) F

b) F

c) T

d) T

9

a)
$$\sum_{n=0}^{\infty} \frac{x^n}{3n+1} \frac{\frac{x^{n+1}}{3(n+1)+1}}{\frac{x^n}{3n+1}}$$

$$\lim_{n \to \infty} \left| \frac{x^{n+1} (3n+1)}{(3(n+1)) x^n} \right| = \lim_{n \to \infty} \left| \frac{x (3n+1)}{3n+4} \right| = \lim_{n \to \infty} \left[|x| \frac{3+\frac{1}{n}}{3+\frac{4}{n}} \right] = |x| - 1 < x < 1$$

$$b) \sum_{n=0}^{\infty} \frac{4^n}{n!} (x-2)^n$$

$$\lim_{n \to \infty} \left| \frac{\frac{4^n}{(n+1)!} (x-2)^{n+1}}{\frac{4^n}{n!} (x-2)^n} \right| = \lim_{n \to \infty} \left| \frac{4^{n+1}}{(n+1)!} (x-2)^{n+1} \cdot \frac{n!}{4^n (x-2)^n} \right| = \boxed{4 (x-2) \lim_{n \to \infty} \left[\frac{1}{n+1} \right] = 0}$$

The series converges in the $(-\infty, \infty)$ interval

$$a) \sum_{n=1}^{\infty} \frac{1}{2+3^n} \Rightarrow \lim_{n \to \infty} \left| \frac{\frac{1}{2+3^{n+1}}}{\frac{1}{2+3^n}} \right| = \lim_{n \to \infty} \left| \frac{2+3^n}{2+3^{n+1}} \right| = 0$$

$$b) \sum_{n=0}^{\infty} \frac{n}{n^3+4} \Rightarrow \lim_{n \to \infty} \left| \frac{\frac{n+1}{(n+1)^3+4}}{\frac{n}{n^3+4}} \right| = 1$$

$$\lim_{n \to \infty} \left[\frac{\frac{n}{n^3+4}}{\frac{1}{n^2}} \right] \Rightarrow \lim_{n \to \infty} \left[\frac{n^3}{n^3+4} \right] = \lim_{n \to \infty} \left[\frac{1}{1+\frac{4}{n^3}} \right] = 0$$

$$c) \sum_{n=0}^{\infty} (-1)^{n+1} \frac{n^2}{3^n} \quad \lim_{n \to \infty} \left| \frac{\frac{(n+1)^2}{3^{n+1}}}{\frac{n^2}{3^n}} \right| = \lim_{n \to \infty} \left| \frac{(n+1)^2}{3^{n+1}} \cdot \frac{\beta^n}{n^2} \right| = \lim_{n \to \infty} \left| \frac{(n+1)^2}{3n^2} \right| = \frac{1}{3}$$

a)
$$\ln(1+x)$$

$$f(0) = 0 \qquad f(x) = \ln(1+x)$$

$$f'(0) = 1 \qquad f'(x) = \frac{1}{x+1}$$

$$f'''(0) = -1 \qquad f''''(0) = 2 \qquad f'''(x) = \frac{1}{(x+1)^2}$$

$$f^{(5)}(0) = 24 \qquad f^{(4)}(x) = -\frac{6}{(x+1)^4}$$

$$\int_{n=1}^{\infty} (-1)^{n+1} \frac{1}{n}(x)^n \qquad f^{(5)}(x) = \frac{24}{(x+1)^5}$$

$$\frac{M}{(n+1)!}(x-c)^{n+1} \qquad \text{where } M \ge |f^{n+1}(x)| \to \frac{M(x)^5}{120}$$

$$c) \ln(1+x) \text{ about } 1 \qquad 4^{th}$$

$$\ln(2) + \frac{1}{2}(x-1)^1 - \frac{1}{2}(x-1)^2 + \frac{2}{6}(x-1)^3 - \frac{6}{12}(x-1)^4$$

$$d) \quad x^2 - \frac{1}{2}(x)^4 + \frac{1}{3}x^6 - \frac{1}{4}x^8 \sum_{n=1}^{\infty} (-1)^{n+1} \frac{1}{n}(x^2)^n$$

$$e) \quad x \ln(x^2+1) = \ln(1+a) \to e^{x \ln(1+x^2)} = e^{\ln(1+x)} \to \left(e^{\ln(1+x^2)}\right)^x = 1 + a \to \boxed{a = (1+x^2)^x - 1}$$

$$\sum_{n=1}^{\infty} (-1)^{n+1} \frac{1}{n} \left((1+x^2)^x - 1\right)^n$$

$$((1+x^2)^x - 1) - \frac{1}{2} \left((1+x^2)^x - 1\right)^3 - \frac{1}{4} \left((1+x^2)^x - 1\right)^4$$

$$f) \frac{d}{dx} \left[\sum_{n=1}^{\infty} (-1)^{n+1} \frac{1}{n} (x^2)^n \right]$$

$$\sum_{n=0}^{\infty} \frac{d}{dx} \left[(-1)^{n+1} \frac{1}{n} \left(x^2 \right)^n \right] = \sum_{n=1}^{\infty} \left(-1 \right)^{n+1} \frac{1}{n} \cdot \frac{d}{dx} \left[x^2 \right]^n = \sum_{n=1}^{\infty} \left(-1 \right)^{n+1} \frac{2 \cancel{h}}{\cancel{h}} x^{2n-1} = \sum_{n=1}^{\infty} \left(-1 \right)^{n+1} 2x^{2n-1}$$

g)
$$\int_{0}^{1} \ln(1+x^2) dx \to \int_{0}^{1} \sum_{n=0}^{\infty} (-1)^{n+1} \frac{1}{n} (x^2)^n dx$$

$$\ln(2) \approx 0.2694 \qquad |E_n(x)| \le \frac{0.2694 |x|^{n+1}}{(n+1)!}$$

$$0.01 \le \frac{0.2694}{(n+1)!}$$
 for $n = 4$ $\frac{0.2694}{5!} \approx 0.0058$

$$\int_{0}^{1} \left(x^{2} - \frac{1}{2}x^{4} + \frac{1}{3}x^{6} - \frac{1}{4}x^{8} \right) dx = \left[\frac{x^{3}}{3} - \frac{x^{5}}{10} + \frac{x^{7}}{21} - \frac{x^{9}}{36} \right]_{0}^{1} = \frac{1}{3} - \frac{1}{10} + \frac{1}{21} - \frac{1}{36} = \frac{319}{1260} \approx 0.25$$