Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for search.blade.php

Checker Input
Show source outline outline Options
Check by file upload v Explorar Nenhum ficheiro selecionado.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

```
From line 1, column 1; to line 9, column 1

@extends('layouts.app') & @esection('title',

"Search") & @esection('head') @endsection & @esection('content') & <div c

For further guidance, consult Declaring the overall language of a page and

Choosing language tags.
```

If the HTML checker has misidentified the language of this document, please <u>file an</u> <u>issue report</u> or <u>send e-mail to report the problem</u>.

- 2. Error The character encoding was not declared. Proceeding using windows-1252.
- 3. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

 From line 1, column 1; to line 9, column 1

 @extends('layouts.app') ↔ @section('title',

 "Search") ↔ @section('head') ↔ @endsection ↔ @section('content') ↔ <div c
- 4. Error Element head is missing a required instance of child element title.

 From line 1, column 1; to line 9, column 1

 @extends('layouts.app') ↔ @section('title',

```
"Search")↔⊷@section('head')↔@endsection↔+@section('content')↔<div c
     Content model for element <u>head</u>:
       If the document is an iframe srcdoc document or if title information is available
       from a higher-level protocol: Zero or more elements of metadata content, of
       which no more than one is a title element and no more than one is a base
       element.
       Otherwise: One or more elements of metadata content, of which exactly one is a
       title element and no more than one is a base element.
    Error Bad value {{ route('homepage') }} for attribute href on
 5.
     element <u>a</u>: Illegal character in path segment: { is not allowed.
     From line 14, column 41; to line 14, column 74
     umb-item"><a href="{{ route('homepage') }}">Home/
    Error Bad value {{ route('search') }} for attribute action on
 6.
     element form: Illegal character in path segment: { is not
     allowed.
     From line 29, column 17; to line 29, column 149
                <form id="search-general" method="post" action="{{</pre>
     route('search') }}" class="filter-form d-flex flex-column justify-
     content-center">↩
   Error Text not allowed in element <u>ul</u> in this context.
 7.
     From line 32, column 97; to line 33, column 48
     onParent">↩
                                            @if (isset($conditions) && cou
     Content model for element <u>ul</u>:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
 8. Error Text not allowed in element ul in this context.
     From line 33, column 49: to line 33, column 50
     nditions) && count
     Content model for element <u>ul</u>:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
     At line 33, column 51
     itions) && count(
     Content model for element ul:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
10.
```

11.

```
From line 33, column 52; to line 34, column 28
     tions) && count($conditions) != 0) ↔
                                                                              <div
     С
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Element div not allowed as child of element ul in this
     context. (Suppressing further errors from this subtree.)
     From line 34, column 29; to line 34, column 56
                 <div class="accordion-item">↩
     Contexts in which element <u>div</u> may be used:
        Where <u>flow content</u> is expected.
        As a child of a <u>dl</u> element.
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Saw <?. Probable cause: Attempt to use an XML
12.
     processing instruction in HTML. (XML processing instructions
     are not supported in HTML.)
     At line 44, column 50
                      <?php ↔
     Error Text not allowed in element <u>ul</u> in this context.
13.
     From line 54, column 35; to line 58, column 44
          </div>↩
     @endif↔
                                         @if (isset($brands) && cou
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
14.
     From line 58, column 45; to line 58, column 46
     ($brands) && count
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
15.
     At line 58, column 47
     brands) && count(
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
      Error Text not allowed in element <u>ul</u> in this context.
16.
```

```
From line 58, column 48; to line 58, column 53
     rands) && count($
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
17.
     From line 58, column 54; to line 59, column 24
      && count(\$brands) != 0)\rightleftharpoons
                                                              <div c
     Content model for element <u>ul</u>:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Element div not allowed as child of element ul in this
18.
     context. (Suppressing further errors from this subtree.)
     From line 59, column 25; to line 59, column 52
                 <div class="accordion-item">↩
     Contexts in which element <u>div</u> may be used:
        Where <u>flow content</u> is expected.
        As a child of a dl element.
     Content model for element <u>ul</u>:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
19.
     Error | Saw <?. Probable cause: Attempt to use an XML
     processing instruction in HTML. (XML processing instructions
     are not supported in HTML.)
     At line 69, column 46
                      <?php ↔
20.
     Error Text not allowed in element ul in this context.
     From line 79, column 31; to line 83, column 45
          </div>↔
                                              @else↩
     @endif↔
                                          @if (isset($colours) && cou
     Content model for element <u>ul</u>:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element ul in this context.
21.
     From line 83, column 46; to line 83, column 47
     $colours) && count
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element ul in this context.
22.
     At line 83, column 48
```

```
olours) && count(
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
23.
     Error Text not allowed in element <u>ul</u> in this context.
     From line 83, column 49; to line 84, column 24
                                                                     <div c
     lours) && count($colours) != 0)↩
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Element div not allowed as child of element ul in this
24.
     context. (Suppressing further errors from this subtree.)
     From line 84, column 25; to line 84, column 52
                 <div class="accordion-item">↩
     Contexts in which element div may be used:
        Where <u>flow content</u> is expected.
        As a child of a <u>dl</u> element.
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Saw <? . Probable cause: Attempt to use an XML
25.
     processing instruction in HTML. (XML processing instructions
     are not supported in HTML.)
     At line 94, column 46
                      <?php ↔
     Error Text not allowed in element <u>ul</u> in this context.
26.
     From line 104, column 31; to line 108, column 43
          </div>↩
                                              @else↩
     @endif↔
                                         @if (isset($years) && cou
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
27.
     From line 108, column 44; to line 108, column 45
     t($years) && count
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
28.
     At line 108, column 46
      $years) && count()
```

```
Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
29.
     From line 108, column 47; to line 109, column 24
     years) && count($years) != 0)↩
                                                                   <div c
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
30.
     Error Element div not allowed as child of element ul in this
     context. (Suppressing further errors from this subtree.)
     From line 109, column 25; to line 109, column 52
                 <div class="accordion-item">↔
     Contexts in which element div may be used:
        Where <u>flow content</u> is expected.
        As a child of a <u>dl</u> element.
     Content model for element <u>ul</u>:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
    Error Saw <?. Probable cause: Attempt to use an XML
31.
     processing instruction in HTML. (XML processing instructions
     are not supported in HTML.)
     At line 119, column 46
                     <?php ↔
     Error Text not allowed in element <u>ul</u> in this context.
32.
     From line 129, column 31; to line 133, column 48
          </div>↩
                                             @else↩
     @endif↔
                                         @if (isset($categories) && cou
     Content model for element <u>ul</u>:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element ul in this context.
33.
     From line 133, column 49; to line 133, column 50
     tegories) && count
     Content model for element ul:
        Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Text not allowed in element <u>ul</u> in this context.
34.
     At line 133, column 51
     gories) && count(
     Content model for element ul:
```

Zero or more <u>li</u> and <u>script-supporting</u> elements.

```
Error Text not allowed in element ul in this context.
35.
    From line 133, column 52; to line 134, column 24
     ories) && count($categories) != 0)↩
                                                                      <div c
    Content model for element ul:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
    Error Element div not allowed as child of element ul in this
36.
    context. (Suppressing further errors from this subtree.)
    From line 134, column 25; to line 134, column 52
                <div class="accordion-item">↩
    Contexts in which element <u>div</u> may be used:
       Where <u>flow content</u> is expected.
       As a child of a dl element.
    Content model for element <u>ul</u>:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
37.
    Error Duplicate ID yearHeader.
    From line 136, column 33; to line 136, column 77
                <h2 class="accordion-header" id="yearHeader">↔
     Warning The first occurrence of ID yearHeader was here.
38.
    From line 111, column 33; to line 111, column 77
               <h2 class="accordion-header" id="yearHeader">↔
39.
     Error Saw <?. Probable cause: Attempt to use an XML
    processing instruction in HTML. (XML processing instructions
    are not supported in HTML.)
    At line 144, column 46
                    <?php ↔
     Error Text not allowed in element <u>ul</u> in this context.
40.
    From line 154, column 31; to line 157, column 20
          </div>↩
                                            @else↩
    @endif↔
                                  Content model for element <u>ul</u>:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Attribute href not allowed on element button at this
41.
     point.
```

https://validator.w3.org/nu/#file

```
From line 160, column 25; to line 160, column 104
                 <button href="#" type="submit" id="submit button"</pre>
     class="btn btn-lg filter-btn">↩
     Attributes for element button:
        Global attributes
        disabled — Whether the form control is disabled
        <u>form</u> — Associates the element with a <u>form</u> element
        <u>formaction</u> — <u>URL</u> to use for <u>form submission</u>
        <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
        <u>formmethod</u> — Variant to use for <u>form submission</u>
        <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
        <u>formtarget</u> — <u>Browsing context</u> for <u>form submission</u>
        <u>name</u> — Name of the element to use for <u>form submission</u> and in the
        <u>form.elements</u> API
        type — Type of button
        <u>value</u> — Value to be used for <u>form submission</u>
     Error | Saw <?. Probable cause: Attempt to use an XML
42.
     processing instruction in HTML. (XML processing instructions
     are not supported in HTML.)
     At line 172, column 18
                      <?php ; ←
43.
     Warning The document is not mappable to XML 1.0 due to a
     trailing hyphen in a comment.
     At line 173, column 47
     ons to display->total();↔
     Error The value of the for attribute of the label element
44.
     must be the ID of a non-hidden form control.
     From line 47, column 63; to line 47, column 113
          echo "<label class='form-check-label' for=".$condition.">".$con
```

45. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 72, column 59; to line 72, column 105

echo "<label class='form-check-label' for=".\$brand.">".\$bra

46. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

```
From line 97, column 59; to line 97, column 106

echo "<label class='form-check-label' for=".$colour.">".$col
```

47. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 122, column 59; to line 122, column 104

echo "<label class='form-check-label' for=".\$year.">".\$yea

48. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 147, column 59; to line 147, column 108

echo "<label class='form-check-label' for=".\$category.">".\$cat

49. **Error** The aria-labelledby attribute must point to an element in the same document.

50. Error The aria-labelledby attribute must point to an element in the same document.

51. Error The aria-controls attribute must point to an element in the same document.

From line 87, column 37; to line 87, column 220

<a class="accordion-button btn accordion-btn-color collapsed" type="button" data-bs-toggle="collapse" data-bs-target="#selectColour" aria-expanded="false" aria-

52. Error The aria-labelledby attribute must point to an element in the same document.

Document checking completed.

Used the HTML parser.

Total execution time 25 milliseconds.

About this checker • Report an issue • Version: 22.1.25