

Questionnaire Packet

Proposed screening, baseline, post-block, and post-session measures

FIRST-PASS DRAFT

Not IRB-approved. Replace all bracketed open decisions and transfer final content into the current official UCF forms before submission.

MEASUREMENT BOUNDARY

Validated instruments are identified by name and should retain approved wording/scoring. Guidance, trust, reliance, and privacy items are study-specific and must not be represented as validated scales.

Administration Schedule

Time	Measures	Reason
Eligibility	Minimal prescreen	Safety and core eligibility only
After consent	Demographics, XR/eye-tracking experience, baseline SSQ	Sample description, covariates, symptom baseline
After each condition block	Raw NASA-TLX and guidance manipulation/experience items	Condition-level workload and manipulation check
After final block	Post-SSQ, SUS, comparative/privacy items, interview	Safety change, overall usability, interpretation

1. Participant and Session Header

1.1. Coded participant ID

1.2. Session date/time

1.3. Application build and condition schedule ID

1.4. Questionnaire time point

Baseline / Block ____ / Post-session

2. Demographics and Relevant Background

OPTIONAL RESPONSES

Except for eligibility fields approved as required, demographic questions should permit Prefer not to answer and should be collected only when they serve sample description, safety, or prespecified analysis.

2.1. Age

18-24 / 25-34 / 35-44 / 45-54 / 55-64 / 65+ / Prefer not to answer

2.2. Gender

Woman / Man / Non-binary / Self-describe: _____ / Prefer not to answer

2.3. Current academic or employment status

Undergraduate / Graduate / Faculty or staff / Not currently affiliated with UCF / Other / Prefer not to answer

2.4. Dominant hand

Right / Left / Ambidextrous / Prefer not to answer

2.5. Vision used during the study

Uncorrected / Glasses / Contact lenses / Other / Prefer not to answer

2.6. Known color-vision deficiency

No / Yes / Unsure / Prefer not to answer

2.7. Hearing correction used during the study

None / Hearing aid or other correction / Other / Prefer not to answer

2.8. Prior eye-tracking experience

None / 1-2 sessions / 3-5 sessions / More than 5 sessions

3. Prior Experience

	1	2	3	4	5
	None		Extensive		

3.1. Using virtual-reality or mixed-reality headsets

1 / 2 / 3 / 4 / 5

3.2. Using gaze or eye tracking as an input method

1 / 2 / 3 / 4 / 5

3.3. Playing video games

1 / 2 / 3 / 4 / 5

3.4. Completing visual-search or object-finding tasks

1 / 2 / 3 / 4 / 5

3.5. Interacting with voice assistants

1 / 2 / 3 / 4 / 5

4. Simulator Sickness Questionnaire (SSQ)

Rate how much you experience each symptom right now. Administer before headset exposure and again immediately after the final headset exposure.

	0	1	2	3
	0 = None 1 = Slight 2 = Moderate 3 = Severe			

Item	Baseline 0-3	Post 0-3
General discomfort		
Fatigue		

Item	Baseline 0-3	Post 0-3
Headache		
Eye strain		
Difficulty focusing		
Increased salivation		
Sweating		
Nausea		
Difficulty concentrating		
Fullness of head		
Blurred vision		
Dizziness with eyes open		
Dizziness with eyes closed		
Vertigo		
Stomach awareness		
Burping		

Scoring and stopping thresholds: [OPEN DECISION: use the approved SSQ scoring procedure and prespecified safety rule; do not invent a cutoff after data collection.]

5. Raw NASA-TLX

Complete immediately after each condition block. Rate the block you just completed, not the session overall. Each scale ranges from 0 to 100 in steps of 5.

Subscale	Prompt	Low anchor	High anchor	0-100
Mental Demand	How mentally demanding was the block?	Very low	Very high	
Physical Demand	How physically demanding was the block?	Very low	Very high	
Temporal Demand	How hurried or rushed did you feel?	Very low	Very high	
Performance	How unsuccessful did you feel in accomplishing the task?	Perfect	Failure	
Effort	How hard did you have to work to accomplish your level of performance?	Very low	Very high	
Frustration	How insecure, discouraged, irritated, stressed, or annoyed were you?	Very low	Very high	

Raw TLX score: mean of the six subscale ratings (or sum if the analysis pipeline explicitly retains its current 0-600 convention). Store all six subscales; do not retain only the aggregate.

6. Post-Block Guidance Measures

Study-specific items. Rate only the block just completed. These are manipulation checks and experience items, not a validated scale.

1 2 3 4 5 6 7

1 = Strongly disagree

7 = Strongly agree

6.1. The spoken guidance seemed responsive to where or how I was looking.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.2. The spoken guidance arrived at useful moments.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.3. The spoken guidance helped me search more effectively.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.4. I trusted the spoken guidance.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.5. I relied on the spoken guidance when deciding where to search.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.6. The spoken guidance distracted me from the search task.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.7. The spoken guidance felt intrusive.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.8. I felt in control of whether to follow or ignore the guidance.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.9. I understood what the spoken guidance meant.

1 / 2 / 3 / 4 / 5 / 6 / 7

6.10. Without being told the condition name, what information do you think the assistant used to generate its guidance?

7. System Usability Scale (SUS)

Administer once after the complete system experience. Use standard SUS scoring with alternating positive and negative items.

1 2 3 4 5

1 = Strongly disagree

5 = Strongly agree

7.1. I think that I would like to use this system frequently.

1 / 2 / 3 / 4 / 5

7.2. I found the system unnecessarily complex.

1 / 2 / 3 / 4 / 5

7.3. I thought the system was easy to use.

1 / 2 / 3 / 4 / 5

7.4. I think that I would need the support of a technical person to be able to use this system.

1 / 2 / 3 / 4 / 5

7.5. I found the various functions in this system were well integrated.

1 / 2 / 3 / 4 / 5

7.6. I thought there was too much inconsistency in this system.

1 / 2 / 3 / 4 / 5

7.7. I would imagine that most people would learn to use this system very quickly.

1 / 2 / 3 / 4 / 5

7.8. I found the system very cumbersome to use.

1 / 2 / 3 / 4 / 5

7.9. I felt very confident using the system.

1 / 2 / 3 / 4 / 5

7.10. I needed to learn a lot of things before I could get going with this system.

1 / 2 / 3 / 4 / 5

8. Post-Session Comparison and Privacy

1 2 3 4 5 6 7

1 = Strongly disagree

7 = Strongly agree

8.1. I was comfortable with the system using eye-tracking data during the task.

1 / 2 / 3 / 4 / 5 / 6 / 7

8.2. I understood what kinds of gaze information the system was collecting.

1 / 2 / 3 / 4 / 5 / 6 / 7

8.3. I would be comfortable using a gaze-aware assistant in a similar application.

1 / 2 / 3 / 4 / 5 / 6 / 7

8.4. The potential benefit of gaze-aware guidance outweighed my privacy concerns.

1 / 2 / 3 / 4 / 5 / 6 / 7

8.5. I noticed meaningful differences in the guidance across parts of the study.

1 / 2 / 3 / 4 / 5 / 6 / 7

8.6. Which part of the study had the most useful guidance, if any? Describe it without using condition labels.

9. Semi-Structured Interview

9.1. What strategy did you use to locate the announced targets?

Notes: _____

9.2. When did you choose to follow or ignore the spoken guidance?

Notes: _____

9.3. Which guidance, if any, felt most helpful? What made it helpful?

Notes: _____

9.4. Did any guidance feel distracting, poorly timed, inaccurate, or intrusive?

Notes: _____

9.5. Did you notice the assistant responding to where or how you looked? Please describe.

Notes: _____

9.6. How did selecting objects by sustained gaze affect your search strategy?

Notes: _____

9.7. Did eye tracking or gaze-data collection create any privacy or comfort concerns?

Notes: _____

9.8. What part of the task felt easiest?

Notes: _____

9.9. What part felt most difficult or confusing?

Notes: _____

9.10. Is there anything else you would change about the task or assistant?

Notes: _____

10. Optional Future Voice-Similarity Appendix

OUT OF CURRENT SCOPE

Use only if self-similar voice is implemented and separately approved. Voice recording/synthesis requires explicit consent, provider disclosure, retention and deletion rules, and a matched generic-voice control.

10.1. The assistant's voice sounded similar to my own voice.

1 / 2 / 3 / 4 / 5 / 6 / 7

10.2. The assistant's voice felt familiar.

1 / 2 / 3 / 4 / 5 / 6 / 7

10.3. The assistant's voice was easy to understand.

1 / 2 / 3 / 4 / 5 / 6 / 7

10.4. The assistant's voice made the guidance more trustworthy.

1 / 2 / 3 / 4 / 5 / 6 / 7

10.5. The assistant's voice made the gaze-aware guidance feel more intrusive.

1 / 2 / 3 / 4 / 5 / 6 / 7