

Gaze Study - Baseline and Pre-Task Survey

Printable review copy - DRAFT

Qualtrics survey	SV_5u2FpCk1228bfPE
Administration	Once before headset use and the search task
Status	Draft; freeze wording, order, scoring, requiredness and IRB alignment before collection.

This static PDF is for protocol review and experimenter printing. Responses should be collected in the Qualtrics draft so export tags and timestamps remain available.

Study information and baseline

BASE_INTRO - Instructions

DRAFT - Follow My Voice: Gaze-Contingent XR Search with a Self-Similar Agent. This survey is for study setup and baseline measures. Use the study code only; do not enter your name. The instrument map remains subject to IRB and pilot review.

BASE_STUDY_CODE

Study code (assigned by the researcher):

BASE_AGE

Age range:

- ☐ 18-24
- ☐ 25-34
- ☐ 35-44
- ☐ 45-54
- ☐ 55-64
- ☐ 65+
- ☐ Prefer not to answer

BASE_GENDER

Gender identity (select all that apply):

- ☐ Woman
- ☐ Man
- ☐ Nonbinary
- ☐ Another identity
- ☐ Prefer not to answer

BASE_GENDER_OTHER

If you selected Another identity, please describe (optional):

BASE_CORRECTION

Do you use glasses or contact lenses?

- ☐ Neither
- ☐ Glasses
- ☐ Contact lenses
- ☐ Both
- ☐ Prefer not to answer

BASE_MR

How often have you used virtual- or mixed-reality headsets?

- ☐ Never
- ☐ Once or twice
- ☐ Several times
- ☐ Monthly
- ☐ Weekly or more

BASE_EYE

Have you used eye-tracking technology before?

- ☐ No
- ☐ Yes
- ☐ Unsure

BASE_VOICE

Have you used a synthetic or cloned version of your own voice before?

- ☐ No
- ☐ Yes
- ☐ Unsure

BASE_AI_FAMILIARITY

How familiar are you with AI voice assistants?

Mark one response for each statement.

Familiarity

- ☐ 1 - Not at all familiar
- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5
- ☐ 6
- ☐ 7 - Extremely familiar

Baseline simulator sickness

BASE_SSQ_INTRO - Instructions

Rate each symptom now, before headset use. Use 0 = none, 1 = slight, 2 = moderate, 3 = severe.

BASE_SSQ

Baseline Simulator Sickness Questionnaire

Mark one response for each statement.

General discomfort

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Fatigue

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Headache

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Eyestrain

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Difficulty focusing

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Increased salivation

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Sweating

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Nausea

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Difficulty concentrating

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Fullness of head

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Blurred vision

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Dizziness with eyes open

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Dizziness with eyes closed

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Vertigo

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Stomach awareness

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Burping

☐ 0 - None

☐ 1 - Slight

☐ 2 - Moderate

☐ 3 - Severe