

Gaze Study - Post-Session and Safety Survey

Printable review copy - DRAFT

Qualtrics survey	SV_emqdHkeDg3gjYpw
Administration	After removing the headset at the end of the session
Status	Draft; freeze wording, order, scoring, requiredness and IRB alignment before collection.

This static PDF is for protocol review and experimenter printing. Responses should be collected in the Qualtrics draft so export tags and timestamps remain available.

Post-exposure safety

POST_INTRO - Instructions

DRAFT - Complete after removing the headset. Tell the researcher immediately if symptoms are severe or worsening.

POST_SSQ

Post-exposure Simulator Sickness Questionnaire. Use 0 = none, 1 = slight, 2 = moderate, 3 = severe.

Mark one response for each statement.

General discomfort

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Fatigue

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Headache

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Eyestrain

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Difficulty focusing

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Increased salivation

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Sweating

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Nausea

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Difficulty concentrating

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Fullness of head

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Blurred vision

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Dizziness with eyes open

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Dizziness with eyes closed

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Vertigo

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Stomach awareness

- ☐ 0 - None
- ☐ 1 - Slight
- ☐ 2 - Moderate
- ☐ 3 - Severe

Burping

☐ 0 - None

☐ 1 - Slight

☐ 2 - Moderate

☐ 3 - Severe

POST_STOP

Did you stop or pause because of symptoms?

☐ No

☐ Yes

POST_READY

Do you feel ready to leave the lab?

☐ Yes

☐ No - researcher follow-up required

Voice comparison and interview

POST_VOICE_PREF

Which voice did you prefer?

- ☐ Generic voice
- ☐ Voice resembling me
- ☐ No preference
- ☐ Unsure

POST_VOICE_REASON

Why did you choose that response?

POST_HELPFUL

Which voice or combination felt most helpful, and why?

POST_COMFORT

Which voice or combination felt most comfortable, and why?

POST_SIMILARITY

Did you believe the self-similar voice resembled your voice? Why or why not?

POST_DIALOGUE

Did hearing the self-similar voice change how you experienced your own thoughts or internal dialogue? Please describe.

POST_CONCERNS

Did hearing the self-similar voice create any concern about misuse or how the voice was created?

POST_CHANGES

What would you change about the hints, voice, or task?

POST_INTERVIEW

Researcher notes from the semi-structured final interview (search strategy, useful or distracting feedback, voice experience, comfort, and suggested changes):

