

Supporting information

Table S1. Traits assigned to each Schizophora species and morphospecies collected from each of the 12 wetland sites. Species in grey were excluded from analyses. (NA = unknown)

Feeding: Larval feeding habit – SA: saprophage, PR: predator, PA: parasite/parasitoid, PH : phytophage

Size: mean of 2 specimens in mm (small (<4 mm), medium (4-7 mm), large (>7 mm))

Spe/Gen: Specialist/ Generalist – S: feed on one genus/type of plant, animal or substrate, G

Habitat pref: Habitat preference for oviposition – M: moist, L: lentic, T: terrestrial

Type wetland: Restriction to a wetland habitat – R: restricted (found in only one wetland type), I: intermediate (found in two wetland types), B: broad (found in three wetland types)

Freq occurrence: Frequency of occurrence – 1: only found in one site, 2: found in 2 to 6 sites, 3: found in 7 to 13 sites, 4: found in 14 to 16 sites.

No specimens: Number of specimens collected – R: rare < 0.6% of total catch, C: common $\geq$ 0.6% of catch

Voltinism: U: univoltine, M: bivoltine/ multivoltine.

Overwin stage: Overwintering stage – E: eggs, L: larvae, P: pupae, A: adults.

Specializ: Specialization – O: obligate (specialist found exclusively in wetlands), A: amphibious (at least part of their life cycle in wetlands and remainder in terrestrial system), F: facultative (occasionally found in wetlands for water or food)

Species	Feeding	Size	Spe/Gen	Habitat pref	Type wetland	Freq occurrence	No specimens	Voltinism	Overwin stage	Specializ
Micropezidae										
<i>Compsobata (Compsobata) sp.</i>	SA	7.33	NA	M	R	1	R	NA	NA	A
<i>Rainieria antennaepes</i> (Say)	SA	7.33	G	M	R	1	R	NA	NA	A
Lonchaeidae										
<i>Lonchaea sp.</i>	NA	3.53	NA	NA	I	2	R	NA	NA	NA
Pallopteridae										
<i>Temnosira subarcuata</i> Johnson	SA	4.47	NA	T	R	1	R	NA	NA	NA
Platystomatidae										
<i>Riviella pallida</i> Loew	PH	3.73	NA	NA	R	2	R	U	NA	NA
<i>Riviella sp.1</i>	PH	4.27	NA	NA	R	2	R	NA	NA	NA
<i>Riviella sp.2</i>	PH	4.63	NA	NA	I	2	R	NA	NA	NA
<i>Riviella steyskali</i> Namba	PH	4.60	NA	NA	R	1	R	NA	NA	NA
<i>Riviella variabilis</i> Loew	PH	5.77	NA	NA	I	2	R	NA	NA	NA

Tephritidae

<i>Euaresta bella</i> (Loew)	PH	3.03	S	L	B	3	C	U	A	F
<i>Euleia fratria</i> (Loew)	PH	4.13	S	L	R	1	R	U	A	F
<i>Icteric a seriata</i> (Loew)	PH	4.67	S	L	R	1	R	U	A	F
<i>Paroxyna albiceps</i> (Loew)	PH	2.73	S	L	R	1	R	U	A	F
<i>Rhagoletis pomonella</i> (Walsh)	PH	3.47	S	L	R	1	R	U	A	F
<i>Urophora quadrifasciata</i> (Meigen)	PH	2.80	S	L	R	1	R	M	L	F

Ulidiidae

<i>Chaetopsis fulvivrons</i> (Macquart)	SA	3.67	G	T	R	2	R	U	L	F
<i>Chaetopsis massyla</i> (Walker)	SA	4.70	G	T	I	2	R	U	L	F
<i>Euxesta notata</i> Wiedemann	SA	4.20	G	T	I	2	R	U	L	F
<i>Melieria similis</i> (Loew)	SA	5.43	NA	T	R	1	R	U	L	F

Chamaemyiidae

<i>Leucopis americana</i> Malloch	PR	2.53	G	T	R	1	R	M	P	F
<i>Leucopis</i> sp.	PR	1.80	G	T	R	1	R	M	P	F

Lauxaniidae

<i>Camptoprosopa</i> sp.	SA	3.33	G	M	R	1	R	NA	NA	NA
<i>Homoneura (Homoneura) incerta</i> (Malloch)	SA	3.10	G	L	R	1	R	U	L	F
<i>Homoneura (Homoneura) pernotata</i> (Malloch)	SA	3.87	G	L	I	2	R	M	L	F
<i>Homoneura (Homoneura) philadelphica</i> (Macquart)	SA	4.17	G	L	I	2	R	M	L	F
<i>Homoneura (Homoneura)</i> ♀♀ <i>aequalis</i> group										
<i>Homoneura (Tarsohomoneura) americana</i> (Wiedemann)	SA	3.67	G	L	R	1	R	M	L	F
<i>Homoneura (Tarsohomoneura) houghii</i> (Coquillett)	SA	3.27	G	M	R	2	R	M	L	NA
<i>Homoneura (Tarsohomoneura) sheldoni</i> (Coquillett)	SA	3.07	G	M	I	2	C	M	L	O
<i>Lauxania shewelli</i> Perusse & Wheeler	SA	4.05	G	L	R	1	R	U	P	F
<i>Minettia (Minettia) cana</i> Melander	SA	3.40	G	M	R	1	R	U	P	F
<i>Minettia (Minettia) lupulina</i> Fabricius	SA	3.60	G	M	R	2	R	U	P	F
<i>Minettia lyraformis</i> Shewell	SA	4.00	G	M	R	1	R	U	P	F
<i>Poecilolycia aspinosa</i> Shewell	SA	2.87	G	M	R	1	R	NA	P	F
<i>Poecilolycia browni</i> Curran	SA	3.60	G	M	B	2	R	NA	P	F

Dryomyzidae

<i>Dryomyza anilis</i> Fallén	SA	6.92	G	M	B	2	R	NA	NA	F
-------------------------------	----	------	---	---	---	---	---	----	----	---

Sciomyzidae

Dictya ♀♀ spp.

<i>Dictya expansa</i> Steyskal	PR	5.83	S	L	I	2	R	M	P	O
<i>Ditya pictipes</i> (Loew)	PR	5.87	S	L	R	1	R	M	P	O
<i>Elgiva sollicita</i> (Harris)	PR	6.87	S	L	R	1	R	M	A	O
<i>Limnia boscii</i> (Robineau-Desvoidy)	PR	5.43	S	T	B	2	R	NA	NA	A
<i>Limnia conica</i> Steyskal	PR	4.00	S	L	R	1	R	NA	NA	O
<i>Pherbecta limenitis</i> Steyskal	PR	5.23	S	L	R	1	R	NA	NA	O
<i>Pherbellia anubis</i> Knutson	PR	5.33	S	L	I	2	C	M	P	O
<i>Pherbellia griseola</i> (Fallén)	PA	4.17	G	T	R	1	R	U	E	F
<i>Pherbellia nana nana</i> (Fallén)	PA	3.00	G	T	R	1	R	U	E	F
<i>Pherbellia quadrata</i> Steyskal	PA	5.67	G	T	R	1	R	U	E	F
<i>Pherbellia vitalis</i> (Cresson)	PA	4.23	G	T	I	2	R	U	E	F
<i>Poecilographa decora</i> (Loew)	PR	5.53	S	L	R	1	R	NA	NA	O
<i>Pteromicra pectorosa</i> (Hendel)	PA	3.80	G	T	R	1	R	M	P	O
<i>Pteromicra similis</i> Steyskal	PA	4.50	G	T	I	2	R	M	P	O
<i>Sciomyza varia</i> (Coquillett)	PA	5.37	S	T	R	2	R	M	P	O
<i>Sepedon fuscipennis</i> nobilis Orth	PR	7.30	S	L	I	2	R	M	A	O
<i>Sepedon gracilicornis</i> Orth	PR	7.73	S	L	I	2	R	M	A	O
<i>Sepedon tenuicornis</i> Cresson	PR	7.60	S	L	R	1	R	M	A	O
<i>Tetanocera annae</i> Steyskal	PR	9.17	S	L	I	2	R	M	P	O
<i>Tetanocera fuscinervis</i> Zetterstedt	PR	5.63	S	L	R	1	R	M	P	O
<i>Tetanocera plebeja</i> Loew	PR	7.92	S	L	I	2	R	M	P	O
<i>Tetanocera plumosa</i> Loew	PR	9.38	S	L	R	2	R	U	L	O
<i>Tetanocera rotundicornis</i> Loew	PA	7.77	S	T	R	1	R	M	P	O
<i>Tetanocera</i> sp.	PR	6.42	S	L	R	1	R	M	P	O
<i>Tetanocera valida</i> Loew	PR	7.50	S	L	I	2	R	M	P	O
<i>Trypetoptera canadensis</i> (Macquart)	PR	6.13	S	L	R	1	R	NA	NA	O

Sepsidae

<i>Enicita annulipes</i> (Meigen)	SA	3.50	S	M	I	2	R	M	L	F
<i>Enicomira minor</i> (Haliday)	SA	3.13	G	M	I	2	R	M	L	F
<i>Meropolis stercorarius</i> (Robineau-Desvoidy)	SA	3.75	G	M	R	1	R	M	NA	F
<i>Nemopoda nitidula</i> (Fallén)	SA	4.67	G	M	I	2	C	M	L	F
<i>Saltella sphondylii</i> (Schränk)	SA	3.33	S	M	R	1	R	M	P	F
<i>Sepsis punctum</i> (Fabricius)	SA	4.17	G	M	B	4	C	M	L	F

Agromyzidae

<i>Agromyza albipennis</i> Meigen	PH	2.93	G	L	R	1	R	M	P	F
<i>Agromyza ?bispinata</i> Spencer	PH	2.33	NA	T	R	2	R	M	P	F
<i>Agromyza facilis</i> Spencer	PH	2.13	NA	T	R	1	R	M	P	F
<i>Agromyza</i> ♀ <i>aristata/marmorensis</i>										
<i>Agromyza</i> ♀ <i>facilis/bispinata</i>										
<i>Amauromyza karli</i> (Hendel)	PH	1.87	S	T	R	1	R	M	P	F
<i>Calycomyza</i> sp.	PH	2.93	G	T	R	1	R	M	P	F
<i>Cerodontha eucaricis</i> Nowakowski	PH	2.00	S	T	R	1	R	M	A	F
<i>Cerodontha</i> (<i>Poemyza</i>)♀♀spp.										
<i>Cerodontha calamagrostidis</i> Nowakowski	PH	1.60	G	T	R	2	R	M	A	F
<i>Cerodontha dorsalis</i> (Loew)	PH	2.27	G	T	B	2	R	M	A	F
<i>Cerodontha incisa</i> (Meigen)	PH	2.37	G	T	R	1	R	M	A	F
<i>Cerodontha longipennis</i> (Loew)	PH	2.37	S	T	I	2	R	M	A	F
<i>Cerodontha magnicornis</i> Meigen	PH	2.00	S	T	B	2	R	M	A	F
<i>Hexomyza/Ophiomyia</i> sp.	PH	2.00	S	T	R	1	R	NA	P	F
<i>Liriomyza</i> sp.1	PH	1.73	S	T	R	1	R	M	P	F
<i>Liriomyza</i> sp.2	PH	1.87	S	T	R	1	R	M	P	F
<i>Metopomyza interfrontalis</i> (Melander)	PH	1.40	S	T	B	2	R	M	P	F
<i>Phytoliriomyza</i> sp.	PH	1.73	S	M	R	1	R	M	P	F
<i>Phytomyza ilicicola</i> Loew	PH	1.00	S	T	R	1	R	NA	P	F
<i>Phytomyza</i> sp.	PH	1.53	S	M	R	1	R	M	P	F
Anthomyzidae										
Anthomyzidae sp.1	PH	2.67	NA	M	R	1	R	NA	NA	A
Anthomyzidae sp.2	PH	2.47	NA	M	R	1	R	NA	NA	A
Anthomyzidae sp.3	PH	2.60	NA	M	R	1	R	NA	NA	A
Aulacigastridae										
<i>Aulacigaster leucopeza</i> (Meigen)	SA	2.93	S	T	R	1	R	U	NA	F
Clusiidae										
<i>Clusiodes johnsoni nigripalpis</i> Malloch	SA	5.00	G	M	R	1	R	NA	P	F
<i>Clusia lateralis</i> Walker	SA	3.67	NA	M	R	1	R	NA	P	F
<i>Sobarocephala atricornis</i> (Sabrosky & Steyskal)	SA	3.33	NA	M	R	2	R	U	P	F
<i>Sobarocephala flaviseta</i> (Johnson)	SA	6.00	NA	M	R	1	R	U	P	F
<i>Sobarocephala latifrons</i> (Loew)	SA	3.10	NA	M	I	3	R	U	P	F
<i>Sobarocephala setipes</i> Melander & Argo	SA	3.17	NA	M	I	2	R	U	P	F

Opomyzidae										
<i>Geomyza tripunctata</i> Fallén	PH	3.33	S	T	R	1	R	NA	NA	F
Periscelididae										
<i>Cyamops halterata</i> Sabrosky	SA	2.57	NA	M	B	3	R	U	L	A
<i>Cyamops nebulosa</i> Melander	SA	3.13	NA	M	R	2	R	U	L	A
Carnidae										
<i>Meoneura</i> sp.	SA	1.50	NA	T	I	2	R	NA	NA	NA
Chloropidae										
<i>Apallates coxendix</i> (Fitch)	SA	1.67	NA	NA	R	1	R	M	NA	O
<i>Apallates neocoxendix</i> (Sabrosky)	SA	1.70	NA	NA	I	2	R	M	NA	NA
<i>Apallates particeps</i> (Becker)	SA	1.67	NA	NA	I	2	R	M	NA	F
<i>Aphanotrigonum scabrum</i> (Aldrich)	SA	2.07	G	T	R	1	R	M	A	F
<i>Aphanotrigonum trilineatum</i> (Meigen)	SA	2.53	G	T	R	1	R	M	A	F
<i>Apotropina itascae</i> (Sabrosky)	SA	2.07	NA	NA	I	2	R	M	NA	NA
<i>Apotropina shewelli</i> (Sabrosky)	SA	2.17	NA	NA	R	1	R	M	NA	NA
<i>Calamoncosis glyceriae</i> Nartshuk	PH	1.53	S	T	R	1	R	M	L	F
<i>Chlorops cinerapennis</i> Adams	PH	4.07	S	M	R	1	R	M	L	NA
<i>Chlorops</i> sp.1	PH	2.43	S	M	R	2	R	M	L	F
<i>Chlorops</i> sp.2	PH	2.57	S	M	R	2	R	M	L	F
<i>Chlorops</i> sp.3	PH	2.77	S	M	I	2	C	M	L	F
<i>Conioscinella</i> sp.A	PH	2.00	NA	T	R	1	R	NA	A	F
<i>Conioscinella zetttersdti</i> Andersson	PH	1.80	G	T	I	2	C	M	A	F
<i>Cryptonevra diadema</i>	PH	2.57	S	T	R	2	R	M	L	F
<i>Dasyopa</i> sp.	SA	1.33	NA	T	R	1	R	M	NA	O
<i>Dicraeus fennicus</i> Duda	PH	1.80	S	M	R	1	R	U	L	F
<i>Elachiptera angusta</i> Sabrosky	SA	2.87	G	T	R	2	R	M	A	F
<i>Elachiptera costata</i> (Loew)	SA	2.57	G	T	B	3	R	M	A	F
<i>Elachiptera erythropleura</i> Sabrosky	SA	2.60	G	T	I	2	R	M	A	F
<i>Elachiptera nigriceps</i> (Loew)	SA	2.33	G	T	B	4	C	M	A	F
<i>Elachiptera vittata</i> Sabrosky	SA	2.83	G	T	I	2	R	M	A	F
<i>Epichlorops scaber</i> (Coquillett)	PH	3.07	NA	NA	R	1	R	M	L	NA
<i>Eribolus longulus</i> (Loew)	SA	2.93	S	M	B	3	R	M	A	F
<i>Eugaurax floridensis</i> Malloch	PH	2.13	S	NA	R	1	R	M	NA	NA
<i>Gaurax apicalis</i> Malloch	SA	2.17	G	M	R	2	R	M	NA	F

<i>Gaurax dorsalis</i> (Loew)	SA	2.50	G	M	R	1	R	M	NA	F
<i>Gaurax festivus</i> Loew	SA	1.67	G	M	R	1	R	M	NA	F
<i>Gaurax ?maculicornis</i> Sabrosky	SA	2.00	G	M	R	1	R	M	NA	F
<i>Gaurax montanus</i> Coquillett	SA	2.10	G	M	R	1	R	M	NA	F
<i>Gaurax splendidus</i> Malloch	SA	2.07	G	M	R	2	R	M	NA	F
<i>Hippelates plebejus</i> Loew	SA	2.00	G	M	I	2	R	M	NA	NA
<i>Incertella bispina</i> (Malloch)	PH	1.73	S	T	B	3	C	M	L	F
<i>Incertella minor</i> (Adams)	PH	1.40	S	T	B	2	R	M	L	F
<i>Liohippелates bishoppi</i> (Sabrosky)	SA	1.93	NA	NA	B	2	C	M	NA	NA
<i>Malloewia abdominalis</i> (Becker)	SA	1.77	NA	NA	B	3	C	M	NA	NA
<i>Malloewia</i> n.sp.A TAW	SA	1.73	NA	NA	I	2	R	M	NA	NA
<i>Malloewia nigripalpis</i> (Malloch)	SA	1.73	NA	NA	R	1	R	M	NA	NA
<i>Meromyza</i> sp.	PH	3.33	G	NA	R	1	R	M	L	F
<i>Olcella</i> n.sp. near <i>parva</i> TAW	PH	1.60	NA	NA	R	1	R	M	L	NA
<i>Olcella trigramma</i> Loew	PH	1.53	NA	NA	R	2	R	M	L	NA
<i>Oscinella</i> sp.1	PH	1.67	G	T	I	2	C	M	L	F
<i>Oscinella</i> sp.2	PH	1.53	G	T	I	2	C	M	L	F
<i>Oscinella</i> sp.3	PH	1.37	G	T	R	1	R	M	L	F
<i>Oscinella</i> sp.4	PH	1.57	G	T	R	1	R	M	L	F
<i>Pseudopachychaeta approximatonervis</i> (Zetterstedt)	PH	1.87	S	M	I	2	R	U	A	A
<i>Rhopalopterum carbonarium</i> (Loew)	PH	2.03	G	NA	B	3	C	M	L	A
<i>Rhopalopterum luteiceps</i> (Sabrosky)	PH	1.47	G	NA	R	1	R	M	L	A
<i>Rhopalopterum painteri</i> (Sabrosky)	PH	1.90	G	NA	I	2	C	M	L	A
<i>Rhopalopterum soror</i> (Macquart)	PH	1.50	G	NA	I	2	R	M	L	A
<i>Rhopalopterum umbrosum</i> (Loew)	PH	1.97	G	NA	B	3	C	M	L	A
<i>Speccafrons mallochi</i> (Sabrosky)	PR	2.00	S	T	R	1	R	M	NA	F
<i>Thaumatomyia glabra</i> (Meigen)	PR	2.23	S	T	B	2	R	M	A	F
<i>Thaumatomyia grata</i> (Loew)	PR	2.60	S	T	R	2	R	M	A	F
<i>Thaumatomyia pulla</i> (Adams)	PR	1.93	S	T	R	1	R	M	A	F
<i>Thaumatomyia</i> sp.1	PR	2.37	S	T	R	1	R	M	A	F
<i>Tricimba melancholica</i> (Becker)	SA	1.83	G	M	B	3	R	M	A	F
<i>Tricimba trisulcata</i> Adams	SA	2.20	G	M	I	2	R	M	A	F
Milichiidae										
<i>Neophyllomyza gaulti</i> Brochu & Wheeler	SA	1.77	S	M	R	2	R	U	NA	F

<i>Paramyia nitens</i> (Loew)	SA	1.80	G	NA	I	2	R	NA	NA	F
Heleomyzidae										
<i>Allophyla atricornis</i> (Meigen)	SA	4.67	NA	M	R	1	R	U	A	F
<i>Suilla longipennis</i> (Loew)	SA	6.20	G	M	R	1	R	U	A	F
Sphaeroceridae										
<i>Aptilotus nigriphallus</i> Marshall & Smith	SA	2.20	NA	NA	R	1	R	NA	NA	NA
<i>Coproica acutangula</i> (Zetterstedt)	SA	1.93	G	T	I	2	R	NA	NA	F
<i>Coproica ferruginata</i> (Stenhammar)	SA	1.77	G	T	B	2	R	NA	NA	F
<i>Coproica hirtula</i> (Rondani)	SA	1.27	G	T	B	2	R	NA	NA	F
<i>Copromyza neglecta</i> (Malloch)	SA	3.23	G	T	R	2	R	M	A	F
<i>Coproica</i> sp.1	SA	1.37	G	T	R	1	R	NA	NA	F
<i>Dahlimosina dahli</i> (Duda)	SA	1.20		M	I	2	R	NA	NA	O
<i>Elachisoma</i> sp.	SA	1.07	G	T	R	1	R	NA	NA	F
<i>Ischiolepta intermedia</i> Han and Kim	SA	2.67	G	M	R	2	R	NA	NA	F
<i>Ischiolepta pusilla</i> (Fallén)	SA	2.00	G	M	I	2	R	NA	NA	F
<i>Leptocera erythrocerca</i> (Becker)	SA	2.33	G	M	B	4	C	M	P	F
<i>Limosiniinae</i> sp.1	SA	1.33	NA	NA	I	2	R	NA	NA	NA
<i>Mesosphaerocera annulicornis</i> (Malloch)	SA	3.13	NA	NA	I	2	R	NA	NA	NA
<i>Minilimosina</i> ♀♀spp.										
<i>Minilimosina</i> sp.1	SA	1.33	G	M	R	1	R	NA	NA	F
<i>Minilimosina</i> sp.2	SA	1.13	G	M	R	1	R	NA	NA	F
<i>Opalimosina mirabilis</i> (Collin)	SA	1.60	S	T	B	3	C	NA	NA	F
<i>Phthitia oviceus</i> Marshall	SA	1.47	G	M	R	1	R	NA	NA	O
<i>Phthitia plumosula</i> (Rondani)	SA	2.00	G	M	R	1	R	NA	NA	A
<i>Phthitia quadricercus</i> Marshall	SA	1.70	G	M	I	2	R	NA	NA	A
<i>Pseudocollinella</i> sp.1	SA	2.27	S	M	R	2	C	NA	NA	O
<i>Pterogramma palliceps</i> (Johson)	SA	1.77	G	NA	I	2	C	NA	NA	F
<i>Pullimosina pullula</i> (Zetterstedt)	SA	1.93	G	M	B	3	R	NA	NA	O
<i>Pullimosina</i> sp.1	SA	1.53	G	M	R	1	R	NA	NA	O
<i>Rachispoda canadensis</i> Wheeler	SA	1.93	NA	M	R	2	R	M	P	F
<i>Rachispoda frosti</i> (Malloch)	SA	2.33	NA	M	R	1	R	M	P	F
<i>Rachispoda limosa</i> (Fallén)	SA	2.60	G	M	R	2	C	M	P	F
<i>Rachispoda</i> n.sp.1 TAW	SA	2.33	NA	M	R	1	R	M	P	F
<i>Rachispoda subpiligera</i> (Malloch)	SA	2.93	NA	M	I	2	R	M	P	F

<i>Spelobia brevipteryx</i> Marshall	SA	1.73	G	T	R	1	R	NA	NA	F
<i>Spelobia frustrilabis</i> Marshall	SA	1.90	G	M	B	2	R	NA	NA	F
<i>Spelobia luteilabris</i> (Rondani)	SA	2.03	G	T	R	2	R	NA	NA	F
<i>Spelobia maculipennis</i> (Spuler)	SA	1.73	G	M	R	2	R	M	NA	A
<i>Spelobia ochripes</i> (Meigen)	SA	2.33	G	M	B	4	C	M	A	F
<i>Spelobia pappi</i> Roháček	SA	2.13	G	M	R	2	R	NA	NA	O
<i>Spelobia semioculata</i> (Richards)	SA	1.37	G	T	R	1	R	M	NA	F
<i>Spelobia</i> sp.A	SA	1.77	G	NA	I	2	R	NA	NA	NA
<i>Spelobia</i> sp.B	SA	2.00	G	NA	R	2	R	NA	NA	NA
<i>Spelobia</i> sp.C	SA	1.87	G	NA	B	2	R	NA	NA	NA
<i>Terrilimosina</i> sp.1	SA	1.40	G	M	I	2	R	NA	NA	F
<i>Trachyopella nuda</i> Roháček & Marshall	SA	1.60	G	T	B	2	R	NA	NA	A
Diastatidae										
<i>Diastata pulchra</i> Loew	NA	0.00	NA	M	R	1	R	NA	NA	NA
<i>Diastata</i> sp.1	NA	0.00	NA	M	R	1	R	NA	NA	NA
<i>Diastata</i> sp.2	NA	0.00	NA	M	R	1	R	NA	NA	NA
Drosophilidae										
<i>Chymomyza amoena</i> (Loew)	SA	2.60	G	NA	I	2	C	NA	NA	NA
<i>Drosophila</i> (<i>Melanica</i> group) sp.1	NA	2.40	NA	NA	I	2	R	NA	A	
<i>Drosophila macrospina</i> Stalker & Spencer	NA	2.40	NA	NA	I	2	C	NA	A	NA
<i>Drosophila nr. transversa</i> sp.	NA	2.50	NA	NA	I	2	R	NA	A	NA
<i>Drosophila putrida</i> Sturtevant	NA	2.53	NA	NA	I	2	R	NA	A	NA
<i>Drosophila quinaria</i> Loew	NA	2.20	NA	NA	R	1	R	NA	A	NA
<i>Drosophila</i> sp.7	NA	1.90	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.9	NA	1.47	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.10	NA	2.67	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.11	NA	3.17	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.12	NA	2.67	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.13	NA	2.67	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.14	NA	2.27	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.15	NA	2.27	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila</i> sp.16	NA	2.60	NA	NA	NA	NA	R	NA	A	NA
<i>Drosophila testacea</i> Roser	NA	2.33	NA	NA	I	2	C	NA	A	NA
<i>Drosophila transversa</i> Fallén	NA	2.50	NA	NA	I	3	C	NA	A	NA

<i>Drosophila tripunctata</i> Loew	PH	2.27	NA	NA	R	2	R	NA	A	NA
<i>Scaptomyza (Hemiscaptomyza) ?trochanterata</i> Collin	PH	2.30	NA	T	I	2	R	M	P	F
<i>Scaptomyza (Scaptomyza) flaveola</i> Meigen	PH	1.83	G	T	R	2	R	M	P	F
<i>Scaptomyza adusta</i> (Loew)	PH	2.33	G	T	I	2	R	M	P	NA
<i>Scaptomyza pallida</i> (Zetterstedt)	PH	2.17	S	T	B	3	C	M	P	F
Ephydridae										
<i>Allotrichoma simplex</i> (Loew)	SA	1.83	G	M	I	2	R	NA	NA	O
<i>Allotrichoma</i> ♀♀ spp.										
<i>Athyroglossa granulosa</i> (Cresson)	SA	2.17	G	L	I	2	C	NA	NA	A
<i>Axysta nigrifacies</i> Miyagi	SA	1.40	S	L	R	1	R	NA	NA	NA
<i>Brachydeutera argentata</i> (Walker)	SA	3.37	G	L	I	2	R	NA	NA	O
<i>Coenia curvicauda</i> (Meigen)	SA	2.93	G	L	I	2	C	NA	NA	O
<i>Discocerina obscurella</i> (Fallén)	SA	2.20	G	L	I	2	R	M	NA	O
<i>Ditrichophora atrata</i> Cresson	SA	2.13	NA	L	I	2	C	NA	NA	NA
<i>Ditrichophara exigua</i> Cresson	SA	1.70	NA	L	B	3	C	NA	NA	NA
<i>Ditrichophora valens</i> Cresson	SA	2.40	NA	L	R	1	R	NA	NA	NA
<i>Hyadina albovenosa</i> Coquillett	SA	1.37	S	L	R	2	R	NA	NA	F
<i>Hyadina vockerothi</i> Clausen	SA	1.27	S	L	R	1	R	NA	NA	F
<i>Hydrellia ?trichaeta</i> Cresson	PH	2.27	G	L	R	1	R	NA	L	F
<i>Hydrellia americana</i> Cresson	PH	1.40	G	L	B	3	R	NA	L	F
<i>Hydrellia griseola</i> (Fallén)	PH	2.27	G	L	I	3	R	NA	L	F
<i>Hydrellia</i> sp.1	PH	2.73	G	L	R	1	R	NA	L	F
<i>Hydrellia</i> sp.2	PH	1.97	G	L	I	2	R	NA	L	F
<i>Ilythea spilota</i> (Curtis)	SA	2.20	S	L	R	2	R	NA	NA	F
<i>Nostima picta</i> (Fallén)	SA	1.30	S	L	I	2	R	NA	NA	F
<i>Notiphila (Dichaeta) caudata</i> group										
<i>Notiphila (Dichaeta) decoris</i> Williston	SA	4.07	S	L	R	1	R	M	L	O
<i>Notiphila (Dichaeta) olivacea</i> Cresson	SA	5.00	S	L	B	3	C	M	L	O
<i>Notiphila (Dichaeta) scalaris</i> Loew	SA	4.13	S	L	I	2	R	M	L	O
<i>Notiphila (Dichaeta)</i> sp.	SA	4.13	S	L	I	2	R	M	L	O
<i>Notiphila (Notiphila) avia</i> Loew	SA	4.83	S	L	I	2	C	M	L	O
<i>Notiphila (Notiphila) nudipes</i> Cresson	SA	4.13	S	L	I	2	R	M	L	O
<i>Notiphila (Notiphila) pauroura</i> Mathis	SA	3.67	S	L	I	2	R	M	L	O
<i>Notiphila (Notiphila) phaeopsis</i> Mathis	SA	3.40	S	L	I	2	R	M	L	O

<i>Notiphila (Notiphila) solita</i> Walker	SA	3.50	S	L	I	2	R	M	L	O
<i>Notiphila</i> ♀♀? <i>pauroura</i> Mathis										
<i>Ochtera borealis</i> Clausen	PR	5.57	S	L	R	1	R	NA	NA	F
<i>Paracoenia (Paracoenia) fumosalis</i> Cresson	SA	3.67	NA	L	R	1	R	NA	NA	O
<i>Parydra (Parydra) quadrituberculata</i> Loew	PH	3.40	NA	M	I	2	R	NA	A	F
<i>Parydra (Parydra)</i> ♀♀ spp.										
<i>Philotelma alaskensis</i> Cresson	SA	1.37	NA	L	R	2	R	NA	NA	NA
<i>Philygria debilis</i> Loew	PH	1.40	NA	L	I	2	R	NA	NA	F
<i>Platygyrnopa helicis</i> Wirth	SA	2.57	G	M	R	1	R	NA	NA	A
<i>Polytrichophora orbitalis</i> (Loew)	SA	1.97	NA	L	I	2	R	NA	NA	F
<i>Psilopa olga</i> Cresson	PH	1.40	NA	T	R	1	R	NA	NA	F
<i>Scatella (Scatella) stagnalis</i> Fallén	SA	2.00	G	L	B	4	C	NA	NA	F
Calliphoridae										
<i>Lucilia coeruleiviridis</i> (Macquart)	SA	7.08	G	T	R	2	R	M	L	F
<i>Lucilia illustris</i> (Meigen)	SA	8.13	G	T	B	2	R	M	L	F
<i>Lucilia silvarium</i> Meigen	SA	6.88	G	T	I	2	R	M	L	F
<i>Pollenia griseotomentosa</i> (Jacentkovsky)	PA	6.04	S	M	I	2	R	M	A	F
<i>Pollenia labialis</i> Robineau-Desvoidy	PA	8.63	S	M	R	2	R	M	A	F
<i>Pollenia pediculata</i> Macquart	PA	8.21	S	M	B	3	R	M	A	F
<i>Pollenia rudis</i> (Fabricius)	PA	8.33	S	M	R	1	R	M	A	F
Sarcophagidae										
<i>Blaesoxipha (Acridiophaga) hunteri</i> (Hough)	PA	6.25	S	T	R	2	R	M	P	F
<i>Blaesoxipha (Acridiophaga) kyrtonidion</i> Pape	PA	6.67	S	T	R	1	R	M	P	F
<i>Blaesoxipha (Servaisia) uncata</i> (Wulp)	PA	8.33	S	T	R	1	R	M	P	F
<i>Boettcheria bisetosa</i> Parker	SA	10.42	G	T	I	2	R	M	P	F
<i>Boettcheria cimbicis</i> (Townsend)	PA	7.92	G	T	I	2	C	U	P	F
<i>Boettcheria latisterna</i> Parker	PA	8.75	G	T	R	2	R	U	P	F
<i>Brachicoma devia</i> (Fallén)	PA	7.50	G	T	R	1	R	M	P	F
<i>Brachicoma sarcophagina</i> (Townsend)	PA	6.96	G	T	R	2	R	M	P	F
<i>Helicobia</i> ♀♀ spp.										
<i>Helicobia rapax</i> (Walker)	SA	4.54	G	T	R	2	R	M	P	F
<i>Oxysarcodexia cingarus</i> (Aldrich)	SA	7.92	NA	T	R	1	R	M	P	F
<i>Ravinia querula</i> (Walker)	SA	10.21	NA	T	R	2	R	M	P	F
<i>Ravinia stimulans</i> (Walker)	SA	7.08	NA	T	B	2	R	M	P	F

<i>Sarcophaga (Robineauella) nearctica</i> Parker	SA	10.42		T	I	2	R	M	P	F
<i>Sarcophaga</i> sp.1	NA	9.38	NA	T	B	2	R	M	P	F
<i>Sarcophaga subvicina</i> Rohdendorf	PA	10.00		T	I	2	R	M	P	F
<i>Sarcophaginae</i> sp.1	NA	7.50	NA	T	I	2	R	M	P	F
<i>Sarcotachinella sinuata</i> (Meigen)	PA	6.67		T	I	3	C	M	P	F
Scathophagidae										
<i>Chaetosa (Chaetosa) punctipes</i> Meigen	PH	4.50	NA	M	R	1	R	M	NA	A
<i>Scathophaga stercoraria</i> (Linnaeus)	SA	7.33	G	T	R	1	R	M	NA	F