

Support Material Table S2 - Functional Groups (FG) of Formicidae from all 14 forest fragments in the Metropolitan Region of Salvador (MRS). Frag. – Fragment; AP - Arboreal predators; DKM - Dacetini predators with kinetic mandibles; DSM - Dacetini predators with static pressure mandibles; DCR - Dominant arboreal ants associated with carbohydrate-rich resources; GDM - Generalized Formicines, Dolichoderines, and some Myrmicines; GM - Generalized Myrmicines; LEGP - Large-sized epigaeic generalist predators; LF - Leaf cutters, fungus growers; LA - Legionary ants; LFG - Litter-nesting fungus growers; MEGP - Medium-sized epigaeic generalist predators; MHGP - Medium-sized hypogaeic generalist predators; PAA - Pollen-feeding arboreal ants; SEGF - Small-sized epigaeic generalist foragers; SHGF - Small-sized hypogaeic generalist foragers; SHGP - Small-sized hypogaeic generalist predators; SP - Specialist predators; SA - Subterranean ants.

[illegible]

Borgmeier, 1957																
<i>Neivamyrmex gibbatus</i>	LA															X
Borgmeier, 1953																
<i>Neivamyrmex pilosus</i> (Fr. Smith, 1858)	LA								X							
ECTATOMMINAE																
<i>Ectatomma muticum</i> Mayr, 1870	LEGP					X	X	X						X	X	
<i>Ectatoma opaciventre</i> Roger, 1861	LEGP											X				
<i>Ectatomma tuberculatum</i> (Olivier, 1791)	AP	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Gnamptogenys striatula</i> Mayr, 1884	MEGP													X		X
<i>Gnamptogenys sulcata</i> (Fr. Smith, 1858)	MEGP										X					
FORMICINAE																
<i>Acropyga decedens</i> (Mayr, 1887)	SA							X						X		
<i>Brachymyrmex heeri</i> Forel, 1874	SEGF	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Camponotus arboreus</i> (Fr. Smith, 1858)	DCR	X			X				X							
<i>Camponotus atriceps</i> (Fr. Smith, 1858)	DCR					X	X									
<i>Camponotus bidens</i> Mayr, 1870	DCR					X				X					X	
<i>Camponotus cingulatus</i> (Mayr, 1862)	DCR	X						X		X						
<i>Camponotus fastigatus</i> Roger, 1863	DCR		X	X	X	X	X	X				X			X	X
<i>Camponotus melanoticus</i> Emery, 1894	DCR											X				X
<i>Camponotus</i>	DCR				X		X	X							X	

<i>novogranadensis</i> Mayr, 1870																
<i>Camponotus rectangularis</i> Emery, 1890	DCR	X	X	X	X	X	X		X	X	X	X	X	X	X	X
<i>Camponotus renggeri</i> Emery, 1894	DCR							X							X	
<i>Camponotus senex</i> (Fr. Smith, 1858)	DCR				X		X								X	
<i>Camponotus sexguttatus</i> (Fabricius, 1793)	DCR									X						
<i>Camponotus</i> sp.1	DCR	X					X									
<i>Camponotus</i> sp.2	DCR							X								
<i>Camponotus trapezoideus</i> Mayr, 1870	DCR							X							X	
<i>Nylanderia</i> sp.1	GDM	X		X	X			X		X	X		X	X	X	
<i>Nylanderia</i> sp.2	GDM		X		X	X		X			X			X	X	
<i>Nylanderia</i> sp.3	GDM		X						X	X	X		X	X	X	
<i>Nylanderia</i> sp.4	GDM							X								
<i>Nylanderia</i> sp.5	GDM							X								
MYRMICINAE																
<i>Acanthognathus rudis</i> Brown & Kempf, 1969	DKM												X			
<i>Acromyrmex subterraneus</i> <i>brunneus</i> Forel, 1911	LF	X	X	X	X	X	X				X				X	
<i>Acromyrmex subterraneus</i> <i>subterraneus</i> Forel, 1893	LF							X								
<i>Apterostigma</i> sp.1	LFG	X			X		X			X						X
<i>Atta cephalotes</i> Linnaeus, 1758	LF														X	
<i>Atta opaciceps</i> Borgmeier, 1939	LF			X	X		X	X				X	X	X		

<i>Cardiocondyla obscurior</i> Wheeler, 1929 *	SEGF			X	X										
<i>Carebara</i> sp.1	SHGF	X	X					X			X	X			
<i>Carebara urichi</i> Wheeler, 1922	SHGF		X												X
<i>Cephalotes atratus</i> (Linnaeus, 1758)	PAA										X		X		
<i>Cephalotes minutus</i> (Fabricius, 1804)	PAA	X			X		X	X		X			X		
<i>Cephalotes pallidoides</i> De Andrade, 1999	PAA	X									X				
<i>Cephalotes pusillus</i> (Klug, 1824)	PAA												X		
<i>Cephalotes umbraculatus</i> (Fabricius, 1804)	PAA							X							
<i>Crematogaster abstinens</i> Forel, 1899	DCR									X					
<i>Crematogaster carinata</i> Mayr, 1862	DCR	X		X		X	X	X		X	X		X		X
<i>Crematogaster</i> <i>curvispinosa</i> Mayr, 1862	DCR			X	X		X	X					X		
<i>Crematogaster erecta</i> Mayr, 1866	DCR	X			X	X	X	X	X			X	X		
<i>Crematogaster limata</i> Fr. Smith, 1858	DCR	X	X	X	X	X	X		X	X	X	X			X
<i>Crematogaster</i> sp.1	DCR	X													
<i>Crematogaster tenuicula</i> Forel, 1904	DCR	X	X			X				X	X	X	X		X
<i>Crematogaster victima</i> Fr. Smith, 1858	DCR				X										
<i>Cyphomyrmex rimosus</i> (Spinola, 1853)	LFG			X			X	X	X	X	X		X	X	
<i>Cyphomyrmex transversus</i>	LFG				X					X		X	X		

Emery, 1894															
<i>Lachnomyrmex victori</i> Feitosa & Brandão, 2008	GM						X				X				
<i>Megalomyrmex</i> sp.1	GM		X												
<i>Monomorium floricola</i> (Jerdon, 1852) *	SEGF	X		X	X	X	X	X	X				X	X	
<i>Mycetomoellerius</i> sp.1	LF		X		X		X				X				
<i>Mycetomoellerius</i> sp.2	LF	X													X
<i>Mycetomoellerius</i> sp.3	LF	X	X			X		X	X						
<i>Mycocepurus goeldii</i> (Forel, 1893)	LFG		X				X				X	X		X	
<i>Mycocepurus smithii</i> (Forel, 1893)	LFG		X	X	X	X	X			X					X
<i>Nesomyrmex spininodis</i> (Mayr, 1887)	SEGF				X										
<i>Nesomyrmex asper</i> (Mayr, 1887)	SEGF						X	X					X		
<i>Octostruma balzani</i> (Emery, 1894)	DSM					X									
<i>Octostruma iheringi</i> (Emery, 1888)	DSM					X		X	X			X	X		
<i>Octostruma rugifera</i> (Mayr, 1887)	DSM		X			X									
<i>Octostruma</i> sp.1	DSM		X			X	X								
<i>Paratrachymyrmex</i> sp.1	LF														X
<i>Pheidole</i> (complexo flavens) sp.2	SHGF	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Pheidole</i> (complexo flavens) sp.3	SHGF			X									X		
<i>Pheidole</i> (grupo diligens) sp.1	GM						X								

<i>Pheidole</i> (grupo diligens) sp.12	GM							X	X				X	
<i>Pheidole</i> (grupo diligens) sp.17	GM													X
<i>Pheidole</i> (grupo diligens) sp.27	GM		X			X					X			
<i>Pheidole</i> (grupo diligens) sp.28	GM											X		
<i>Pheidole</i> (grupo diligens) sp.29	GM												X	
<i>Pheidole</i> (grupo diligens) sp.30	GM								X					
<i>Pheidole</i> (grupo diligens) sp.32	GM	X	X					X						
<i>Pheidole</i> (grupo diligens) sp.8	GM												X	
<i>Pheidole</i> (grupo fallax) sp.13	GM			X		X								
<i>Pheidole</i> (grupo fallax) sp.5	GM			X	X			X					X	
<i>Pheidole</i> (grupo fallax) sp.6	GM	X		X	X			X						
<i>Pheidole</i> (grupo fallax) sp.7	GM					X		X	X	X		X		X
<i>Pheidole</i> (grupo fallax) sp.9	GM										X			
<i>Pheidole</i> (grupo flavens) sp.10	SHGF							X						
<i>Pheidole</i> (grupo flavens) sp.21	SHGF					X				X	X			
<i>Pheidole</i> (grupo flavens) sp.22	SHGF					X	X							
<i>Pheidole</i> (grupo flavens) sp.23	SHGF		X	X		X	X		X					
<i>Pheidole</i> (grupo tristis)	GM									X				

sp.14															
<i>Pheidole</i> (grupo tristis) sp.15	GM						X	X							
<i>Pheidole</i> (grupo tristis) sp.16	GM						X	X	X	X					
<i>Pheidole</i> (grupo tristis) sp.20	GM	X													X
<i>Pheidole</i> (grupo tristis) sp.25	GM										X		X		
<i>Pheidole</i> (grupo tristis) sp.26	GM	X	X				X				X				
<i>Pheidole</i> (grupo tristis) sp.33	GM										X				
<i>Pheidole</i> (grupo tristis) sp.35	GM		X											X	
<i>Pheidole diligens</i> (Smith, 1858)	GM	X	X	X		X	X	X	X	X	X	X		X	X
<i>Pheidole fimbriata</i> Roger, 1863	GM			X						X					
<i>Pheidole midas</i> Wilson, 2003	SHGF		X						X	X	X				X
<i>Pheidole obscurithorax</i> Naves, 1985	GM				X								X		
<i>Pheidole radoszkowskii</i> Mayr, 1884	GM		X				X	X	X		X		X	X	X
<i>Pheidole</i> sp.4	GM		X												
<i>Pheidole synarmata</i> Wilson, 2003	SHGF	X		X	X	X	X		X	X	X	X	X	X	X
<i>Pheidole transversostriata</i> Mayr, 1887	SHGF	X	X		X		X	X	X		X	X	X	X	X
<i>Rogeria besucheti</i> Kugler, 1994	SHGF		X				X						X		
<i>Rogeria foreli</i> Emery, 1894	SHGF							X							

<i>Sericomyrmex</i> sp.1	LFG		X	X			X								
<i>Sericomyrmex</i> sp.2	LFG		X	X		X							X		
<i>Solenopsis geminata</i> (Fabricius, 1804)	GM			X											
<i>Solenopsis</i> sp.1	SHGF	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Solenopsis</i> sp.2	SHGF	X	X		X	X									
<i>Solenopsis</i> sp.3	SHGF			X			X								
<i>Solenopsis</i> sp.4	SHGF	X	X	X		X	X	X	X	X	X	X	X	X	X
<i>Solenopsis</i> sp.5	SHGF		X	X			X		X		X	X	X	X	
<i>Solenopsis</i> sp.6	SHGF		X		X										
<i>Strumigenys carinithorax</i> Borgmeier, 1934	DKM								X						
<i>Strumigenys conspersa</i> Emery, 1906	DKM							X				X	X		
<i>Strumigenys denticulata</i> Mayr, 1887	DKM	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Strumigenys diabolus</i> Bolton, 2000	DKM						X								
<i>Strumigenys elongata</i> Roger, 1863	DKM			X		X				X	X		X		
<i>Strumigenys ogloblini</i> Santschi, 1936	DKM	X		X	X		X	X	X					X	
<i>Strumigenys</i> sp.1	DKM						X								
<i>Strumigenys subdentata</i> Mayr, 1887	DKM	X				X		X	X	X		X	X		X
<i>Tetramorium lucayanum</i> Wheeler, 1905 *	GM			X											
<i>Trichomyrmex destructor</i> (Jerdon, 1851) *	SEGF			X	X			X							
<i>Wasmannia auropunctata</i> (Roger, 1863)	DCR	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<i>Wasmannia rochai</i> Forel,	GM	X	X	X				X		X	X			X	X

PONERINAE

[illegible]

<i>Odontomachus haematodus</i> (Linnaeus, 1758)	LEGP	X	X	X	X	X	X	X	X	X					
<i>Odontomachus meinerti</i> Forel, 1905	LEGP	X	X	X		X			X	X	X		X	X	X
<i>Pachycondyla crassinoda</i> (Latreille, 1802)	LEGP			X						X		X	X	X	X
<i>Pachycondyla harpax</i> (Fabricius, 1804)	LEGP				X	X	X	X							
<i>Pachycondyla impressa</i> Roger, 1861	LEGP			X											
<i>Rasopone ferruginea</i> (Fr. Smith, 1858)	MHGP											X			
<i>Thaumatomyrmex</i> sp.2	SP	X										X		X	
PSEUDOMYRMECINAE															
<i>Pseudomyrmex elongatus</i> (Mayr, 1870)	AP			X	X	X				X			X		
<i>Pseudomyrmex</i> (grupo pallidus) sp.1	AP	X	X	X	X	X	X		X	X	X	X	X	X	X
<i>Pseudomyrmex</i> (grupo pallidus) sp.2	AP							X		X					
<i>Pseudomyrmex</i> (grupo pallidus) sp.3	AP							X							
<i>Pseudomyrmex</i> (grupo pallidus) sp.4	AP													X	
<i>Pseudomyrmex filiformis</i> (Fabricius, 1804)	AP	X				X		X						X	
<i>Pseudomyrmex gracilis</i> (Fabricius, 1804)	AP		X	X	X		X	X	X		X		X		
<i>Pseudomyrmex oculatus</i> (Fr. Smith, 1855)	AP	X	X	X	X	X	X		X	X	X	X	X		X
<i>Pseudomyrmex rochai</i> (Forel, 1912)	AP			X											
<i>Pseudomyrmex simplex</i> (Fr.	AP						X				X		X		

Smith, 1877)															
<i>Pseudomyrmex tenuis</i> (Fabricius, 1804)	LEGP	X	X	X	X	X	X	X		X			X	X	
<i>Pseudomyrmex termitarius</i> (Fr. Smith, 1855)	LEGP				X										
RICHNESS		50	56	57	54	43	65	62	39	46	56	34	55	54	43