Appendix S2: List of published journal articles, books and book chapters from which records of ant associates of Lycaenidae caterpillars with information on genus (or species) identity of participating ants were extracted.

Albanese, G., Nelson, M.W., Vickery, P.D., & Sievert, P.R. (2007). Larval feeding behavior and ant association in frosted elfin, Callophrys irus (Lycaenidae). Journal of the Lepidopterists' Society, 61(2), 61-66.

Álvarez, M., Munguira, M.L., & Martínez-Ibáñez, M.D. (2012). Nuevos datos y recopilación de las relaciones entre Lycaenidae y Formicidae en la Península Ibérica (Lepidoptera: Lycaenidae; Hymenoptera: Formicidae). SHILAP Revista de lepidopterología, 40(157), 45-59.

Arnold, R.A. (1983). Ecological studies of six endangered butterflies (Lepidoptera, Lycaenidae): island biogeography, patch dynamics, and the design of habitat preserves (Vol. 97). University of California Press.

Aston, C.E., & Dunn, K.L. (1985). Ants attendant on Ogyris amaryllis amata Waterhouse (Lepidoptera: Lycaenidae). Australian Entomologist, 12(2), 36.

Austin, G.T., Boyd, B.M., & Murphy, D.D. (2008). Euphilotes ancilla (Lycaenidae) in the Spring Mountains, Nevada: more than one species. Journal of the Lepidopterists' Society, 62(3), 148-160.

Bächtold, A., & Del-Claro, K. (2018). Ant-partners play a minor role on occurrence of the myrmecophilous butterfly Leptotes cassius in its host plant. Arthropod-Plant Interactions, 12(3), 377-384.

Bächtold, A., Alves-Silva, E., Kaminski, L.A., & Del-Claro, K. (2014). The role of tending ants in host plant selection and egg parasitism of two facultative myrmecophilous butterflies. Naturwissenschaften, 101(11), 913-919.

Bächtold, A., Silva, E.A., & Del-Claro, K. (2016). Ants, plant characteristics and habitat conservation status affect the occurrence of myrmecophilous butterflies on an extrafloral nectaried Malpighiaceae. Studies on Neotropical Fauna and Environment, 51(2), 112-120.

Bálint, Z., & Fiedler, K. (1992). Plebeius sephirus (Frivaldszky, 1835) in Pannonia, with special reference to its status and ecology in Hungary. Oedippus, 4, 1-24.

Ballmer, G.R. (2003). Observations on resource partitioning among ants (Hymenoptera: Formicidae) and lycaenid larvae (Lepidoptera: Lycaenidae) associated with Pueraria phaseoloides in South Thailand. ScienceAsia, 29, 197-202.

Ballmer, G.R., & G.F. Pratt (1988). A survey of the last instar larvae of the Lycaenidae of California. Journal of Research on the Lepidoptera, 27, 1-81.

Ballmer, G.R., & G.F. Pratt (1992). Quantification of ant attendance (myrmecophily) of lycaenid larvae. Journal of Research on the Lepidoptera, 30, 95-112.

Ballmer, G.R., & Wright, D.M. (2008). Life history and larval chaetotaxy of Ahmetia achaja (Lepidoptera, Lycaenidae, Lycaeninae, Theclini, Cheritrina). Zootaxa, 1845(1), 47-59.

Balona, J., & Williams, M.C. (2018). Field observations on the interaction between the pugnacious ant, Anoplolepis custodiens (Hymenoptera: Formicidae) and a larva of the silver-spotted grey, Crudaria leroma (Lepidoptera: Lycaenidae). Metamorphosis, 29, 38–39.

Bascombe, M.J., G. Johnston, and F.S. Bascombe (1999). The butterflies of Hong Kong. Academic Press, San Diego, California. 422pp.

Basu, D.N., Churi, P., Soman, A., Sengupta, A., Bhakare, M., Lokhande, S., Bhoite, S., Huertas, B., & Kunte, K. (2019). The genus Tarucus Moore, [1881] (Lepidoptera: Lycaenidae) in the Indian Subcontinent. Tropical Lepidoptera Research, 29(2), 87-110.

Baylis, M., & Kitching, R.L. (1988). The myrmecophilous organs of larvae of the small blue, Cupido minimus (Lepidoptera; Lycaenidae). Journal of Natural History, 22(4), 861-864.

Bean, A.E. (1964). Notes on the life history of Nacaduba pactolus continentalis Früh. (Lepidoptera: Lycaenidae) from Poona district, Western Ghats. Journal of the Bombay Natural History Society, 61, 614-626.

Bean, A.E. (1988). Observations on the occurrence and habits of the Nacaduba complex of the Lycaenidae (Lepidoptera), mainly from Pune district, Western Ghats. Journal of the Bombay Natural History Society, 85, 332-363.

Bell, T. R. (1915-20). The common butterflies of the plains of India. Parts 17-25. Journal of the Bombay Natural History Society, 23: 481-497; 24: 656-672; 25: 430-453, 636-664; 26: 98-140, 438-487, 750-769, 941-954; 27: 26-32.

Benyamini, D. & Bálint, Z. (1995). Studies of life history and myrmecophily in certain Chilean Pseudolucia Nabokov (Lycaenidae). Reports of the Museum of Natural History, University of Wisconsin (Stevens Point), 51, 1–7.

Benyamini, D. (1990). A field guide to the butterflies of Israel including butterflies of Mt. Hermon and Sinai. Apollo Books, 248 pp.

Benyamini, D. (1995). Synopsis of biological studies of the Chilean Polyommatini (Lepidoptera, Lycaenidae). Reports of the Museum of Natural History, University of Wisconsin (Stevens Point), 52, 1–51.

Benyamini, D., & Johnson, K. (1996). Review of Austral Heoda, with a new species from Chile (Lepidoptera: Lycaenidae: Eumaeini). Tropical Lepidoptera, 7, 13–20.

Benyamini, D., Aristophanous, M., Aristophanous, A., & John, E. (2018). The biology of the Cyprus endemic blue Glaucopsyche paphos Chapman, 1920 (Lepidoptera: Lycaenidae, Polyommatinae). Entomologist's Gazette, 69(3), 151-165.

Benyamini, D., Mega, N.O., Romanowski, H.P., Moser, A., Vila, R., & Bálint, Z. (2019). Distribution, life history and conservation assessment of the critically endangered butterfly Pseudolucia parana (Lepidoptera: Lycaenidae). Folia Entomologica Hungarica, 80, 303–325.

Bourn, N.A.D., & Thomas, J.A. (1993). The ecology and conservation of the brown argus butterfly Aricia agestis in Britain. Biological Conservation, 63(1), 67-74.

Braby, M.F. (1997). New larval food plants for some butterflies (Lepidoptera) from northern and central Queensland, Australia. Australian Entomologist, 24(3), 97-108.

Braby, M.F. (2000). Butterflies of Australia: their identification, biology and distribution. 2 volumes. CSIRO publishing.

Braby, M.F. (2015). New distribution records for some butterflies from the Gulf of Carpentaria, northern Queensland. Northern Territory Naturalist, 26, 67-75.

Braby, M.F., & Armstrong, J.J. (2018). Observations on the ecology of the silky hairstreak, Pseudalmenus chlorinda (Blanchard, 1848) (Lepidoptera: Lycaenidae). Australian Entomologist, 45(2), 133-138.

Britton, D.R., New, T.R., & Jelinek, A. (1995). Rare Lepidoptera at Mount Piper, Victoria – the role of a threatened butterfly community in advancing understanding of insect conservation. Journal of the Lepidopterists' Society, 49(2), 97-113.

Bury, J., & Savchuk, V. (2015). New data on the biology of ten lycaenid butterflies (Lepidoptera: Lycaenidae) of the genera Tomares Rambur, 1840, Pseudophilotes Beuret, 1958, Polyommatus Latreille, 1804, and Plebejus Kluk, 1780 from the Crimea and their attending ants (Hymenoptera: Formicidae). Acta Entomologica Silesiana, 23, 1-16.

Callaghan, C.J. (1982). Notes on the immature biology of two myrmecophilous Lycaenidae: Juditha molpe (Riodininae) and Panthiades bitias (Lycaeninae). Journal of Research on the Lepidoptera, 20, 36-42.

Callaghan, C.J. (1992). Notes on the biology of a myrmecophilous African lycaenid, Aphnaeus adamsi Stempffer (Lepidoptera, Lycaenidae). Bulletin de la Société entomologique de France, 97(4), 339-342.

Cassidy, A.C. (1990). On Nacaduba and allied genera (Lepidoptera, Lycaenidae) from the Sulawesi region. Tyô to Ga, 41, 227-241.

Chapman, T.A., & Buxton, P.A. (1919). Contributions to a life-history of Tarucus mediterraneae Bethune-Baker. Entomologist's Monthly Magazine, 55, 163-173.

Chung, A.Y.C. (2010). Guardian angel of the cycad blue. Malaysian Naturalist, 63(2), 31-33.

Claassens, A.J.M., & Dickson, C.G.C. (1980). The butterflies of the Table Mountain Range; with comprehensive observations on their habits, times of appearance and life-histories. C. Struik.

Clark, G.C., & C.G.C. Dickson (1971). Life histories of the South African lycaenid butterflies. Purnell, Cape Town. xvi + 272 pp., 108 pls.

Common, I.F.B. & Waterhouse, D.F. (1981). Butterflies of Australia, 2nd edition. Sydney: Angus & Robertson.

Congdon, T.C.E., & Bampton, I. (1995). Ants and lycaenid butterflies – some observations. Lambillionea, 95, 572-574.

Cottrell, C.B. (1984). Aphytophagy in butterflies: its relationship to myrmecophily. Zoological Journal of the Linnean Society, 80(1), 1-57.

Crişan, A., Sitar, C., Craioveanu, C., & Rákosy, L. (2011). The protected Transylvanian Blue (Pseudophilotes bavius hungarica): new information on the morphology and biology. Nota lepidopterologica, 34(2), 163-168.

da Silva Jorge, J., Silva-Jorge, J.P., Santos, R.L., Caliman, A., & Freire, E.M.X. (2021). Association of Strymon serapio (Lycaenidae: Theclinae) and Castnia invaria (Castniidae: Castniini) with the habitat-forming bromeliad Encholirium spectabile (Bromeliaceae: Pitcairnioideae) in the Brazilian semiarid Caatinga. Journal of the Lepidopterists' Society, 75(1), 37-43.

Dana, R.P., Lane, C., & Hansen, D. (2005). New larval host plant for Lycaeides melissa melissa in Wisconsin and Minneosta and potential threat to Lycaeides melissa samuelis (Lycaenidae). Journal of the Lepidopterists' Society, 59(3), 175-177.

Daniels, J.C., Pence, J.A., & Emmel, T.C. (2005). A new hostplant record for Strymon martialis (Lycaenidae: Theclinae) in the Florida Keys. Journal of the Lepidopterists' Society, 59(3), 174.

Davies, M.G. (1992). The white letter hairstreak butterfly. Butterfly Conservation, Essex. 27 pp. https://www.hertsmiddx-butterflies.org.uk/w-album/resources/BCWLHbooklet1992%20for%20web.pdf.

DeVries, P.J. (1984). Of crazy-ants and Curetinae: are Curetis butterflies tended by ants? Zoological Journal of the Linnean Society, 80(1), 59-66.

Dickson, C.G.C. (1943). The life-history of Phasis chrysaor (Trim.) (Lepidoptera: Lycaenidae). Journal of the Entomological Society of Southern Africa, 6(1), 37-47.

Douglas, F., & Braby, M.F. (1992). Notes on the distribution and biology of some Hesperiidae and Lycaenidae (Lepidoptera) in Victoria. Australian Entomologist, 19(4), 117-124.

Downey, J.C. (1962). Myrmecophily in Plebejus (Icaricia) icarioides (Lepid.: Lycaenidae). Entomological News, 73, 57-66.

Downey, J.C., & Allyn, A.C. (1979). Morphology and biology of the immature stages of Leptotes cassius theonus (Lucas) (Lepid.: Lycaenidae). Bulletin of the Allyn Museum, 55, 1-27.

Duarte, M., Almeida, G.L.D., Casagrande, M.M., & Mielke, O.H. (2001). Notes on the last instar larva and pupa of Hemiargus hanno (Stoll) (Lepidoptera, Lycaenidae, Polyommatinae). Revista Brasileira de Zoologia, 18, 1097-1105.

Eastwood, R., & Fraser, A.M. (1999). Associations between lycaenid butterflies and ants in Australia. Australian Journal of Ecology, 24(5), 503-537.

Eastwood, R., Braby, M.F., Lohman, D.J., & King, A. (2008). New ant-lycaenid associations and biological data for some Australian butterflies (Lepidoptera: Lycaenidae). Australian Entomologist, 35(1), 47-56.

Eastwood, R., Kitching, R.L., & Manh, H.B. (2005). Behavioral observations on the early stages of Jamides celeno (Cramer) (Lycaenidae) at Cat Tien National Park, Vietnam: an obligate myrmecophile? Journal of the Lepidopterists' Society, 59(4), 219-222.

Ebert, G., & Rennwald, E. (eds.) (1991). Die Schmetterlinge Baden-Württembergs, Band 2: Tagfalter II. 535 pp., E. Ulmer, Stuttgart.

Edge, D.A. (2005). Ecological factors influencing the survival of the Brenton blue butterfly Orachrysops niobe (Trimen) (Lepidoptera: Lycaenidae). Doctoral dissertation, North-West University, Potchefstroom Campus.

Edge, D.A., & van Hamburg, H. (2010). Larval feeding behaviour and myrmecophily of the Brenton Blue, Orachrysops niobe (Trimen) (Lepidoptera: Lycaenidae). Journal of Research on the Lepidoptera, 42, 21-33.

Edwards, E.D. (1980): The early stages of Adaluma urumelia Tindale and Candalides geminus Edwards and Kerr (Lepidoptera: Lycaenidae). Australian Entomological Magazine, 7, 17-20.

Ejima, M., Murakami, M., Yoshida, K. & Satoyama, T. (1978). The life history of Pithecops fulgens Doherty in Tsushima Island, Japan (Lepidoptera: Lycaenidae). Tyô to Ga, 29, 47-65.

Ekka, P.A., & Rastogi, N. (2019). A single lycaenid caterpillar gets an ant-constructed shelter and uninterrupted ant attendance. Entomologia Experimentalis et Applicata, 167(12), 1012-1019.

Eliot, J.N. (ed.) (1992). The butterflies of the Malay Peninsula (founded by A.S. Corbet and H.M. Pendlebury), 4th edition. Malayan Nature Society, Kuala Lumpur.

Elmes, G.W., Thomas, J.A., Hammarstedt, O., Munguira, M.L., Martin, J., & Van Der Made, J.G. (1994). Differences in host-ant specificity between Spanish, Dutch and Swedish populations of an endangered butterfly, Maculinea alcon (Dennis et Schiff.) (Lepidoptera). Memorabilia Zoologica, 48, 55-68.

Emmel, J.F. & Shields, A.O. (1980). The biology of Plebejus (Icaricia) shasta in the western United States (Lycaenidae). Journal of Research on the Lepidoptera, 17, 129-140.

Emmet, A.M. & J. Heath (eds.) (1990). The moths and butterflies of Great Britain and Ireland. Vol. 7/1: The butterflies. Harley Books, Colchester. ix + 370 pp.

Farquharson, C.O. (1922). Five years' observations (1914-1918) on the bionomics of Southern Nigerian insects, chiefly directed to the investigation of lycaenid life-histories and to the relation of Lycaenidae, Diptera, and other insects to ants (ed. E. B. Poulton). Transactions of the Entomological Society London 1921: 319-448.

Fernández Haeger, J. (1988). Notes on the biology of Brephidium exilis (Boisduval) (Lycaenidae). Journal of Research on the Lepidoptera, 26, 254-255.

Fiedler, K. (1987). Tetramorium caespitum (Linnaeus, 1758) (Hymenoptera: Formicidae), eine weitere mit Polyommatus coridon (Poda, 1761) (Lepidoptera: Lycaenidae) vergesellschaftete Ameisenart. Nachrichten des Entomologischen Vereins Apollo Frankfurt, 8(2), 60.

Fiedler, K. (1992a). Notes on the biology of Hypolycaena othona (Lepidoptera: Lycaenidae) in West Malaysia. Nachrichten des Entomologischen Vereins Apollo Frankfurt, 13, 65-92.

Fiedler, K. (1992b). The life-history of Surendra florimel Doherty 1889 (Lepidoptera: Lycaenidae) in West Malaysia. Nachrichten des entomologischen Vereins Apollo Frankfurt, 13, 107-135.

Fiedler, K. (1994). Observations on the biology of Eooxylides tharis (Lepidoptera: Lycaenidae). Nachrichten des entomologischen Vereins Apollo Frankfurt, 14, 325-337.

Fiedler, K., & Maschwitz, U. (1989). The symbiosis between the weaver ant, Oecophylla smaragdina, and Anthene emolus, an obligate myrmecophilous lycaenid butterfly. Journal of Natural History, 23(4), 833-846.

Fiedler, K., & Rosciszewski, K. (1990). Myrmica sabuleti (Hym., Formicidae) – ein weiterer Symbiosepartner von Polyommatus coridon (Lep., Lycaenidae). Nachrichten des entomologischen Vereins Apollo Frankfurt, 11(3), 141-142.

Fiedler, K., & Seufert, P. (1995). The mature larva and pupa of Semanga superba (Lepidoptera: Lycaenidae). Nachrichten des entomologischen Vereins Apollo Frankfurt, 16, 1-12.

Fiedler, K., Schurian, K.G., & Seufert, P. (1992). Neue Beobachtungen zu Ameisenassoziationen europäischer Bläulingsraupen (Lepidoptera: Lycaenidae). Mitteilungen des Internationalen Entomologischen Vereins Frankfurt, 17(3), 121-130.

Field, R.P. (1997). The Ogyris idmo Hewitson complex (Lepidoptera: Lycaenidae) as flagship species for conservation in southern Australia. Memoirs of the Museum of Victoria, 56(2), 389-392.

Forster, P.I., & Machin, P.J. (1994). Cycad host plants for Lilioceris nigripes (Fabricius) (Coleoptera: Chrysomelidae) and Theclinesthes onycha (Hewitson) (Lepidoptera: Lycaenidae). Australian Entomologist, 21(3), 99-102.

Fraser, A.M., Axén, A.H., & Pierce, N.E. (2001). Assessing the quality of different ant species as partners of a myrmecophilous butterfly. Oecologia, 129(3), 452-460.

Fukuda, H., E. Hama, T. Kuzuya, A. Takahashi, M. Takahashi, B. Tanaka, H. Tanaka, M. Wakabayashi & Y. Watanabe (1992). The life histories of butterflies in Japan, vol. 3. 2nd ed. xxii + 373 pp. Hoikusha Publ., Osaka.

Funk, R.S. (1975): Association of ants with ovipositing Lycaena rubidus (Lycaenidae). Journal of the Lepidopterists' Society, 29, 261-262.

Galanos, C.J. (2020). Bionomics of Freyeria trochylus (Freyer, 1844) and Zizeeria karsandra (Moore, 1865) (Lepidoptera, Lycaenidae) on Rodos Island, Greece. Nota Lepidopterologica, 43, 139-150.

García-Barros, E., Munguira, M.L., Stefanescu, C., & Vives Moreno, A. (2013). Fauna Iberica, volume 37. Lepidoptera, Papilionoidea. Museo Nacional de Ciencias Naturales, Madrid. 1213 pp.

Giliomee, J.H., & Edge, D.A. (2015). The ants and scale insects on which the critically endangered butterfly Chrysoritis dicksoni depends for its survival. Metamorphosis, 26, 38–43.

Gil-T., F. (2004). New data about the biology of Iolana iolasOchsenheimer (Lepidoptera. Lycaenidae) and its interaction with myrmecophilous, phytophagous and parasitoid Hymenoptera (Hymenoptera, Formicidae, Eurytomidae, Ichneumonoidea). Boletin de la Sociedad Entomológica Aragonesa, 34, 139-145.

Gorbunov, P., & Kosterin, O. (2003). The butterflies (Hesperioidea and Papilionoidea) of North Asia (Asian part of Russia) in nature. Volume 1. Rodina & Fodio, Moscow. 392 pp.

Grund, R., & Sibatani, A. (1975). The life history of a hitherto unrecognised lycaenid species: Theclinesthes albocincta (Waterhouse) from South Australia. Australian Entomologist, 2(5), 99-103.

Güsten, R., Sanetra, M., & Trusch, R. (2019). Bläulinge (Lepidoptera: Lycaenidae) im Einzugsgebiet von Jagst und Kocher – Verbreitung, Ökologie und Vorschläge zu Schutzmaßnahmen. Carolinea, 77, 93-143.

Haack, R.A. (1993). The endangered Karner blue butterfly (Lepidoptera: Lycaenidae): biology, management considerations, and data gaps. Conference Report.

Harvey, D.J. & Longino, J. (1989). Myrmecophily and larval food plants of Brephidium isophthalma pseudofea (Lycaenidae) in the Florida Keys. Journal of the Lepidopterists' Society, 43, 332-333.

Harvey, D.J., & Webb, T.A. (1980). Ants associated with Harkenclenus titus, Glaucopsyche lygdamus, and Celastrina argiolus (Lycaenidae). Journal of the Lepidopterists' Society, 34, 371-372.

Hawkeswood, T.J., Dunn, K.L., & Sommung, B. (2016). Acanthus ilicifolius L.(Acanthaceae), a new larval host plant for Hypolycaena erylus himavantus Fruhstorfer, 1912 (Lepidoptera: Lycaenidae) from Thailand, with a review on larval host plants of H. erylus and its weaver ant association. Calodema, 416, 1-8.

Heath, A. (1997). A review of African genera of the tribe Aphnaeini (Lepidoptera: Lycaenidae). Metamorphosis Occasional Supplement, 2, 1-60.

Heath, A. (2014). Uncovering secrets of the "cuckoo" butterfly species Chrysoritis dicksoni (Gabriel, 1947), a social parasite of Crematogaster ants: a summary to the end of the 20th century with current conclusions. Metamorphosis, 25, 5-10.

Heath, A., & Brinkman, A.K. (1995). Aspects of the life history, distribution and population fluctuations of Oxychaeta dicksoni (Gabriel) (Lepidoptera, Lycaenidae). Metamorphosis, 6(3), 117–127.

Heath, A., & Claassens, A. (2020). Illustrated descriptions of juvenile stages of an Aloeides species close to margaretae Tite & Dickson, including comparisons with both A. apicalis Tite & Dickson and A. depicta Tite & Dickson. Metamorphosis, 31(1), 72–78.

Heath, A., & Fisher, C.W.S. (2016). Life history observations of the myrmecophilous lycaenid butterfly Argyraspodes argyraspis (Trimen, 1873) (Lepidoptera: Lycaenidae: Aphnaeinae) with notes on ant behaviours and interactions and comparisons with allied species. Metamorphosis, 27, 82-89.

Heath, A., & Zielske, J.F. (2015). Preliminary observations on the life history and behaviour of the enigmatic lycaenid 'Warrior Silver-spotted Copper' Argyraspodes argyraspis (Trimen, 1873), including detailed descriptions and illustrations of the egg and first instar larva. Metamorphosis, 26, 97-101.

Heath, A., Kaliszewska, Z.A., & Pringle, E.L. (2018). An overview of the biology of the Afrotropical butterfly genus Crudaria Wallengren, 1875 (Lepidoptera: Lycaenidae: Aphnaeinae), including some new observations. Metamorphosis, 29, 92-117.

Heath, A., McLeod, L., Kaliszewska, Z.A., Fisher, C.W.S., & Cornwall, M. (2008). Field notes including a summary of trophic and ant-associations for the butterfly genera Chrysoritis Butler, Aloeides Hübner and Thestor Hübner (Lepidoptera: Lycaenidae) from South Africa. Metamorphosis, 19(3), 127-148.

Henning, G.A., & Henning, S.F. (1982). Descriptions of three new species of Aloeides Hubner (Lepidoptera: Lycaenidae) from the Transvaal, South Africa, and South West Africa (Namibia). Journal of the Entomological Society of Southern Africa, 45(2), 231-238.

Henning, S.F. (1983). Chemical communication between Iycaenid larvae (Lepidoptera: Lycaenidae) and ants (Hymenoptera: Formicidae). Journal of the Entomological Society of Southern Africa, 46(2), 341-366.

Henning, S.F. (1984). Life history and behaviour of the rare myrmecophilous lycaenid Erikssonia acraeina Trimen (Lepidoptera: Lycaenidae). Journal of the Entomological Society of Southern Africa, 47, 337-342.

Henning, S.F., & Henning, G.A. (1989). South African Red Data Book – butterflies. South African National Science Program Reports, 158, vi + 175 pp.

Henning, S.F., & Henning, G.A. (1996). A review of the genus Axiocerces Hübner (Lepidoptera: Lycaenidae), with descriptions of nine new species and three new subspecies. Metamorphosis Occasional Supplement, 1, 1-48.

Heredia, M.D., & Robbins, R.K. (2016). Natural history of the mistletoe-feeding Thereus lomalarga (Lepidoptera, Lycaenidae, Eumaeini) in Colombia. Zootaxa, 4117(3), 301-320.

Hill, C.J. (1993). The myrmecophilous organs of Arhopala madytus Fruhstorfer (Lepidoptera: Lycaenidae). Australian Journal of Entomology, 32(3), 283-288.

Hinton, H.E. (1951). Myrmecophilous Lycaenidae and other Lepidoptera – a summary. Proceedings and Transactions of the South London Entomological and Natural History Society, 1949-50, 111-175.

Hirabayashi, J., Koda, K., & Nakamura, H. (2009). Life table of Shijimiaeoides divinus barine population introduced at pupal stage in a sanctuary of Alps Azumino National Government Park. Journal of the Faculty of Agriculture, Shinshu University, 45(1/2), 21-30.

Hirukawa, N. & Kobayashi, M. (1995). Life history of Shirozua jonasi (Janson) (Lepidoptera, Lycaenidae) in Kiso-dani, Nagano Prefecture. Tyô to Ga, 45, 224–238 & 269–286.

Hojo, M. K., Yamamoto, A., Akino, T., Tsuji, K., & Yamaoka, R. (2014). Ants use partner specific odors to learn to recognize a mutualistic partner. PLoS ONE, 9(1), e86054.

Hojo, M.K., Wada-Katsumata, A., Akino, T., Yamaguchi, S., Ozaki, M., & Yamaoka, R. (2009). Chemical disguise as particular caste of host ants in the ant inquiline parasite Niphanda fusca (Lepidoptera: Lycaenidae). Proceedings of the Royal Society B: Biological Sciences, 276(1656), 551-558.

Hojo, M.K., Yamaguchi, S., Akino, T., & Yamaoka, R. (2014). Adoption of lycaenid Niphanda fusca (Lepidoptera: Lycaenidae) caterpillars by the host ant Camponotus japonicus (Hymenoptera: Formicidae). Entomological Science, 17(1), 59-65.

Hsu, Y.F. (2002). Butterflies of Taiwan. Volume 2. National Fenghuangku Bird Park. 383 pp.

Hsu, Y.F. (2020). The identity of Alfred Wallace's mysterious butterfly taxon Lycaena nisa solved: Famegana nisa comb. nov., a senior synonym of F. alsulus (Lepidoptera, Lycaenidae, Polyommatinae). ZooKeys, 966, 153-162.

Hsu, Y.F., & Liang, J.Y. (2020). On systematic status of Spindasis syama Horsfield,[1829] in Taiwan and the Philippines (Lepidoptera: Lycaenidae: Aphnaeini). Zootaxa, 4763(4).

Hsu, Y.F., Huang, C.L., & Huang, H.C. (2016). Immature biology and morphology of an obligate myrmecophilous butterfly Catapaecilma major moltrechti (Wileman) (Lepidoptera: Lycaenidae) from Taiwan. Zootaxa, 4139(2), 274-284.

Igarashi, S., & Fukuda, H. (1997). The life histories of Asian butterflies. Vol. I. Tokyo: Tokai University Press. xix + 549 pp.

Igarashi, S., & Fukuda, H. (2000). The life histories of Asian butterflies. Vol. II. Tokyo: Tokai University Press. xxvii + 711 pp.

Ikenaga, N., Touyama, Y., Kameyama, T., & Ito, F. (2020). Effects of Argentine ants (Hymenoptera: Formicidae) on myrmecophilous lycaenid butterfly, Narathura bazalus (Lepidoptera: Lycaenidae), in western Japan. Entomological Science, 23(1), 69-73.

Jackson, T.H.E. (1937). The early stages of some African Lycaenidae (Lepidoptera), with an account of the larval habits. Transactions of the Royal Entomological Society of London, 86(12), 201-237.

Jackson, T.H.E. (1947). The early stages of some African Lycaenidae (Lepidoptera: Rhopalocera). Proceedings of the Royal Entomological Society London, Series A, 22, 44-48.

Jacobson, E. (1912). Symbiose zwischen der Raupe von Hypolycaena erylus Godart und Oecophylla smaragdina Fab. Tijdschrift voor Entomologie, 55, 9-14.

James, M. (2006). Metapopulations and the Sinai Baton Blue (Pseudophilotes sinaicus Nakamura): an introduction. Egyptian Journal of Biology, 8, 7-16.

Jarvis, F.V.L. (1958/59). Biological notes on Aricia agestis in Britain. Entomologist's Record and Journal of Variation, 70, 141-148, 169-187; 71, 169-178, 2 plates.

Jeratthitikul, E., Chantarasawat, N., Yago, M., & Hikida, T. (2013). Myrmecophilous organs and ant association of the larvae of Tongeia fischeri (Eversmann, 1843) (Lycaenidae: Polyommatini). Lepidoptera Science, 64(4), 132-139.

Johnson, S.J., & Valentine, P.S. (2001). Notes on the life history of Hypochrysops hippuris nebulosis Sands (Lepidoptera: Lycaenidae). Australian Entomologist, 28(1), 13-16.

Jordano, D., & Thomas, C.D. (1992). Specificity of an ant-lycaenid interaction. Oecologia, 91(3), 431-438.

Jutzeler, D. (1989). Eine Besucherameise der Raupe von Lysandra bellargus Rott. (Lepidoptera: Lycaenidae). Mitteilungen der entomologischen Gesellschaft Basel, N. F. 39, 94.

Jutzeler, D. (1989). Einige weitere Eiablage- und Futterpflanzen von Polyommatus eros Ochs. und Cupido minimus Fuessl. (Lepidoptera: Lycaenidae). Mitteilungen der entomologischen Gesellschaft Basel, N. F. 39(3), 82-87.

Jutzeler, D. (1989). Maculinea rebeli (Hirschke). Ein Raupenfund im Glarnerland (Lepidoptera: Lycaenidae). Mitteilungen der entomologischen Gesellschaft Basel, N. F. 39 (3), 92-93.

Jutzeler, D. (1989). Weibchen der Bläulingsart Lycaeides idas L. riechen ihre Wirtsameisen (Lepidoptera: Lycaenidae). Mitteilungen der entomologischen Gesellschaft Basel, N. F. 39(3), 95-118.

Jutzeler, D. (1990). Weibchen von Lycaeides idas (Linnaeus, 1761) riechen ihre Wirtsameisen, Nachträge aus den Jahren 1989 und 1990 (Lepidoptera: Lycaenidae). Mitteilungen der entomologischen Gesellschaft Basel, N. F. 40, 66-71.

Jutzeler, D., Rákosy, L., & Bros, E. (1997). Observation et élevage de Pseudophilotes bavius (Eversmann, 1832) des environs de Cluj; distribution de cette espèce en Roumanie. Une nouvelle plante nouricière de Colias alfacariensis (Ribbe, 1905). Bulletin de la Société Entomologique de Mulhouse, 1997, avril-juin, 23–30.

King, A.J., & Ring, L.R. (1996). The life history of Arhopala wildei wildei Miskin (Lepidoptera: Lycaenidae). Australian Entomologist, 23(4), 117-120.

Kitching, R. L., & Luke, B. (1985). The myrmecophilous organs of the larvae of some British Lycaenidae (Lepidoptera): a comparative study. Journal of Natural History, 19(2), 259-276.

Kleinekuhle, J. (1995). Zur Indigenität und Ausbreitung des afrikanischen Bläulings Cacyreus marshalli Butler, 1898 in Südeuropa. Atalanta, 26 (1/2), 209-214.

Klimczuk, P. (2005). The larval host plant of Polyommatus eroides (Frivaldszky, 1835) (Lycaenidae) from Poland with comments on the life history. Nota lepidopterologica, 28(2), 103-111.

Kontuniemi, T. (1945). Wie überwintert Glaucopsyche alexis Poda f. schneideri Strand (Lep., Lycaenidae)? Annales Entomologicae Fennicae, 11, 124.

Korb, S.K. (1998). To the study of the associations of Formicidae (Hymenoptera) and Lycaenidae (Lepidoptera) in the middle part of European Russia. Biuletin Moskovskovo Obshestva Ispytat'elej Prirody, 103, 45-47.

Kubik, T. D., & Schorr, R. A. (2018). Facultative myrmecophily (Hymenoptera: Formicidae) in the hops blue butterfly, Celastrina humulus (Lepidoptera: Lycaenidae). Entomological News, 127(5), 490-498.

Kumar, K.P., Kamala Jayanthi, P.D., Verghese, A., & Chakravarthy, A.K. (2017). Facultative myrmecophily in Deudorix isocrates (Fabricius) (Lepidoptera: Lycaenidae). Journal of Entomology and Zoology Studies, 5, 870-875.

Lafranchis, T. (2019). Notes on the biology of some butterflies in Greece (Lepidoptera: Papilionoidea). Entomologist's Gazette, 70(2), 113-134.

Lafranchis, T., & Lafranchis, A. (2012). Five blues on a flower: Interactions between Polyommatinae butterflies (Lepidoptera, Lycaenidae), ants and parasitoids in the northern Peloponnese (Greece). Nachrichten des Entomologischen Vereins Apollo Frankfurt, 33, 23-29.

Lafranchis, T., Gil-T., F., & Lafranchis, A. (2007). New data on the ecology of 8 taxa of Agrodiaetus Hübner, 1822 from Greece and Spain: hostplants, associated ants and parasitoids (Lepidoptera: Lycaenidae. Hymenoptera. Diptera). Atalanta, 38 (1/2), 189-197.

Lafranchis, T., Jutzeler, D., Guillosson, J.-Y., Kan, P., & Kan, B. (2015). La vie des papillons: Ecologie, biologie et comportement des rhopalocères de France. Diatheo. 751 pp.

Lamborn, W.A. (1914): On the relationship between certain West African insects, especially ants, Lycaenidae and Homoptera. Transactions of the Entomological Society London, 1914, 436-524, 4 pls.

Lane, C.P. (1999). Benefits of heterogeneous habitat: oviposition preference and immature performance of Lycaeides melissa samuelis Nabokov (Lepidoptera: Lycaenidae). PhD dissertation, University of Minnesota.

Larsen, T.B. (1984). Butterflies of Saudi Arabia and its neighbours. Transworld Arabian Library, Riyadh; Stacey International, London. 160 pp.

Larsen, T.B. (1991). The butterflies of Kenya and their natural history. Oxford: Oxford University Press. xxii + 490 pp.

Larsen, T.B., & Pittaway, A.R. (1982). Notes on the ecology, biology and taxonomy of Apharitis acamas (Klug) (Lepidoptera: Lycaenidae). Entomologist's Gazette, 33, 163-168.

Lin, Y.H., Liao, Y.C., Yang, C.C.S., Billen, J., Yang, M.M., & Hsu, Y.F. (2019). Vibrational communication between a myrmecophilous butterfly Spindasis lohita (Lepidoptera: Lycaenidae) and its host ant Crematogaster rogenhoferi (Hymenoptera: Formicidae). Scientific Reports, 9(1), 1-10.

Lu, S.S. (2002). Biology and conservation of the threatened Karkloof blue butterfly Orachrysops ariadne (Butler) (Lepidoptera: Lycaenidae). Doctoral dissertation, University of Natal, Pietermaritzburg.

Lu, S.S., & Samways, M.J. (2002). Behavioural ecology of the Karkloof blue butterfly Orachrysops ariadne (Lepidoptera: Lycaenidae) relevant to its conservation. African Entomology, 10(1), 137-147.

Makris, C. (2003). Butterflies of Cyprus. Bank of Cyprus Cultural Foundation, Nicosia. 329 pp.

Malicky, H. (1961). Über die Ökologie von Lycaeides idas L., insbesondere über seine Symbiose mit Ameisen. Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen, 13, 33-49.

Malicky, H. (1969). Versuch einer Analyse der ökologischen Beziehungen zwischen Lycaeniden (Lepidoptera) und Formiciden (Hymenoptera). Tijdschrift voor Entomologie, 112, 213-298.

Maravalhas, E. (ed.) (2003). As borboletas de Portugal. Apollo Books. 455 pp.

Martín Cano, J. (1981). Similitudes biológicas y diferencias ecológicas entre Glaucopsyche alexis (Poda) y Glaucopsyche melanops (Boisduval) (Lep. Lycaenidae). Boletin de la Estación central de Ecología, 10, 59-70.

Martín Cano, J. (1984). Comparative biology of Lampides boeticus (L.), Syntarucus pirithous (L.) and Polyommatus icarus (Rot.) (Lep., Lycaenidae). Graellsia, 40, 163-193.

Martín, J., & Gurrea, P. (1983). Relationship between Nordmannia esculi Huebner (Lepidoptera: Lycaenidae) and Camponotus cruentatus Latreille (Hymenoptera: Formicidae). Entomologist's Record and Journal of Variation, 95, 153-154.

Martins, D.J., Collins, S.C., Congdon, C., & Pierce, N.E. (2013). Association between the African lycaenid, Anthene usamba, and an obligate acacia ant, Crematogaster mimosae. Biological Journal of the Linnean Society, 109(2), 302-312.

Maschwitz, U., Schroth, M., Hänel, H. & Tho, Y.P. (1985). Aspects of the larval biology of myrmecophilous lycaenids from West Malaysia. Nachrichten des entomologischen Vereins Apollo Frankfurt, 6, 181-200.

Maschwitz, U., Schroth, M., Hänel, H., & Tho, Y.P. (1984). Lycaenids parasitizing symbiotic plant-ant partnerships. Oecologia, 64(1), 78-80.

Maschwitz, U., Wüst, M., & Schurian, K. (1975). Bläulingsraupen als Zuckerlieferanten für Ameisen. Oecologia, 18(1), 17-21.

Matsuoka, Z. (1976). Notes on a sudden occurence [sic!] of Jamides bochus Stoll on Yakushima Island in 1973 (Lepidoptera: Lycaenidae). Tyô to Ga, 26, 125-131.

Mattoni, R.H.T (1992). The endangered El Segundo blue butterfly. Journal of Research on the Lepidoptera, 29, 277-304.

McElveen, D., Jue, D., Jue, S., & Craig, V.D. (2020). Life history observations of Callophrys irus (Family: Lycaenidae) in north Florida, USA. Journal of the Lepidopterists' Society, 74(1), 51-56.

Mellor, A.M. (2018). Larval-ant interactions in the Mojave Desert: Communication brings us together. Doctoral dissertation, University of Nevada, Las Vegas.

Milton, S.J. (1990). A lycaenid butterfly (Anthene amarah Guerin) selects unseasonal young Acacia shoots for oviposition. African Zoology, 25(1), 84-85.

Mizuno, T., Hagiwara, Y., & Akino, T. (2019). Varied effects of tending ant species on the development of facultatively myrmecophilous lycaenid butterfly larvae. Insects, 10(8), 234.

Monteiro, R.F. (1990). Cryptic larval polychromatism in Rekoa marius Lucas and R. palegon Cramer (Lycaenidae: Theclinae). Journal of Research on the Lepidoptera, 29(1-2), 77-84.

Munguira, M.L. (1989). Biologia y biogeografia de los licenidos Ibericos en peligro de extincion (Lepidoptera: Lycaenidae). PhD thesis. Universidad Autónoma de Madrid.

Munguira, M.L., & Martín, J. (1988). Variabilidad morfológica y biológica de Aricia morronensis (Ribbe), especie endémica de la Península Ibérica (Lepidoptera: Lycaenidae). Ecología, 2, 343-358.

Munguira, M.L., & Martín, J. (1989). Paralelismo en la biología de tres especies taxonómicamente proximas y ecológicamente diferenciadas del género Lysandra: L. dorylas, L. nivescens y L. golgus (Lepidoptera, Lycaenidae). Ecología, 3, 331-352.

Muñoz Sariot, M.G. (1995). Mariposas diurnas de la provincia de Granada. Rhopalocera. Alsur SL Armilla, Granada.

Muñoz Sariot, M.G. (2011). Biología y ecología de los licénidos españoles. Privately published by M.G. Muñoz Sariot, Granada. 383 pp.

Murata, K., & Tsuchiya, M. (2017). Structure of the food web including the endangered lycaenid butterfly Shijimiaeoides divinus asonis (Lepidoptera: Lycaenidae). Entomological Science, 20(1), 224-234.

Nair, V.P. (2003). Myrmecophily in the common pierrot, Castalius rosimon Fabricius (Lepidoptera: Lycaenidae). Zoos'print Journal, 18(1), 994.

Nakabayashi, Y., Mochioka, Y., Tokuda, M., & Ohshima, I. (2020). Mutualistic ants and parasitoid communities associated with a facultative myrmecophilous lycaenid, Arhopala japonica, and the effects of ant attendance on the avoidance of parasitism. Entomological Science, 23(3), 233-244.

Nel, J. (1992). Sur la plasticité écologique et la biologie de quelques Lépidoptères (Rhopalocera) du sud-est méditerranéen de la France (fin). Linneana Belgica, 13, 287-338.

New, T.R., & Britton, D.R. (1997). Refining a conservation plan for an endangered lycaenid butterfly, Acrodipsas myrmecophila, in Victoria, Australia. Journal of Insect Conservation, 1(2), 65-72.

Newcomer, E.J. (1912). Some observations on the relations of ants and lycaenid caterpillars, and a description of the relational organs of the latter. Journal of the New York Entomological Society, 20, 31-36, 3 plates.

Nielsen, O.F. (1999). Myrmecofili hos de aegte blåfugle i Danmark. Lepidoptera (Copenhagen), 7(7), 208-223.

Nishio, N. (2011). Pupation behavior of Shijimiaeoides divinus in Tomi, Nagano [in Japanese]. Yadoriga, 2011(228), 25-29. https://doi.org/10.18984/yadoriga.2011.228_25.

Norman, T. (1976). Additions to the food plants of Indian Rhopalocera. Journal of the Bombay Natural History Society, 73, 228-229.

Obregón, R., Arenas-Castro, S., Gil, F., Jordano, D., & Fernández-Haeger, J. (2014). Biología, ecología y modelo de distribución de las especies del género Pseudophilotes Beuret, 1958 en Andalucía (Sur de España) (Lepidoptera: Lycaenidae). SHILAP Revista de lepidopterología, 42(168), 501-516.

Obregón, R., Shaw, M.R., Fernández-Haeger, J., & Jordano, D. (2015). Parasitoid and ant interactions of some Iberian butterflies (Insecta: Lepidoptera). SHILAP Revista de lepidopterología, 43(171), 439-454.

Obregón-Romero, R., & Gil-T., F. (2011). Twenty-seven new records of associated ants with thirteen myrmecophilous lycaenid butterflies from Spain (Lepidoptera: Lycaenidae; Hymenoptera: Formicidae). Atalanta, 42(1/4), 139-142.

Okubo, T., Yago, M., & Itioka, T. (2009). Immature stages and biology of Bornean Arhopala butterflies (Lepidoptera, Lycaenidae) feeding on myrmecophytic Macaranga. Lepidoptera Science, 60(1), 37-51.

Oliver, J.C., & Stein, L.R. (2011). Evolution of influence: signaling in a lycaenid-ant interaction. Evolutionary Ecology, 25(6), 1205-1216.

Omura, H., Watanabe, M., & Honda, K. (2012). Cuticular hydrocarbon profiles of Lycaeides subsolanus larvae and their attendant ants. Lepidoptera Science, 63(4), 186-190.

Opler, P.A. (1968). Myrmecophily reported for Icaricia acmon and Philotes enoptes bayensis (Lycaenidae, Lepidoptera). Pan-Pacific Entomologist, 44, 79-80.

Parker, R. (1983). The butterflies of Cyprus. Entomologist's Gazette, 34, 17-53.

Parsons, M. (1999). The butterflies of Papua New Guinea: their systematics and biology. Academic Press, London & San Diego. 736 pp (& 26 line drawing plates & 136 colour plates).

Pech, P., & Sedláček, O. (2016). Records of host ant use of Phengaris Doherty, 1891 (Lepidoptera, Lycaenidae) in the Czech Republic. Nota Lepidopterologica, 39, 85-91.

Peterson, M.A. (1993). The nature of ant attendance and the survival of larval Icaricia acmon (Lycaenidae). Journal of the Lepidopterists' Society, 47(1), 8-16.

Peterson, M.A. (1995). Unpredictability in the facultative association between larvae of Euphilotes enoptes (Lepidoptera: Lycaenidae) and ants. Biological Journal of the Linnean Society, 55(3), 209-223.

Pfeuffer, E. (2000). Zur Ökologie der Präimaginalstadien des Himmelblauen Bläulings (Lysandra bellargus Rottemburg 1775) und des Silbergrünen Bläulings (Lysandra coridon Poda 1761) unter besonderer Berücksichtigung der Myrmekophilie. Berichte des Naturwissenschaftlichen Vereins für Schwaben, 104, 72-98.

Pfeuffer, E. (2003). Der Idas-Bläuling (Plebejus idas Linnaeus 1771) am Lech. Berichte des Naturwissenschaftlichen Vereins für Schwaben, 107, 64-81.

Pfeuffer, E. (2008). Der Storchschnabel-Bläuling (Polyommatus eumedon (Esper, 1789)) auf dem Lechfeld. Berichte des Naturwissenschaftlichen Vereins für Schwaben, 112, 103-108.

Pierce, N.E., & Elgar, M.A. (1985). The influence of ants on host plant selection by Jalmenus evagoras, a myrmecophilous lycaenid butterfly. Behavioral Ecology and Sociobiology, 16(3), 209-222.

Pierce, N.E., & Mead, P.S. (1981). Parasitoids as selective agents in the symbiosis between lycaenid butterfly larvae and ants. Science, 211(4487), 1185-1187.

Pierce, N.E., & Nash, D.R. (1999). The imperial blue, Jalmenus evagoras (Lycaenidae). Monographs on Australian Lepidoptera volume 6, Biology of Australian Butterflies, 279-315.

Ravenscroft, N.O.M. (1990). The ecology and conservation of the silver-studded blue butterfly Plebejus argus L. on the sandlings of East Anglia, England. Biological Conservation, 53(1), 21-36.

Rehfous, M., (1954). Fourmis et chenilles de Lycénides. Mitteilungen der Schweizerischen entomologischen Gesellschaft, 27, 38-42.

Robbins, R.K. (1991). Cost and evolution of a facultative mutualism between ants and lycaenid larvae (Lepidoptera). Oikos, 62, 363-369.

Robbins, R.K., & Aiello, A. (1982). Foodplant and oviposition records for Panamanian Lycaenidae and Riodinidae. Journal of the Lepidopterists' Society, 36(2), 65-75.

Roberts, T.J. (2001). The butterflies of Pakistan. Oxford University Press. xxiv + 200 pp.

Rodriguez, J., Fernández-Haeger, J., & Jordano, D. (1991). El ciclo biológico de Cyaniris semiargus (Rottemburg, 1775), en el Parque Nacional de Doñana (SW de España) (Lepidoptera: Lycaenidae). SHILAP Revista de lepidopterología, 19 (75): 175-190.

Rojo de la Paz, A. (1992). Two new cases of myrmecophily in the Lycaenidae (Lepidoptera): biology of Cigaritis zohra (Donzel, 1847) and Cigaritis allardi (Oberthür, 1909) in Morocco. Nota Lepidopterologica, Suppl. 4 (7th European Congress on Lepidopterology, Lunz/Austria), 14-17.

Rojo de la Paz, A. (1993). Myrmecophilie chez deux Lépidoptères Lycaenidae au Maroc: Cigaritis zohra et Cigaritis allardi. Actes des Colloques Insectes Sociaux, 8, 151-160.

Rutkowski, F. (1996). A new larval foodplant for Tmolus echion (Lepidoptera: Lycaenidae). Bishop Museum Occasional Papers, 46, 32.

Saarinen, E.V. (2005). Life history and myrmecophily of Neomyrina nivea periculosa (Lycaenidae: Theclinae). Journal of the Lepidopterists' Society, 59(2), 112-115.

Saarinen, E.V., & Daniels, J.C. (2006). Miami blue butterfly larvae (Lepidoptera: Lycaenidae) and ants (Hymenoptera: Formicidae): new information on the symbionts of an endangered taxon. Florida Entomologist, 89(1), 69-74.

Sadasivan, K., Kochunarayanan, B., Khot, R., & Naicker, R.K. (2021). A new taxon of Nacaduba Moore, 1881 (Lepidoptera: Lycaenidae: Polyommatini) from Agasthyamalais of the Western Ghats, India. Journal of Threatened Taxa, 13(3), 17939-17949.

Samson, P.R. (1999). Illidge's ant blue, Acrodipsas illidgei (Lycaenidae). Monographs on Australian Lepidoptera, volume 6, Biology of Australian Butterflies, 239-246.

Samson, P.R., Johnson, S.J., & Valentine, P.S. (1997). The life history of Hypochrysops elgneri barnardi Waterhouse (Lepidoptera: Lycaenidae). Australian Entomologist, 24(4), 159-163.

Sands, D.P.A. (1986). A revision of the genus Hypochrysops C. & R. Felder (Lepidoptera: Lycaenidae). Entomonograph, 7, 1-116.

Sands, D.P.A. (1999). The jewels, Hypochrysops species (Lycaenidae). Monographs on Australian Lepidoptera, volume 6, Biology of Australian Butterflies, 261-277.

Sanetra, M., & Fiedler, K. (1996). Behaviour and morphology of an aphytophagous lycaenid caterpillar: Cigaritis (Apharitis) acamas Klug, 1834 (Lepidoptera: Lycaenidae). Nota lepidopterologica, 18(1), 57-76.

Sanetra, M., Güsten, R., & Trusch, R. (2015). Neue Erkenntnisse zur Verbreitung und Lebensweise von myrmekophilen Bläulingen (Lepidoptera: Lycaenidae) im Tauberland und angrenzenden Regionen. Carolinea, 73, 29-81.

Santos-Murgas, A., Cambra, T., Roberto, A., Lanuza-Garay, A., Cobos-Hernández, R.M., & Miguel, A. (2020). Observaciones biológicas de larvas y pupas de Rekoa marius (Lucas) (Lepidoptera: Lycaenidae) en Panamá. Revista Chilena de Entomología, 46(4), 653-660.

Savignano, D.A. (1994). Benefits to Karner blue butterfly larvae from association with ants. Pp. 37-46 in: Andow, D.A., R.J. Baker, & C.P. Lane (eds.). Karner blue butterfly: a symbol of a vanishing landscape. Miscellaneous Publication, 84-1994, Minnesota Agricultural Experimental Station, University of Minnesota, St. Paul.

SBN (1987). Tagfalter und ihre Lebensräume. Arten, Gefährdung, Schutz. Schweizerischer Bund für Naturschutz (SBN), Basel. xii + 516 pp.

Schlick-Steiner, B.C., Steiner, F.M., Höttinger, H., Nikiforov, A., Mistrik, R., Schafellner, C., ... & Christian, E. (2004). A butterfly's chemical key to various ant forts: intersection-odour or aggregate-odour multi-host mimicry? Naturwissenschaften, 91(5), 209-214.

Schlosz, M., & Brinkman, A.K. (1991). The life history of Tylopaedia sardonyx peringueyi(Dickson). Journal of the Entomological Society of Southern Africa, 54, 81–89.

Schmidt, D. (2002). Notes on ant-lycaenid associations (Hymenoptera: Formicidae and Lepidoptera: Lycaenidae) in southeast Queensland. Australian Entomologist, 29(2), 61-68.

Schmidt, D.J., & Rice, S.J. (2002). Association of ants with juvenile Ogyris amaryllis amaryllis Hewitson (Lepidoptera: Lycaenidae) in south-eastern Queensland. Australian Journal of Entomology, 41(2), 164-169.

Schurian, K.G. (1996). Beobachtungen zum Eiablageverhalten von Cigaritis cilissa (Lederer, 1861) (Lepidoptera, Lycaenidae). Nachrichten des entomologischen Vereins Apollo Frankfurt, 17(1), 111-112.

Schurian, K.G., & Prosi, R. (2020). Neue Informationen zu den Präimaginalstadien des Eichenzipfelfalters Satyrium ilicis (Esper, [1779]) (Lepidoptera: Lycaenidae, Eumaeini). Nachrichten des Entomologischen Vereins Apollo Frankfurt, 41, 7-12.

Schurian, K.G., & Thomas, C.D. (1985). Zur Biologie von Lysandra punctifera Oberthuer, mit Bemerkungen zu L. bellargus Rottemburg (Lep.: Lycaenidae). Entomologische Zeitschrift, 95(16), 225-233.

Scott, J.A. (1992). The butterflies of North America. A natural history and field guide. Stanford University Press, Stanford. xvi + 583 pp, 64 pls.

Seufert, P. (1997). Bläulinge auf Saraca thaipingensis: eine Fallstudie zu diversitätserhaltenden Faktoren im tropischen Regenwald. Doctoral dissertation, University of Würzburg.

Seufert, P., & K. Fiedler (1996a). Life-history diversity and local co-existence of three closely related lycaenid butterflies (Lepidoptera: Lycaenidae) in Malaysian rainforests. Zoologischer Anzeiger, 234, 229-239.

Seufert, P., & K. Fiedler (1996b). The influence of ants on patterns of colonization and establishment within a set of coexisting lycaenid butterflies in a South-East Asian tropical rain forest. Oecologia, 106, 127-136.

Sevastopulo, D.G. (1941). The early stages of Indian Lepidoptera. Journal of the Bombay Natural History Society, 42, 284.

Sevastopulo, D.G. (1975). A list of the food-plants of East African Macrolepidoptera. Part 1: butterflies (Rhopalocera). Bulletin of the Amateur Entomologist's Society, 34, 84-92 & 124-132.

Shields, O. (1973). Studies on North American Philotes (Lycaenidae). II. The biology, distribution, and taxonomy of Philotes sonorensis (F. & F.). Bulletin of the Allyn Museum, 15, 1-16.

Sibatani, A., & Grund, R.B. (1978). A revision of the Theclinesthes onycha complex (Lepidoptera: Lycaenidae). Lepidoptera Science, 29(1), 1-34.

Silva, N.A.P., Duarte, M., Araújo, E.B., & Morais, H.C. (2014). Larval biology of anthophagous Eumaeini (Lepidoptera: Lycaenidae, Theclinae) in the Cerrado of central Brazil. Journal of Insect Science, 14(184), 1-17.

Smith, D.S., Miller, L.D., Miller, J.Y., & Lewington, R. (1994). Butterflies of the West Indies and south Florida. Oxford University Press.

Spomer, S.M., & Hoback, W.W. (1998). New ant associations for Glaucopsyche lygdamus Doubleday (Lycaenidae). Journal of the Lepidopterists' Society, 52, 216.

Stefanescu, C. (2000). New data on the ecology of Thecla betulae in the northeast of the Iberian Peninsula (Lycaenidae). Nota lepidopterologica, 23(1), 64-70.

Strausz, M. (2010). Habitat and host plant use of the Large Copper Butterfly Lyaena dispar rutilus (Lepidoptera: Lycaenidae) in Vienna (Austria). Diploma thesis, University of Vienna.

Tartally, A., Thomas, J.A., Anton, C., Balletto, E., Barbero, F., Bonelli, S., ... & Nash, D.R. (2019). Patterns of host use by brood parasitic Maculinea butterflies across Europe. Philosophical Transactions of the Royal Society B, 374(1769), 20180202.

Tennent, W.J. (2002). Butterflies of the Solomon Islands: systematics and biogeography. Storm Entomological Publications.

Terblanche, R.F. (2017). Anoplolepis steingroeveri (Forel, 1894) (Hymenoptera: Formicidae), a new associated ant species record for myrmecophilous butterflies in Africa and new hostplant records for Crudaria (Wallengren, 1875) (Lepidoptera: Lycaenidae: Aphnaeinae). Metamorphosis, 28, 41–48.

Thomas, C.C., Tillberg, C.V., & Schultz, C.B. (2020). Facultative mutualism increases survival of an endangered ant-tended butterfly. Journal of Insect Conservation, 24(2), 385-395.

Thomas, C.D. (1985). Specializations and polyphagy of Plebejus argus (Lepidoptera: Lycaenidae) in North Wales. Ecological Entomology, 10(3), 325-340.

Thomas, J.A., Elmes, G.W., Wardlaw, J.C., & Woyciechowski, M. (1989). Host specificity among Maculinea butterflies in Myrmica ant nests. Oecologia, 79(4), 452-457.

Thomas, J.A., Simcox, D.J., Wardlaw, J.C., Elmes, G.W., Hochberg, M.E., & Clarke, R.T. (1998). Effects of latitude, altitude and climate on the habitat and conservation of the endangered butterfly Maculinea arion and its Myrmica ant hosts. Journal of Insect Conservation, 2(1), 39-46.

Thompson, K., Shepherd, A., & Gilbert, F. (2014). Plant quality and the presence of beneficiaries govern the larval distribution of the critically endangered Sinai Baton Blue butterfly (Pseudophilotes sinaicus). Journal of Insect Conservation, 18(2), 189-195.

Tilden, J.W. (1947). An occurrence of pupa of Glaucopsyche lygdamus behrii (Edwards) in an ant nest (Lepidoptera: Lycaenidae). Pan-Pacific Entomologist, 23, 42-43.

Tokeshi, M., Yoko-O, M., Daud, J.R.P., & Domitis, M. (2007). Hypolycaena erylus feeding on mangrove apple and attended by Oecophylla weaver ants, in North Sulawesi, Indonesia (Lepidoptera: Lycaenidae). Tropical Lepidoptera Research, 17(1-2), 35-36.

Tolman, T. (1994). The larval host-plant of Kretania eurypilus (Freyer, 1852) in the Taygetos mountains of the Peloponnesos, Greece (Lepidoptera, Lycaenidae). Linneana Belgica, 14(7), 363–366.

Tolman, T. (1995). Notes on the life-cycle of Chilades trochylus (Freyer, 1844) in Greece and a new host-plant family for European butterflies (Lepidoptera: Lycaenidae). Linneana Belgica, 15(1), 3-5.

Tolman, T., & Lewington, R. (1998). Die Tagfalter Europas und Nordwestafrikas. Translated by M. Nuss. Stuttgart: Franckh-Kosmos.

Trager, M.D., Thom, M.D., & Daniels, J.C. (2013). Ant-related oviposition and larval performance in a myrmecophilous lycaenid. International Journal of Ecology, 2013(152139), 1-9.

Tränkner, A., & Nuss, M. (2005). Risk spreading in the voltinism of Scolitantides orion orion (Pallas, 1771) (Lycaenidae). Nota lepidopterologica, 28(1), 55-64.

Valentine, P.S., & Johnson, S.J. (1988). Some new larval food plants for north Queensland Lycaenidae (Lepidoptera). Australian Entomologist, 14(6), 89-91.

van der Poorten, G., van der Poorten, N. (2012). The bionomics of Spindasis greeni Heron, 1896 and a review of the early stages of the genus Spindasis in Sri Lanka (Lepidoptera: Lycaenidae). Journal of Research on the Lepidoptera, 45, 119-133.

van der Poorten, G., van der Poorten, N. (2013). New and revised descriptions of the immature stages of some butterflies in Sri Lanka and their larval food plants (Lepidoptera: Lycaenidae). Part 1: Polyommatinae and Theclinae, in part. Journal of Research on the Lepidoptera, 46, 25-49.

Van Someren, V.G.L. (1974). List of foodplants of some East African Rhopalocera, with notes on the early stages of some Lycaenidae. Journal of the Lepidopterists' Society, 28(4), 315-331.

Verovnik, R. (2004). Distribution and conservation status of Polyommatus escheri (Huebner, 1823) in Slovenia (Lepidoptera: Lycaenidae). Linneana Belgica, 19, 253–257.

Viehmeyer, H. (1910). On the myrmecophily of caterpillars of Chrysops cnejus F. Philippine Journal of Science, V, sec. D, (1), 69-72.

Vilbas, M., Esperk, T., & Teder, T. (2016). Host ant use of the Alcon blue butterfly at the northern range margin. Journal of Insect Conservation, 20(5), 879-886.

Vilbas, M., Teder, T., Tiitsaar, A., Kaasik, A., & Esperk, T. (2015). Habitat use of the endangered parasitic butterfly Phengaris arion close to its northern distribution limit. Insect Conservation and Diversity, 8(3), 252-260.

Wagner, D. (1993). Species-specific effects of tending ants on the development of lycaenid butterfly larvae. Oecologia, 96, 276-281.

Wagner, D. (1994). Species-specific effects of tending ants on the life history of Hemiargus isola, a North American lycaenid butterfly. PhD thesis, Princeton University.

Wagner, H.C., Koschuh, A., Schatz, I., & Stalling, T. (2012). Die Myrmekophilen einer Lawinenrinne im Nationalpark Gesäuse (Steiermark). Abhandlungen der Zoologisch-Botanischen Gesellschaft Österreich, 38, 147–161.

Warchola, N., Bastianelli, C., Schultz, C.B., & Crone, E.E. (2015). Fire increases ant-tending and survival of the Fender's blue butterfly larvae. Journal of Insect Conservation, 19(6), 1063-1073.

Watanabe, M., & Hagiwara, Y. (2009). A newly observed form of symbiotic relationship between Reverdin's blue Lycaeides argyrognomon praeterinsularis (Verity) (Lycaenidae) and Camponotus japonicus Mayr (Formicidae). Journal of Research on the Lepidoptera, 41, 70-75.

Watanabe, M., & Miyashita, Y. (2006). Vicia pseudo-orobus as a new larval food plant of Lycaeides subsolanus (Lepidoptera, Lycaenidae). Transactions of the Lepidopterological Society of Japan, 57, 123-126.

Webster, R.P., & Nielsen, M.C. (1984). Myrmecophily in the Edward's hairstreak butterfly Satyrium edwardsii (Lycaenidae). Journal of the Lepidopterists' Society, 38(2), 124-133.

Whitaker, M.R., Baker, C.C., Salzman, S.M., Martins, D.J., & Pierce, N.E. (2019). Combining stable isotope analysis with DNA metabarcoding improves inferences of trophic ecology. PLoS ONE, 14(7), e0219070.

Witek, M., Nowicki, P., Śliwińska, E.B., Skorka, P., Settele, J., Schoenrogge, K., & Woyciechowski, M. (2010). Local host ant specificity of Phengaris (Maculinea) teleius butterfly, an obligatory social parasite of Myrmica ants. Ecological Entomology, 35(5), 557-564.

Woyciechowski, M., Slowik, J., & Mühlenberg, M. (2006). Hosts of the butterfly, Maculinea teleius, among Myrmica ants in northern Mongolia (Lepidoptera: Lycaenidae; Hymenoptera: Formicidae). Sociobiology, 48(2), 493-502.

Young, J.F. (1991). Feature photograph: A moveable feast. Journal of the Lepidopterists' Society, 45(1), 85.

Young, J.F. (1998). A brief note on the life history of Remelana jangala (Horsfield) Lepidoptera, Lycaenidae in Hong Kong, PRC. Futao-Kai, 28, 11-13.