```
~/pdm11-257/pdm11-257 $ for i in {01__10};
do touch avaliacao/avaliacao-Śi/README_md
; done
~/pdmll-251/pdmll-251 $ git add _
~/pdm||-251/pdm||-251 $ git commit -m "Est
rutura inicial criada em 06-05-2025"
[main (root-commit) 6a6729a] Estrutura ini
cial criada em 06-05-2025
10 files changed, O insertions(+), O dele
tions(-)
create mode 100644 avaliacao/avaliacao-01
/README_md
create mode 100644 avaliacao/avaliacao-02
/README_md
create mode 100644 avaliacao/avaliacao-03
/README_md
create mode 100644 avaliacao/avaliacao-04
/README_md
create mode 100644 avaliacao/avaliacao-05
/README_md
create mode 100644 avaliacao/avaliacao-06
/README_md
create mode 100644 avaliacao/avaliacao-07
/README_md
 create mode 100644 avaliacao/avaliacao-08
/README_md
 create mode 100644 avaliacao/avaliacao-09
create mode 100644 avaliacao/avaliacao-10
/README_md
~/pdm11-251/pdm11-251 $ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 360 bytes | 3
60_00 KiB/s, done_
Total 5 (delta 0), reused 0 (delta 0), pac
k-reused O (from O)
To https://github_com/Pedrolucas0106/pdmll
-251_git
* [new branch] main -> main
~/pdm11-251/pdm11-251 $
```

```
14:56 🗷 🕅 😐 🔸
                          © № 🤼 📉 ... ... 31% 🖺
warning: You appear to have cloned an empt
y repository.
$ cd pdm11-251
~/pdm#1-257 $
~/pdm[]-25] $ mkdir -p src docs testes ava
Liacao
~/pdm11-257 $
~/pdmll-251 $ cd avaliacao
~/pdmll-251/avaliacao $ for i in $(seq -w
1 10); do
   mkdīr avalīacao-$ī
   echo "# Avalīação $ī" > avalīacao-$ī/R
EADME_md
> done
~/pdm11-251/avaliacao $ cd __
~/pdm11-257 $
~/pdm11-251 $ git add _
~/pdm[[-25] $ git commit -m "Alterado em O
6-05-2025"
[main (root-commit) 21cf5f0] Alterado em O
6-05-2025
10 files changed, 10 insertions(+)
create mode 100644 avaliacao/avaliacao-01
/README_md
create mode 100644 avaliacao/avaliacao-02
/README_md
create mode 100644 avaliacao/avaliacao-03
/README_md
create mode 100644 avaliacao/avaliacao-04
/README_md
create mode 100644 avaliacao/avaliacao-05
/README_md
create mode 100644 avaliacao/avaliacao-06
/README_md
create mode 100644 avaliacao/avaliacao-07
/README_md
create mode 100644 avaliacao/avaliacao-08
/README_md
create mode 100644 avaliacao/avaliacao-09
/README_md
create mode 100644 avaliacao/avaliacao-10
/README_md
~/pdm11-251 $ git push
```

14:55 🗷 ⋈ 😐 •

create mode 100644 avaliacao/avaliacao-09 /README_md create mode 100644 avaliacao/avaliacao-10 /README_md ~/pdmll-251 \$ git push Username for "https://github.com": Pedrolu cas0106 Password for "https://Pedrolucas0106@githu b_com"= remote: Support for password authenticatio n was removed on August 13, 2021. remote: Please see https://docs_github_com /get-started/getting-started-with-git/abou t-remote-repositories#cloning-with-https-u rls for information on currently recommend ed modes of authentication. fatal: Authentication failed for "https:// github_com/Pedrolucas0106/pdml1-251_git/" ~/pdml1-251 \$ git clone https://ghp PgDPxx WjdkZ4bBA0po1Qti4V05qyv410isxn@github_com/ Pedrolucas0106/pdml1-251_git Cloning into "pdm##-257"... warning: You appear to have cloned an empt y repository. ~/pdm11-251 \$ cd pdm11-251 ~/pdmll-251/pdmll-251 \$ git add _ .2025" git push~/pdmll-251/pdmll-251 \$ git commit -m "Alterado em 06-05-2025" On branch main Initial commit nothing to commit (create/copy files and u se "git add" to track) ~/pdml1-251/pdml1-251 \$ git pushexit git: "pushexit" is not a git command. See 'qit --help"_ ~/pdmll-251/pdmll-251 \$ mkdir -p avaliacao /avaliacao-{01__10} ~/pdml1-251/pdml1-251 \$ for i in {01__10}; do touch avaliacao/avaliacao-Śi/README_md = done