



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME	NOMINAL VALUE	MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	Angle error to Cam 1 - Lobe 2	0,000		-0,125	0,125		
2	Angle error to Cam 1 - Lobe 3	0,000		-0,125	0,125		
3	Angle error to Cam 1 - Lobe 4	0,000		-0,125	0,125		
4	Angle error to Cam 1 - Lobe 5	0,000		-0,125	0,125		
5	Angle error to Cam 1 - Lobe 6	0,000		-0,125	0,125		
6	Angle error to Cam 1 - Lobe 7	0,000		-0,125	0,125		
7	Angle error to Cam 1 - Lobe 8	0,000		-0,125	0,125		
8	Angle error to Cam 1 - Lobe 9	0,000		-0,125	0,125		
9	Angle error to Cam 1 - Lobe 10	0,000		-0,125	0,125		
10	Angle error to Cam 1 - Lobe 11	0,000		-0,125	0,125		
11	Angle error to Cam 1 - Lobe 12	0,000		-0,125	0,125		
12	Angle error to Cam 1 - Lobe 13	0,000		-0,125	0,125		
13	Angle error to Cam 1 - Lobe 14	0,000		-0,125	0,125		
14	Angle error to Cam 1 - Lobe 15	0,000		-0,125	0,125		
15	Angle error to Cam 1 - Lobe 16	0,000		-0,125	0,125		
16	Angle error to Cam 1 - Lobe 17	0,000		-0,125	0,125		
17	Angle error to Cam 1 - Lobe 18	0,000		-0,125	0,125		
18	Angle error to Pin - Lobe 1	0,000		-0,250	0,250		
19	Angle error to Pin - Lobe 2	0,000		-0,250	0,250		
20	Angle error to Pin - Lobe 3	0,000		-0,250	0,250		
21	Angle error to Pin - Lobe 4	0,000		-0,250	0,250		
22	Angle error to Pin - Lobe 5	0,000		-0,250	0,250		
23	Angle error to Pin - Lobe 6	0,000		-0,250	0,250		
24	Angle error to Pin - Lobe 7	0,000		-0,250	0,250		
25	Angle error to Pin - Lobe 8	0,000		-0,250	0,250		
26	Angle error to Pin - Lobe 9	0,000		-0,250	0,250		
27	Angle error to Pin - Lobe 10	0,000		-0,250	0,250		
28	Angle error to Pin - Lobe 11	0,000		-0,250	0,250		
29	Angle error to Pin - Lobe 12	0,000		-0,250	0,250		
30	Angle error to Pin - Lobe 13	0,000		-0,250	0,250		
31	Angle error to Pin - Lobe 14	0,000		-0,250	0,250		
32	Angle error to Pin - Lobe 15	0,000		-0,250	0,250		
33	Angle error to Pin - Lobe 16	0,000		-0,250	0,250		
34	Angle error to Pin - Lobe 17	0,000		-0,250	0,250		
35	Angle error to Pin - Lobe 18	0,000		-0,250	0,250		
36	Angle of Cam 1 to ref.	128,000		255,500	256,500		
37	BC Radius Error - Lobe 1	0,000		-0,100	0,100		
38	BC Radius Error - Lobe 2	0,000		-0,100	0,100		
39	BC Radius Error - Lobe 3	0,000		-0,100	0,100		
40	BC Radius Error - Lobe 4	0,000		-0,100	0,100		
41	BC Radius Error - Lobe 5	0,000		-0,100	0,100		
42	BC Radius Error - Lobe 6	0,000		-0,100	0,100		
43	BC Radius Error - Lobe 7	0,000		-0,100	0,100		
44	BC Radius Error - Lobe 8	0,000		-0,100	0,100		
45	BC Radius Error - Lobe 9	0,000		-0,100	0,100		
46	BC Radius Error - Lobe 10	0,000		-0,100	0,100		
47	BC Radius Error - Lobe 11	0,000		-0,100	0,100		
48	BC Radius Error - Lobe 12	0,000		-0,100	0,100		



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME		MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	BC Radius Error - Lobe 13	0,000		-0,100	0,100		
2	BC Radius Error - Lobe 14	0,000		-0,100	0,100		
3	BC Radius Error - Lobe 15	0,000		-0,100	0,100		
4	BC Radius Error - Lobe 16	0,000		-0,100	0,100		
5	BC Radius Error - Lobe 17	0,000		-0,100	0,100		
6	BC Radius Error - Lobe 18	0,000		-0,100	0,100		
7	BC Runout - Lobe 1	0,000		0,000	0,040		
8	BC Runout - Lobe 2	0,000		0,000	0,040		
9	BC Runout - Lobe 3	0,000		0,000	0,040		
10	BC Runout - Lobe 4	0,000		0,000	0,040		
11	BC Runout - Lobe 5	0,000		0,000	0,040		
12	BC Runout - Lobe 6	0,000		0,000	0,040		
13	BC Runout - Lobe 7	0,000		0,000	0,040		
14	BC Runout - Lobe 8	0,000		0,000	0,040		
15	BC Runout - Lobe 9	0,000		0,000	0,040		
16	BC Runout - Lobe 10	0,000		0,000	0,040		
17	BC Runout - Lobe 11	0,000		0,000	0,040		
18	BC Runout - Lobe 12	0,000		0,000	0,040		
19	BC Runout - Lobe 13	0,000		0,000	0,040		
20	BC Runout - Lobe 14	0,000		0,000	0,040		
21	BC Runout - Lobe 15	0,000		0,000	0,040		
22	BC Runout - Lobe 16	0,000		0,000	0,040		
23	BC Runout - Lobe 17	0,000		0,000	0,040		
24	BC Runout - Lobe 18	0,000		0,000	0,040		
25	BC Velocity Error - Lobe 1	0,000		0,000	0,010		
26	BC Velocity Error - Lobe 2	0,000		0,000	0,010		
27	BC Velocity Error - Lobe 3	0,000		0,000	0,010		
28	BC Velocity Error - Lobe 4	0,000		0,000	0,010		
29	BC Velocity Error - Lobe 5	0,000		0,000	0,010		
30	BC Velocity Error - Lobe 6	0,000		0,000	0,010		
31	BC Velocity Error - Lobe 7	0,000		0,000	0,010		
32	BC Velocity Error - Lobe 8	0,000		0,000	0,010		
33	BC Velocity Error - Lobe 9	0,000		0,000	0,010		
34	BC Velocity Error - Lobe 10	0,000		0,000	0,010		
35	BC Velocity Error - Lobe 11	0,000		0,000	0,010		
36	BC Velocity Error - Lobe 12	0,000		0,000	0,010		
37	BC Velocity Error - Lobe 13	0,000		0,000	0,010		
38	BC Velocity Error - Lobe 14	0,000		0,000	0,010		
39	BC Velocity Error - Lobe 15	0,000		0,000	0,010		
40	BC Velocity Error - Lobe 16	0,000		0,000	0,010		
41	BC Velocity Error - Lobe 17	0,000		0,000	0,010		
42	BC Velocity Error - Lobe 18	0,000		0,000	0,010		
43	Center Deviation - Lobe 1	0,000		-0,003	0,020		
44	Center Deviation - Lobe 2	0,000		-0,003	0,020		
45	Center Deviation - Lobe 3	0,000		-0,003	0,020		
46	Center Deviation - Lobe 4	0,000		-0,003	0,020		
47	Center Deviation - Lobe 5	0,000		-0,003	0,020		
48	Center Deviation - Lobe 6	0,000		-0,003	0,020		



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME		MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	Center Deviation - Lobe 7	0,000		-0,003	0,020		
2	Center Deviation - Lobe 8	0,000		-0,003	0,020		
3	Center Deviation - Lobe 9	0,000		-0,003	0,020		
4	Center Deviation - Lobe 10	0,000		-0,003	0,020		
5	Center Deviation - Lobe 11	0,000		-0,003	0,020		
6	Center Deviation - Lobe 12	0,000		-0,003	0,020		
7	Center Deviation - Lobe 13	0,000		-0,003	0,020		
8	Center Deviation - Lobe 14	0,000		-0,003	0,020		
9	Center Deviation - Lobe 15	0,000		-0,003	0,020		
10	Center Deviation - Lobe 16	0,000		-0,003	0,020		
11	Center Deviation - Lobe 17	0,000		-0,003	0,020		
12	Center Deviation - Lobe 18	0,000		-0,003	0,020		
13	Ecc-Ref [Gage] - A	0,000		0,000	0,035		
14	Ecc-Ref [Gage] - B	0,000		0,000	0,035		
15	Ecc-Ref [Gage] - C	0,000		0,000	0,035		
16	Ecc-Ref [Gage] - D	0,000		0,000	0,035		
17	Ecc-Ref [Gage] - E	0,000		0,000	0,035		
18	Ecc-Ref [Gage] - F	0,000		0,000	0,035		
19	Ecc-Ref [Gage] - G	0,000		0,000	0,035		
20	Ecc-Ref [Part] - A	0,000		0,000	0,070		
21	Ecc-Ref [Part] - B	0,000		0,000	0,070		
22	Ecc-Ref [Part] - C	0,000		0,000	0,070		
23	Ecc-Ref [Part] - D	0,000		0,000	0,070		
24	Ecc-Ref [Part] - E	0,000		0,000	0,070		
25	Ecc-Ref [Part] - F	0,000		0,000	0,070		
26	Ecc-Ref [Part] - G	0,000		0,000	0,070		
27	Lift Difference Nose - Lobe 1	0,000		0,000	0,010		
28	Lift Difference Nose - Lobe 2	0,000		0,000	0,010		
29	Lift Difference Nose - Lobe 3	0,000		0,000	0,010		
30	Lift Difference Nose - Lobe 4	0,000		0,000	0,010		
31	Lift Difference Nose - Lobe 5	0,000		0,000	0,010		
32	Lift Difference Nose - Lobe 6	0,000		0,000	0,010		
33	Lift Difference Nose - Lobe 7	0,000		0,000	0,010		
34	Lift Difference Nose - Lobe 8	0,000		0,000	0,010		
35	Lift Difference Nose - Lobe 9	0,000		0,000	0,010		
36	Lift Difference Nose - Lobe 10	0,000		0,000	0,010		
37	Lift Difference Nose - Lobe 11	0,000		0,000	0,010		
38	Lift Difference Nose - Lobe 12	0,000		0,000	0,010		
39	Lift Difference Nose - Lobe 13	0,000		0,000	0,010		
40	Lift Difference Nose - Lobe 14	0,000		0,000	0,010		
41	Lift Difference Nose - Lobe 15	0,000		0,000	0,010		
42	Lift Difference Nose - Lobe 16	0,000		0,000	0,010		
43	Lift Difference Nose - Lobe 17	0,000		0,000	0,010		
44	Lift Difference Nose - Lobe 18	0,000		0,000	0,010		
45	Lift Difference Ramp - Lobe 1	0,000		0,000	0,010		
46	Lift Difference Ramp - Lobe 2	0,000		0,000	0,010		
47	Lift Difference Ramp - Lobe 3	0,000		0,000	0,010		
48	Lift Difference Ramp - Lobe 4	0,000		0,000	0,010		



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME		MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	Lift Difference Ramp - Lobe 5	0,000		0,000	0,010		
2	Lift Difference Ramp - Lobe 6	0,000		0,000	0,010		
3	Lift Difference Ramp - Lobe 7	0,000		0,000	0,010		
4	Lift Difference Ramp - Lobe 8	0,000		0,000	0,010		
5	Lift Difference Ramp - Lobe 9	0,000		0,000	0,010		
6	Lift Difference Ramp - Lobe 10	0,000		0,000	0,010		
7	Lift Difference Ramp - Lobe 11	0,000		0,000	0,010		
8	Lift Difference Ramp - Lobe 12	0,000		0,000	0,010		
9	Lift Difference Ramp - Lobe 13	0,000		0,000	0,010		
10	Lift Difference Ramp - Lobe 14	0,000		0,000	0,010		
11	Lift Difference Ramp - Lobe 15	0,000		0,000	0,010		
12	Lift Difference Ramp - Lobe 16	0,000		0,000	0,010		
13	Lift Difference Ramp - Lobe 17	0,000		0,000	0,010		
14	Lift Difference Ramp - Lobe 18	0,000		0,000	0,010		
15	Lift Error Nose - Lobe 1	0,000		0,000	0,100		
16	Lift Error Nose - Lobe 2	0,000		0,000	0,100		
17	Lift Error Nose - Lobe 3	0,000		0,000	0,100		
18	Lift Error Nose - Lobe 4	0,000		0,000	0,100		
19	Lift Error Nose - Lobe 5	0,000		0,000	0,100		
20	Lift Error Nose - Lobe 6	0,000		0,000	0,100		
21	Lift Error Nose - Lobe 7	0,000		0,000	0,100		
22	Lift Error Nose - Lobe 8	0,000		0,000	0,100		
23	Lift Error Nose - Lobe 9	0,000		0,000	0,100		
24	Lift Error Nose - Lobe 10	0,000		0,000	0,100		
25	Lift Error Nose - Lobe 11	0,000		0,000	0,100		
26	Lift Error Nose - Lobe 12	0,000		0,000	0,100		
27	Lift Error Nose - Lobe 13	0,000		0,000	0,100		
28	Lift Error Nose - Lobe 14	0,000		0,000	0,100		
29	Lift Error Nose - Lobe 15	0,000		0,000	0,100		
30	Lift Error Nose - Lobe 16	0,000		0,000	0,100		
31	Lift Error Nose - Lobe 17	0,000		0,000	0,100		
32	Lift Error Nose - Lobe 18	0,000		0,000	0,100		
33	Lift Error Ramp - Lobe 1	0,000		0,000	0,050		
34	Lift Error Ramp - Lobe 2	0,000		0,000	0,050		
35	Lift Error Ramp - Lobe 3	0,000		0,000	0,050		
36	Lift Error Ramp - Lobe 4	0,000		0,000	0,050		
37	Lift Error Ramp - Lobe 5	0,000		0,000	0,050		
38	Lift Error Ramp - Lobe 6	0,000		0,000	0,050		
39	Lift Error Ramp - Lobe 7	0,000		0,000	0,050		
40	Lift Error Ramp - Lobe 8	0,000		0,000	0,050		
41	Lift Error Ramp - Lobe 9	0,000		0,000	0,050		
42	Lift Error Ramp - Lobe 10	0,000		0,000	0,050		
43	Lift Error Ramp - Lobe 11	0,000		0,000	0,050		
44	Lift Error Ramp - Lobe 12	0,000		0,000	0,050		
45	Lift Error Ramp - Lobe 13	0,000		0,000	0,050		
46	Lift Error Ramp - Lobe 14	0,000		0,000	0,050		
47	Lift Error Ramp - Lobe 15	0,000		0,000	0,050		
48	Lift Error Ramp - Lobe 16	0,000		0,000	0,050		



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME		MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	Lift Error Ramp - Lobe 17	0,000		0,000	0,050		
2	Lift Error Ramp - Lobe 18	0,000		0,000	0,050		
3	Meas Diam - A	84,953	85,482	84,968	84,983	0,529	0,499
4	Meas Diam - B	84,953		84,968	84,983		
5	Meas Diam - C	84,953		84,968	84,983		
6	Meas Diam - D	84,953		84,968	84,983		
7	Meas Diam - E	84,953		84,968	84,983		
8	Meas Diam - F	84,953		84,968	84,983		
9	Meas Diam - G	84,953		84,968	84,983		
10	Parallelism - Lobe 1	0,000		-0,015	0,015		
11	Parallelism - Lobe 2	0,000		-0,015	0,015		
12	Parallelism - Lobe 3	0,000		-0,015	0,015		
13	Parallelism - Lobe 4	0,000		-0,015	0,015		
14	Parallelism - Lobe 5	0,000		-0,015	0,015		
15	Parallelism - Lobe 6	0,000		-0,015	0,015		
16	Parallelism - Lobe 7	0,000		-0,015	0,015		
17	Parallelism - Lobe 8	0,000		-0,015	0,015		
18	Parallelism - Lobe 9	0,000		-0,015	0,015		
19	Parallelism - Lobe 10	0,000		-0,015	0,015		
20	Parallelism - Lobe 11	0,000		-0,015	0,015		
21	Parallelism - Lobe 12	0,000		-0,015	0,015		
22	Parallelism - Lobe 13	0,000		-0,015	0,015		
23	Parallelism - Lobe 14	0,000		-0,015	0,015		
24	Parallelism - Lobe 15	0,000		-0,015	0,015		
25	Parallelism - Lobe 16	0,000		-0,015	0,015		
26	Parallelism - Lobe 17	0,000		-0,015	0,015		
27	Parallelism - Lobe 18	0,000		-0,015	0,015		
28	Roundness - A	0,000		0,000	0,010		
29	Roundness - B	0,000		0,000	0,010		
30	Roundness - C	0,000		0,000	0,010		
31	Roundness - D	0,000		0,000	0,010		
32	Roundness - E	0,000		0,000	0,010		
33	Roundness - F	0,000		0,000	0,010		
34	Roundness - G	0,000		0,000	0,010		
35	Runout - A	0,000		0,000	0,100		
36	Runout - B	0,000		0,000	0,100		
37	Runout - C	0,000		0,000	0,100		
38	Runout - D	0,000		0,000	0,100		
39	Runout - E	0,000		0,000	0,100		
40	Runout - F	0,000		0,000	0,100		
41	Runout - G	0,000		0,000	0,100		
42	Taper Error - Lobe 1	0,000		-0,020	0,020		
43	Taper Error - Lobe 2	0,000		-0,020	0,020		
44	Taper Error - Lobe 3	0,000		-0,020	0,020		
45	Taper Error - Lobe 4	0,000		-0,020	0,020		
46	Taper Error - Lobe 5	0,000		-0,020	0,020		
47	Taper Error - Lobe 6	0,000		-0,020	0,020		
48	Taper Error - Lobe 7	0,000		-0,020	0,020		



Part name
C.C. / Device
Part ident
Time/Date

2960401 / OP_100
/3445/Adcole
15/08/2026 10:35

	CHARACTERISTIC NAME		MEASURED VALUE	LOWER LIMIT	UPPER LIMIT	DEVIATION	EXCEEDANCE
1	Taper Error - Lobe 8	0,000		-0,020	0,020		
2	Taper Error - Lobe 9	0,000		-0,020	0,020		
3	Taper Error - Lobe 10	0,000		-0,020	0,020		
4	Taper Error - Lobe 11	0,000		-0,020	0,020		
5	Taper Error - Lobe 12	0,000		-0,020	0,020		
6	Taper Error - Lobe 13	0,000		-0,020	0,020		
7	Taper Error - Lobe 14	0,000		-0,020	0,020		
8	Taper Error - Lobe 15	0,000		-0,020	0,020		
9	Taper Error - Lobe 16	0,000		-0,020	0,020		
10	Taper Error - Lobe 17	0,000		-0,020	0,020		
11	Taper Error - Lobe 18	0,000		-0,020	0,020		