## VISIT LOTAL GHANA for more questions

## WEB TECHNOLOGY (WEB DEVELOPMENT) QUESTIONS COMPILED BY LOTAL GHANA - 2021

## **QUESTIONS ON WEB DEVELOPMENT**

1. HTML stands for	-	
2. CSS is used to control a website's		
3. JavaScript is a	language.	
4. PHP is a	language.	
5. A web framework is a set of tools and libra	ries used to	
web applications.		
6. A content management system (CMS) allo	ws users to	
	content on a website.	
7. A web server is responsible for	web pages to	
users.		
8. A database is used to store and manage _	data.	
9. APIs allow different systems to	with each other.	
10. Responsive design ensures that websites	s are optimized for	
device	es.	
	_ (HTTP) is the foundation of the web.	
12. CSS Grid is used for	layouts.	
13. JavaScript's	(DOM) is used to manipulate web pages.	
14. Ruby on Rails is a	web framework.	
15. WordPress is a popular	CMS.	
16. MySQL is a	database management system.	

**VISIT LOTAL GHANA FOR MORE QUESTIONS** 

17. RESTful APIs use	HTTP methods.
18. Angular is a	front-end framework.
19. Vue.js is a	progressive framework.
20. Bootstrap is a popular	framework.
21. GraphQL is a	query language.
22. CSS Flexbox is used for	layouts.
23. Webp <mark>ac</mark> k is a	module bundler.
24. TypeScript is a	programming language.
25. React Router is a	routing library.
26. Gatsby is a	site generator.
27. Sass is a	CSS preprocessor.
28. WebSockets enable	communication.
29. MongoD <mark>B is a</mark>	NoSQL database.
30. Docker is a	containerization platform.
31. Service Workers are used for	caching.
32. WebAssembly is a	binary format.
33. PWA (Progressive Web App) is a	web
application.	
34. CSS Variables are used for	styling.
35. Webpack is a	
36. TypeScript is a	superset of JavaScript.
37. GraphQL is a	query language.
38. Firebase is a	backend platform.
39. SASS is a	CSS preprocessor.

VISIT LOTAL GHANA for more questions

40. Resilient Web Design is a book about	
design.	
41. ARIA attributes are used for	accessibility.
42. Webpack's Module Bundling is used for	
optimization.	
43. Svelte is a	_ front-end framework.
44. WebVR is a	virtual reality standard.
45. PWA's Service Worker is used for	offline
support.	
46. CSS Grid is used for	layouts.
47. TypeScript's type checking is used for	code
quality.	
48. GraphQL's queries are used for	data retrieval.
49. Docker's containers are used for	application
isolation.	
50. Responsive Web Design is a technique for	
layouts.	
Answers are provided for questions 51 to 100	
51. Accessibility guidelines are outlined in the	
(WCAG).	
52. Browser caching is managed through the	
(HTTP) headers.	
53. CSS Flexbox is used for	layouts (flexible box).
VISIT LOTAL CHANA FOR MORE OLIESTIONS	2021

code
(types).
(types and
(app name,
(WebGL) graphics library.
(Linux) kernel.
(types).
(data fetching).
(network requests).
(WebGL
(registry).

VISIT LOTAL GHANA for more questions	
69. Responsive Web Design adapts to	(screen
sizes).	
70. Progressive Web Apps are built using	(modern
web technologies).	
71. CSS Media Queries are used for	(responsive
design).	
72. Webpack's Hot Module Replacement (HMR) enables	
(instant code updates).	
73. TypeScript's interfaces are used for	(type
checking).	
74. GraphQL's subscriptions enable	(real-time
updates).	
75. Service Workers can cache resources from	
(different origins).	
76. PWA's Web App Manifest defines	(app
metadata).	
77. WebVR's Three.js library provides	(3D
rendering).	
78. Docker Compose is used for	( <mark>multi</mark> -container
applications).	
79. Responsive Web Design uses	(flexbox and
grid).	
80. Progressive Web Apps are optimized for	
(mobile devices).	
VISIT LOTAL GHANA FOR MORE QUESTIONS	202:

81. CSS Grid Template Areas are defined using the	
(gı	id-template-areas) property.
82. Webpack's Code Splitting can create	
(separate bundles).	
83. TypeScript's Type Inference can infer	(types
from code).	
84. GraphQL's Mutations are used for	(data
manipulation).	
85. Service Workers can handle	(push
notifications).	
86. PWA's Web App Manifest includes	(icons a <mark>nd</mark>
splash screens).	
87. WebVR's A-Frame library provides	(VR
components).	
88. Docker Swarm is used for	(container
orchestration).	
89. Responsive Web Design uses	(media qu <mark>eri</mark> es
and breakpoints).	
90. Progressive Web Apps are built using	(modern
web standards).	
91. CSS Flexbox is used for	(flexible layouts).
92. Webpack's Module Bundling creates	
(optimized bundles).	

VISIT LOTAL GHANA for more questions	
93. TypeScript's Type Checking ensures	(correct
types).	
94. GraphQL's Queries are used for	(data
retrieval).	
95. Service Workers can cache resources from	
(different domains).	
96. PWA's Web App Manifest includes	(app
metadata).	
97. WebVR's Three.js library provides	(3D
graphics).	
98. Docker Compose is used for	<mark>(mu</mark> lti-containe <mark>r</mark>
deployment).	
99. Responsive Web Design adapts to	(different
screen sizes).	
100. Progressive Web Apps are built using	_//
(modern web technologies).	

VISIT LOTAL GHANA for more questions

