


for the CEPC Collaboration
at National Central University, Chungli, Taiwan

the understanding of
and Gerv with the dance


DEFINITION of \mathcal{F}_t

simulation which contains 100 events.



REV. 8. 11

Genotype	Genotype	Genotype
...



(g) shows the reconstructed dyet invariant mass distribution for the $\Lambda^0 \rightarrow p \pi^-$ channel. The Λ^0 signal is clearly visible as a peak at $m_{\Lambda^0} \approx 1115$ MeV.

[illegible]

- Developing important tools for indirect information to probe new

LATEST RESULTS of W-BOSON MASS MEASUREMENT


ISSUE	DATE	PRICE
NOVEMBER 1994	NOVEMBER 1994	\$5.00

- *Expenditure*

and/or inclusion in ERIC database.

- Events in forward reg. combinations

-




Copyright © 2004 by John Wiley & Sons, Inc.



(a) shows 20 energy scales (20°) between angles derived from the computed in-


Year	1990	1991	1992	1993
1990	1990	1991	1992	1993

major factors affecting the JX and/or JCI are yet, fewer complex algorithms, as well as the stability and uniformity of the data.



The performance of JER and COMPARE with UNC. CEPC conceptual detector is compared with the other two detectors.

... ..



1. 1000

10

Operation	\sqrt{a}
-----------	------------

Supplemental
www.elsevier.com/locate/jad
