

Jet Reconstruction at CEPC

Pei-Zhu Lai¹, Bo Liu², Mo Xin², Man-Qi Ruan², Chia-Ming Kuo¹, for the CEPC Collaboration ¹Department of Physics, National Central University, Chung-li, Taiwan ²Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China




The understanding of both the energy scale and resolution of the jet is crucial for many physical analyses. The study of them are achieved by the Circular Electron-Positron Collider (CEPC) simulation at 250 GeV.

Items

Definition of Simulation Stage

To study the performance of the jet reconstruction at CEPC, we look at the simulation which contains MC particles (MCP), particle jet (Gen jet), and reconstruction particle jet (Reco jet). Both Gen jet and Reco jet are clustered by the ee_kt jet clustering algorithm.[1-2]



Event Selection

A peak when Gen jet θ greater than 3.1 was caused a bug in simulation software. Thus, this region was excluded in this study. To reduce the influence from jet clustering when we studied the detector response, $\Delta R(Reco-MCP) < 0.1$ was required.


JER/JES(Reco-Gen) JER/JES(Gen-MCP)

	Gen jet θ < 3.1		
	ΔR(Reco-MCP) < 0.1	√	X
12 12 10 8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Efficiency= # of leftover even # of total even	efficiencies as the function of the ΔR .

Results

JER & JES Between each Stage

JER/JES between Gen jet and MCP mainly represents jet clustering algorithm performance. Even though the core part performance is the best one, its tail parts have the worst performance. This implies us that the jet clustering algorithm can be the significant uncertainty, no matter how we improve the detector. JER/JES between Reco jet and Gen jet mainly represents detector response. From these results, we know the state of the detector is excellent. JER/JES between Reco jet and MCP would combine the previous two results' effects. It teaches us that the total effects of jet final state will bring.



Boson Mass distribution in dijet final states

leading jet performance and the second row is the sub-leading ones.

Z, W and Higgs boson in dijet final states can achieve nice separation at CEPC.[5]




Fig. 4. (left) Dijet invariant masses at CEPC (right) Dijet invariant masses at ATLAS

Angle and Energy Dependence of JER & JES

Along the pseudo-rapidity, JES increases significantly in the overlap part between endcap and barrel. Both JER and JES are large in endcaps than barrel. Interestingly, leading JES is systematically higher than sub-leading and the condition becomes opposite in JER.





Fig. 5. JER and JES at different direction and energy range.

Comparison with CMS at LHC and ALEPH at LEP

The performance of JER is compared with CMS at LHC and ALEPH at LEP. CEPC detector is 2-4 times better than CMS and 2-3 times better than ALEPH. [3-4]



Conclusion

- *Preliminary results for JER and JES were presented at CEPC.
- *CEPC shows excellent JER(~4%) and JES(~1%).
- *Good jet energy resolution leads to nice boson mass separation.
- *The improvement of jet clustering algorithm will be conducted.
- *These results are being summarized in a paper and will be submitted to EPJC soon.

^[1] M Cacciari et al., FastJet user manual, CERN-PH-TH/2011-297 (2011). ArXiv: 1111.6097 [hep-ph]

^[2] http://cms.web.cern.ch/tags/particle-jet [4] https://goo.gl/ZvTvoy [5] CERN-PH-2015-194 [3] CMS collaboration, CERN-PH-EP/2015-305, CMS-JME-13-004, ArXiv: 1607.03663 [hep-ex]