

Sensitivity of core results to Rousseau et al. KS-window catalogue

Green p-value cells are significant at 0.05; red cells are not significant. The final column flags whether the significance decision is unchanged.

Event	Test	0.4-4 kyr	0.6-4 kyr	Same decision
Strong	Randomness: Poisson null	0.083 (n.s.)	0.460 (n.s.)	yes
Strong	Randomness: fixed-N null	0.049 (sig)	0.414 (n.s.)	no
Strong	Rayleigh: precession phase	0.0019 (sig)	0.0010 (sig)	yes
Strong	Poisson: LR04+CO2 after adjusted baseline	0.0010 (sig)	0.0017 (sig)	yes
Strong	Poisson: phase after adjusted LR04+CO2	5.2e-05 (sig)	8.8e-06 (sig)	yes
Strong	Poisson: LR04 after adjusted CO2+phase	0.072 (n.s.)	0.047 (sig)	no
Strong	Poisson: CO2 after adjusted LR04+phase	0.332 (n.s.)	0.403 (n.s.)	yes
Strong	Poisson: full model vs adjusted baseline	9.5e-07 (sig)	2.8e-07 (sig)	yes
Weak	Randomness: Poisson null	0.028 (sig)	0.217 (n.s.)	no
Weak	Randomness: fixed-N null	0.0082 (sig)	0.167 (n.s.)	no
Weak	Rayleigh: precession phase	0.0027 (sig)	0.0012 (sig)	yes
Weak	Poisson: LR04+CO2 after adjusted baseline	1.9e-05 (sig)	0.0004 (sig)	yes
Weak	Poisson: phase after adjusted LR04+CO2	0.0007 (sig)	0.0003 (sig)	yes
Weak	Poisson: LR04 after adjusted CO2+phase	0.665 (n.s.)	0.904 (n.s.)	yes
Weak	Poisson: CO2 after adjusted LR04+phase	0.012 (sig)	0.022 (sig)	yes
Weak	Poisson: full model vs adjusted baseline	2.6e-07 (sig)	2.1e-06 (sig)	yes