
CCM temporal screen: 100 matched libraries; both directions checked independently
Original uniform: linear
X → Y: p0=0.0396, compatible
past=100%, future=0%
Y → X: p0=0.0099, incompatible
past=0%, future=100%
Original uniform: nonlinear
X → Y: p0=0.0396, compatible
past=100%, future=0%
Y → X: p0=0.0099, incompatible
past=0%, future=100%
Original uniform: independent
X → Y: p0=0.624, incompatible
past=7%, future=93%
Y → X: p0=0.574, unresolved
past=26%, future=0%
Irregular, accurate ages: linear
X → Y: p0=0.0396, compatible
past=100%, future=0%
Y → X: p0=0.0099, incompatible
past=0%, future=100%
Irregular, accurate ages: nonlinear
X → Y: p0=0.0396, compatible
past=100%, future=0%
Y → X: p0=0.0099, incompatible
past=0%, future=100%
Irregular, accurate ages: independent
X → Y: p0=0.663, unresolved
past=24%, future=74%
Y → X: p0=0.564, unresolved
past=3%, future=0%
Cross-map skill (rho)
Cross-map lag (yr)
X → Y
Y → X
Historical embedding span
Bands: library SD, not confidence. Scan uses common anchors; original p0 does not test the selected peak.