DIFFERENCIATOR MACHINE

Makson from 225




Рис. 1: Get your funtion

1 Showing the source tree

Your function is $F = e^{2 \cdot x}$

2 Finding function at the point

Your function is $F = e^{2 \cdot x}$. The value of your function at 0: F(0) = 1

3 Getting derivative

$$(e^{2\cdot x})' = e^{2\cdot x} \cdot (0 \cdot x + 2 \cdot 1)$$
 Oh shit, it so deep...
$$(e^{2\cdot x})' = e^{2\cdot x} \cdot (0 + 2)$$
 Oh shit, it's depper than before
$$(e^{2\cdot x})' = e^{2\cdot x} \cdot 2$$
 Fuck, i'm cumming from this calculations
$$(e^{2\cdot x})' = e^{2\cdot x} \cdot 2$$
 It was the best sex.., xm, differenciation ever

4 Getting derivative at the point

Your function is $F = e^{2 \cdot x} \cdot 2$. The value of your function at 0: F(0) = 2




Рис. 2: Get your funtion

5 Showing the Diff tree

Your function is $F = e^{2 \cdot x} \cdot 2$

6 Makclurin formula

I like big expressions XD

$$e^{2 \cdot x} = 1 + 2x + \frac{4x^2}{2!} + \frac{8x^3}{3!} + \frac{16x^4}{4!} + \frac{32x^5}{5!} + o(x^5)$$