

# Quiz 04: Forms and Positioning

**Due** Oct 6, 2023 at 2:59am**Points** 8**Questions** 8**Time Limit** None

## Attempt History

	Attempt	Time	Score
LATEST	<u>Attempt 1</u>	57 minutes	8 out of 8

Score for this quiz: **8** out of 8

Submitted Oct 5, 2023 at 5:49pm

This attempt took 57 minutes.

### Question 1

**1 / 1 pts**

The action attribute of the form element does what?

- ☐ is the name of the form for javascript

**Correct!**

holds the url that the data will be submitted to (and the "page" that will be displayed as a result



says what HTTP type to use



Says whether to put the data in the url or the body of the request

## Question 2

**1 / 1 pts**

The method attribute of the form element does what?



Sends what HTTP Method to use to submit the data



Says whether the form is requesting info from the user or sending info to the user



Says what url to send the form data to



is the name of the form for javascript

**Correct!**

## Question 3

**1 / 1 pts**

Which statement is most true of the label element?

- ☐ The label element must have the same name as an input element
- ☐ The label element isn't needed if you provide text just before an input element
- ☐ The label element must have a for attribute
- ☒ The label provides a semantic label to a single piece of form data

**Correct!**

#### Question 4

1 / 1 pts

Which statement is most true of input elements?

- ☐ An input element must have an explicit type attribute to meaningfully send data
- ☐ An input element must have an id attribute to work with label elements
- ☒ An input element needs a name attribute to meaningfully send data
- ☐ An input element is the only way to add form fields to send data

**Correct!**

**Question 5****1 / 1 pts**

Which statement is NOT true of select elements?

- ☐ A select element normally renders as a dropdown menu
- ☐ A select element will always render with one of the option children selected (default is the first)
- ☐ A select element has a name attribute to associate the option values with
- ☒ A select element has option child elements, and they will have name and value attributes

**Correct!****Question 6****1 / 1 pts**

Which of the following is NOT a valid value for the CSS position property?

**Correct!**

- ☐ static
- ☐ fixed
- ☐ absolute
- ☐ sticky
- ☐ relative
- ☒ float

**Question 7****1 / 1 pts**

If you need to make an element render on top of other elements, which position property value are you most likely to use on that element?

**Correct!**

- ☐ float
- ☐ static
- ☒ absolute
- ☐ relative

**Question 8****1 / 1 pts**

Why are you likely to need a positioned container?

☐ Positioned containers should be avoided, use flex or grid instead

☐ To make the position of a fixed position element relative to the positioned container instead of relative to the document

☐ Positioned containers capture all the text that overflows from fixed-width elements

**Correct!**

☒ To make the position of an absolutely positioned element relative to the positioned container instead of relative to the document

**Quiz Score: 8 out of 8**