


Project Topics & Knowledge Check Preparation

**Advanced Practical Course – Next Generation Data Center Operations
for SAP Enterprise Software (IN2128, IN2106, IN212810)**

**Simon Fuchs, Maximilian Niedermeier,
Noah Kim, Leon Kist**

SAP University Competence Center
Information Systems and Business Process Management
TUM School of Computation, Information and Technology
Technical University of Munich

22 April, 2026



Agenda

- I. Knowledge Check Preparation**
- II. Group Formation**
- III. Topics for the Project Phase**



Generated using Perplexity.AI Pro

Knowledge Check Preparation

Knowledge Check

- After block teaching phase
- Regarding the past lectures
- Multiple choice test
- 20 min for 15 questions + 2 bonus questions
- Presentation slides are uploaded to moodle



Source: https://play-lh.googleusercontent.com/aetblllRR6HBOihY9v0kcYnazYWwkPc_SpaQFkYggR4b252uw-W2sCB7yiw0N2TOLvyy2C_al0=w1296-h2160-rw

Points	Grade
17-15	1,0
14	1,3
13	1,7
12	2,0
11	2,3
10	2,7
9	3,0
8	3,3
7	3,7
6	4,0
5-0	5,0

Exemplary Questions

The SAP UCC provides several services to its partners. Which of the following does the UCC NOT provide? (2 correct Answers)

- ☐ SAP Hosting
- ☐ On-site software support
- ☐ Support to its services
- ☐ Hyper-scaling

In case an LPAR is assigned the processor type "Dedicated-Donating", then ... (2 correct Answers)

- ☐ Whole processors are assigned to this LPAR.
- ☐ Whole processors are exclusively reserved and never given to any other LPAR.
- ☐ The LPAR donates spare processors back to the Shared Processor Pool.
- ☐ The LPAR donates spare processors to LPARs that are assigned a dedicated processor.

Exemplary Questions

The SAP UCC provides several services to its partners. Which of the following does the UCC NOT provide? (2 correct Answers)

- ☐ SAP Hosting
- ☒ On-site software support
- ☐ Support to its services
- ☒ Hyper-scaling

In case an LPAR is assigned the processor type "Dedicated-Donating", then ... (2 correct Answers)

- ☒ Whole processors are assigned to this LPAR.
- ☐ Whole processors are exclusively reserved and never given to any other LPAR.
- ☒ The LPAR donates spare processors back to the Shared Processor Pool.
- ☐ The LPAR donates spare processors to LPARs that are assigned a dedicated processor.

Group Formation

What to consider?

A Group should:

- consist of 3-4 members (= 4 groups in total)
- comprise diverse profiles (not 4 coders, etc.)
- stand together (and fall together)

Group members should:

- like the same topic
- like each other (helps a lot)
- work cooperatively
- Do their fair share of work



Image generated with Perplexity.AI Pro

Group Formation in TUM Moodle

Please, use the dedicated forum in moodle: <https://www.moodle.tum.de/mod/forum/view.php?id=3798130>

?

Foren durchsuchen

Neues Thema hinzufügen

Thema

Begonnen vor

☆

[Example: Group 0 - Supervisors - Topic-Preference: "Course Supervision"](#)

 Simon Fu
20. Apr. 2

Example: Group 0 - Supervisors - Topic-Preference: "Course Supervision"

Anzeige in geschachtelter Form

Das Thema verschieben nach ...

Verschieben

Einstellungen



Example: Group 0 - Supervisors - Topic-Preference: "Course Supervision"

von [Simon Fuchs](#) - Montag, 20. April 2026, 14:15

This entry serves as example, how you should format your threads for group formation.

Dauerlink

Bearbeiten

Löschen

Antworten



Re: Example: Group 0 - Supervisors - Topic-Preference: "Course Supervision"

von [Simon Fuchs](#) - Montag, 20. April 2026, 14:17

I (s.t.fuchs@tum.de) will be part of this group, also Noah (noah.kim@tum.de) will be part of this group.

Dauerlink

Ursprungsbeitrag

Bearbeiten

Thema teilen

Löschen

Antworten



Re: Example: Group 0 - Supervisors - Topic-Preference: "Course Supervision"

von [Simon Fuchs](#) - Montag, 20. April 2026, 14:18

Oh, and Leon (leon.kist@tum.de) joined this group.

Dauerlink

Ursprungsbeitrag

Bearbeiten

Thema teilen

Löschen

Antworten

Topics for the Project Phase

Automated SSL certificate management for the UCC SAP Landscape

Topic Supervisor: Noah

Problem:

- SSL certificate management is currently manual at the UCC
- SSL certificates' period of validity decreases

Requirements:

- Certificates are provided every 6 month by ITO-developed tool rbg-cert, in the future period of validity decreases to 3 months
- Certificates must be automatically managed, maintained and uploaded in UCC systems:
 - S/4HANA Application Servers
 - SAP Webdispatchers
 - IBM HMC
 - IBM Flashsystems




Image generated with Perplexity.AI Pro

Access Control UCC Security Overhaul: LDAP Prototype

Topic Supervisor: Leon & Max

Problem:

- Currently, the UCC relies on manual (VM-based) access control and broad permissions for workers (assistant workers with root permissions, etc.)
- Password changes are very arduous

Requirements:

- Use the LDAP protocol for a centralized access concept
- Create automation for centralized access control to
 - OS-Level (LPARs)
 - Management-Layer (HMC, Storage, SAN)
 - S/4HANA Systems




Image generated with Perplexity.AI Pro

ERP Data Center Operation Automation: S/4HANA Post-Installation-Configuration

Topic Supervisor: Simon

Problem:

- Currently, the UCC Basis Team has to manually configure each S/4HANA System after installing it from an image database backup
- Since the UCC installs >20 S/4HANA Systems per year, the caused workload by post-installation configuration is substantial

Requirements:

- Determine which tools can help automating the post-installation configuration processes
- Determine which post-installation configuration tasks can be (easily) automated
- Implement as much automation as you can.



Upper Image from:
<https://www.freelogovectors.net/sap-s-4hana-logo/>
Lower Image generated with Perplexity.AI Pro

Agentic Log Analyzer for Linux running on Power


Topic Supervisor: Henrik (IBM)

Problem:

- Diagnosing system issues on Linux on Power today relies heavily on manual inspection by experienced engineers
- This makes makes root cause analysis slow, error-prone, and difficult to scale — especially as infrastructure complexity grows.
- In todays landspace, there is little use of AI-Agents to analyse logs on Power systems

Requirements:

- Determine interesting Logs which should be analyzed by AI (networking, CPU usage etc..)
- Implement a PoC with AI-Agents which analyze these „interesting“ logs
- Bonus: Implement the “backend“ LLM directly on Power



```
Jun 24 13:45:50 haproxy app-http.txt: 202.96.29.111 [30:01:47:34] "GET
Jun 24 13:45:51 haproxy app-http.txt: bettong.client.uq.oz.au [30:01:47
Jun 24 13:45:53 haproxy app-http.txt: ix-eve-wa2-02.ix.netcom.com [30:0
Jun 24 13:45:53 haproxy app-http.txt: 202.96.29.111 [30:01:47:38] "GET
Jun 24 13:45:54 haproxy app-http.txt: 202.96.29.111 [30:01:48:04] "POST
Jun 24 13:45:54 haproxy app-http.txt: 202.96.29.111 [30:01:48:16] "GET
Jun 24 13:45:55 haproxy app-http.txt: dd14-034.compuserve.com [30:01:48
Jun 24 13:45:57 haproxy app-http.txt: www-c8.proxy.aol.com [30:01:48:25
Jun 24 13:45:58 haproxy app-http.txt: bettong.client.uq.oz.au [30:01:48
Jun 24 13:54:14 farm-trivia-72 app/web.1: User Load (1.2ms) SELECT
Jun 24 13:54:14 farm-trivia-72 app/web.1: (1.3ms) SELECT COUNT(*) FROM
Jun 24 13:54:14 farm-trivia-72 heroku/router: at=info method=GET path="/
Jun 24 13:54:14 farm-trivia-72 app/web.1: Product Load (1.4ms) SELECT
Jun 24 13:54:14 farm-trivia-72 app/web.1: User Load (1.4ms) SELECT
Jun 24 13:54:14 farm-trivia-72 app/web.1: (1.2ms) SELECT COUNT(*) FROM
Jun 24 13:54:14 farm-trivia-72 app/web.1: method=GET path="/a/ format=html
Jun 24 13:54:16 farm-trivia-72 heroku/router: at=info method=GET path="/
Jun 24 13:54:16 farm-trivia-72 app/web.1: Product Load (1.7ms) SELECT
Jun 24 13:54:16 farm-trivia-72 app/web.1: User Load (1.2ms) SELECT
Jun 24 13:54:16 farm-trivia-72 app/web.1: (1.3ms) SELECT COUNT(*) FROM
Jun 24 13:54:16 farm-trivia-72 app/web.1: method=GET path="/a/product fo
Jun 24 13:57:03 core-db-01.sjc sshd: Accepted publickey for samantha fr
Jun 24 13:57:03 core-db-01.sjc sshd: pam_unix(sshd:session): session op
```

Upper Image from:

<https://www.papertrail.com/solution/linux-log-analyzer/>

Automation of Quote to Cash with Entity Extraction


Topic Supervisor: Henrik (IBM)

Problem:

- Sales agents today manually enter quote and order data into SAP or CRM systems based on customer interactions — emails, calls, or documents — a process that is slow, inconsistent, and heavily dependent on individual accuracy.
- This creates a high risk of data entry errors that cascade through the entire Q2C process.
- There is no automated solution that can intelligently read customer interactions, extract the relevant entities, and populate the corresponding fields in the system

Requirements:

- The system must be capable of ingesting customer-facing input and automatically extracting key entities (customer name etc.)
- An AI agent must map the extracted entities to the correct fields in the target system (SAP / CRM)



Please upload only PO pdf document in the below upload button.

Upload PO

Uploaded file: ID-00465463.pdf

PO Number	PO Received Date
PO-TR-FSSB-000744	2025-11-04
Identified by watsonX	Identified by watsonX
PO Amount (without tax)	Currency
133920	MYR
Identified by watsonX	Identified by watsonX
Customer Name	Country
FIRST SOLUTION SDN BHD	Malaysia
Identified by watsonX	Identified by watsonX
Customer ID	
Click on Fetch button to get the customer ID	
Fetch	

Time for questions



Thank you for your attention!

