Analysis of Heatpumps

Submitted to the
Albert-Ludwigs-Universität Freiburg

by Leander Marius Bürkin



universität freiburg

Bachelor's Thesis

2. Add as many bigskips as needed.

Submitted on **October 2, 2026**
to the **Albert-Ludwigs-Universität Freiburg**
by **Felix Rüdlin** (5135279)
Examined by **Prof. Dr. Hannah Bast**

Chair of Algorithms and Data Structures
Department of Computer Science (IIF)
Faculty of Engineering
Albert-Ludwigs-Universität Freiburg

Declaration

I hereby declare, that I am the sole author and composer of my thesis and that no other sources or learning aids, other than those listed, have been used.

Furthermore, I declare that I have acknowledged the work of others by providing detailed references of said work.

I also hereby declare that my thesis has not been prepared for another examination or assignment, either in its entirety or excerpts thereof.

Freiburg, October 2, 2026

Place, date	Felix Rüdlin

Acknowledgements

Thanks to my supervisor Max Mustermensch .

Further thanks go to the corporate design team at the Albert-Ludwigs-Universität Freiburg and Leander Marius Bürkin for this LaTeX-template.

Abstract

Summarize the paper in a paragraph and the result

Zusammenfassung

Contents

1 Introduction **1**

2 Related Work **2**

3 Background **3**

4 Methodology **4**

5 Results **5**

6 Discussion **6**

7 Conclusion **7**

7.1 Tables and References 8
7.2 Auto-complete in VSCode 8
7.3 ”, Quotations and Code 9
7.4 Clipboard Manager, Git and more 10
7.5 Glossary 10

Symbols **I**

List of Figures **II**

List of Tables **III**

List of Algorithms **IV**

Glossary **V**

References **VI**

Appendix **VII**

1 Introduction

Summarize the work for a non-expert over a few pages. Include Motivation for work

2 Related Work

Go over other papers similar to this and summarize them quickly. Sparqlscope etc

3 Background

Define basic concepts needed to understand the paper

4 Methodology

Go over the setup of performance benchmark. Datasets. Conversion of the DBLP dataset to relational. Cache clearing. Reference to fair benchmarking.

5 Results

Go over the results and show the results in different graphics.

6 Discussion

7 Conclusion

ToDos

Select the correct language in the first rows of `main.tex`. The % makes a line a comment.

Generate a PDF (Visual Studio Code: click on the green arrow in the top right corner).

Check the PDF (Visual Studio Code: click on the two rectangles with the magnifying glass in the top right corner).

With CTRL pressed you can click on the PDF and jump to the corresponding place in your `.tex` files.

Check the Errors. (Visual Studio Code: bottom left) There should be one warning because the first ToDo pushes down the second one: `LaTeX Marginpar on page 2 moved.`

In the `main.tex` you can press ALT + SHIFT and the ARROW UP and DOWN keys to create a multiline cursor, comment out all the sections you are currently not working on and remove the multiline cursor with ESC.

Keep the following examples and todos till the end and check them out sometimes.

Adjust your License Notes to reflect the used programs.

For Printing: Remove the `todonotes`-package in `setup.tex` to find all ToDos.

For Printing: Choose the correct formating (search `print` in `setup.tex`).

You can remove the glossary and the symbolslist to make it easier, especially in a Bachelor's Thesis.

Table 1: A nice table with a nice caption.

Value & Unit	Value	Unit
$9.82\,\mathrm{m\,s^{-2}}$	9.82	$\mathrm{m\,s^{-2}}$

7.1 Tables and References

Table 1

This is a cited book [1].

Store and display plots and other graphs as `.pdf` files.

Include Algorithm 1 in the same way you include equations like Equation 1:

$$\begin{aligned} y &= 3x^2 + 5x^2 + 4x + 4x + 7 + 1 \\ &= 8x^2 + 8x + 8 \\ y &= 8 \cdot (x^2 + x + 1) \end{aligned} \tag{1}$$

7.2 Auto-complete in VSCode

There are also some auto-complete features: type @ + letter to get the letters greek version.

Type @v + letter for the alternative form (like φ for ϕ).

You can also use shortcuts for environments like

$$BAL \tag{2}$$

Type BAL and select the correct option from the autocomplete. Maybe you have to try various ones. The B is the base command and AL is the abbreviation for align.

If you want an environment without an index, you can use BS as base command.

Same for changes to your font, like bold or italic: FIT gives *text*

7.3 ", Quotations and Code

Use " or `file-names`, `file_names` and `code_snippets`.

Algorithm 1: The Colors from the Corporate Design of the University of Freiburg. The keywords are bold and the comments blue. This can be changed in `setup.tex`.

```
from dataclasses import dataclass

# https://cd.uni-freiburg.de/farben/

@dataclass
class MainColors:
    blue = "#344A9A"
    black = "#000000"
    white = "#FFFFFF"

@dataclass
class BackgroundColors:
    blue_100_percent = "#344A9A"
    blue_80_percent = "#5D6BAD"
    blue_60_percent = "#868DC2"
    blue_80_percent = "#AFB1D8"
    blue_20_percent = "#D7D8EC"
    dark_blue = "#00004a"
    sand_100_percent = "#f6f1e3"
    sand_50_percent = "#faf8f1"

@dataclass
class AdditionalColors:
    green_100_percent = "#00a082"
    green_80_percent = "#27b29b"
    green_60_percent = "#7bc6b4"
    green_80_percent = "#afdace"
    green_20_percent = "#daede7"
    brown_100_percent = "#8f6b30"
    brown_80_percent = "#a58959"
    brown_60_percent = "#bca683"
```

```
brown_80_percent = "#d2c4ac"
brown_20_percent = "#e9e1d6"
yellow_100_percent = "#ffe863"
yellow_80_percent = "#ffed82"
yellow_60_percent = "#fff1a1"
yellow_80_percent = "#fff6c1"
yellow_20_percent = "#fffae0"
pink_100_percent = "#f5c2ed"
pink_80_percent = "#f7cef1"
pink_60_percent = "#f9daf4"
pink_80_percent = "#fbe7f8"
pink_20_percent = "#fdf3fb"
```

7.4 Clipboard Manager, Git and more

Clipboard Manager help with copying multiple different things at once. On Windows you can press WINDOWS + V to activate the history and choose older things you copied.

Use Git (click here).

7.5 Glossary

Click them, the page numbers in the glossaries are also clickable.

name one

name one

name one

long form of name two (short2)

short2

short2

$a\ symbol$

a symbol

a symbol

Big Letter at start: Name one

plural of name one

name one

Big Letter at start: Short2

short2

short2s

Big Letter at start: $A\ symbol$

$a\ symbol$



Symbols

Notation	Description	Page List
$a\ symbol$	description symbol	10–12

List of Figures

List of Tables

1 A nice table with a nice caption. 8

List of Algorithms

1 The Colors from the Corporate Design of the University of Freiburg. The keywords are bold and the comments blue. This can be changed in `setup.tex`. 9

Glossary

Notation	Description	Page List
name one	description one	10, 12
short2	description two	10, 12

References

[1] Leander Bürkin. *LaTeX-Template*. Fachschaft TF Freiburg, 2025.

Appendix