Strange particle in jets and underlying events with different models

1 Simulate with PYTHIA 8 sQCD with CR1 and rope

Parameters

Beams:idA = 2212
Beams:idB = 2212
Main:numberOfEvents = 1001
Beams:eCM = 13000.
SoftQCD:all = on

CR
MultiPartonInteractions:pT0Ref = 2.15
BeamRemnants:remnantMode = 1
BeamRemnants:saturation = 5
ColourReconnection:reconnect = on
ColourReconnection:mode = 1
ColourReconnection:allowDoubleJunRem = off
ColourReconnection:m0 = 0.3
ColourReconnection:allowJunctions = on
ColourReconnection:junctionCorrection = 1.2
ColourReconnection:timeDilationMode = 2
ColourReconnection:timeDilationPar = 0.18

Rope
Ropewalk:RopeHadronization = on
Ropewalk:doShoving = on
Ropewalk:tInit = 1.5
Ropewalk:deltat = 0.05
Ropewalk:tShove = 0.1
Ropewalk:gAmplitude = 0.

Ropewalk:doFlavour = on
Ropewalk:r0 = 0.5
Ropewalk:m0 = 0.2
Ropewalk:beta = 0.1

!// Enabling setting of vertex information.
PartonVertex:setVertex = on
PartonVertex:protonRadius = 0.7
PartonVertex:emissionWidth = 0.1



Figure 1: Baryon-to-meson(top) and baryon-to-baryon ratio with PYTHIA sQCD + CR1 + rope.



Figure 2: Track η distribution.

2 Simulate with PYTHIA 8 sQCD with CR1 and rope

References



Figure 3: Forward track $\mathrm{d}N_{\mathrm{fwd}}/\mathrm{d}\eta$ distribution.



Figure 4: Inclusive integrated yields of particles with $\langle \mathrm{d}N_{\mathrm{ch}}/\mathrm{d}\eta \rangle$.



Figure 5: Inclusive integrated yields ratios of strange particle to π with $\langle dN_{ch}/d\eta \rangle$. (Data taken from arXiv:1606.07424v2 and arXiv:1807.11321v2)



Figure 6: Inclusive integrated yields ratios of strange particle to ϕ with $\langle \mathrm{d}N_{\mathrm{ch}}/\mathrm{d}\eta \rangle$.



Figure 7: Inclusive integrated yields ratios of strange baryon to baryon with $\langle \mathrm{d}N_{\mathrm{ch}}/\mathrm{d}\eta \rangle$.



Figure 8: Integrated yields ratios in jet of strange particle to π with $\langle \mathrm{d}N_{\mathrm{ch}}/\mathrm{d}\eta \rangle$. (Data taken from arXiv:1606.07424v2 and arXiv:1807.11321v2)



Figure 9: Inclusive baryon-to-meson ratio(top) and Baryon-to-meson ratio(bottom) with p_{T} distribution. (Only find data point of Lambda/Kshort in 13 TeV from arXiv:2005.11120)



Figure 10: Inclusive baryon-to-meson ratio(top) with p_{T} distribution.(data points are taken from arXiv:2005.11120)



Figure 11: Baryon-to-meson ratio(top) and Baryon-to-meson ratio(bottom) with p_{T} distribution in different centrality bins.



Figure 12: Baryon-to-meson ratio(top) and Baryon-to-meson ratio(bottom) in jets with p_{T} distribution.



Figure 13: Baryon-to-meson ratio(top) and Baryon-to-meson ratio(bottom) in jets with p_{T} distribution in different centrality bins.