

DNA Extraction & Library Prep

Microbiome Center Kick Start Workshop








What is DNA extraction?

What is DNA extraction?

Getting purified DNA from our cells of interest.

What is DNA extraction?

Getting purified DNA from our cells of interest.



3μm - 4μm

© ABPI 2015

What is DNA extraction?

Steps:

1. Lyse Cells





image: <u>eng.bioneer.com</u>

What is DNA extraction?

Steps:

1. Lyse Cells




Considerations:

image: <u>eng.bioneer.com</u>

What is DNA extraction?

Steps:

1. Lyse Cells




Considerations:

 How aggressively to break open samples.

What is DNA extraction?

Steps:

1. Lyse Cells



Considerations:


- How aggressively to break open samples.
- 2. Probably want to bead-beat to ensure tough bacterial cell walls are broken.

image: <u>eng.bioneer.com</u>

What is DNA extraction?

Steps:

1. Lyse Cells




Considerations:

- How aggressively to break open samples.
- 2. Probably want to bead-beat to ensure tough bacterial cell walls are broken.
- 3. Uniform sampling for DNA extraction: amount, location of sample, etc.

What is DNA extraction?

Steps:

1. Lyse Cells



Considerations:

- How aggressively to break open samples.
- 2. Probably want to bead-beat to ensure tough bacterial cell walls are broken.
- 3. Uniform sampling for DNA extraction: amount, location of sample, etc.
- 4. Spike in for assessing total abundance?

What is DNA extraction?

Steps:

- 1. Lyse Cells
- 2. Separate nucleic acids from other molecules (proteins, etc.)





image: <u>eng.bioneer.com</u>

What is DNA extraction?

Steps:


- 1. Lyse Cells
- 2. Separate nucleic acids from other molecules (proteins, etc.)
- 3. Wash to remove contaminants



What is DNA extraction?

Steps:


- 1. Lyse Cells
- 2. Separate nucleic acids from other molecules (proteins, etc.)
- 3. Wash to remove contaminants
- 4. Concentrate DNA and re-suspend in storage buffer



What is DNA extraction?

Steps:

- 1. Lyse Cells
- 2. Separate nucleic acids from other molecules (proteins, etc.)
- 3. Wash to remove contaminants
- 4. Concentrate DNA and re-suspend in storage buffer



Quantification and quality control

less accurate, but faster:



nanodrop:

- Get ballpark estimates of amount of DNA*
- A260/280 ratio: should be 1.8 2.1. Lower = protein contamination
- A260/230 ratio: should be >1.8. Lower = presence of organic contaminants

Quantification and quality control

less accurate, but faster:



nanodrop:

- Get ballpark estimates of amount of DNA*
- A260/280 ratio: should be 1.8 2.1. Lower = protein contamination
- A260/230 ratio: should be >1.8. Lower = presence of organic contaminants

more accurate, but slower:



qPCR

Considerations

1. Why type of microbe are you extracting (bacteria? archaea? fungi?)

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?
- 4. Do you anticipate PCR inhibitors from your sample type?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?
- 4. Do you anticipate PCR inhibitors from your sample type?
- 5. How high throughput do you need to be?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?
- 4. Do you anticipate PCR inhibitors from your sample type?
- 5. How high throughput do you need to be?
- 6. What will your storage conditions be after extraction?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?
- 4. Do you anticipate PCR inhibitors from your sample type?
- 5. How high throughput do you need to be?
- 6. What will your storage conditions be after extraction?
- 7. What controls should you consider, both positive and negative?

- 1. Why type of microbe are you extracting (bacteria? archaea? fungi?)
- 2. How harsh/gentile should you be considering your sample type?
- 3. How much bacterial biomass are you expecting?
- 4. Do you anticipate PCR inhibitors from your sample type?
- 5. How high throughput do you need to be?
- 6. What will your storage conditions be after extraction?
- 7. What controls should you consider, both positive and negative?
- 8. Are you cost-limited (*we all are!)?





What is library preparation?

What is library preparation?

The process of preparing genomic DNA to be sequenced via next-generation sequencing.

What is library preparation?

The process of preparing genomic DNA to be sequenced via next-generation sequencing.

Key steps:

- 1. Need to make small fragments (<1000bp for Illumina)
- 2. Need to attach adapters that allow fragments to stick to flow cell
- 3. (Probably) need to attach barcodes so that multiple samples can be sequenced at the same time

metagenomic libraries (Illumina sequencing - Nextera)




image: Illumina

16S rRNA gene sequencing libraries (Illumina sequencing)

one step:




image: IDT.com

16S rRNA gene sequencing libraries (Illumina sequencing)

one step:




image: IDT.com

two step:




image: de Muinck et al. 2017

16S rRNA gene sequencing libraries (Illumina sequencing)

one step:




image: IDT.com

- + Faster, fewer steps
- Need to plan barcodes in advance
- Need to order many primers with barcodes in them

two step:




image: de Muinck et al. 2017

- Two steps
- + Do not need to plan barcodes in advance
- + What the Penn State Genomics Core Facility does

Quantification and pooling




image: Cannon et al 2018

