



# SOUTH SUDAN HYDRO-CLIMATE WATCH

04 Oct 2026 | Weekly version v51026

ECMWF run 2026-10-04 00 UTC | rain and soil data to 2026-09-29 | 0 red, 24 orange, 3 yellow, 52 green counties

## Top 3 drought-watch counties

| County                                  | Alert  | Soil z | Soil deficit | Rain next 2 wk (median) | Chance 7-day dry spell |
|-----------------------------------------|--------|--------|--------------|-------------------------|------------------------|
| <b>Renk</b> (Upper Nile)                | GREEN  | -3.13  | 34 mm        | 28 mm                   | 6%                     |
| <b>Manyo</b> (Upper Nile)               | GREEN  | -2.67  | 34 mm        | 30 mm                   | 6%                     |
| <b>Kapoeta East</b> (Eastern Equatoria) | YELLOW | -2.53  | 39 mm        | 39 mm                   | 30%                    |

Lowest root-zone soil moisture that the next 2 weeks of rain will not fix.

## Top 3 flood-watch counties

| County                             | Alert | Soil z | 30-d surplus | Rain next 2 wk | Chance 50 mm wk 1 | People on flood-prone ground |
|------------------------------------|-------|--------|--------------|----------------|-------------------|------------------------------|
| <b>Juba</b> (Central Equatoria)    | GREEN | -1.30  | -1 mm        | 76 mm          | 4%                | 2,953                        |
| <b>Tambura</b> (Western Equatoria) | GREEN | -1.23  | -16 mm       | 89 mm          | 30%               | 50                           |
| <b>Ezo</b> (Western Equatoria)     | GREEN | -1.77  | -6 mm        | 98 mm          | 34%               | 37                           |

Wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground.

## 5 Gauge watch list

| Station                              | Last level            | vs 2-yr level        | Last 3 passes          | Travel time | Warning left | Next station     |
|--------------------------------------|-----------------------|----------------------|------------------------|-------------|--------------|------------------|
| Baro Wenz km 4707 (hydroweb:202063)  | 950.84 m (2026-09-22) | below 2-yr by 0.10 m | steady/falling -0.15 m | 13 d        | 1 d          | hydroweb:1 03740 |
| ★ White Nile km 4826 (hydroweb:7966) | 434.33 m (2026-09-17) | above 2-yr by 0.01 m | rising +0.11 m         | 20 d        | 3 d          | hydroweb:7 894   |
| Lol km 4692 (hydroweb:107675)        | 420.66 m (2026-09-07) | below 2-yr by 1.69 m | rising +0.73 m         | 30 d        | 3 d          | hydroweb:2 03695 |
| Maiko km 2460 (hydroweb:12757)       | 461.63 m (2026-10-01) | below 2-yr by 1.31 m | rising +0.47 m         | 6 d         | 4 d          | nan              |
| Epulu km 2849 (hydroweb:203688)      | 817.44 m (2026-09-25) | below 2-yr by 0.22 m | rising +0.05 m         | 12 d        | 4 d          | hydroweb:2 04376 |

Travel time to the next station over 5 days and last pass newer than the travel time. ★ = station you already watch.

## 5 Towns and counties to monitor (red or orange, not in the lists above)

| Town / county                         | Alert  | Soil z | Rain next 2 wk | Chance 50 mm wk 1 | Chance 7-day dry spell |
|---------------------------------------|--------|--------|----------------|-------------------|------------------------|
| Awerial - Lakes                       | ORANGE | -2.41  | 62 mm          | 6%                | 0%                     |
| Yirol West - Lakes                    | ORANGE | -2.82  | 64 mm          | 2%                | 0%                     |
| Aweil North - Northern Bahr el Ghazal | ORANGE | -2.04  | 36 mm          | 0%                | 2%                     |
| Maiwut - Upper Nile                   | ORANGE | -1.92  | 46 mm          | 0%                | 2%                     |
| Malakal (Malakal) - Upper Nile        | ORANGE | -2.43  | 45 mm          | 0%                | 2%                     |

## Nile pulse countdown from Lake Victoria

| Point        | Expected    | Days left |
|--------------|-------------|-----------|
| Nimule       | 01 Jan 2027 | 89        |
| Juba (Rejaf) | 10 Jan 2027 | 98        |

Lake Victoria 1135.95 m on 24 Sep (0.48 m below the May 2023 mean level (Hydroweb) of 1136.43 m).

Clock started 20 Sep 2026. Travel time of 103 days from the lake to Nimule and 9 more to Rejaf (Juba). Amber at 30 days, red at 10 days. If Lake Victoria reaches the May 2023 level, a second 30-day countdown to Juba starts. A travel-time estimate, not a river-level forecast.

## Countrywide and state-level news

- 04 Oct: **Lakes State:** Lakes State restructured a peace committee citing flood fears; no damage reported (county not stated). ([Radio Tamazuj](#))
- 22 Sep: **Northern Bahr el Ghazal:** About 1.1 million people affected by a prolonged rainfall deficit across five counties (not named); officials fear more hunger later this year and into 2027. ([Sudans Post](#))
- 19 Sep: **Countrywide:** National Flood Task Force activated for October-December El Nino risks; about 1.3 million people could be affected across seven states (a projection). ([Eye Radio](#))
- 16 Sep: **Countrywide:** WFP warns over 1 million people may lose food aid by October (\$86 million gap); 7.8 million struggle to find enough food. ([Sudans Post](#))

Open the live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>

Subscribe to the email list: [https://docs.google.com/forms/d/e/1FAIpQLSeDtY-twsGL0Xx9FIK\\_nLjC9X\\_6FSt7QxzTa4NXJqztwRe5VA/viewform](https://docs.google.com/forms/d/e/1FAIpQLSeDtY-twsGL0Xx9FIK_nLjC9X_6FSt7QxzTa4NXJqztwRe5VA/viewform). To stop receiving it,

News that names no county. County-level items are on each county page.

Open the live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>

Subscribe to the email list:

[https://docs.google.com/forms/d/e/1FAIpQLSeDtY-twsGL0Xx9FIK\\_nLjC9X\\_6FSt7QxzTa4NXJqztwRe5VA/viewform](https://docs.google.com/forms/d/e/1FAIpQLSeDtY-twsGL0Xx9FIK_nLjC9X_6FSt7QxzTa4NXJqztwRe5VA/viewform). To stop receiving it, [unsubscribe here](#).

ALLAU, Denis Abi, PhD

Abuk Project

Mayardit Academy for Space Sciences

[University of Juba and University of California, Davis](#)

WhatsApp: +211 917 939 818

Email: [penuelabi@gmail.com](mailto:penuelabi@gmail.com)

Decision support, not an official warning. One page per county follows. Rainfall figures are an outlook for local flooding and access, not a river-level forecast.

# Contents

Counties by state. Click a county to jump to its page.

## Abyei Region (1)

|                              |   |
|------------------------------|---|
| <a href="#">Abyei Region</a> | 4 |
|------------------------------|---|

## Central Equatoria (6)

|                           |    |
|---------------------------|----|
| <a href="#">Juba</a>      | 5  |
| <a href="#">Kajo-keji</a> | 6  |
| <a href="#">Lainya</a>    | 7  |
| <a href="#">Morobo</a>    | 8  |
| <a href="#">Terekeka</a>  | 9  |
| <a href="#">Yei</a>       | 10 |

## Eastern Equatoria (8)

|                               |    |
|-------------------------------|----|
| <a href="#">Budi</a>          | 11 |
| <a href="#">Ikotos</a>        | 12 |
| <a href="#">Kapoeta East</a>  | 13 |
| <a href="#">Kapoeta North</a> | 14 |
| <a href="#">Kapoeta South</a> | 15 |
| <a href="#">Lafon</a>         | 16 |
| <a href="#">Magwi</a>         | 17 |
| <a href="#">Torit</a>         | 18 |

## Jonglei (11)

|                            |    |
|----------------------------|----|
| <a href="#">Akobo</a>      | 19 |
| <a href="#">Ayod</a>       | 20 |
| <a href="#">Bor South</a>  | 21 |
| <a href="#">Canal/Pigi</a> | 22 |
| <a href="#">Duk</a>        | 23 |
| <a href="#">Fangak</a>     | 24 |
| <a href="#">Nyirol</a>     | 25 |
| <a href="#">Pibor</a>      | 26 |
| <a href="#">Pochalla</a>   | 27 |
| <a href="#">Twic East</a>  | 28 |
| <a href="#">Uror</a>       | 29 |

## Lakes (8)

|                               |    |
|-------------------------------|----|
| <a href="#">Awerial</a>       | 30 |
| <a href="#">Cueibet</a>       | 31 |
| <a href="#">Rumbek Centre</a> | 32 |
| <a href="#">Rumbek East</a>   | 33 |
| <a href="#">Rumbek North</a>  | 34 |
| <a href="#">Wulu</a>          | 35 |
| <a href="#">Yirol East</a>    | 36 |
| <a href="#">Yirol West</a>    | 37 |

## Northern Bahr el Ghazal (5)

|                              |    |
|------------------------------|----|
| <a href="#">Aweil Centre</a> | 38 |
| <a href="#">Aweil East</a>   | 39 |
| <a href="#">Aweil North</a>  | 40 |
| <a href="#">Aweil South</a>  | 41 |
| <a href="#">Aweil West</a>   | 42 |

## Unity (9)

|                           |    |
|---------------------------|----|
| <a href="#">Abiemnhom</a> | 43 |
| <a href="#">Guit</a>      | 44 |
| <a href="#">Koch</a>      | 45 |
| <a href="#">Leer</a>      | 46 |
| <a href="#">Mayendit</a>  | 47 |
| <a href="#">Mayom</a>     | 48 |
| <a href="#">Panyijiar</a> | 49 |
| <a href="#">Pariang</a>   | 50 |
| <a href="#">Rubkona</a>   | 51 |

## Upper Nile (12)

|                                |    |
|--------------------------------|----|
| <a href="#">Baliet</a>         | 52 |
| <a href="#">Fashoda</a>        | 53 |
| <a href="#">Longochuk</a>      | 54 |
| <a href="#">Luakpiny/Nasir</a> | 55 |
| <a href="#">Maban</a>          | 56 |
| <a href="#">Maiwut</a>         | 57 |
| <a href="#">Malakal</a>        | 58 |
| <a href="#">Manyo</a>          | 59 |
| <a href="#">Melut</a>          | 60 |
| <a href="#">Panyikang</a>      | 61 |
| <a href="#">Renk</a>           | 62 |
| <a href="#">Ulang</a>          | 63 |

## Warrap (6)

|                              |    |
|------------------------------|----|
| <a href="#">Gogrial East</a> | 64 |
| <a href="#">Gogrial West</a> | 65 |
| <a href="#">Tonj East</a>    | 66 |
| <a href="#">Tonj North</a>   | 67 |
| <a href="#">Tonj South</a>   | 68 |
| <a href="#">Twic</a>         | 69 |

## Western Bahr el Ghazal (3)

|                           |    |
|---------------------------|----|
| <a href="#">Jur River</a> | 70 |
| <a href="#">Raja</a>      | 71 |
| <a href="#">Wau</a>       | 72 |

## Western Equatoria (10)

|                             |    |
|-----------------------------|----|
| <a href="#">Ezo</a>         | 73 |
| <a href="#">Ibba</a>        | 74 |
| <a href="#">Maridi</a>      | 75 |
| <a href="#">Mundri East</a> | 76 |
| <a href="#">Mundri West</a> | 77 |
| <a href="#">Mvolo</a>       | 78 |
| <a href="#">Nagero</a>      | 79 |
| <a href="#">Nzara</a>       | 80 |
| <a href="#">Tambura</a>     | 81 |
| <a href="#">Yambio</a>      | 82 |

# Abyei Region County

Abyei Region | County population about 145,358 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 65 mm below median in the top metre (30-day rain 155% of normal); ~40 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 145,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 24,468 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 723             |
| 2 (planning)                   | 1,125           |
| 3 (severe)                     | 2,170           |
| Displaced in the planning case | 313             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Abyei Region | 10,496         | 6,017       | 3 (3)             | 22 (22)          | 6 (1)               | 560.9 (352.9)      |

Health facilities: 22 in the county, 22 on flood-prone ground | Schools: 3 in the county, 3 on flood-prone ground

# Juba County

Central Equatoria | County population about 570,834 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 25 mm below median in the top metre (30-day rain 109% of normal); ~76 mm expected over 2 weeks = 301% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 10,000 | not listed | 13,320 | 16,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,095          |
| 2 (planning)                   | 20,369          |
| 3 (severe)                     | 39,283          |
| Displaced in the planning case | 5,668           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam         | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lobonok       | 5,210          | 3,326       | 2 (1)             | 5 (2)            | 4,174 (36)          | 263.2 (171.4)      |
| Mangala South | 1,573          | 1,545       | 5 (5)             | 2 (2)            | 6,664 (143)         | 123.1 (120.0)      |
| Dolo          | 1,835          | 1,471       | 6 (6)             | 9 (6)            | 4,058 (63)          | 92.9 (77.0)        |
| Mangala North | 1,262          | 1,242       | 0 (0)             | 1 (1)            | 4,430 (115)         | 30.3 (30.0)        |

Health facilities: 97 in the county, 64 on flood-prone ground | Schools: 73 in the county, 49 on flood-prone ground

## Reported news

- 01 Oct: **Flood:** Flash flood made the Kapuri bridge overflow and briefly cut movement between Kapuri and Juba (county inferred from location). ([Eye Radio](#))
- 21 Sep: **Flood:** Uganda warned of record Lake Victoria levels and higher releases into the Nile; Juba and low-lying areas flagged as vulnerable. Nile readings from Nimule to Renk are still below alert levels. ([Sudans Post](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

## River station: White Nile km 4934 (hydroweb:7853)

### River level status

Latest pass 2026-09-24: **Above normal** (percentile 80). Level 459.60 m; seasonal median 458.89 m; anomaly +0.71 m. Record: min 456.54 m, max 460.56 m, average 458.65 m.

Baseline: 8 years, 46 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.06 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7856    | Near normal (percentile 67) on 2026-09-17 | 2 days             | 2026-09-19           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7968      | Above normal (percentile 73) on 2026-09-17 | 7 days                       | 2026-10-01                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 84,730, of which 68,895 at risk. Schools: 38 (22 at risk). Health facilities: 57 (37 at risk). Buildings (VIDA): 517,649 (n/a at risk). Counties within 25 km: Juba.

| Payam (county)       | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------------|----------------------|-----------|-------------------|------------------|
| Rejaf (Juba)         | 25,339 (20,467)      | 67,344    | 1 (1)             | 6 (3)            |
| Gondokoro (Juba)     | 20,824 (17,690)      | 40,587    | 1 (1)             | 2 (2)            |
| Northern Bari (Juba) | 19,743 (17,256)      | 219,560   | 2 (2)             | 10 (7)           |
| Lobonok (Juba)       | 12,304 (8,176)       | 221       | 0 (0)             | 0 (0)            |

# Kajo-keji County

Central Equatoria | County population about 257,989 | Issued 04 October 2026

## Advisory

- Wet spell likely (76%); soils should begin to recover

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,656           |
| 2 (planning)                   | 5,687           |
| 3 (severe)                     | 10,968          |
| Displaced in the planning case | 1,583           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Liwolo     | 1,155          | 628         | 13 (4)            | 7 (1)            | 3,889 (28)          | 23.2 (11.1)        |
| Kangapo II | 336            | 227         | 22 (7)            | 14 (0)           | 15,437 (164)        | 0.0 (0.0)          |
| Nyepo      | 445            | 172         | 4 (0)             | 6 (1)            | 2,408 (7)           | 27.2 (11.7)        |
| Lire       | 297            | 133         | 11 (5)            | 8 (1)            | 10,082 (96)         | 17.8 (11.2)        |

Health facilities: 43 in the county, 6 on flood-prone ground | Schools: 61 in the county, 20 on flood-prone ground

## Lainya County

Central Equatoria | County population about 119,155 | Issued 04 October 2026

### Advisory

- Soil moisture deficit easing: soil about 32 mm below median in the top metre (30-day rain 71% of normal); ~89 mm expected over 2 weeks = 282% of the deficit. Soils should recover if the rain arrives

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 446             |
| 2 (planning)                   | 693             |
| 3 (severe)                     | 1,337           |
| Displaced in the planning case | 193             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km <sup>2</sup> | At risk km <sup>2</sup> | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------------------|-------------------------|-------------------|------------------|---------------------|--------------------|
| Mukaya | 1,628                      | 1,145                   | 15 (10)           | 4 (1)            | 4,750 (64)          | 78.0 (58.3)        |
| Lainya | 525                        | 350                     | 10 (3)            | 6 (3)            | 10,349 (175)        | 33.9 (21.8)        |
| Kupera | 478                        | 319                     | 5 (0)             | 2 (2)            | 1,836 (15)          | 39.7 (25.8)        |
| Wuji   | 473                        | 289                     | 5 (3)             | 4 (0)            | 2,384 (24)          | 36.6 (19.7)        |

Health facilities: 21 in the county, 10 on flood-prone ground | Schools: 41 in the county, 18 on flood-prone ground

# Morobo County

Central Equatoria | County population about 136,697 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 52% of normal); ~88 mm expected over 2 weeks = 403% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 464             |
| 2 (planning)                   | 721             |
| 3 (severe)                     | 1,391           |
| Displaced in the planning case | 201             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Panyume | 530            | 282         | 6 (1)             | 2 (0)            | 1,990 (24)          | 1.8 (1.2)          |
| Kimba   | 194            | 93          | 9 (1)             | 3 (2)            | 8,854 (92)          | 9.8 (2.8)          |
| Wudabi  | 219            | 88          | 8 (3)             | 3 (0)            | 2,418 (28)          | 16.7 (7.9)         |
| Lujulo  | 186            | 85          | 10 (3)            | 4 (1)            | 1,284 (9)           | 12.7 (5.5)         |

Health facilities: 15 in the county, 3 on flood-prone ground | Schools: 50 in the county, 8 on flood-prone ground



# Terekeka County

Central Equatoria | County population about 266,693 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 65 mm below median in the top metre (30-day rain 103% of normal); ~67 mm expected over 2 weeks = 103% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024  | 2025  |
|-----------------|------------|------------|-------|-------|
| People affected | not listed | not listed | 8,503 | 8,505 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,471           |
| 2 (planning)                   | 3,843           |
| 3 (severe)                     | 7,412           |
| Displaced in the planning case | 1,069           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Rijong  | 2,272          | 2,170       | 7 (7)             | 4 (4)            | 2,098 (25)          | 201.8 (194.1)      |
| Tali    | 2,270          | 2,115       | 4 (4)             | 10 (9)           | 3,073 (54)          | 195.3 (185.8)      |
| Gameiza | 1,813          | 1,774       | 1 (1)             | 2 (2)            | 1,447 (38)          | 77.3 (71.7)        |
| Reggo   | 1,394          | 1,362       | 3 (3)             | 11 (11)          | 3,757 (66)          | 81.6 (80.4)        |

Health facilities: 45 in the county, 43 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

## River station: White Nile km 4845 (hydroweb:7967)

### River level status

Latest pass 2026-09-17: **Above normal** (percentile 73). Level 437.71 m; seasonal median 437.23 m; anomaly +0.48 m. Record: min 436.13 m, max 438.35 m, average 437.22 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.21 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7855    | Near normal (percentile 55) on 2026-09-17 | 6 days             | 2026-09-23           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7854      | Near normal (percentile 57) on 2026-09-17 | 4 days                       | 2026-09-21                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 59,751, of which 56,095 at risk. Schools: 11 (11 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 15,868 (357 at risk). Counties within 25 km: Juba, Terekeka.

| Payam (county)       | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------------|----------------------|-----------|-------------------|------------------|
| Reggo (Terekeka)     | 13,172 (12,983)      | 1,757     | 2 (2)             | 5 (5)            |
| Gameiza (Terekeka)   | 12,850 (11,751)      | 1,049     | 0 (0)             | 2 (2)            |
| Mangala North (Juba) | 11,662 (11,105)      | 424       | 0 (0)             | 0 (0)            |
| Terekeka (Terekeka)  | 10,211 (8,968)       | 6,763     | 6 (6)             | 5 (5)            |

# Yei County

Central Equatoria | County population about 327,602 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 69% of normal); ~92 mm expected over 2 weeks = 265% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,219           |
| 2 (planning)                   | 1,896           |
| 3 (severe)                     | 3,657           |
| Displaced in the planning case | 528             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tore  | 4,088          | 2,501       | 15 (8)            | 6 (4)            | 4,335 (91)          | 237.5 (154.8)      |
| Lasu  | 1,073          | 724         | 10 (6)            | 5 (3)            | 6,745 (110)         | 39.2 (25.9)        |
| Yei   | 559            | 395         | 22 (12)           | 13 (6)           | 61,160 (n/a)        | 45.0 (33.4)        |
| Otogo | 513            | 373         | 13 (4)            | 10 (4)           | 9,916 (145)         | 51.5 (40.8)        |

Health facilities: 39 in the county, 18 on flood-prone ground | Schools: 77 in the county, 36 on flood-prone ground

# Budi County

Eastern Equatoria | County population about 108,474 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 21% of normal); ~41 mm expected over 2 weeks = 119% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 407             |
| 2 (planning)                   | 633             |
| 3 (severe)                     | 1,221           |
| Displaced in the planning case | 176             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Komori   | 1,890          | 883         | 6 (1)             | 6 (3)            | 6,591 (48)          | 85.1 (32.1)        |
| Loriyok  | 1,304          | 758         | 2 (2)             | 3 (3)            | 1,470 (26)          | 72.2 (52.8)        |
| Napak    | 595            | 426         | 0 (0)             | 1 (1)            | 654 (7)             | 42.7 (26.8)        |
| Kimotong | 470            | 291         | 0 (0)             | 1 (0)            | 704 (10)            | 37.1 (26.8)        |

Health facilities: 21 in the county, 9 on flood-prone ground | Schools: 8 in the county, 3 on flood-prone ground

# Ikotos County

Eastern Equatoria | County population about 111,148 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 21 mm below median in the top metre (30-day rain 22% of normal); ~61 mm expected over 2 weeks = 284% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 413             |
| 2 (planning)                   | 643             |
| 3 (severe)                     | 1,240           |
| Displaced in the planning case | 179             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam            | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Losite           | 1,048          | 752         | 4 (3)             | 5 (1)            | 2,152 (3)           | 21.5 (16.9)        |
| Ikotos           | 842            | 490         | 4 (2)             | 5 (3)            | 6,319 (85)          | 103.4 (61.4)       |
| Lomohidang North | 367            | 238         | 5 (3)             | 3 (1)            | 2,726 (29)          | 38.2 (25.8)        |
| Imotong          | 212            | 170         | 0 (0)             | 2 (0)            | 1,224 (5)           | 15.4 (6.4)         |

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 20 in the county, 8 on flood-prone ground

# Kapoeta East County

Eastern Equatoria | County population about 175,078 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 39 mm below median in the top metre (30-day rain 33% of normal); ~39 mm expected over 2 weeks = 99% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (30%) on dry soils: monitor crops and pasture
- Exposure: County population about 175,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 658             |
| 2 (planning)                   | 1,023           |
| 3 (severe)                     | 1,973           |
| Displaced in the planning case | 285             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jie   | 2,927          | 1,965       | 0 (0)             | 1 (1)            | 2,141 (42)          | 226.8 (172.9)      |
| Kauto | 7,471          | 1,720       | 0 (0)             | 2 (0)            | 10,963 (47)         | 348.1 (79.5)       |
| Narus | 9,603          | 874         | 12 (1)            | 7 (1)            | 10,318 (51)         | 673.7 (29.6)       |
| Mogos | 2,047          | 815         | 0 (0)             | 1 (1)            | 3,123 (35)          | 181.3 (92.2)       |

Health facilities: 18 in the county, 4 on flood-prone ground | Schools: 17 in the county, 2 on flood-prone ground

# Kapoeta North County

Eastern Equatoria | County population about 162,158 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 57 mm below median in the top metre (30-day rain 37% of normal); ~51 mm expected over 2 weeks = 88% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 601             |
| 2 (planning)                   | 935             |
| 3 (severe)                     | 1,803           |
| Displaced in the planning case | 260             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Karukomuge | 4,520          | 3,057       | 2 (2)             | 8 (6)            | 1,274 (13)          | 91.4 (59.6)        |
| Lomeyen    | 580            | 460         | 1 (1)             | 3 (3)            | 1,800 (25)          | 16.3 (11.4)        |
| Mosingo    | 271            | 145         | 1 (1)             | 0 (0)            | 2,619 (26)          | 7.9 (4.6)          |
| Paringa    | 190            | 94          | 1 (1)             | 2 (2)            | 1,430 (22)          | 9.0 (7.8)          |

Health facilities: 16 in the county, 14 on flood-prone ground | Schools: 10 in the county, 10 on flood-prone ground

# Kapoeta South County

Eastern Equatoria | County population about 105,511 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 36 mm below median in the top metre (30-day rain 15% of normal); ~36 mm expected over 2 weeks = 100% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 433             |
| 2 (planning)                   | 674             |
| 3 (severe)                     | 1,300           |
| Displaced in the planning case | 188             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Machi One    | 143            | 79          | 0 (0)             | 4 (3)            | 2,362 (33)          | 16.6 (8.9)         |
| Machi Two    | 117            | 62          | 0 (0)             | 1 (1)            | 2,104 (22)          | 17.4 (9.4)         |
| Kapoeta Town | 114            | 62          | 1 (1)             | 4 (4)            | 7,639 (298)         | 24.4 (10.6)        |
| Longeleya    | 132            | 45          | 4 (4)             | 0 (0)            | 2,645 (28)          | 15.0 (6.8)         |

Health facilities: 10 in the county, 9 on flood-prone ground | Schools: 9 in the county, 7 on flood-prone ground

# Lafon County

Eastern Equatoria | County population about 163,767 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 46% of normal); ~60 mm expected over 2 weeks = 120% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 18,178 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 622             |
| 2 (planning)                   | 968             |
| 3 (severe)                     | 1,867           |
| Displaced in the planning case | 269             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Burgilo | 10,443         | 9,891       | 5 (4)             | 2 (2)            | 2,652 (48)          | 73.1 (68.7)        |
| Arihilo | 1,506          | 1,158       | 1 (0)             | 4 (0)            | 2,235 (3)           | 104.0 (78.4)       |
| Pachidi | 1,232          | 1,074       | 6 (4)             | 3 (3)            | 671 (12)            | 109.8 (85.4)       |
| Marguna | 961            | 937         | 2 (2)             | 2 (2)            | 907 (20)            | 85.9 (83.4)        |

Health facilities: 24 in the county, 14 on flood-prone ground | Schools: 30 in the county, 17 on flood-prone ground

## Reported news

- 23 Sep: **Drought:** REACH published a rapid drought impact assessment for Lafon (findings not yet reviewed). ([ReliefWeb \(REACH\)](#))  
From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.



# Magwi County

Eastern Equatoria | County population about 314,109 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 26% of normal); ~84 mm expected over 2 weeks = 358% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024       | 2025       |
|-----------------|------------|-------|------------|------------|
| People affected | not listed | 2,537 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,084           |
| 2 (planning)                   | 1,686           |
| 3 (severe)                     | 3,252           |
| Displaced in the planning case | 469             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pageri | 2,301          | 1,442       | 29 (7)            | 16 (4)           | 5,956 (75)          | 123.5 (70.8)       |
| Magwi  | 1,167          | 679         | 38 (15)           | 12 (1)           | 10,051 (123)        | 80.5 (38.4)        |
| Pajok  | 825            | 523         | 20 (6)            | 8 (5)            | 3,937 (85)          | 25.4 (7.4)         |
| Mugali | 262            | 194         | 14 (3)            | 6 (3)            | 1,702 (11)          | 0.0 (0.0)          |

Health facilities: 46 in the county, 15 on flood-prone ground | Schools: 146 in the county, 57 on flood-prone ground

## River station: Bahr Al Jabal km 5093 (hydroweb:112211)

### River level status

Latest pass 2026-09-24: **Below normal** (percentile 21). Level 615.25 m; seasonal median 615.42 m; anomaly -0.17 m. Record: min 614.86 m, max 616.31 m, average 615.49 m.

Baseline: 5 years, 26 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.07 m; 10 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:101187    | Near normal (percentile 45) on 2026-09-17 | 14 days                      | 2026-10-08                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 253,110, of which 0 at risk. Schools: 68 (0 at risk). Health facilities: 13 (0 at risk). Buildings (VIDA): 26,468 (0 at risk). Counties within 25 km: Magwi.

| Payam (county) | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------|----------------------|-----------|-------------------|------------------|
| Pageri (Magwi) | 85,252 (0)           | 1,022     | 13 (0)            | 4 (0)            |
| Nimule (Magwi) | 68,159 (0)           | 23,754    | 40 (0)            | 3 (0)            |
| Mugali (Magwi) | 37,242 (0)           | 1,692     | 14 (0)            | 6 (0)            |

# Torit County

Eastern Equatoria | County population about 65,844 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 27% of normal); ~77 mm expected over 2 weeks = 284% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 275             |
| 2 (planning)                   | 427             |
| 3 (severe)                     | 824             |
| Displaced in the planning case | 119             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bur    | 1,100          | 1,025       | 12 (12)           | 8 (7)            | 2,487 (56)          | 76.3 (69.2)        |
| Hiyala | 1,246          | 1,022       | 35 (28)           | 13 (8)           | 5,717 (103)         | 85.3 (69.9)        |
| Kudo   | 1,077          | 643         | 7 (4)             | 6 (2)            | 2,585 (40)          | 66.7 (48.2)        |
| Imurok | 646            | 343         | 14 (6)            | 3 (3)            | 1,023 (23)          | 72.5 (50.0)        |

Health facilities: 41 in the county, 27 on flood-prone ground | Schools: 141 in the county, 103 on flood-prone ground

## Akobo County

Jonglei | County population about 238,042 | Issued 04 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 84 mm below median in the top metre (30-day rain 70% of normal); ~58 mm expected over 2 weeks = 68% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 238,000

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 13,986 | not listed | 97,730 | 17,652 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 10,941          |
| 2 (planning)                   | 17,020          |
| 3 (severe)                     | 32,824          |
| Displaced in the planning case | 4,736           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Diror   | 2,532          | 2,474       | 1 (1)             | 4 (4)            | 2,247 (49)          | 134.1 (132.7)      |
| Nyandit | 2,469          | 2,375       | 6 (6)             | 3 (3)            | 643 (24)            | 149.7 (137.4)      |
| Bilkey  | 1,383          | 1,363       | 8 (8)             | 2 (1)            | 8,744 (235)         | 125.1 (122.2)      |
| Dengjok | 962            | 950         | 4 (4)             | 4 (4)            | 1,456 (39)          | 65.4 (64.0)        |

Health facilities: 18 in the county, 17 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

### Reported news

- 18 Sep: **Dry spell:** April-July 2026 was the second driest since 1991 (CHIRPS); a poor harvest is expected in October and food access may shrink from September if distributions end. ([ReliefWeb \(OCHA/REACH brief\)](#))  
From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

# Ayod County

Jonglei | County population about 205,709 | Issued 04 October 2026

## Advisory

- Wet spell likely (82%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 55,000 | not listed | 26,700 | 57,270 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 18,552          |
| 2 (planning)                   | 28,858          |
| 3 (severe)                     | 55,655          |
| Displaced in the planning case | 8,030           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam       | Settlements | People | Flooded | High ground | Small towns |
|-------------|-------------|--------|---------|-------------|-------------|
| Ayod        | 2           | 1,800  | 0       | 1,000       | 800         |
| Kuach-deng  | 3           | 24,300 | 0       | 8,300       | 16,000      |
| Kurwai      | 2           | 800    | 800     | 0           | 0           |
| Mogok       | 2           | 3,800  | 0       | 2,400       | 1,400       |
| Pagil       | 6           | 24,100 | 22,500  | 0           | 1,600       |
| Pajiek      | 6           | 12,200 | 8,500   | 2,000       | 1,700       |
| Wau         | 1           | 700    | 0       | 700         | 0           |
| Ayod County | 22          | 67,700 | 31,800  | 14,400      | 21,500      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pajiek | 4,026          | 2,775       | 3 (3)             | 3 (3)            | 4,038 (132)         | 174.5 (140.4)      |
| Kurwai | 2,375          | 2,150       | 7 (7)             | 4 (4)            | 1,523 (54)          | 11.8 (11.2)        |
| Mogok  | 1,906          | 1,882       | 4 (4)             | 3 (3)            | 1,993 (77)          | 112.5 (110.9)      |
| Wau    | 2,279          | 1,843       | 2 (2)             | 0 (0)            | 2,181 (63)          | 103.4 (95.4)       |

Health facilities: 11 in the county, 11 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

## River station: White Nile km 4336 (hydroweb:7874)

### River level status

Latest pass 2026-09-24: **Unusually high** (percentile 93). Level 399.21 m; seasonal median 399.09 m; anomaly +0.12 m. Record: min 398.69 m, max 399.26 m, average 399.03 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7875    | Below normal (percentile 18) on 2026-09-24 | 4 days             | 2026-09-28           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7900      | Unusually low (percentile 6) on 2026-09-19 | 21 days                      | 2026-10-15                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 67,944, of which 53,958 at risk. Schools: 17 (17 at risk). Health facilities: 10 (10 at risk). Buildings (VIDA): 11,943 (312 at risk). Counties within 25 km: Ayod, Leer, Mayendit.

| Payam (county) | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------|----------------------|-----------|-------------------|------------------|
| Yang (Leer)    | 16,007 (11,710)      | 2,034     | 2 (2)             | 1 (1)            |
| Wau (Ayod)     | 13,032 (8,318)       | 23        | 0 (0)             | 0 (0)            |
| Adok (Leer)    | 12,778 (9,902)       | 3,952     | 10 (10)           | 2 (2)            |
| Padeah (Leer)  | 9,554 (8,711)        | 1,108     | 3 (3)             | 1 (1)            |

# Bor South County

Jonglei | County population about 354,711 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 109 mm below median in the top metre (30-day rain 124% of normal); ~63 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 355,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024  | 2025   |
|-----------------|--------|------------|-------|--------|
| People affected | 42,051 | not listed | 2,946 | 76,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 28,774          |
| 2 (planning)                   | 44,760          |
| 3 (severe)                     | 86,323          |
| Displaced in the planning case | 12,455          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Baidit   | 4,477          | 4,343       | 25 (23)           | 4 (4)            | 4,968 (153)         | 54.1 (47.0)        |
| Makuach  | 3,301          | 3,259       | 11 (8)            | 1 (1)            | 2,060 (60)          | 32.5 (29.4)        |
| Kolnyang | 3,155          | 3,123       | 20 (20)           | 6 (5)            | 11,318 (351)        | 156.9 (153.2)      |
| Anyidi   | 1,823          | 1,821       | 8 (8)             | 2 (2)            | 960 (29)            | 111.3 (111.3)      |

Health facilities: 33 in the county, 31 on flood-prone ground | Schools: 142 in the county, 135 on flood-prone ground

## River station: White Nile, River (dahiti:17754)

### River level status

Latest pass 2026-09-25: **Unusually high** (percentile 100). Level 422.61 m; seasonal median 422.32 m; anomaly +0.29 m. Record: min 421.06 m, max 422.63 m, average 422.01 m.

Baseline: 7 years, 14 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:17753     | Above normal (percentile 69) on 2026-08-04 | 2 days             | 2026-08-06           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:3246        | Above normal (percentile 75) on 2026-08-25 | 6 days                       | 2026-10-01                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 50,867, of which 39,440 at risk. Schools: 99 (93 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 62,858 (n/a at risk). Counties within 25 km: Awerial, Bor South, Yirol East.

| Payam (county)      | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------|----------------------|-----------|-------------------|------------------|
| Baidit (Bor South)  | 20,075 (14,927)      | 3,976     | 25 (23)           | 4 (4)            |
| Bor (Bor South)     | 10,017 (8,982)       | 57,396    | 64 (62)           | 16 (15)          |
| Nile (Awerial)      | 7,158 (5,147)        | 257       | 1 (1)             | 0 (0)            |
| Makuach (Bor South) | 5,110 (4,335)        | 699       | 8 (6)             | 1 (1)            |

# Canal/Pigi County

Jonglei | County population about 111,613 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 59% of normal); ~51 mm expected over 2 weeks = 64% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 112,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 35,462 | not listed | 39,971 | 25,500 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 9,699           |
| 2 (planning)                   | 15,088          |
| 3 (severe)                     | 29,098          |
| Displaced in the planning case | 4,198           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Alam   | 1,287          | 1,134       | 0 (0)             | 0 (0)            | 242 (7)             | 74.3 (65.5)        |
| Wunlem | 1,003          | 894         | 1 (0)             | 0 (0)            | 38 (0)              | 63.4 (52.9)        |
| Mareng | 778            | 293         | 9 (2)             | 0 (0)            | 134 (2)             | 76.6 (32.1)        |
| Atar   | 724            | 200         | 7 (4)             | 5 (0)            | 1,830 (10)          | 56.9 (11.5)        |

Health facilities: 12 in the county, 0 on flood-prone ground | Schools: 36 in the county, 13 on flood-prone ground

## River station: White Nile km 4029 (hydroweb:7965)

### River level status

Latest pass 2026-09-15: **Above normal** (percentile 74). Level 390.48 m; seasonal median 389.73 m; anomaly +0.75 m. Record: min 387.81 m, max 391.52 m, average 389.65 m.

Baseline: 9 years, 19 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7886    | Near normal (percentile 50) on 2026-09-23 | 0 days             | 2026-09-23           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7895      | Near normal (percentile 62) on 2026-09-02 | 1 days                       | 2026-09-16                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 61,010, of which 2,006 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 5,349 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

| Payam (county)        | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-----------------------|----------------------|-----------|-------------------|------------------|
| Atar (Canal/Pigi)     | 24,728 (509)         | 1,755     | 3 (0)             | 4 (0)            |
| Korwach (Canal/Pigi)  | 12,961 (235)         | 610       | 11 (0)            | 3 (0)            |
| Panyikang (Panyikang) | 8,100 (326)          | 587       | 0 (0)             | 2 (0)            |
| Manajang (Fangak)     | 5,141 (481)          | 1,011     | 0 (0)             | 2 (0)            |

# Duk County

Jonglei | County population about 206,545 | Issued 04 October 2026

## Advisory

- Wet spell likely (76%); soils should begin to recover

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 45,000 | not listed | 16,771 | 22,548 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,231          |
| 2 (planning)                   | 20,582          |
| 3 (severe)                     | 39,694          |
| Displaced in the planning case | 5,727           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam      | Settlements | People | Flooded | High ground | Small towns |
|------------|-------------|--------|---------|-------------|-------------|
| Ageer      | 1           | 2,200  | 0       | 2,200       | 0           |
| Dongchak   | 3           | 2,600  | 1,300   | 1,300       | 0           |
| Padiet     | 4           | 39,500 | 1,000   | 9,600       | 28,900      |
| Pagak      | 4           | 12,000 | 1,800   | 5,700       | 4,500       |
| Panyang    | 3           | 9,100  | 0       | 6,200       | 2,900       |
| Payuel     | 4           | 23,100 | 0       | 12,300      | 10,800      |
| Duk County | 19          | 88,500 | 4,100   | 37,300      | 47,100      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Dongchak | 3,316          | 2,092       | 1 (1)             | 2 (2)            | 1,038 (25)          | 129.6 (104.6)      |
| Panyang  | 872            | 850         | 4 (4)             | 3 (3)            | 1,201 (34)          | 87.4 (83.3)        |
| Ageer    | 932            | 723         | 2 (0)             | 2 (2)            | 835 (13)            | 45.3 (31.8)        |
| Pagak    | 680            | 679         | 0 (0)             | 1 (1)            | 424 (12)            | 15.2 (15.2)        |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 11 in the county, 9 on flood-prone ground

# Fangak County

Jonglei | County population about 213,029 | Issued 04 October 2026

## Advisory

- Wet spell likely (70%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024    | 2025    |
|-----------------|--------|--------|---------|---------|
| People affected | 73,191 | 17,669 | 154,005 | 145,316 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 36,008          |
| 2 (planning)                   | 56,013          |
| 3 (severe)                     | 108,025         |
| Displaced in the planning case | 15,586          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam         | Settlements | People | Flooded | High ground | Small towns |
|---------------|-------------|--------|---------|-------------|-------------|
| Manajang      | 10          | 27,300 | 7,000   | 0           | 20,300      |
| Mareang       | 3           | 9,140  | 600     | 0           | 8,540       |
| Old Fangak    | 2           | 3,000  | 3,000   | 0           | 0           |
| Paguir        | 4           | 17,360 | 1,100   | 0           | 16,260      |
| Phom          | 1           | 0      | 0       | 0           | 0           |
| Fangak County | 20          | 56,800 | 11,700  | 0           | 45,100      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Paguir     | 3,008          | 2,601       | 7 (4)             | 6 (4)            | 5,223 (110)         | 57.8 (37.7)        |
| Mareang    | 1,742          | 1,624       | 5 (5)             | 2 (2)            | 420 (18)            | 0.0 (0.0)          |
| Old Fangak | 1,659          | 1,368       | 4 (4)             | 0 (0)            | 1,979 (57)          | 79.7 (71.9)        |
| Manajang   | 1,224          | 333         | 8 (1)             | 7 (1)            | 8,254 (14)          | 84.2 (13.0)        |

Health facilities: 18 in the county, 8 on flood-prone ground | Schools: 24 in the county, 14 on flood-prone ground

## River station: Bahr El Zeraf km 4110 (hydroweb:105860)

### River level status

Latest pass 2026-09-25: **Above normal** (percentile 69). Level 393.28 m; seasonal median 393.17 m; anomaly +0.11 m. Record: min 391.28 m, max 393.93 m, average 392.82 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 36,373, of which 28,161 at risk. Schools: 13 (13 at risk). Health facilities: 5 (3 at risk).

Buildings (VIDA): 6,583 (169 at risk). Counties within 25 km: Fangak.

| Payam (county)      | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------|----------------------|-----------|-------------------|------------------|
| Old Fangak (Fangak) | 18,363 (15,811)      | 1,799     | 4 (4)             | 0 (0)            |
| Paguir (Fangak)     | 9,354 (7,795)        | 3,071     | 4 (4)             | 2 (2)            |
| Manajang (Fangak)   | 4,379 (393)          | 1,578     | 1 (1)             | 2 (0)            |
| Mareang (Fangak)    | 4,277 (4,161)        | 136       | 4 (4)             | 1 (1)            |



# Nyiröl County

Jonglei | County population about 153,295 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 94 mm below median in the top metre (30-day rain 67% of normal); ~54 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 153,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024 | 2025   |
|-----------------|------------|-------|------|--------|
| People affected | not listed | 8,832 | 0    | 16,500 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 9,578           |
| 2 (planning)                   | 14,899          |
| 3 (severe)                     | 28,734          |
| Displaced in the planning case | 4,146           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Thol     | 2,672          | 2,517       | 14 (13)           | 3 (3)            | 6,422 (142)         | 104.0 (95.9)       |
| Chuil    | 1,453          | 1,209       | 0 (0)             | 0 (0)            | 1,727 (35)          | 30.2 (27.4)        |
| Pulturuk | 1,069          | 1,037       | 5 (5)             | 2 (2)            | 345 (11)            | 40.4 (39.5)        |
| Nyambor  | 881            | 863         | 6 (6)             | 1 (1)            | 203 (5)             | 36.4 (35.5)        |

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

# Pibor County

Jonglei | County population about 237,649 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 79 mm below median in the top metre (30-day rain 67% of normal); ~61 mm expected over 2 weeks = 77% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024 | 2025    |
|-----------------|------------|------------|------|---------|
| People affected | not listed | not listed | 0    | 146,851 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 35,634          |
| 2 (planning)                   | 55,430          |
| 3 (severe)                     | 106,901         |
| Displaced in the planning case | 15,424          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Verteth    | 7,791          | 7,529       | 0 (0)             | 0 (0)            | 1,561 (34)          | 110.7 (86.2)       |
| Kiziongora | 6,669          | 6,045       | 0 (0)             | 5 (4)            | 3,800 (47)          | 233.9 (208.9)      |
| Gumuruk    | 4,471          | 4,429       | 0 (0)             | 1 (1)            | 10,677 (260)        | 174.6 (169.8)      |
| Pibor      | 3,613          | 3,392       | 7 (7)             | 1 (1)            | 8,098 (195)         | 182.6 (166.7)      |

Health facilities: 15 in the county, 10 on flood-prone ground | Schools: 8 in the county, 8 on flood-prone ground

# Pochalla County

Jonglei | County population about 82,568 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 68% of normal); ~58 mm expected over 2 weeks = 70% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 83,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 31,326 | 15,335 | 22,477 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 4,234           |
| 2 (planning)                   | 6,586           |
| 3 (severe)                     | 12,702          |
| Displaced in the planning case | 1,833           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pochalla | 3,089          | 2,962       | 3 (3)             | 4 (3)            | 2,143 (40)          | 170.5 (167.6)      |
| Adongo   | 2,681          | 2,412       | 4 (4)             | 3 (3)            | 1,941 (25)          | 178.1 (159.1)      |
| Omiela   | 1,033          | 856         | 1 (1)             | 0 (0)            | 108 (3)             | 69.9 (48.2)        |
| Burator  | 950            | 813         | 1 (1)             | 0 (0)            | 357 (10)            | 37.0 (31.4)        |

Health facilities: 8 in the county, 7 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground

# Twic East County

Jonglei | County population about 129,822 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 69 mm below median in the top metre (30-day rain 66% of normal); ~63 mm expected over 2 weeks = 91% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025    |
|-----------------|--------|------------|--------|---------|
| People affected | 58,069 | not listed | 55,349 | 101,675 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 23,245          |
| 2 (planning)                   | 36,159          |
| 3 (severe)                     | 69,735          |
| Displaced in the planning case | 10,062          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam            | Settlements | People | Flooded | High ground | Small towns |
|------------------|-------------|--------|---------|-------------|-------------|
| Ajuong           | 1           | 11,100 | 0       | 0           | 11,100      |
| Kongor           | 2           | 21,300 | 0       | 0           | 21,300      |
| Lith             | 3           | 10,950 | 9,200   | 0           | 1,750       |
| Nyuak            | 3           | 16,800 | 1,600   | 2,200       | 13,000      |
| Pakeer           | 2           | 14,900 | 1,300   | 0           | 13,600      |
| Twic East County | 11          | 75,050 | 12,100  | 2,200       | 60,750      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pakeer | 1,326          | 1,178       | 5 (5)             | 2 (2)            | 2,033 (68)          | 82.7 (80.6)        |
| Ajuong | 1,859          | 1,156       | 2 (2)             | 1 (1)            | 1,301 (40)          | 18.4 (18.4)        |
| Lith   | 1,181          | 1,137       | 3 (3)             | 1 (1)            | 213 (8)             | 94.5 (86.1)        |
| Nyuak  | 1,113          | 1,085       | 6 (6)             | 2 (2)            | 5,498 (182)         | 89.9 (87.2)        |

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 21 in the county, 21 on flood-prone ground

## River station: White Nile, River (dahiti:17749)

### River level status

Latest pass 2026-09-23: **Unusually high** (percentile 94). Level 410.11 m; seasonal median 409.89 m; anomaly +0.21 m. Record: min 409.20 m, max 410.24 m, average 409.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:17750     | Near normal (percentile 50) on 2026-09-11 | 14 days            | 2026-09-25           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:15557       | Unusually high (percentile 93) on 2026-09-25 | 49 days                      | 2026-11-11                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 23,275, of which 12,919 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 347 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

| Payam (county)         | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------------|----------------------|-----------|-------------------|------------------|
| Ajuong (Twic East)     | 8,844 (3,129)        | 98        | 0 (0)             | 0 (0)            |
| Adior (Yirol East)     | 6,863 (4,541)        | 211       | 0 (0)             | 1 (0)            |
| Pachienjok (Panyijiar) | 2,646 (1,617)        | 3         | 1 (1)             | 0 (0)            |
| Tinagau (Yirol East)   | 2,305 (2,292)        | 9         | 0 (0)             | 0 (0)            |

# Uror County

Jonglei | County population about 205,594 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 104 mm below median in the top metre (30-day rain 80% of normal); ~62 mm expected over 2 weeks = 59% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 206,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 24,516 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 771             |
| 2 (planning)                   | 1,200           |
| 3 (severe)                     | 2,314           |
| Displaced in the planning case | 334             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pieri  | 4,609          | 4,605       | 8 (8)             | 2 (2)            | 2,324 (65)          | 181.6 (181.4)      |
| Payai  | 3,307          | 3,304       | 2 (2)             | 1 (1)            | 981 (39)            | 101.2 (100.5)      |
| Tiam   | 2,036          | 2,034       | 1 (1)             | 1 (1)            | 2,431 (69)          | 67.0 (66.9)        |
| Pathai | 773            | 767         | 1 (1)             | 2 (2)            | 2,153 (61)          | 94.1 (94.0)        |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

# Awerial County

Lakes | County population about 144,223 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 91 mm below median in the top metre (30-day rain 99% of normal); ~63 mm expected over 2 weeks = 68% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025  |
|-----------------|------------|------------|------------|-------|
| People affected | not listed | not listed | not listed | 8,130 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,999           |
| 2 (planning)                   | 3,109           |
| 3 (severe)                     | 5,996           |
| Displaced in the planning case | 865             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bun-agok | 897            | 891         | 4 (4)             | 2 (2)            | 2,527 (65)          | 83.1 (82.5)        |
| Nile     | 771            | 625         | 5 (5)             | 0 (0)            | 506 (18)            | 0.0 (0.0)          |
| Puluk    | 728            | 580         | 2 (2)             | 2 (2)            | 7,474 (199)         | 23.4 (21.7)        |
| Abuyong  | 673            | 567         | 8 (7)             | 1 (1)            | 770 (22)            | 44.8 (41.1)        |

Health facilities: 6 in the county, 6 on flood-prone ground | Schools: 27 in the county, 26 on flood-prone ground

## River station: White Nile km 4725 (hydroweb:7894)

### River level status

Latest pass 2026-09-27: **Below normal** (percentile 31). Level 422.72 m; seasonal median 422.88 m; anomaly -0.15 m. Record: min 421.58 m, max 423.49 m, average 422.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7966    | Near normal (percentile 57) on 2026-09-17 | 20 days            | 2026-10-07           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7891      | Below normal (percentile 19) on 2026-09-25 | 1 days                       | 2026-09-28                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 50,440, of which 40,240 at risk. Schools: 105 (99 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 65,422 (n/a at risk). Counties within 25 km: Awerial, Bor South.

| Payam (county)      | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------|----------------------|-----------|-------------------|------------------|
| Baidit (Bor South)  | 16,065 (11,592)      | 3,769     | 22 (20)           | 4 (4)            |
| Bor (Bor South)     | 11,107 (10,060)      | 57,555    | 64 (62)           | 16 (15)          |
| Nile (Awerial)      | 9,268 (6,851)        | 358       | 5 (5)             | 0 (0)            |
| Makuach (Bor South) | 6,321 (5,324)        | 711       | 9 (7)             | 1 (1)            |

# Cueibet County

Lakes | County population about 189,199 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 66 mm below median in the top metre (30-day rain 94% of normal); ~61 mm expected over 2 weeks = 92% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025   |
|-----------------|--------|--------|--------|--------|
| People affected | 33,000 | 68,988 | 52,395 | 13,655 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,076           |
| 2 (planning)                   | 4,785           |
| 3 (severe)                     | 9,228           |
| Displaced in the planning case | 1,332           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malou Pec | 1,650          | 1,622       | 6 (6)             | 5 (5)            | 14,372 (386)        | 190.0 (187.5)      |
| Citcok    | 1,008          | 1,001       | 12 (12)           | 3 (3)            | 1,873 (38)          | 36.5 (36.4)        |
| Abiriu    | 620            | 599         | 9 (9)             | 5 (5)            | 14,184 (310)        | 78.0 (75.7)        |
| Pagor     | 598            | 585         | 4 (4)             | 0 (0)            | 2,760 (66)          | 59.9 (58.5)        |

Health facilities: 17 in the county, 17 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

# Rumbek Centre County

Lakes | County population about 222,497 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 96 mm below median in the top metre (30-day rain 79% of normal); ~61 mm expected over 2 weeks = 63% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 222,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025   |
|-----------------|------------|------------|------------|--------|
| People affected | not listed | not listed | not listed | 88,865 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 24,492          |
| 2 (planning)                   | 38,099          |
| 3 (severe)                     | 73,477          |
| Displaced in the planning case | 10,602          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Amongpiny | 1,249          | 1,209       | 4 (4)             | 1 (1)            | 3,460 (93)          | 95.3 (92.2)        |
| Mayom     | 1,008          | 983         | 1 (1)             | 0 (0)            | 716 (13)            | 54.5 (49.8)        |
| Matangai  | 976            | 955         | 25 (24)           | 12 (10)          | 37,517 (1,008)      | 76.8 (76.1)        |
| Malek 2   | 470            | 470         | 3 (3)             | 1 (1)            | 214 (11)            | 22.9 (22.9)        |

Health facilities: 20 in the county, 18 on flood-prone ground | Schools: 38 in the county, 37 on flood-prone ground



# Rumbek East County

Lakes | County population about 180,970 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 75 mm below median in the top metre (30-day rain 112% of normal); ~64 mm expected over 2 weeks = 85% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 15,000 | not listed | 93,459 | 22,655 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,349          |
| 2 (planning)                   | 17,654          |
| 3 (severe)                     | 34,047          |
| Displaced in the planning case | 4,913           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Paloc   | 1,868          | 1,773       | 1 (1)             | 3 (3)            | 2,445 (44)          | 111.7 (109.9)      |
| Cueicok | 409            | 402         | 7 (7)             | 4 (4)            | 7,762 (222)         | 33.7 (32.4)        |
| Aduel   | 411            | 400         | 9 (9)             | 6 (6)            | 6,062 (138)         | 14.0 (14.0)        |
| Atiaba  | 292            | 292         | 6 (6)             | 3 (3)            | 7,802 (191)         | 31.0 (30.9)        |

Health facilities: 24 in the county, 24 on flood-prone ground | Schools: 42 in the county, 41 on flood-prone ground

## River station: Gulnam km 4669 (hydroweb:104259)

### River level status

Latest pass 2026-09-07: **Below normal** (percentile 23). Level 424.24 m; seasonal median 424.34 m; anomaly -0.10 m. Record: min 422.93 m, max 424.55 m, average 423.92 m.

Baseline: 6 years, 13 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:110221    | Above normal (percentile 77) on 2026-03-14 | 53 days                      | 2026-10-30                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 73,993, of which 72,848 at risk. Schools: 6 (6 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 9,386 (235 at risk). Counties within 25 km: Rumbek Centre, Rumbek East.

| Payam (county)            | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------------|----------------------|-----------|-------------------|------------------|
| Amongpiny (Rumbek Centre) | 23,446 (22,609)      | 948       | 1 (1)             | 0 (0)            |
| Paloc (Rumbek East)       | 18,833 (18,775)      | 1,817     | 1 (1)             | 2 (2)            |
| Cueicok (Rumbek East)     | 10,851 (10,721)      | 2,072     | 0 (0)             | 0 (0)            |
| Mayom (Rumbek Centre)     | 6,766 (6,684)        | 120       | 0 (0)             | 0 (0)            |

# Rumbek North County

Lakes | County population about 75,047 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 126 mm below median in the top metre (30-day rain 65% of normal); ~55 mm expected over 2 weeks = 43% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 75,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 12,000 | not listed | not listed | 45,225 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,215          |
| 2 (planning)                   | 17,445          |
| 3 (severe)                     | 33,644          |
| Displaced in the planning case | 4,854           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mayen    | 2,575          | 2,556       | 7 (7)             | 2 (2)            | 1,068 (26)          | 102.1 (101.8)      |
| Malueeth | 983            | 977         | 4 (4)             | 2 (2)            | 1,945 (50)          | 34.5 (34.5)        |
| Madol    | 385            | 384         | 1 (1)             | 0 (0)            | 205 (4)             | 0.0 (0.0)          |
| Aloor    | 71             | 71          | 0 (0)             | 1 (1)            | 652 (16)            | 0.0 (0.0)          |

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

# Wulu County

Lakes | County population about 92,247 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 68% of normal); ~75 mm expected over 2 weeks = 200% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025  |
|-----------------|------------|------------|------------|-------|
| People affected | not listed | not listed | not listed | 5,570 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,319           |
| 2 (planning)                   | 2,052           |
| 3 (severe)                     | 3,957           |
| Displaced in the planning case | 571             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bargel   | 5,628          | 4,690       | 7 (7)             | 4 (4)            | 3,588 (75)          | 282.1 (240.0)      |
| Domoloto | 5,329          | 4,621       | 1 (1)             | 4 (3)            | 4,247 (74)          | 224.7 (205.5)      |
| Wulu     | 724            | 638         | 3 (3)             | 5 (5)            | 7,431 (126)         | 69.5 (65.5)        |
| Makundi  | 162            | 149         | 0 (0)             | 1 (1)            | 417 (9)             | 12.3 (12.1)        |

Health facilities: 14 in the county, 13 on flood-prone ground | Schools: 11 in the county, 11 on flood-prone ground

# Yirol East County

Lakes | County population about 165,810 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 42 mm below median in the top metre (30-day rain 93% of normal); ~62 mm expected over 2 weeks = 148% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024       | 2025   |
|-----------------|-------|------------|------------|--------|
| People affected | 1,398 | not listed | not listed | 26,155 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,537          |
| 2 (planning)                   | 17,946          |
| 3 (severe)                     | 34,610          |
| Displaced in the planning case | 4,994           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malek   | 2,040          | 1,900       | 11 (11)           | 1 (1)            | 3,348 (92)          | 109.3 (103.4)      |
| Adior   | 1,673          | 1,382       | 12 (12)           | 3 (2)            | 3,932 (109)         | 93.7 (86.5)        |
| Tinagau | 805            | 799         | 2 (2)             | 1 (1)            | 1,909 (33)          | 60.4 (60.0)        |
| Pagarau | 700            | 613         | 1 (1)             | 1 (1)            | 2,672 (83)          | 77.0 (65.9)        |

Health facilities: 9 in the county, 8 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

## River station: White Nile km 4536 (hydroweb:7880)

### River level status

Latest pass 2026-09-24: **Above normal** (percentile 86). Level 410.22 m; seasonal median 409.87 m; anomaly +0.35 m. Record: min 408.93 m, max 410.55 m, average 409.77 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.25 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7887    | Below normal (percentile 22) on 2026-09-23 | 11 days            | 2026-10-04           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7879      | Near normal (percentile 39) on 2026-09-24 | 25 days                      | 2026-10-19                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 23,020, of which 12,620 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 340 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

| Payam (county)         | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------------|----------------------|-----------|-------------------|------------------|
| Ajuong (Twic East)     | 7,484 (2,319)        | 94        | 0 (0)             | 0 (0)            |
| Adior (Yirol East)     | 5,825 (3,778)        | 186       | 0 (0)             | 1 (0)            |
| Pachienjok (Panyijiar) | 3,753 (2,358)        | 17        | 1 (1)             | 0 (0)            |
| Dongchak (Duk)         | 2,627 (942)          | 32        | 0 (0)             | 0 (0)            |

# Yirol West County

Lakes | County population about 181,325 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 83% of normal); ~64 mm expected over 2 weeks = 74% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 181,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025   |
|-----------------|------------|------------|------------|--------|
| People affected | not listed | not listed | not listed | 87,830 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 22,730          |
| 2 (planning)                   | 35,358          |
| 3 (severe)                     | 68,191          |
| Displaced in the planning case | 9,839           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Geng-geng | 1,881          | 1,845       | 7 (7)             | 1 (1)            | 2,667 (52)          | 47.2 (46.8)        |
| Anuol     | 1,023          | 1,000       | 0 (0)             | 3 (3)            | 2,900 (57)          | 72.9 (71.4)        |
| Gher      | 662            | 655         | 3 (3)             | 1 (1)            | 2,063 (44)          | 27.4 (27.2)        |
| Yirol     | 654            | 649         | 3 (3)             | 3 (3)            | 11,496 (375)        | 22.6 (22.2)        |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

# Aweil Centre County

Northern Bahr el Ghazal | County population about 78,958 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 60 mm below median in the top metre (30-day rain 122% of normal); ~56 mm expected over 2 weeks = 94% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022   | 2024   | 2025       |
|-----------------|-------|--------|--------|------------|
| People affected | 1,800 | 45,288 | 48,864 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 364             |
| 2 (planning)                   | 566             |
| 3 (severe)                     | 1,092           |
| Displaced in the planning case | 157             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Achana     | 3,401          | 1,749       | 1 (0)             | 2 (1)            | 635 (8)             | 126.7 (68.3)       |
| Nyalath    | 1,747          | 1,133       | 15 (9)            | 2 (0)            | 2,177 (27)          | 65.4 (35.3)        |
| Abul       | 2,893          | 1,053       | 6 (0)             | 2 (0)            | 1,003 (7)           | 145.5 (52.8)       |
| Bahr Mayen | 895            | 712         | 19 (12)           | 3 (2)            | 4,771 (106)         | 76.8 (55.9)        |

Health facilities: 15 in the county, 6 on flood-prone ground | Schools: 60 in the county, 31 on flood-prone ground

# Aweil East County

Northern Bahr el Ghazal | County population about 395,769 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 67 mm below median in the top metre (30-day rain 166% of normal); ~39 mm expected over 2 weeks = 59% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 396,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022    | 2024   | 2025       |
|-----------------|--------|---------|--------|------------|
| People affected | 40,000 | 135,030 | 91,128 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,639           |
| 2 (planning)                   | 2,549           |
| 3 (severe)                     | 4,916           |
| Displaced in the planning case | 709             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malual-bai | 1,753          | 1,059       | 23 (14)           | 13 (8)           | 21,540 (451)        | 45.5 (19.7)        |
| Baach      | 1,422          | 894         | 8 (6)             | 11 (7)           | 38,740 (879)        | 68.0 (47.0)        |
| Madhol     | 995            | 474         | 29 (15)           | 6 (4)            | 19,359 (470)        | 49.7 (25.4)        |
| Wunlang    | 584            | 361         | 10 (3)            | 4 (4)            | 19,311 (496)        | 13.5 (9.6)         |

Health facilities: 53 in the county, 33 on flood-prone ground | Schools: 108 in the county, 54 on flood-prone ground

## Reported news

- 03 Oct: **Hepatitis E (water)**: 40 hepatitis E cases, no deaths, in Northern Bahr el Ghazal (Aweil East, Aweil North, Gok Machar, Aweil West), linked to water contaminated during heavy rains. ([Eye Radio](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

# Aweil North County

Northern Bahr el Ghazal | County population about 185,929 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 50 mm below median in the top metre (30-day rain 204% of normal); ~36 mm expected over 2 weeks = 71% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 186,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 14,041 | 30,846 | 16,820 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,727           |
| 2 (planning)                   | 5,797           |
| 3 (severe)                     | 11,180          |
| Displaced in the planning case | 1,613           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam         | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malual West   | 3,399          | 1,842       | 11 (8)            | 9 (5)            | 9,390 (170)         | 3.6 (3.4)          |
| Malual East   | 1,055          | 492         | 19 (10)           | 9 (3)            | 26,721 (498)        | 15.0 (8.5)         |
| Malual Centre | 753            | 350         | 9 (0)             | 7 (2)            | 16,761 (299)        | 3.2 (1.5)          |
| Malual North  | 819            | 315         | 15 (4)            | 4 (1)            | 26,298 (383)        | 48.3 (20.8)        |

Health facilities: 37 in the county, 14 on flood-prone ground | Schools: 66 in the county, 25 on flood-prone ground

## Reported news

- 03 Oct: **Hepatitis E (water)**: 40 hepatitis E cases, no deaths, in Northern Bahr el Ghazal (Aweil East, Aweil North, Gok Machar, Aweil West), linked to water contaminated during heavy rains. ([Eye Radio](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

## River station: Lol, River (dahiti:19749)

### River level status

Latest pass 2026-08-26: **Below normal** (percentile 14). Level 448.05 m; seasonal median 449.04 m; anomaly -0.99 m. Record: min 446.29 m, max 450.68 m, average 447.78 m.

Baseline: 7 years, 14 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:23343     | Near normal (percentile 38) on 2026-08-07 | 1 days             | 2026-08-08           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23342       | Below normal (percentile 14) on 2026-08-24 | 4 days                       | 2026-08-30                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 51,173, of which 2 at risk. Schools: 19 (0 at risk). Health facilities: 23 (0 at risk).

Buildings (VIDA): 29,920 (0 at risk). Counties within 25 km: Aweil Centre, Aweil North, Aweil West.

| Payam (county)            | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------------|----------------------|-----------|-------------------|------------------|
| Malual West (Aweil North) | 19,561 (1)           | 8,982     | 11 (0)            | 9 (0)            |
| Ayat Centre (Aweil West)  | 10,775 (0)           | 4,691     | 3 (0)             | 5 (0)            |
| Ayat West (Aweil West)    | 7,954 (1)            | 1,914     | 3 (0)             | 5 (0)            |
| Ayat East (Aweil West)    | 7,411 (0)            | 12,366    | 0 (0)             | 4 (0)            |



# Aweil South County

Northern Bahr el Ghazal | County population about 151,604 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 57 mm below median in the top metre (30-day rain 97% of normal); ~46 mm expected over 2 weeks = 81% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025       |
|-----------------|--------|--------|--------|------------|
| People affected | 23,000 | 45,246 | 85,302 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 571             |
| 2 (planning)                   | 888             |
| 3 (severe)                     | 1,713           |
| Displaced in the planning case | 247             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tar-weng     | 454            | 294         | 6 (2)             | 2 (0)            | 4,148 (100)         | 22.3 (13.1)        |
| Gakrol       | 267            | 218         | 5 (3)             | 5 (2)            | 4,186 (91)          | 41.4 (32.8)        |
| Wathmuok     | 222            | 173         | 6 (3)             | 3 (0)            | 3,744 (83)          | 12.4 (10.4)        |
| Nyocawany II | 166            | 141         | 4 (2)             | 0 (0)            | 5,656 (140)         | 19.6 (18.0)        |

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 37 in the county, 18 on flood-prone ground

# Aweil West County

Northern Bahr el Ghazal | County population about 223,173 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 63 mm below median in the top metre (30-day rain 158% of normal); ~44 mm expected over 2 weeks = 70% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 223,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 12,158 | 30,168 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 864             |
| 2 (planning)                   | 1,344           |
| 3 (severe)                     | 2,592           |
| Displaced in the planning case | 374             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Achana 2    | 1,619          | 1,053       | 0 (0)             | 3 (3)            | 862 (17)            | 63.5 (41.7)        |
| Mariem West | 889            | 484         | 3 (1)             | 3 (1)            | 12,251 (166)        | 18.8 (12.6)        |
| Ayat West   | 501            | 334         | 4 (4)             | 6 (5)            | 2,581 (56)          | 21.6 (20.0)        |
| Ayat Centre | 407            | 279         | 3 (3)             | 5 (3)            | 4,691 (99)          | 16.8 (13.7)        |

Health facilities: 45 in the county, 21 on flood-prone ground | Schools: 44 in the county, 19 on flood-prone ground

## Reported news

- 03 Oct: **Hepatitis E (water)**: 40 hepatitis E cases, no deaths, in Northern Bahr el Ghazal (Aweil East, Aweil North, Gok Machar, Aweil West), linked to water contaminated during heavy rains. ([Eye Radio](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

## River station: Wadi Boro, River (dahiti:23342)

### River level status

Latest pass 2026-08-24: **Below normal** (percentile 14). Level 436.18 m; seasonal median 436.80 m; anomaly -0.61 m. Record: min 434.18 m, max 437.90 m, average 435.69 m.

Baseline: 10 years, 22 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:19749     | Below normal (percentile 14) on 2026-08-26 | 4 days             | 2026-08-30           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23341       | Below normal (percentile 19) on 2026-08-07 | 34 days                      | 2026-09-27                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 70,305, of which 24 at risk. Schools: 41 (0 at risk). Health facilities: 33 (0 at risk). Buildings (VIDA): 94,635 (n/a at risk). Counties within 25 km: Aweil North, Aweil West.

| Payam (county)              | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-----------------------------|----------------------|-----------|-------------------|------------------|
| Gomjuer Centre (Aweil West) | 14,537 (0)           | 21,237    | 0 (0)             | 6 (0)            |
| Malual North (Aweil North)  | 13,307 (18)          | 24,670    | 15 (0)            | 4 (0)            |
| Malual Centre (Aweil North) | 11,164 (0)           | 16,048    | 9 (0)             | 7 (0)            |
| Gomjuer East (Aweil West)   | 9,290 (1)            | 5,414     | 1 (0)             | 2 (0)            |

# Abiemnhom County

Unity | County population about 60,349 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 97% of normal); ~45 mm expected over 2 weeks = 59% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 60,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,367           |
| 2 (planning)                   | 2,127           |
| 3 (severe)                     | 4,102           |
| Displaced in the planning case | 592             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Aworpiny  | 696            | 649         | 0 (0)             | 0 (0)            | 11 (0)              | 12.8 (12.6)        |
| Abiemnhom | 416            | 408         | 4 (4)             | 8 (8)            | 4,649 (109)         | 47.9 (46.9)        |
| Panyang 2 | 613            | 335         | 0 (0)             | 0 (0)            | 249 (0)             | 43.6 (18.4)        |
| Manjonga  | 682            | 287         | 0 (0)             | 0 (0)            | 142 (1)             | 15.2 (12.1)        |

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 4 in the county, 4 on flood-prone ground

## River station: Bahr Al Arab km 4307 (hydroweb:109368)

### River level status

Latest pass 2026-09-15: **Below normal** (percentile 25). Level 391.30 m; seasonal median 391.70 m; anomaly -0.40 m. Record: min 390.14 m, max 392.46 m, average 391.39 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.14 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:104262  | Below normal (percentile 24) on 2026-09-07 | 8 days             | 2026-09-15           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 38,538, of which 18,709 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 794 (5 at risk). Counties within 25 km: Abiemnhom, Mayom, Pariang, Rubkona.

| Payam (county)       | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------------|----------------------|-----------|-------------------|------------------|
| Budaang (Rubkona)    | 27,018 (15,196)      | 583       | 1 (0)             | 0 (0)            |
| Manjonga (Abiemnhom) | 5,606 (1,804)        | 135       | 0 (0)             | 0 (0)            |
| Kuerbuone (Mayom)    | 1,704 (1,276)        | 0         | 0 (0)             | 0 (0)            |
| Aliiny (Pariang)     | 1,496 (0)            | 34        | 0 (0)             | 0 (0)            |

# Guit County

Unity | County population about 73,878 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 51% of normal); ~49 mm expected over 2 weeks = 129% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024  | 2025  |
|-----------------|-------|------------|-------|-------|
| People affected | 8,000 | not listed | 5,010 | 3,336 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,888           |
| 2 (planning)                   | 6,048           |
| 3 (severe)                     | 11,664          |
| Displaced in the planning case | 1,683           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam              | Settlements | People        | Flooded       | High ground   | Small towns  |
|--------------------|-------------|---------------|---------------|---------------|--------------|
| Guit               | 1           | 5,600         | 5,600         | 0             | 0            |
| Kedad              | 3           | 3,700         | 3,700         | 0             | 0            |
| Kuach              | 9           | 18,500        | 2,800         | 14,200        | 1,500        |
| Kuerguini          | 7           | 20,040        | 8,170         | 11,870        | 0            |
| Niemni             | 5           | 13,700        | 7,900         | 0             | 5,800        |
| Nyathoar           | 3           | 3,650         | 3,650         | 0             | 0            |
| Wathnyona          | 3           | 8,800         | 7,800         | 1,000         | 0            |
| <b>Guit County</b> | <b>31</b>   | <b>73,990</b> | <b>39,620</b> | <b>27,070</b> | <b>7,300</b> |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kedad     | 1,026          | 971         | 11 (11)           | 2 (2)            | 1,298 (32)          | 31.5 (30.8)        |
| Kuach     | 780            | 735         | 4 (4)             | 4 (4)            | 811 (28)            | 7.0 (7.0)          |
| Niemni    | 855            | 714         | 2 (0)             | 2 (2)            | 638 (34)            | 28.2 (27.7)        |
| Wathnyona | 317            | 282         | 0 (0)             | 2 (2)            | 500 (11)            | 40.2 (34.7)        |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 21 in the county, 19 on flood-prone ground

## Reported news

- 24 Sep: **Cholera**: Seven-day oral cholera vaccination drive with MSF and WHO targets 100,000 IDPs after thousands of cases this year. ([Sudans Post](#))  
From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

## River station: White Nile km 4159 (hydroweb:7882)

### River level status

Latest pass 2026-09-11: **Unusually high** (percentile 95). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 392.00 m, max 392.72 m, average 392.44 m.

Baseline: 10 years, 22 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7899    | Above normal (percentile 81) on 2026-08-23 | 30 days            | 2026-09-22           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7881      | Above normal (percentile 86) on 2026-09-11 | 4 days                       | 2026-09-15                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 21,894, of which 18,253 at risk. Schools: 3 (1 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 336 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

| Payam (county)  | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-----------------|----------------------|-----------|-------------------|------------------|
| Paguir (Fangak) | 12,036 (11,058)      | 169       | 0 (0)             | 2 (2)            |
| Niemni (Guit)   | 4,549 (3,623)        | 27        | 2 (0)             | 0 (0)            |

# Koch County

Unity | County population about 115,158 | Issued 04 October 2026

## Advisory

- Wet spell likely (70%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024   | 2025   |
|-----------------|-------|------------|--------|--------|
| People affected | 2,898 | not listed | 36,278 | 47,984 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 12,999          |
| 2 (planning)                   | 20,221          |
| 3 (severe)                     | 38,998          |
| Displaced in the planning case | 5,627           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam       | Settlements | People | Flooded | High ground | Small towns |
|-------------|-------------|--------|---------|-------------|-------------|
| Boaw        | 2           | 15,197 | 15,197  | 0           | 0           |
| Gany        | 2           | 7,681  | 0       | 7,681       | 0           |
| Jaak        | 8           | 33,479 | 19,047  | 14,432      | 0           |
| Kuachlual   | 1           | 12,382 | 12,382  | 0           | 0           |
| Ngony       | 3           | 18,886 | 3,900   | 14,986      | 0           |
| Norbor      | 1           | 4,700  | 0       | 4,700       | 0           |
| Pakur       | 1           | 3,680  | 0       | 3,680       | 0           |
| Koch County | 18          | 96,005 | 50,526  | 45,479      | 0           |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pakur  | 1,105          | 938         | 4 (3)             | 2 (2)            | 25 (0)              | 0.0 (0.0)          |
| Jaak   | 984            | 923         | 3 (3)             | 2 (2)            | 3,125 (111)         | 2.1 (2.1)          |
| Boaw   | 791            | 775         | 6 (6)             | 1 (1)            | 856 (22)            | 30.1 (30.1)        |
| Norbor | 531            | 521         | 0 (0)             | 1 (1)            | 85 (3)              | 3.1 (2.9)          |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 26 in the county, 25 on flood-prone ground

# Leer County

Unity | County population about 86,784 | Issued 04 October 2026

## Advisory

- Wet spell likely (90%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024  | 2025   |
|-----------------|--------|--------|-------|--------|
| People affected | 41,000 | 48,295 | 6,611 | 62,796 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 14,888          |
| 2 (planning)                   | 23,159          |
| 3 (severe)                     | 44,664          |
| Displaced in the planning case | 6,444           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam       | Settlements | People | Flooded | High ground | Small towns |
|-------------|-------------|--------|---------|-------------|-------------|
| Adok        | 6           | 15,600 | 5,000   | 10,600      | 0           |
| Bou         | 1           | 1,400  | 1,400   | 0           | 0           |
| Guat        | 1           | 4,400  | 0       | 4,400       | 0           |
| Juong Kang  | 2           | 20,000 | 100     | 19,900      | 0           |
| Leer        | 2           | 12,900 | 0       | 12,900      | 0           |
| Padeah      | 3           | 2,900  | 0       | 2,900       | 0           |
| Pilieny     | 3           | 13,100 | 2,800   | 10,300      | 0           |
| Yang        | 3           | 9,400  | 0       | 9,400       | 0           |
| Leer County | 21          | 79,700 | 9,300   | 70,400      | 0           |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Yang    | 632            | 481         | 2 (2)             | 1 (1)            | 2,040 (52)          | 21.0 (20.9)        |
| Pilieny | 355            | 353         | 0 (0)             | 1 (1)            | 872 (19)            | 29.3 (29.3)        |
| Padeah  | 220            | 202         | 3 (3)             | 2 (2)            | 1,349 (33)          | 0.0 (0.0)          |
| Adok    | 223            | 180         | 10 (10)           | 2 (2)            | 3,952 (99)          | 7.8 (7.2)          |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 22 in the county, 22 on flood-prone ground

## River station: White Nile km 4371 (hydroweb:7875)

### River level status

Latest pass 2026-09-24: **Below normal** (percentile 18). Level 400.62 m; seasonal median 400.71 m; anomaly -0.09 m. Record: min 400.22 m, max 401.00 m, average 400.65 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                          | Median travel time | Expected here around |
|------------------|-----------------------------------------------|--------------------|----------------------|
| hydroweb:7884    | Unusually high (percentile 100) on 2026-08-13 | 0 days             | 2026-08-13           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7874      | Unusually high (percentile 93) on 2026-09-24 | 4 days                       | 2026-09-28                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 46,458, of which 29,382 at risk. Schools: 3 (3 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 2,855 (80 at risk). Counties within 25 km: Ayod, Leer, Panyijiar.

| Payam (county) | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------|----------------------|-----------|-------------------|------------------|
| Yang (Leer)    | 20,027 (14,489)      | 1,891     | 1 (1)             | 1 (1)            |
| Wau (Ayod)     | 9,715 (5,700)        | 37        | 0 (0)             | 0 (0)            |
| Adok (Leer)    | 5,788 (3,456)        | 886       | 2 (2)             | 1 (1)            |
| Pajiek (Ayod)  | 5,038 (970)          | 11        | 0 (0)             | 0 (0)            |

# Mayendit County

Unity | County population about 74,335 | Issued 04 October 2026

## Advisory

- Wet spell likely (76%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025   |
|-----------------|--------|--------|--------|--------|
| People affected | 31,000 | 17,004 | 23,963 | 58,438 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,551          |
| 2 (planning)                   | 21,080          |
| 3 (severe)                     | 40,654          |
| Displaced in the planning case | 5,866           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam           | Settlements | People | Flooded | High ground | Small towns |
|-----------------|-------------|--------|---------|-------------|-------------|
| Bor 2           | 2           | 4,700  | 0       | 4,700       | 0           |
| Dablual         | 5           | 13,300 | 7,000   | 6,300       | 0           |
| Rubkuay         | 9           | 25,700 | 0       | 25,700      | 0           |
| Tutnyang        | 4           | 11,800 | 2,500   | 9,300       | 0           |
| Mayendit County | 20          | 55,500 | 9,500   | 46,000      | 0           |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pabuong   | 1,196          | 1,192       | 0 (0)             | 2 (2)            | 148 (0)             | 0.2 (0.2)          |
| Tharjiath | 563            | 550         | 1 (1)             | 0 (0)            | 19 (0)              | 0.0 (0.0)          |
| Maal      | 465            | 461         | 4 (4)             | 2 (2)            | 794 (23)            | 34.8 (34.2)        |
| Bor 2     | 288            | 285         | 2 (2)             | 2 (2)            | 611 (27)            | 20.3 (20.3)        |

Health facilities: 15 in the county, 15 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

# Mayom County

Unity | County population about 170,251 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 78 mm below median in the top metre (30-day rain 45% of normal); ~49 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 170,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025       |
|-----------------|--------|------------|--------|------------|
| People affected | 60,000 | not listed | 42,844 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 7,471           |
| 2 (planning)                   | 11,622          |
| 3 (severe)                     | 22,414          |
| Displaced in the planning case | 3,234           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wangkei   | 774            | 730         | 0 (0)             | 1 (1)            | 6,111 (181)         | 49.7 (48.5)        |
| Kuerbuone | 770            | 700         | 2 (2)             | 1 (1)            | 5,111 (160)         | 25.3 (24.5)        |
| Riak      | 901            | 679         | 0 (0)             | 1 (1)            | 5,652 (160)         | 5.2 (5.2)          |
| Pup       | 683            | 649         | 0 (0)             | 1 (1)            | 1,702 (48)          | 15.4 (14.9)        |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 5 in the county, 5 on flood-prone ground

## River station: Jur, River (dahiti:2688)

### River level status

Latest pass 2026-08-22: **Above normal** (percentile 88). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 391.63 m, max 392.77 m, average 392.37 m.  
Baseline: 10 years, 49 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:2687      | Above normal (percentile 84) on 2026-08-22 | 4 days             | 2026-08-26           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23338       | Above normal (percentile 83) on 2026-08-09 | 4 days                       | 2026-08-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 37,127, of which 26,319 at risk. Schools: 1 (0 at risk). Health facilities: 1 (1 at risk). Buildings (VIDA): 4,944 (138 at risk). Counties within 25 km: Koch, Mayom, Rubkona, Tonj North.

| Payam (county)    | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-------------------|----------------------|-----------|-------------------|------------------|
| Riak (Mayom)      | 16,351 (10,883)      | 2,862     | 0 (0)             | 1 (1)            |
| Pakur (Koch)      | 6,488 (4,218)        | 10        | 1 (0)             | 0 (0)            |
| Wangkei (Mayom)   | 4,515 (3,936)        | 1,505     | 0 (0)             | 0 (0)            |
| Kuerbuone (Mayom) | 3,362 (2,308)        | 290       | 0 (0)             | 0 (0)            |



# Panyijiar County

Unity | County population about 126,239 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 41% of normal); ~60 mm expected over 2 weeks = 125% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025   |
|-----------------|--------|-------|--------|--------|
| People affected | 44,836 | 6,420 | 56,318 | 82,548 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 20,175          |
| 2 (planning)                   | 31,383          |
| 3 (severe)                     | 60,524          |
| Displaced in the planning case | 8,733           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam                   | Settlements | People         | Flooded       | High ground   | Small towns   |
|-------------------------|-------------|----------------|---------------|---------------|---------------|
| Ganyliel                | 2           | 4,100          | 2,300         | 1,800         | 0             |
| Kol                     | 2           | 27,600         | 27,600        | 0             | 0             |
| Mayom 2                 | 1           | 4,800          | 4,800         | 0             | 0             |
| Nyal                    | 5           | 22,100         | 3,200         | 15,000        | 3,900         |
| Pachaar                 | 3           | 7,900          | 1,200         | 2,600         | 4,100         |
| Pachak                  | 3           | 14,300         | 10,100        | 4,200         | 0             |
| Pachienjok              | 3           | 8,900          | 5,700         | 3,200         | 0             |
| Panyijiar               | 1           | 1,800          | 0             | 1,800         | 0             |
| Thoarnhoum              | 2           | 9,700          | 2,200         | 0             | 7,500         |
| Tiap                    | 1           | 6,100          | 6,100         | 0             | 0             |
| <b>Panyijiar County</b> | <b>23</b>   | <b>107,300</b> | <b>63,200</b> | <b>28,600</b> | <b>15,500</b> |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nyal      | 1,314          | 971         | 6 (5)             | 4 (4)            | 5,885 (158)         | 52.1 (33.3)        |
| Mayom 2   | 625            | 607         | 2 (2)             | 3 (3)            | 495 (14)            | 42.5 (39.1)        |
| Panyijiar | 513            | 509         | 2 (2)             | 2 (2)            | 984 (29)            | 37.4 (37.4)        |
| Pachak    | 612            | 461         | 1 (1)             | 1 (1)            | 1,551 (40)          | 64.8 (56.8)        |

Health facilities: 25 in the county, 25 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

## River station: White Nile km 4515 (hydroweb:7878)

### River level status

Latest pass 2026-09-24: **Above normal** (percentile 77). Level 408.76 m; seasonal median 408.66 m; anomaly +0.10 m. Record: min 407.71 m, max 409.07 m, average 408.54 m.

Baseline: 10 years, 61 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.33 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7879    | Near normal (percentile 39) on 2026-09-24 | 2 days             | 2026-09-26           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7877      | Below normal (percentile 30) on 2026-09-24 | 6 days                       | 2026-09-30                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 21,871, of which 10,597 at risk. Schools: 5 (5 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 3,344 (94 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

| Payam (county)         | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------------|----------------------|-----------|-------------------|------------------|
| Dongchak (Duk)         | 7,267 (2,383)        | 177       | 0 (0)             | 0 (0)            |
| Pachienjok (Panyijiar) | 5,097 (3,505)        | 851       | 3 (3)             | 2 (2)            |
| Ajuong (Twic East)     | 3,935 (826)          | 39        | 0 (0)             | 0 (0)            |
| Adior (Yirol East)     | 1,874 (1,301)        | 12        | 0 (0)             | 0 (0)            |

# Pariang County

Unity | County population about 143,832 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 163% of normal); ~44 mm expected over 2 weeks = 53% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,124           |
| 2 (planning)                   | 4,860           |
| 3 (severe)                     | 9,373           |
| Displaced in the planning case | 1,352           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jamjang | 1,874          | 590         | 5 (1)             | 8 (1)            | 22,683 (117)        | 100.8 (44.8)       |
| Wunkur  | 1,290          | 537         | 0 (0)             | 0 (0)            | 57 (0)              | 38.9 (8.6)         |
| Biu     | 1,685          | 514         | 3 (0)             | 3 (0)            | 1,858 (12)          | 79.7 (17.9)        |
| Werthen | 1,302          | 506         | 0 (0)             | 5 (1)            | 22,039 (251)        | 76.2 (38.2)        |

Health facilities: 23 in the county, 3 on flood-prone ground | Schools: 17 in the county, 4 on flood-prone ground

## River station: Bhar El Gazal km 4147 (hydroweb:7826)

### River level status

Latest pass 2026-09-11: **Unusually high** (percentile 100). Level 391.39 m; seasonal median 391.14 m; anomaly +0.25 m. Record: min 390.95 m, max 391.49 m, average 391.18 m.

Baseline: 6 years, 12 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.05 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7829    | Near normal (percentile 33) on 2026-09-19 | 10 days            | 2026-09-29           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7828      | Near normal (percentile 56) on 2026-09-21 | 32 days                      | 2026-10-13                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 18,085, of which 9,167 at risk. Schools: 5 (0 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 725 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

| Payam (county)  | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-----------------|----------------------|-----------|-------------------|------------------|
| Biu (Pariang)   | 7,022 (834)          | 499       | 3 (0)             | 1 (0)            |
| Niemni (Guit)   | 5,425 (4,193)        | 75        | 2 (0)             | 0 (0)            |
| Paguir (Fangak) | 5,091 (3,807)        | 21        | 0 (0)             | 0 (0)            |
| Kedad (Guit)    | 352 (331)            | 0         | 0 (0)             | 0 (0)            |

# Rubkona County

Unity | County population about 361,802 | Issued 04 October 2026

## Advisory

- Wet spell likely (78%) with moist soils: favourable for planting and top-dressing

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025  |
|-----------------|--------|--------|--------|-------|
| People affected | 32,648 | 52,247 | 28,000 | 1,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 28,002          |
| 2 (planning)                   | 43,558          |
| 3 (severe)                     | 84,005          |
| Displaced in the planning case | 12,121          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Budaang  | 1,461          | 1,130       | 3 (2)             | 1 (1)            | 3,981 (104)         | 51.0 (47.2)        |
| Nhialdiu | 576            | 560         | 11 (11)           | 4 (4)            | 5,199 (163)         | 0.0 (0.0)          |
| Rubkotne | 576            | 514         | 14 (14)           | 13 (8)           | 25,082 (730)        | 12.2 (10.3)        |
| Panhiany | 409            | 406         | 6 (6)             | 0 (0)            | 996 (28)            | 25.8 (25.6)        |

Health facilities: 23 in the county, 17 on flood-prone ground | Schools: 65 in the county, 59 on flood-prone ground

## Reported news

- 28 Sep: **Heavy rainfall:** UNMISS says heavy rain, El Nino and funding shortfalls are straining the temporary dykes kept by IOM and UNMISS at Bentiu (county inferred from Bentiu). ([UNfeed](#) / [UNMISS](#))
- 24 Sep: **Cholera:** Seven-day oral cholera vaccination drive with MSF and WHO targets 100,000 IDPs after thousands of cases this year. ([Sudans Post](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

## River station: Bahr Al Arab km 4263 (hydroweb:111300)

### River level status

Latest pass 2026-10-01: **Near normal** (percentile 38). Level 391.54 m; seasonal median 391.75 m; anomaly -0.20 m. Record: min 390.90 m, max 392.29 m, average 391.66 m.

Baseline: 5 years, 28 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:104262    | Below normal (percentile 24) on 2026-09-07 | 1 days                       | 2026-10-02                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 86,184, of which 71,793 at risk. Schools: 15 (14 at risk). Health facilities: 15 (10 at risk). Buildings (VIDA): 27,414 (771 at risk). Counties within 25 km: Guit, Mayom, Pariang, Rubkona.

| Payam (county)     | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|--------------------|----------------------|-----------|-------------------|------------------|
| Budaang (Rubkona)  | 39,146 (31,502)      | 1,650     | 1 (0)             | 1 (1)            |
| Rubkotne (Rubkona) | 28,004 (24,118)      | 23,950    | 11 (11)           | 12 (7)           |
| Dhorbor (Rubkona)  | 13,958 (13,458)      | 1,052     | 1 (1)             | 1 (1)            |
| Nyeel (Pariang)    | 2,288 (0)            | 5         | 0 (0)             | 0 (0)            |

# Baliet County

Upper Nile | County population about 76,145 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 61 mm below median in the top metre (30-day rain 75% of normal); ~48 mm expected over 2 weeks = 78% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 13,152 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,960           |
| 2 (planning)                   | 3,049           |
| 3 (severe)                     | 5,880           |
| Displaced in the planning case | 848             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Akotweng  | 7,822          | 5,014       | 0 (0)             | 1 (0)            | 2,135 (36)          | 156.1 (65.4)       |
| Abwong    | 1,014          | 726         | 0 (0)             | 0 (0)            | 77 (2)              | 72.5 (54.3)        |
| Nyongrial | 682            | 358         | 0 (0)             | 1 (0)            | 502 (3)             | 38.9 (13.1)        |
| Akoka     | 1,255          | 298         | 2 (0)             | 2 (0)            | 438 (2)             | 87.3 (12.0)        |

Health facilities: 12 in the county, 2 on flood-prone ground | Schools: 15 in the county, 2 on flood-prone ground

## River station: Sobat, River (dahiti:18743)

### River level status

Latest pass 2026-09-27: **Unusually high** (percentile 100). Level 392.55 m; seasonal median 392.15 m; anomaly +0.40 m. Record: min 386.93 m, max 392.68 m, average 390.99 m.

Baseline: 7 years, 29 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 19 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:23357     | Below normal (percentile 22) on 2026-09-19 | 4 days             | 2026-09-23           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:18043       | Unusually high (percentile 93) on 2026-09-02 | 6 days                       | 2026-10-03                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 18,430, of which 408 at risk. Schools: 9 (1 at risk). Health facilities: 4 (0 at risk).

Buildings (VIDA): 2,169 (0 at risk). Counties within 25 km: Baliet, Panyikang.

| Payam (county)    | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-------------------|----------------------|-----------|-------------------|------------------|
| Akotweng (Baliet) | 5,739 (165)          | 241       | 0 (0)             | 0 (0)            |
| Adong (Baliet)    | 3,050 (1)            | 1,167     | 4 (0)             | 2 (0)            |
| Kuel (Panyikang)  | 2,814 (0)            | 17        | 1 (0)             | 0 (0)            |
| Abwong (Baliet)   | 2,277 (97)           | 55        | 0 (0)             | 0 (0)            |

# Fashoda County

Upper Nile | County population about 83,775 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 59 mm below median in the top metre (30-day rain 99% of normal); ~43 mm expected over 2 weeks = 73% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 84,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024  | 2025  |
|-----------------|--------|------------|-------|-------|
| People affected | 13,476 | not listed | 2,620 | 8,690 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 4,020           |
| 2 (planning)                   | 6,254           |
| 3 (severe)                     | 12,061          |
| Displaced in the planning case | 1,740           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lul        | 1,795          | 948         | 2 (0)             | 4 (1)            | 3,752 (19)          | 107.4 (52.4)       |
| Kodok      | 1,455          | 290         | 1 (0)             | 8 (0)            | 2,762 (9)           | 177.4 (22.2)       |
| Dethok     | 335            | 73          | 1 (0)             | 4 (1)            | 1,263 (5)           | 29.7 (5.7)         |
| Kodok Town | 11             | 3           | 0 (0)             | 1 (0)            | 2,675 (2)           | 5.1 (0.2)          |

Health facilities: 17 in the county, 2 on flood-prone ground | Schools: 4 in the county, 0 on flood-prone ground

## River station: White Nile km 3905 (hydroweb:7969)

### River level status

Latest pass 2026-09-19: **Above normal** (percentile 73). Level 388.54 m; seasonal median 387.89 m; anomaly +0.65 m. Record: min 385.59 m, max 389.30 m, average 387.64 m.

Baseline: 10 years, 22 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.06 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7964    | Above normal (percentile 73) on 2026-09-13 | 3 days             | 2026-09-16           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:201707    | Near normal (percentile 57) on 2026-09-23 | 10 days                      | 2026-09-29                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 28,283, of which 326 at risk. Schools: 9 (0 at risk). Health facilities: 18 (0 at risk).

Buildings (VIDA): 11,230 (0 at risk). Counties within 25 km: Baliät, Fashoda, Melut.

| Payam (county)    | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-------------------|----------------------|-----------|-------------------|------------------|
| Kodok (Fashoda)   | 10,878 (88)          | 2,263     | 1 (0)             | 6 (0)            |
| Lul (Fashoda)     | 5,110 (112)          | 2,599     | 1 (0)             | 2 (0)            |
| Akoka (Baliät)    | 3,315 (22)           | 305       | 2 (0)             | 1 (0)            |
| Akotweng (Baliät) | 3,022 (18)           | 507       | 0 (0)             | 1 (0)            |

# Longochuk County

Upper Nile | County population about 80,526 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 68 mm below median in the top metre (30-day rain 75% of normal); ~51 mm expected over 2 weeks = 75% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 31,000 | not listed | not listed | 15,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,917           |
| 2 (planning)                   | 4,538           |
| 3 (severe)                     | 8,752           |
| Displaced in the planning case | 1,263           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Guelguk   | 3,433          | 2,937       | 5 (5)             | 2 (2)            | 1,581 (39)          | 61.3 (50.1)        |
| Dajo      | 1,601          | 1,253       | 1 (1)             | 2 (2)            | 645 (11)            | 41.3 (36.9)        |
| Pamach    | 1,287          | 949         | 2 (2)             | 4 (4)            | 1,125 (27)          | 51.8 (43.1)        |
| Longochuk | 250            | 220         | 2 (2)             | 2 (2)            | 363 (12)            | 13.9 (8.7)         |

Health facilities: 16 in the county, 15 on flood-prone ground | Schools: 16 in the county, 14 on flood-prone ground

# Luakpiny/Nasir County

Upper Nile | County population about 350,742 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 75% of normal); ~50 mm expected over 2 weeks = 71% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 351,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025       |
|-----------------|--------|-------|--------|------------|
| People affected | 20,000 | 3,402 | 13,800 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,575          |
| 2 (planning)                   | 18,005          |
| 3 (severe)                     | 34,724          |
| Displaced in the planning case | 5,010           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mading     | 1,183          | 1,102       | 2 (2)             | 2 (2)            | 1,958 (42)          | 24.2 (24.0)        |
| Kiech Kuon | 1,872          | 1,080       | 10 (10)           | 12 (11)          | 4,553 (105)         | 53.6 (39.2)        |
| Maker      | 931            | 916         | 1 (1)             | 3 (3)            | 1,411 (33)          | 48.8 (48.6)        |
| Jikmir     | 413            | 412         | 6 (6)             | 1 (1)            | 2,311 (57)          | 15.7 (15.4)        |

Health facilities: 26 in the county, 25 on flood-prone ground | Schools: 29 in the county, 28 on flood-prone ground

## River station: Sobat km 4301 (hydroweb:113242)

### River level status

Latest pass 2026-09-27: **Below normal** (percentile 13). Level 400.61 m; seasonal median 400.71 m; anomaly -0.10 m. Record: min 395.39 m, max 401.09 m, average 399.32 m.

Baseline: 5 years, 27 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:201706    | Below normal (percentile 29) on 2026-09-23 | 18 days                      | 2026-10-15                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 119,958, of which 112,805 at risk. Schools: 23 (22 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 13,946 (345 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

| Payam (county)               | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------------------|----------------------|-----------|-------------------|------------------|
| Kiech Kuon (Luakpiny/Nasir)  | 25,712 (24,706)      | 1,758     | 7 (7)             | 8 (8)            |
| Jikmir (Luakpiny/Nasir)      | 20,261 (20,153)      | 2,251     | 6 (6)             | 1 (1)            |
| Kurmuot (Ulang)              | 19,538 (18,316)      | 2,929     | 0 (0)             | 2 (2)            |
| Kuerenge-Ke (Luakpiny/Nasir) | 18,559 (18,433)      | 4,108     | 5 (4)             | 3 (3)            |

# Maban County

Upper Nile | County population about 84,550 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 47 mm below median in the top metre (30-day rain 99% of normal); ~46 mm expected over 2 weeks = 97% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 31,452 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 420             |
| 2 (planning)                   | 654             |
| 3 (severe)                     | 1,261           |
| Displaced in the planning case | 182             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jinmakda  | 5,089          | 4,912       | 1 (1)             | 1 (1)            | 5,402 (139)         | 234.4 (232.2)      |
| Boung     | 2,297          | 2,048       | 5 (5)             | 7 (6)            | 22,483 (438)        | 111.9 (104.6)      |
| Banashowa | 1,875          | 1,777       | 1 (1)             | 5 (5)            | 3,060 (52)          | 49.5 (48.8)        |
| Jinkuata  | 1,530          | 1,455       | 1 (1)             | 11 (10)          | 20,089 (358)        | 52.1 (50.8)        |

Health facilities: 25 in the county, 23 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground



# Maiwut County

Upper Nile | County population about 147,823 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 66 mm below median in the top metre (30-day rain 79% of normal); ~45 mm expected over 2 weeks = 69% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 148,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 18,000 | not listed | 24,213 | 10,416 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,369           |
| 2 (planning)                   | 3,685           |
| 3 (severe)                     | 7,107           |
| Displaced in the planning case | 1,025           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kigila | 1,058          | 760         | 0 (0)             | 0 (0)            | 178 (2)             | 27.0 (25.2)        |
| Jotoma | 927            | 701         | 1 (0)             | 4 (2)            | 624 (20)            | 71.1 (58.8)        |
| Olang  | 775            | 696         | 0 (0)             | 3 (3)            | 806 (20)            | 35.6 (30.0)        |
| Maiwut | 544            | 508         | 3 (3)             | 2 (2)            | 257 (19)            | 40.5 (35.9)        |

Health facilities: 11 in the county, 9 on flood-prone ground | Schools: 4 in the county, 3 on flood-prone ground

# Malakal County

Upper Nile | County population about 204,041 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 67% of normal); ~45 mm expected over 2 weeks = 74% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 204,000

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024       | 2025  |
|-----------------|-------|------------|------------|-------|
| People affected | 5,000 | not listed | not listed | 5,784 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 14,001          |
| 2 (planning)                   | 21,779          |
| 3 (severe)                     | 42,002          |
| Displaced in the planning case | 6,060           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam            | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lelo             | 535            | 331         | 18 (5)            | 9 (1)            | 12,747 (60)         | 51.0 (25.3)        |
| Ogot             | 195            | 125         | 7 (1)             | 1 (0)            | 1,043 (9)           | 29.8 (12.1)        |
| Southern Malakal | 12             | 12          | 5 (3)             | 1 (0)            | 1,378 (27)          | 5.3 (5.2)          |
| Northern Malakal | 7              | 5           | 19 (4)            | 3 (2)            | 5,695 (38)          | 2.9 (1.9)          |

Health facilities: 16 in the county, 4 on flood-prone ground | Schools: 70 in the county, 24 on flood-prone ground

## River station: White Nile, River (dahiti:14196)

### River level status

Latest pass 2026-09-13: **Above normal** (percentile 73). Level 388.77 m; seasonal median 388.10 m; anomaly +0.67 m. Record: min 385.62 m, max 389.48 m, average 387.82 m.

Baseline: 10 years, 22 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)              | Median travel time | Expected here around |
|------------------|-----------------------------------|--------------------|----------------------|
| dahiti:10179     | Insufficient record on 2016-05-20 | not established    | n/a                  |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:16323       | Above normal (percentile 88) on 2026-08-10 | 13 days                      | 2026-09-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 166,673, of which 4,537 at risk. Schools: 71 (1 at risk). Health facilities: 20 (0 at risk). Buildings (VIDA): 25,020 (0 at risk). Counties within 25 km: Baliet, Fashoda, Malakal, Panyikang.

| Payam (county)             | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|----------------------------|----------------------|-----------|-------------------|------------------|
| Lelo (Malakal)             | 84,096 (2,394)       | 11,272    | 17 (1)            | 9 (0)            |
| Ogot (Malakal)             | 55,491 (1,980)       | 1,043     | 7 (0)             | 1 (0)            |
| Lul (Fashoda)              | 13,220 (150)         | 3,201     | 2 (0)             | 3 (0)            |
| Southern Malakal (Malakal) | 3,805 (0)            | 1,378     | 5 (0)             | 1 (0)            |

# Manyo County

Upper Nile | County population about 83,853 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 119% of normal); ~30 mm expected over 2 weeks = 86% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 24,540 | 19,236 | 18,540 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 7,178           |
| 2 (planning)                   | 11,165          |
| 3 (severe)                     | 21,533          |
| Displaced in the planning case | 3,107           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wedakona | 2,947          | 1,264       | 17 (11)           | 4 (2)            | 4,511 (30)          | 132.2 (35.6)       |
| Magenist | 894            | 442         | 0 (0)             | 0 (0)            | 1,212 (5)           | 7.5 (3.4)          |
| Kaka     | 1,545          | 307         | 7 (2)             | 4 (1)            | 1,098 (4)           | 156.1 (38.5)       |
| Adhidwoi | 1,293          | 187         | 0 (0)             | 6 (0)            | 1,381 (4)           | 78.7 (8.3)         |

Health facilities: 14 in the county, 3 on flood-prone ground | Schools: 24 in the county, 13 on flood-prone ground

## River station: White Nile km 3728 (hydroweb:202026)

### River level status

Latest pass 2026-09-29: **Above normal** (percentile 86). Level 386.14 m; seasonal median 385.69 m; anomaly +0.45 m. Record: min 384.22 m, max 386.45 m, average 385.62 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.23 m; 21 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7896    | Above normal (percentile 75) on 2026-09-06 | 3 days             | 2026-09-09           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7961      | Unusually high (percentile 93) on 2025-06-28 | 0 days                       | 2026-09-29                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 33,802, of which 11,851 at risk. Schools: 8 (0 at risk). Health facilities: 4 (0 at risk). Buildings (VIDA): 5,114 (9 at risk). Counties within 25 km: Manyo, Melut, Renk.

| Payam (county)   | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------|----------------------|-----------|-------------------|------------------|
| Jalhak (Renk)    | 24,168 (11,361)      | 4,280     | 3 (0)             | 2 (0)            |
| Wedakona (Manyo) | 4,593 (172)          | 329       | 0 (0)             | 0 (0)            |
| Kaka (Manyo)     | 2,767 (35)           | 429       | 5 (0)             | 2 (0)            |
| Bimachuk (Melut) | 1,147 (13)           | 75        | 0 (0)             | 0 (0)            |

# Melut County

Upper Nile | County population about 134,054 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 46 mm below median in the top metre (30-day rain 107% of normal); ~41 mm expected over 2 weeks = 87% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 14,872 | not listed | not listed | 21,135 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 8,403           |
| 2 (planning)                   | 13,071          |
| 3 (severe)                     | 25,208          |
| Displaced in the planning case | 3,637           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wunamum  | 2,069          | 1,998       | 1 (1)             | 0 (0)            | 3,716 (117)         | 100.6 (93.1)       |
| Paloch   | 1,782          | 1,070       | 0 (0)             | 2 (0)            | 5,224 (10)          | 137.4 (56.6)       |
| Galdora  | 1,128          | 389         | 9 (1)             | 2 (0)            | 782 (2)             | 42.0 (11.8)        |
| Bimachuk | 1,191          | 214         | 0 (0)             | 0 (0)            | 2,146 (4)           | 59.4 (7.0)         |

Health facilities: 6 in the county, 0 on flood-prone ground | Schools: 18 in the county, 2 on flood-prone ground

## River station: R Adar km 3864 (hydroweb:106194)

### River level status

Latest pass 2026-09-27: **Above normal** (percentile 69). Level 387.28 m; seasonal median 387.04 m; anomaly +0.24 m. Record: min 385.04 m, max 388.12 m, average 386.84 m.

Baseline: 7 years, 16 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:107566  | Near normal (percentile 38) on 2026-09-06 | 0 days             | 2026-09-06           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 24,416, of which 1,275 at risk. Schools: 12 (0 at risk). Health facilities: 9 (0 at risk).

Buildings (VIDA): 11,001 (2 at risk). Counties within 25 km: Fashoda, Manyo, Melut.

| Payam (county)   | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------|----------------------|-----------|-------------------|------------------|
| Galdora (Melut)  | 8,176 (235)          | 717       | 9 (0)             | 2 (0)            |
| Paloch (Melut)   | 7,846 (51)           | 4,832     | 0 (0)             | 2 (0)            |
| Adhidwoi (Manyo) | 3,008 (100)          | 1,255     | 0 (0)             | 5 (0)            |
| Melut (Melut)    | 2,074 (2)            | 3,881     | 1 (0)             | 0 (0)            |

# Panyikang County

Upper Nile | County population about 69,656 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 75 mm below median in the top metre (30-day rain 72% of normal); ~47 mm expected over 2 weeks = 63% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 70,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 31,000 | not listed | 39,680 | 15,140 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,059           |
| 2 (planning)                   | 7,870           |
| 3 (severe)                     | 15,178          |
| Displaced in the planning case | 2,190           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kuel      | 1,284          | 687         | 2 (0)             | 1 (0)            | 704 (1)             | 43.5 (20.9)        |
| Dheteim   | 821            | 582         | 0 (0)             | 2 (0)            | 1,344 (5)           | 49.6 (33.3)        |
| Panyikang | 766            | 581         | 0 (0)             | 2 (0)            | 606 (5)             | 66.0 (43.2)        |
| Tonga     | 1,207          | 506         | 0 (0)             | 2 (0)            | 1,735 (2)           | 94.7 (38.2)        |

Health facilities: 11 in the county, 1 on flood-prone ground | Schools: 5 in the county, 1 on flood-prone ground

## River station: White Nile, River (dahiti:17743)

### River level status

Latest pass 2026-09-23: **Unusually high** (percentile 100). Level 390.69 m; seasonal median 390.20 m; anomaly +0.49 m. Record: min 388.03 m, max 390.91 m, average 389.52 m.

Baseline: 7 years, 14 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                         | Median travel time | Expected here around |
|------------------|----------------------------------------------|--------------------|----------------------|
| dahiti:15557     | Unusually high (percentile 93) on 2026-09-25 | 0 days             | 2026-09-25           |
| dahiti:19752     | Above normal (percentile 69) on 2026-08-29   | 0 days             | 2026-08-29           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:19751       | Near normal (percentile 62) on 2026-08-27 | 1 days                       | 2026-09-24                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 59,720, of which 1,946 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 6,262 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

| Payam (county)        | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-----------------------|----------------------|-----------|-------------------|------------------|
| Atar (Canal/Pigi)     | 23,609 (509)         | 1,743     | 3 (0)             | 4 (0)            |
| Korwach (Canal/Pigi)  | 12,186 (233)         | 604       | 11 (0)            | 3 (0)            |
| Panyikang (Panyikang) | 8,306 (326)          | 587       | 0 (0)             | 2 (0)            |
| Manajang (Fangak)     | 5,555 (487)          | 1,116     | 0 (0)             | 2 (0)            |

# Renk County

Upper Nile | County population about 210,351 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 135% of normal); ~28 mm expected over 2 weeks = 83% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022   | 2024       | 2025  |
|-----------------|-------|--------|------------|-------|
| People affected | 8,000 | 18,581 | not listed | 1,500 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 15,954          |
| 2 (planning)                   | 24,817          |
| 3 (severe)                     | 47,861          |
| Displaced in the planning case | 6,906           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jalhak     | 5,979          | 4,642       | 7 (3)             | 2 (0)            | 7,501 (53)          | 426.5 (311.0)      |
| Geger      | 2,297          | 1,979       | 12 (6)            | 10 (5)           | 4,729 (73)          | 180.6 (147.0)      |
| North Renk | 950            | 751         | 14 (5)            | 5 (0)            | 28,715 (86)         | 83.0 (58.1)        |
| Chemmedi   | 733            | 504         | 1 (1)             | 3 (1)            | 946 (18)            | 64.7 (42.5)        |

Health facilities: 20 in the county, 6 on flood-prone ground | Schools: 34 in the county, 15 on flood-prone ground

## River station: White Nile km 3670 (hydroweb:201337)

### River level status

Latest pass 2026-09-08: **Above normal** (percentile 86). Level 384.54 m; seasonal median 384.02 m; anomaly +0.52 m. Record: min 382.66 m, max 385.09 m, average 384.24 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.07 m; 21 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:202025  | Near normal (percentile 57) on 2026-09-29 | 3 days             | 2026-10-02           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7970      | Above normal (percentile 77) on 2026-09-23 | 0 days                       | 2026-09-08                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 31,669, of which 6,290 at risk. Schools: 13 (0 at risk). Health facilities: 5 (0 at risk). Buildings (VIDA): 6,186 (4 at risk). Counties within 25 km: Manyo, Renk.

| Payam (county)    | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|-------------------|----------------------|-----------|-------------------|------------------|
| Jalhak (Renk)     | 12,500 (2,864)       | 1,848     | 2 (0)             | 0 (0)            |
| Chemmedi (Renk)   | 9,862 (3,380)        | 608       | 0 (0)             | 1 (0)            |
| Wedakona (Manyo)  | 8,131 (46)           | 3,615     | 11 (0)            | 4 (0)            |
| South Renk (Renk) | 1,174 (0)            | 115       | 0 (0)             | 0 (0)            |

# Ulang County

Upper Nile | County population about 167,265 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 81 mm below median in the top metre (30-day rain 74% of normal); ~54 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 167,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,205           |
| 2 (planning)                   | 8,096           |
| 3 (severe)                     | 15,614          |
| Displaced in the planning case | 2,253           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kurmuot | 2,376          | 1,979       | 0 (0)             | 3 (3)            | 3,889 (94)          | 39.8 (32.6)        |
| Doma    | 1,131          | 722         | 0 (0)             | 2 (2)            | 2,877 (60)          | 56.5 (30.1)        |
| Ulang   | 925            | 606         | 0 (0)             | 5 (5)            | 5,741 (147)         | 65.7 (44.3)        |
| Yomding | 403            | 326         | 0 (0)             | 2 (2)            | 1,963 (36)          | 36.8 (29.7)        |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 0 in the county, 0 on flood-prone ground

## River station: Sobat, River (dahiti:23359)

### River level status

Latest pass 2026-09-04: **Unusually high** (percentile 93). Level 399.38 m; seasonal median 399.22 m; anomaly +0.16 m. Record: min 394.06 m, max 399.99 m, average 397.61 m.

Baseline: 7 years, 30 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 2 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:19747     | Near normal (percentile 38) on 2026-09-23 | 23 days            | 2026-10-16           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23358       | Below normal (percentile 15) on 2026-09-17 | 10 days                      | 2026-09-14                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 98,991, of which 85,910 at risk. Schools: 19 (18 at risk). Health facilities: 18 (18 at risk). Buildings (VIDA): 12,789 (331 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

| Payam (county)               | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------------------|----------------------|-----------|-------------------|------------------|
| Kurmuot (Ulang)              | 21,743 (17,721)      | 2,911     | 0 (0)             | 2 (2)            |
| Kiech Kuon (Luakpiny/Nasir)  | 17,006 (16,396)      | 1,182     | 6 (6)             | 6 (6)            |
| Kuerenge-Ke (Luakpiny/Nasir) | 15,958 (15,852)      | 1,818     | 4 (3)             | 2 (2)            |
| Dingkar (Luakpiny/Nasir)     | 15,186 (11,499)      | 522       | 1 (1)             | 3 (3)            |

# Gogrial East County

Warrap | County population about 138,793 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 69% of normal); ~50 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 139,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 46,583 | 25,218 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,336           |
| 2 (planning)                   | 5,189           |
| 3 (severe)                     | 10,007          |
| Displaced in the planning case | 1,444           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Toch East    | 2,109          | 1,839       | 11 (11)           | 4 (3)            | 16,426 (486)        | 54.9 (53.8)        |
| Pathuon West | 676            | 671         | 14 (14)           | 6 (6)            | 11,334 (343)        | 13.6 (13.6)        |
| Toch North   | 588            | 566         | 8 (8)             | 4 (4)            | 5,863 (165)         | 35.4 (35.2)        |
| Pathuon East | 531            | 517         | 10 (9)            | 4 (4)            | 6,907 (241)         | 37.5 (36.9)        |

Health facilities: 21 in the county, 20 on flood-prone ground | Schools: 53 in the county, 52 on flood-prone ground

## River station: Nahr Al Jur km 4456 (hydroweb:203777)

### River level status

Latest pass 2026-09-20: **Below normal** (percentile 14). Level 403.75 m; seasonal median 404.38 m; anomaly -0.63 m. Record: min 403.09 m, max 404.90 m, average 403.93 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.43 m; 21 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:203696  | Unusually low (percentile 0) on 2026-09-25 | 27 days            | 2026-10-22           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 48,334, of which 46,112 at risk. Schools: 14 (14 at risk). Health facilities: 5 (5 at risk). Buildings (VIDA): 20,147 (549 at risk). Counties within 25 km: Gogrial East, Gogrial West, Tonj North, Twic.

| Payam (county)            | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------------|----------------------|-----------|-------------------|------------------|
| Toch East (Gogrial East)  | 13,657 (13,130)      | 8,463     | 4 (4)             | 1 (1)            |
| Toch North (Gogrial East) | 9,460 (9,175)        | 5,291     | 6 (6)             | 3 (3)            |
| Turalei (Twic)            | 8,508 (8,032)        | 1,252     | 0 (0)             | 0 (0)            |
| Alek North (Gogrial West) | 8,491 (8,200)        | 937       | 0 (0)             | 0 (0)            |



# Gogrial West County

Warrap | County population about 347,953 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 99% of normal); ~48 mm expected over 2 weeks = 100% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025       |
|-----------------|--------|--------|--------|------------|
| People affected | 13,000 | 71,821 | 48,828 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,384           |
| 2 (planning)                   | 2,153           |
| 3 (severe)                     | 4,152           |
| Displaced in the planning case | 599             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km <sup>2</sup> | At risk km <sup>2</sup> | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------------------|-------------------------|-------------------|------------------|---------------------|--------------------|
| Kuac North | 896                        | 739                     | 2 (2)             | 7 (2)            | 40,987 (n/a)        | 43.7 (33.8)        |
| Alek North | 702                        | 664                     | 3 (3)             | 1 (1)            | 9,521 (235)         | 11.2 (11.2)        |
| Kuac South | 614                        | 551                     | 2 (2)             | 7 (6)            | 15,446 (390)        | 15.6 (14.8)        |
| Alek South | 485                        | 357                     | 8 (6)             | 4 (3)            | 15,249 (388)        | 35.4 (32.4)        |

Health facilities: 30 in the county, 16 on flood-prone ground | Schools: 44 in the county, 27 on flood-prone ground

# Tonj East County

Warrap | County population about 190,959 | Issued 04 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 92 mm below median in the top metre (30-day rain 78% of normal); ~57 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 191,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025  |
|-----------------|--------|--------|--------|-------|
| People affected | 10,000 | 31,785 | 15,000 | 5,634 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,724           |
| 2 (planning)                   | 2,682           |
| 3 (severe)                     | 5,172           |
| Displaced in the planning case | 746             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Makuac   | 700            | 700         | 3 (3)             | 2 (2)            | 4,487 (95)          | 16.0 (16.0)        |
| Palal    | 671            | 664         | 6 (6)             | 1 (1)            | 4,900 (123)         | 71.0 (70.5)        |
| Ananatak | 607            | 603         | 4 (4)             | 2 (2)            | 3,148 (117)         | 66.4 (65.8)        |
| Wun-liit | 451            | 450         | 2 (2)             | 1 (1)            | 4,045 (120)         | 42.5 (42.5)        |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

# Tonj North County

Warrap | County population about 271,487 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 71 mm below median in the top metre (30-day rain 59% of normal); ~54 mm expected over 2 weeks = 76% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 12,207 | 30,000 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 6,289           |
| 2 (planning)                   | 9,783           |
| 3 (severe)                     | 18,867          |
| Displaced in the planning case | 2,722           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Akop       | 1,663          | 1,550       | 4 (4)             | 2 (2)            | 9,804 (252)         | 86.7 (86.7)        |
| Alabek     | 1,592          | 1,512       | 6 (6)             | 1 (1)            | 14,953 (425)        | 56.1 (56.1)        |
| Aliek      | 1,598          | 1,480       | 3 (3)             | 2 (2)            | 10,599 (302)        | 35.2 (35.2)        |
| Marial-lou | 1,352          | 1,338       | 6 (6)             | 3 (1)            | 3,229 (102)         | 36.0 (36.0)        |

Health facilities: 21 in the county, 19 on flood-prone ground | Schools: 59 in the county, 59 on flood-prone ground

## River station: Unknown, River (dahiti:2687)

### River level status

Latest pass 2026-08-22: **Above normal** (percentile 84). Level 392.81 m; seasonal median 392.51 m; anomaly +0.31 m. Record: min 391.50 m, max 393.19 m, average 392.55 m.

Baseline: 10 years, 58 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:39376     | Below normal (percentile 27) on 2026-09-28 | 38 days            | 2026-11-05           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:2688        | Above normal (percentile 88) on 2026-08-22 | 4 days                       | 2026-08-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 22,689, of which 17,128 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 203 (7 at risk). Counties within 25 km: Koch, Mayom, Tonj North.

| Payam (county)      | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------|----------------------|-----------|-------------------|------------------|
| Akop (Tonj North)   | 8,440 (7,300)        | 123       | 0 (0)             | 0 (0)            |
| Alabek (Tonj North) | 5,717 (5,091)        | 69        | 0 (0)             | 0 (0)            |
| Pakur (Koch)        | 4,902 (2,997)        | 9         | 1 (0)             | 0 (0)            |
| Riak (Mayom)        | 3,629 (1,739)        | 2         | 0 (0)             | 0 (0)            |

# Tonj South County

Warrap | County population about 126,289 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 63 mm below median in the top metre (30-day rain 96% of normal); ~64 mm expected over 2 weeks = 102% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 16,693 | 15,600 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 472             |
| 2 (planning)                   | 734             |
| 3 (severe)                     | 1,416           |
| Displaced in the planning case | 204             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tonj         | 5,090          | 4,294       | 12 (12)           | 5 (5)            | 19,583 (560)        | 450.3 (398.1)      |
| Manyang-ngok | 878            | 849         | 7 (6)             | 2 (2)            | 6,179 (168)         | 150.9 (143.3)      |
| Wath-alel    | 835            | 826         | 0 (0)             | 3 (3)            | 6,184 (179)         | 15.2 (15.2)        |
| Thiet        | 363            | 345         | 0 (0)             | 2 (2)            | 9,482 (299)         | 68.2 (65.1)        |

Health facilities: 13 in the county, 13 on flood-prone ground | Schools: 19 in the county, 18 on flood-prone ground

## Twic County

Warrap | County population about 291,675 | Issued 04 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 73 mm below median in the top metre (30-day rain 96% of normal); ~45 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 292,000

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025  |
|-----------------|------------|--------|--------|-------|
| People affected | not listed | 29,044 | 24,000 | 4,944 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 15,501          |
| 2 (planning)                   | 24,112          |
| 3 (severe)                     | 46,502          |
| Displaced in the planning case | 6,709           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wunrok    | 846            | 797         | 22 (22)           | 7 (7)            | 25,922 (837)        | 34.5 (27.8)        |
| Turalei   | 812            | 793         | 10 (10)           | 9 (9)            | 21,496 (616)        | 65.1 (64.6)        |
| Aweeng    | 770            | 690         | 9 (9)             | 8 (8)            | 9,721 (296)         | 49.7 (45.6)        |
| Ajak-kuac | 431            | 416         | 7 (7)             | 3 (3)            | 7,376 (202)         | 12.7 (11.4)        |

Health facilities: 43 in the county, 34 on flood-prone ground | Schools: 78 in the county, 55 on flood-prone ground

### River station: Lol Trib01 km 4417 (hydroweb:103547)

#### River level status

Latest pass 2026-09-30: **Near normal** (percentile 34). Level 400.40 m; seasonal median 400.49 m; anomaly -0.09 m. Record: min 399.41 m, max 401.01 m, average 400.27 m.

Baseline: 10 years, 22 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.35 m; 27 days since previous pass.

#### Routed downstream signal

No downstream station linked.

#### Exposure within 25 km of the station

WorldPop population (2020): 104,120, of which 98,837 at risk. Schools: 36 (36 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 44,244 (n/a at risk). Counties within 25 km: Gogrial East, Mayom, Twic.

| Payam (county)   | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|------------------|----------------------|-----------|-------------------|------------------|
| Aweeng (Twic)    | 35,690 (32,001)      | 9,721     | 9 (9)             | 8 (8)            |
| Turalei (Twic)   | 33,741 (32,702)      | 18,784    | 9 (9)             | 7 (7)            |
| Wunrok (Twic)    | 24,689 (24,637)      | 13,571    | 14 (14)           | 2 (2)            |
| Ajak-kuac (Twic) | 8,304 (8,102)        | 2,183     | 4 (4)             | 2 (2)            |

# Jur River County

Western Bahr el Ghazal | County population about 293,840 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 53 mm below median in the top metre (30-day rain 110% of normal); ~59 mm expected over 2 weeks = 111% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025       |
|-----------------|--------|-------|--------|------------|
| People affected | 10,000 | 8,767 | 26,850 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,144           |
| 2 (planning)                   | 1,779           |
| 3 (severe)                     | 3,431           |
| Displaced in the planning case | 495             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kuajiena   | 4,408          | 3,483       | 9 (7)             | 6 (4)            | 12,868 (221)        | 262.1 (208.7)      |
| Kangi      | 1,905          | 1,216       | 1 (0)             | 9 (5)            | 8,207 (107)         | 100.5 (68.7)       |
| Rocrocdong | 1,378          | 1,168       | 19 (14)           | 4 (4)            | 7,536 (143)         | 137.9 (119.3)      |
| Udici      | 1,487          | 962         | 6 (4)             | 7 (4)            | 8,096 (124)         | 136.1 (101.2)      |

Health facilities: 43 in the county, 31 on flood-prone ground | Schools: 53 in the county, 42 on flood-prone ground

# Raja County

Western Bahr el Ghazal | County population about 76,633 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 60 mm below median in the top metre (30-day rain 124% of normal); ~57 mm expected over 2 weeks = 94% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 340             |
| 2 (planning)                   | 529             |
| 3 (severe)                     | 1,020           |
| Displaced in the planning case | 147             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Uyujuku | 19,851         | 3,617       | 5 (0)             | 5 (1)            | 3,820 (16)          | 551.5 (139.3)      |
| Raga    | 7,748          | 403         | 12 (0)            | 4 (0)            | 6,371 (1)           | 353.2 (24.0)       |
| Ringi   | 10,632         | 139         | 6 (0)             | 5 (0)            | 1,189 (0)           | 124.7 (0.0)        |
| Ere     | 23,780         | 0           | 0 (0)             | 1 (0)            | 6,470 (0)           | 633.8 (0.0)        |

Health facilities: 15 in the county, 1 on flood-prone ground | Schools: 23 in the county, 0 on flood-prone ground

# Wau County

Western Bahr el Ghazal | County population about 345,948 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 36 mm below median in the top metre (30-day rain 99% of normal); ~66 mm expected over 2 weeks = 186% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,398           |
| 2 (planning)                   | 8,397           |
| 3 (severe)                     | 16,194          |
| Displaced in the planning case | 2,337           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bagari    | 11,417         | 4,651       | 25 (8)            | 9 (3)            | 5,104 (53)          | 245.9 (113.4)      |
| Kpaile    | 4,651          | 2,399       | 9 (8)             | 5 (4)            | 1,729 (18)          | 160.8 (129.8)      |
| Besselia  | 3,072          | 1,260       | 16 (7)            | 12 (6)           | 2,966 (55)          | 231.3 (104.7)      |
| Wau South | 50             | 44          | 62 (39)           | 13 (9)           | 41,799 (n/a)        | 21.8 (19.3)        |

Health facilities: 47 in the county, 29 on flood-prone ground | Schools: 188 in the county, 119 on flood-prone ground



# Ezo County

Western Equatoria | County population about 138,291 | Issued 04 October 2026

## Advisory

- Heavy rain possible (34% chance of  $\geq 50$  mm in week 1); watch low-lying areas and roads
- Wet spell likely (94%); soils should begin to recover

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022 | 2024       | 2025       |
|-----------------|------------|------|------------|------------|
| People affected | not listed | 600  | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 550             |
| 2 (planning)                   | 855             |
| 3 (severe)                     | 1,649           |
| Displaced in the planning case | 238             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km <sup>2</sup> | At risk km <sup>2</sup> | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------------------|-------------------------|-------------------|------------------|---------------------|--------------------|
| Yangiri  | 4,774                      | 2,700                   | 5 (1)             | 4 (1)            | 1,145 (11)          | 138.8 (81.1)       |
| Bagidi   | 1,230                      | 600                     | 3 (1)             | 2 (0)            | 718 (5)             | 106.8 (52.5)       |
| Naandi   | 906                        | 333                     | 7 (1)             | 9 (0)            | 1,190 (6)           | 91.4 (32.9)        |
| Bariguna | 539                        | 288                     | 1 (1)             | 1 (0)            | 585 (4)             | 29.3 (14.9)        |

Health facilities: 30 in the county, 7 on flood-prone ground | Schools: 32 in the county, 8 on flood-prone ground

# Ibba County

Western Equatoria | County population about 68,544 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 66% of normal); ~99 mm expected over 2 weeks = 369% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024       | 2025       |
|-----------------|------------|-------|------------|------------|
| People affected | not listed | 7,524 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 260             |
| 2 (planning)                   | 405             |
| 3 (severe)                     | 781             |
| Displaced in the planning case | 113             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Maniakara   | 4,144          | 2,877       | 5 (3)             | 3 (1)            | 2,916 (31)          | 173.9 (121.9)      |
| Maruko      | 2,864          | 1,986       | 0 (0)             | 2 (0)            | 67 (0)              | 74.3 (50.3)        |
| Ibba Centre | 977            | 541         | 4 (1)             | 5 (3)            | 7,277 (117)         | 66.3 (31.9)        |
| Madebe      | 763            | 539         | 1 (0)             | 2 (0)            | 711 (3)             | 63.1 (35.9)        |

Health facilities: 14 in the county, 5 on flood-prone ground | Schools: 13 in the county, 4 on flood-prone ground

# Maridi County

Western Equatoria | County population about 113,864 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 44 mm below median in the top metre (30-day rain 74% of normal); ~91 mm expected over 2 weeks = 206% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 429             |
| 2 (planning)                   | 668             |
| 3 (severe)                     | 1,288           |
| Displaced in the planning case | 186             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kozi     | 3,075          | 2,370       | 8 (3)             | 4 (3)            | 1,736 (22)          | 250.7 (199.5)      |
| Mambe    | 2,796          | 1,611       | 8 (5)             | 6 (3)            | 3,266 (43)          | 178.6 (110.7)      |
| Ngamunde | 602            | 322         | 2 (0)             | 4 (1)            | 1,985 (18)          | 56.5 (29.9)        |
| Landili  | 808            | 271         | 1 (0)             | 3 (0)            | 384 (2)             | 58.8 (16.0)        |

Health facilities: 29 in the county, 12 on flood-prone ground | Schools: 36 in the county, 16 on flood-prone ground

# Mundri East County

Western Equatoria | County population about 103,283 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 26 mm below median in the top metre (30-day rain 150% of normal); ~73 mm expected over 2 weeks = 282% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 29,946 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 402             |
| 2 (planning)                   | 625             |
| 3 (severe)                     | 1,205           |
| Displaced in the planning case | 174             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kediba | 1,426          | 1,256       | 6 (5)             | 6 (5)            | 7,040 (120)         | 133.8 (115.3)      |
| Witto  | 1,382          | 1,054       | 7 (5)             | 3 (2)            | 6,197 (79)          | 108.1 (80.4)       |
| Minga  | 802            | 704         | 5 (5)             | 2 (2)            | 1,709 (28)          | 30.1 (26.8)        |
| Lozoh  | 918            | 657         | 11 (7)            | 4 (2)            | 8,501 (127)         | 90.8 (63.1)        |

Health facilities: 16 in the county, 12 on flood-prone ground | Schools: 35 in the county, 28 on flood-prone ground

# Mundri West County

Western Equatoria | County population about 51,413 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 93% of normal); ~81 mm expected over 2 weeks = 199% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024  | 2025       |
|-----------------|------------|--------|-------|------------|
| People affected | not listed | 41,374 | 1,530 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 191             |
| 2 (planning)                   | 297             |
| 3 (severe)                     | 573             |
| Displaced in the planning case | 83              |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kotobi  | 2,200          | 1,580       | 6 (4)             | 5 (4)            | 3,398 (54)          | 125.6 (96.2)       |
| Mundri  | 1,775          | 1,416       | 12 (9)            | 3 (2)            | 11,801 (277)        | 82.8 (70.1)        |
| Bangolo | 1,224          | 813         | 1 (1)             | 7 (4)            | 1,624 (17)          | 76.7 (51.5)        |
| Amadi   | 675            | 555         | 5 (3)             | 3 (3)            | 2,450 (58)          | 76.2 (61.4)        |

Health facilities: 18 in the county, 13 on flood-prone ground | Schools: 24 in the county, 17 on flood-prone ground

## Mvolo County

Western Equatoria | County population about 77,611 | Issued 04 October 2026

### Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 71% of normal); ~74 mm expected over 2 weeks = 182% of the deficit. Soils should recover if the rain arrives

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025   |
|-----------------|------------|--------|------------|--------|
| People affected | not listed | 31,959 | not listed | 15,780 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,036           |
| 2 (planning)                   | 4,723           |
| 3 (severe)                     | 9,109           |
| Displaced in the planning case | 1,314           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam          | Payam area km <sup>2</sup> | At risk km <sup>2</sup> | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------------|----------------------------|-------------------------|-------------------|------------------|---------------------|--------------------|
| Bagori         | 1,645                      | 1,436                   | 0 (0)             | 2 (2)            | 974 (21)            | 72.4 (57.6)        |
| Yeri           | 1,326                      | 1,192                   | 0 (0)             | 1 (1)            | 1,053 (43)          | 94.7 (81.5)        |
| Mvolo          | 577                        | 534                     | 1 (1)             | 1 (1)            | 5,600 (76)          | 49.0 (44.6)        |
| Bahr El Grindi | 582                        | 525                     | 2 (2)             | 3 (2)            | 1,450 (26)          | 34.5 (31.5)        |

Health facilities: 12 in the county, 8 on flood-prone ground | Schools: 7 in the county, 7 on flood-prone ground

# Nagero County

Western Equatoria | County population about 61,561 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 31 mm below median in the top metre (30-day rain 90% of normal); ~81 mm expected over 2 weeks = 265% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 265             |
| 2 (planning)                   | 412             |
| 3 (severe)                     | 795             |
| Displaced in the planning case | 115             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nagero   | 9,197          | 4,877       | 7 (2)             | 8 (4)            | 2,224 (24)          | 356.8 (249.7)      |
| Namutina | 8,763          | 2,400       | 5 (1)             | 13 (1)           | 2,309 (9)           | 209.9 (47.1)       |

Health facilities: 21 in the county, 5 on flood-prone ground | Schools: 12 in the county, 3 on flood-prone ground

# Nzara County

Western Equatoria | County population about 86,370 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 68% of normal); ~95 mm expected over 2 weeks = 408% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024  | 2025       |
|-----------------|------------|------------|-------|------------|
| People affected | not listed | not listed | 1,125 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 319             |
| 2 (planning)                   | 496             |
| 3 (severe)                     | 957             |
| Displaced in the planning case | 138             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Ringasi      | 4,433          | 2,895       | 2 (1)             | 1 (1)            | 945 (9)             | 84.8 (52.4)        |
| Basukangbi   | 714            | 244         | 2 (0)             | 2 (0)            | 307 (4)             | 55.3 (17.8)        |
| Nzara Centre | 416            | 225         | 14 (1)            | 8 (0)            | 17,025 (208)        | 48.6 (25.1)        |
| Sakure       | 491            | 215         | 3 (0)             | 4 (0)            | 3,815 (42)          | 47.3 (18.3)        |

Health facilities: 19 in the county, 1 on flood-prone ground | Schools: 25 in the county, 2 on flood-prone ground

## River station: Unknown, River (dahiti:2686)

### River level status

Latest pass 2026-08-22: **Near normal** (percentile 47). Level 476.10 m; seasonal median 476.16 m; anomaly -0.06 m. Record: min 473.53 m, max 478.63 m, average 475.34 m.

Baseline: 10 years, 55 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 9 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:39376       | Below normal (percentile 27) on 2026-09-28 | 22 days                      | 2026-09-13                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 8,946, of which 6,727 at risk. Schools: 2 (1 at risk). Health facilities: 0 (0 at risk).

Buildings (VIDA): 78 (1 at risk). Counties within 25 km: Ezo, Nagero, Nzara, Wulu, Yambio.

| Payam (county)      | Population (at risk) | Buildings | Schools (at risk) | Health (at risk) |
|---------------------|----------------------|-----------|-------------------|------------------|
| Ringasi (Nzara)     | 5,194 (4,063)        | 37        | 1 (1)             | 0 (0)            |
| Yangiri (Ezo)       | 2,159 (1,505)        | 13        | 1 (0)             | 0 (0)            |
| Bargel (Wulu)       | 1,343 (974)          | 24        | 0 (0)             | 0 (0)            |
| Nadiangere (Yambio) | 235 (173)            | 4         | 0 (0)             | 0 (0)            |



# Tambura County

Western Equatoria | County population about 122,913 | Issued 04 October 2026

## Advisory

- Heavy rain possible (30% chance of  $\geq 50$  mm in week 1); watch low-lying areas and roads
- Wet spell likely (94%); soils should begin to recover

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 478             |
| 2 (planning)                   | 744             |
| 3 (severe)                     | 1,435           |
| Displaced in the planning case | 207             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam       | Payam area km <sup>2</sup> | At risk km <sup>2</sup> | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------------------|-------------------------|-------------------|------------------|---------------------|--------------------|
| Mupoi       | 1,563                      | 961                     | 7 (3)             | 3 (1)            | 1,834 (13)          | 66.0 (37.4)        |
| Tambura     | 1,710                      | 911                     | 10 (1)            | 15 (3)           | 17,008 (71)         | 71.3 (34.4)        |
| Source Yubu | 418                        | 139                     | 7 (2)             | 5 (1)            | 2,780 (13)          | 56.7 (20.8)        |

Health facilities: 23 in the county, 5 on flood-prone ground | Schools: 24 in the county, 6 on flood-prone ground

## Reported news

- 01 Oct: **Flood:** Heavy rain flooded shelters in 15 IDP camps across three payams and destroyed homes; residents report no medicines and high food prices. ([Radio Tamazuj](#))

From local media and ReliefWeb; single-source items are unverified. Counties are as named in the article, or inferred from the place where stated.

# Yambio County

Western Equatoria | County population about 173,972 | Issued 04 October 2026

## Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 64% of normal); ~96 mm expected over 2 weeks = 438% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 656             |
| 2 (planning)                   | 1,021           |
| 3 (severe)                     | 1,969           |
| Displaced in the planning case | 284             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nadiangere  | 4,096          | 2,798       | 0 (0)             | 2 (0)            | 282 (6)             | 185.9 (134.0)      |
| Bangasu     | 2,183          | 1,236       | 10 (4)            | 10 (1)           | 7,661 (57)          | 189.6 (100.5)      |
| Ri-rangu    | 1,363          | 751         | 3 (3)             | 5 (3)            | 1,039 (14)          | 95.2 (47.2)        |
| Yambio Town | 555            | 327         | 36 (2)            | 26 (4)           | 72,009 (n/a)        | 71.4 (39.9)        |

Health facilities: 52 in the county, 10 on flood-prone ground | Schools: 60 in the county, 13 on flood-prone ground

## About this report: data, methods and references

Decision support, not an official warning. Alert levels follow the impact-based likelihood x impact approach of WMO-No. 1150; the scales are provisional. Figures are planning and monitoring information and carry the uncertainties listed below.

### 1. How the report is produced

A GitHub Actions workflow runs the county bulletin twice a day, after the ECMWF 00 and 12 UTC releases (11:30 and 23:30 Juba). The combined report is rebuilt from that bulletin after the evening run (midnight Juba), emailed to subscribers as one PDF and published as the latest report linked from the live map. A weekly Earth Engine job refreshes the flood extent, the infrastructure-at-risk table and the 25 km station exposure. The weekly version label (vDDMMYY) is the Monday of the issue week; the first is v51026 (5 Oct 2026).

### 2. County indicators and alert levels

**Rain so far:** GSMaP v8 gauge-corrected rainfall, 7, 15 and 30-day totals against the same dates 2001–2025. **Soil and water balance:** NASA SMAP Level-4 root-zone soil moisture, evapotranspiration and runoff against 2015–2025; wetness is judged by the root-zone z-score (steadier than a percentile with about ten comparison years that include the flood years 2019–2022 and 2024). The soil deficit is the root-zone water missing against the median, in mm.

**Outlook:** ECMWF IFS ensemble (up to 51 members, 15 days); chances of a 7-day dry spell, a 3-day wet spell and 50 mm in week 1 are the share of members that show the event. **Alert level:** likelihood x impact (green no action, yellow be aware, orange be prepared, red take action), for the hazard (drought / dry spell or flood / waterlogging) named in each county advisory; the likelihood and impact ratings are shown in the advisory text.

Forecast check against observed rain: days 1–5, 1264 county-days: hit rate 85%, false-alarm ratio 23%, Brier skill -0.15.

### 3. Cover lists

**Drought watch:** counties with the lowest root-zone soil moisture that the next 2 weeks of rain will not fix. **Flood watch:** wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground. **Gauge watch:** stations where the water takes more than 5 days to reach the next station downstream and the last pass is newer than that travel time, so there is still time to warn downstream counties (star = a station already on the watch list).

**Towns and counties to monitor:** red or orange counties not already in the drought or flood lists.

### 4. Flood history, scenarios and settlements

People affected in 2021, 2022, 2024 and 2025 come from the flood assessments compiled for the project (county totals; "not listed" means the county does not appear in that assessment, not that nobody was affected). The 2026 scenarios are planning figures from the 2026 Floods and Drought Plan (scenario 1 lower, 2 planning, 3 severe, and people displaced in the planning case); scenarios 1 and 3 apply the plan's state coefficients to the county planning case and are not forecasts or probabilities. Settlements are those assessed in September 2025 (OCHA 2024 and UNMISS 2025 high-ground list, other flooded settlements and small towns), grouped by payam. Population is the 2025 county estimate supplied to the project.

### 5. Infrastructure at risk, by payam

**At risk** = flooded in the current maximum flood extent, or flooded in at least 15% of the same-season baseline years (2020–2025) where at least three baseline years exist. The baseline is Sentinel-1 (descending VV): open water below -18 dB after a 50 m focal median, plus flooded vegetation where VV rises at least 3 dB over the Feb–Mar dry-season median, limited to terrain within 15 m above the nearest drainage (MERIT Hydro HAND). The current extent is the maximum over the latest 12 days of Sentinel-1, exported every Sunday to a fixed Earth Engine asset. Counts are per payam (512 payam polygons): schools and health facilities (OCHA point layers, counted when the point falls on at-risk ground), buildings (VIDA Google-Microsoft combined footprints; at-risk count skipped where a payam has more than 40,000), roads (GRIP4, 100 m raster, length on at-risk ground) and area. County totals are the sum of its payams.

### 6. River stations

Levels are satellite-altimetry passes from DAHITI (DGFI-TUM) and Hydroweb.Next (Theia / CNES, LEGOS), merged nightly with quality flags (jumps checked against neighbours, long gaps, high uncertainty). The **status** compares the latest level with passes within  $\pm 30$  days of the same date in 2016–2025: unusually high from the 70th percentile, above normal 60th–70th, near normal 40th–60th, below normal 30th–40th, unusually low below the 30th; fewer than 2 years or 6 passes counts as insufficient record. Low and insufficient stations are not shown. The **routed signal** reads the linked upstream and downstream stations: the median travel time is the typical lag between the two stations over their overlapping passes, and "expected here around" is the observation date plus that lag. Altimetry samples a river every 10–35 days, so a pass can miss a peak, and flood-level thresholds are "as seen by the satellite", not gauge return periods.

### 7. Exposure within 25 km of a station

Population (WorldPop 2020, 100 m), schools, health facilities and VIDA buildings inside a 25 km circle around the station, with the share on at-risk ground (definition in section 5) and a payam-by-payam breakdown of the part of each payam inside the circle. Circles overlap neighbouring counties, which are listed. A station is assigned to the county that contains it.

### 8. News

Reported news comes from Eye Radio, Radio Tamazuj, Sudans Post, UN and ReliefWeb items collected by the climate-news monitor and stored in data/news.json. Each county page lists items from the last 21 days that name

that county; items naming no county appear on the cover. Items are summarised, not quoted; single-source items are unverified and county names may be inferred from places. Media coverage is partial and Facebook is not covered.

## 9. Main limits

- Rain, soil and flood layers are satellite products: coarse (GSMaP about 10 km, SMAP L4 about 9 km) and subject to retrieval error, especially in wetlands.
- The ensemble gives chances, not certainties; the dry-spell and heavy-rain chances are for the county as a whole.
- Flood extent from radar misses flooding under dense canopy and can over-detect on wet floodplain vegetation; the weekly window can miss short events.
- Population, building and facility layers are modelled or compiled, and may be out of date or incomplete in remote areas.
- River flooding from upstream can continue while local soils are dry: the land model does not include river overflow.
- Assessment and scenario figures describe past or planned situations, not the situation now.

## Data sources

| Layer                        | Source                                                                                             | Used for                                    |
|------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------|
| Rainfall                     | GSMaP v8 operational, gauge-corrected (JAXA), via Google Earth Engine                              | Rain so far, anomalies                      |
| Soil moisture, ET, runoff    | NASA SMAP Level-4 SPL4SMGP                                                                         | Soil z-score, deficit, water balance        |
| Forecast                     | ECMWF IFS ensemble open data (CC BY 4.0, © ECMWF)                                                  | Dry / wet spell and heavy-rain chances      |
| Forecast rain, 7-day         | NOAA GFS 0.25°; ECMWF IFS NRT; CHIRPS daily (UCSB-CHG)                                             | Station rainfall outlook in the app         |
| River levels                 | DAHITI (DGFI-TUM); Hydroweb.Next (Theia / CNES, LEGOS)                                             | Station status and routed signals           |
| River discharge outlook      | GEOGLOWS ECMWF Streamflow Model (BYU / ECMWF)                                                      | River alert, where available                |
| Flood extent and baseline    | Copernicus Sentinel-1 GRD; MERIT Hydro HAND                                                        | Current and same-season flood extent        |
| Flood-prone ground           | JRC Global Surface Water; Global Flood Database                                                    | Flood-prone share of population             |
| Population                   | County estimates 2025 (project); WorldPop 2020, 100 m (Univ. of Southampton, CC BY 4.0)            | County and 25 km population                 |
| Settlement and buildings     | GHSL built-up surface (JRC); VIDA combined footprints; JRC GHS-OBAT 2020                           | Built-up area, building counts              |
| Roads                        | GRIP4 Africa (Meijer et al. 2018)                                                                  | Road length at risk                         |
| Schools, health facilities   | OCHA (data.humdata.org/group/ssd)                                                                  | Facilities at risk                          |
| Cropland                     | ESA WorldCover 2021 v200 (CC BY 4.0)                                                               | Cropland in the county bulletin             |
| Catchments                   | HydroBASINS / HydroSHEDS                                                                           | Upstream catchment rainfall                 |
| Admin boundaries             | OCHA (data.humdata.org/group/ssd); 512 payams                                                      | All county and payam figures                |
| Flood assessments, scenarios | Flood assessments 2021–2025; 2026 Floods and Drought Plan; OCHA 2024 / UNMISS 2025 settlement list | Earlier assessments, scenarios, settlements |

## Key references

- Gorelick, N. et al. (2017). Google Earth Engine: planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment* 202, 18–27.
- Pekel, J.-F. et al. (2016). High-resolution mapping of global surface water and its long-term changes. *Nature* 540, 418–422.
- Tellman, B. et al. (2021). Satellite imaging reveals increased proportion of population exposed to floods. *Nature* 596, 80–86.
- Torres, R. et al. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment* 120, 9–24.
- Yamazaki, D. et al. (2019). MERIT Hydro: a high-resolution global hydrography map based on latest topography datasets. *Water Resources Research* 55, 5053–5073.
- Schwatke, C. et al. (2015). DAHITI: an innovative approach for estimating water level time series over inland waters using multi-mission satellite altimetry. *Hydrology and Earth System Sciences* 19, 4345–4364.
- Lehner, B. and Grill, G. (2013). Global river hydrography and network routing (HydroSHEDS, HydroBASINS). *Hydrological Processes* 27, 2171–2186.
- Meijer, J. R. et al. (2018). Global patterns of current and future road infrastructure. *Environmental Research Letters* 13, 064006.
- Zanaga, D. et al. (2022). ESA WorldCover 10 m 2021 v200. Zenodo.
- Gumbel, E. J. (1958). *Statistics of Extremes*. Columbia University Press.
- World Meteorological Organization (2015). *WMO Guidelines on Multi-hazard Impact-based Forecast and Warning Services*, WMO-No. 1150.
- Data providers: OCHA (schools, health facilities, administrative boundaries; data.humdata.org/group/ssd), JAXA (GSMaP), NASA (SMAP L4), ECMWF (IFS ensemble), NOAA (GFS), UCSB Climate Hazards Center (CHIRPS), DGFI-TUM (DAHITI), CNES / LEGOS (Hydroweb.Next), BYU / ECMWF (GEOGLOWS), University of Southampton (WorldPop), European Commission JRC (GSW, GHSL, GHS-OBAT), VIDA / Google / Microsoft (building footprints), ESA (WorldCover, Sentinel-1).

## Method code and the live map

Pipeline code: [github.com/Penuelabi/altimetry-nightly](https://github.com/Penuelabi/altimetry-nightly). Live map:

<https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>. Prepared by ALLAU, Denis Abi, PhD, Abuk Project, Mayardit Academy for Space Sciences, University of Juba and University of California, Davis.