



SOUTH SUDAN HYDRO-CLIMATE WATCH

03 Oct 2026 | Weekly version v51026

ECMWF run 2026-10-02 12 UTC | rain and soil data to 2026-09-28 | 0 red, 39 orange, 4 yellow, 36 green counties

Top 3 drought-watch counties

County	Alert	Soil z	Soil deficit	Rain next 2 wk (median)	Chance 7-day dry spell
Renk (Upper Nile)	ORANGE	-3.30	36 mm	22 mm	32%
Manyo (Upper Nile)	ORANGE	-2.84	34 mm	23 mm	26%
Kapoeta East (Eastern Equatoria)	ORANGE	-2.62	38 mm	33 mm	60%

Lowest root-zone soil moisture that the next 2 weeks of rain will not fix.

Top 3 flood-watch counties

County	Alert	Soil z	30-d surplus	Rain next 2 wk	Chance 50 mm wk 1	People on flood-prone ground
Mundri East (Western Equatoria)	GREEN	-1.77	32 mm	64 mm	4%	59
Yirol East (Lakes)	GREEN	-1.46	-8 mm	52 mm	2%	3,725
Bor South (Jonglei)	ORANGE	-2.11	130 mm	50 mm	0%	7,498

Wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground.

5 Gauge watch list

Station	Last level	vs 2-yr level	Last 3 passes	Travel time	Warning left	Next station
Lowa km 2674 (hydroweb:3889)	489.98 m (2026-09-24)	below 2-yr by 1.93 m	rising +0.78 m	10 d	0 d	hydroweb:3888
Victoria Nile km 5723 (hydroweb:112210)	1035.68 m (2026-09-24)	below 2-yr by 0.55 m	rising +0.17 m	10 d	1 d	hydroweb:107877
Lindi km 2447 (hydroweb:3801)	461.46 m (2026-09-24)	below 2-yr by 1.73 m	rising +0.24 m	10 d	1 d	hydroweb:3805
★ White Nile km 4541 (hydroweb:7887)	409.97 m (2026-09-23)	below 2-yr by 0.16 m	steady/falling -0.13 m	11 d	1 d	hydroweb:7880
Baro Wenz km 4707 (hydroweb:202063)	950.84 m (2026-09-22)	below 2-yr by 0.10 m	steady/falling -0.15 m	13 d	2 d	hydroweb:103740

Travel time to the next station over 5 days and last pass newer than the travel time. ★ = station you already watch.

5 Towns and counties to monitor (red or orange, not in the lists above)

Town / county	Alert	Soil z	Rain next 2 wk	Chance 50 mm wk 1	Chance 7-day dry spell
Kapoeta South - Eastern Equatoria	ORANGE	-2.30	28 mm	0%	40%
Kapoeta North - Eastern Equatoria	ORANGE	-2.73	37 mm	0%	38%
Pibor (Pibor) - Jonglei	ORANGE	-2.32	45 mm	0%	12%
Maban - Upper Nile	ORANGE	-2.67	33 mm	0%	12%
Pariang - Unity	ORANGE	-2.32	40 mm	0%	8%

Open the live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>

Subscribe to the email list: <https://claud.ai/artifact/NW1fEYxo4VQ2BoUfsVfQoK>. To stop receiving it, [unsubscribe here](#).

ALLAU, Denis Abi, PhD

Abuk Project

Mayardit Academy for Space Sciences

[University of Juba and University of California, Davis](#)

WhatsApp: +211 917 939 818

Email: penuelabi@gmail.com

Decision support, not an official warning. One page per county follows. Rainfall figures are an outlook for local flooding and access, not a river-level forecast.

Contents

Counties by state. Click a county to jump to its page.

Abyei Region (1)

Abyei Region	3
------------------------------	---

Central Equatoria (6)

Juba	4
Kajo-keji	5
Lainya	6
Morobo	7
Terekeka	8
Yei	9

Eastern Equatoria (8)

Budi	10
Ikotos	11
Kapoeta East	12
Kapoeta North	13
Kapoeta South	14
Lafon	15
Magwi	16
Torit	17

Jonglei (11)

Akobo	18
Ayod	19
Bor South	20
Canal/Pigi	21
Duk	22
Fangak	23
Nyirol	24
Pibor	25
Pochalla	26
Twic East	27
Uror	28

Lakes (8)

Awerial	29
Cueibet	30
Rumbek Centre	31
Rumbek East	32
Rumbek North	33
Wulu	34
Yirol East	35
Yirol West	36

Northern Bahr el Ghazal (5)

Aweil Centre	37
Aweil East	38
Aweil North	39
Aweil South	40
Aweil West	41

Unity (9)

Abiemnhom	42
Guit	43
Koch	44
Leer	45
Mayendit	46
Mayom	47
Panyijiar	48
Pariang	49
Rubkona	50

Upper Nile (12)

Baliet	51
Fashoda	52
Longochuk	53
Luakpiny/Nasir	54
Maban	55
Maiwut	56
Malakal	57
Manyo	58
Melut	59
Panyikang	60
Renk	61
Ulang	62

Warrap (6)

Gogrial East	63
Gogrial West	64
Tonj East	65
Tonj North	66
Tonj South	67
Twic	68

Western Bahr el Ghazal (3)

Jur River	69
Raja	70
Wau	71

Western Equatoria (10)

Ezo	72
Ibba	73
Maridi	74
Mundri East	75
Mundri West	76
Mvolo	77
Nagero	78
Nzara	79
Tambura	80
Yambio	81

Abyei Region County

Abyei Region | County population about 145,358 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 152% of normal); ~33 mm expected over 2 weeks = 49% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 145,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	24,468	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	723
2 (planning)	1,125
3 (severe)	2,170
Displaced in the planning case	313

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Abyei Region	10,496	6,017	3 (3)	22 (22)	6 (1)	560.9 (352.9)

Health facilities: 22 in the county, 22 on flood-prone ground | Schools: 3 in the county, 3 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 152% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 22 of 22 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,125 people affected, 313 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 3 of 3 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 313 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Juba County

Central Equatoria | County population about 570,834 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 24 mm below median in the top metre (30-day rain 109% of normal); ~62 mm expected over 2 weeks = 262% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	10,000	not listed	13,320	16,000

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	13,095
2 (planning)	20,369
3 (severe)	39,283
Displaced in the planning case	5,668

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Lobonok	5,210	3,326	2 (1)	5 (2)	4,174 (36)	263.2 (171.4)
Mangala South	1,573	1,545	5 (5)	2 (2)	6,664 (143)	123.1 (120.0)

Health facilities: 97 in the county, 64 on flood-prone ground | Schools: 73 in the county, 49 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4934: Above normal (percentile 80) on 2026-09-24.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 24 mm below median in the top metre (30-day rain 109% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 64 of 97 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 20,369 people affected, 5,668 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 49 of 73 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 5,668 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4934 (hydroweb:7853)

River level status

Latest pass 2026-09-24: **Above normal** (percentile 80). Level 459.60 m; seasonal median 458.89 m; anomaly +0.71 m. Record: min 456.54 m, max 460.56 m, average 458.65 m.

Baseline: 8 years, 46 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.06 m; 10 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7856	Near normal (percentile 67) on 2026-09-17	2 days	2026-09-19

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7968	Above normal (percentile 73) on 2026-09-17	7 days	2026-10-01

Exposure within 25 km of the station

WorldPop population (2020): 84,730, of which 68,895 at risk. Schools: 38 (22 at risk). Health facilities: 57 (37 at risk). Buildings (VIDA): 517,649 (n/a at risk). Counties within 25 km: Juba.

Kajo-keji County

Central Equatoria | County population about 257,989 | Issued 03 October 2026

Advisory

- No significant change expected: dry soils, about 11 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,656
2 (planning)	5,687
3 (severe)	10,968
Displaced in the planning case	1,583

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Liwolo	1,155	628	13 (4)	7 (1)	3,889 (28)	23.2 (11.1)
Kangapo II	336	227	22 (7)	14 (0)	15,437 (164)	0.0 (0.0)
Nyepo	445	172	4 (0)	6 (1)	2,408 (7)	27.2 (11.7)
Lire	297	133	11 (5)	8 (1)	10,082 (96)	17.8 (11.2)

Health facilities: 43 in the county, 6 on flood-prone ground | Schools: 61 in the county, 20 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: No significant change expected: dry soils, about 11 mm of rain in week 1.	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 43 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 5,687 people affected, 1,583 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 20 of 61 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,583 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Lainya County

Central Equatoria | County population about 119,155 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 32 mm below median in the top metre (30-day rain 71% of normal); ~66 mm expected over 2 weeks = 210% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	446
2 (planning)	693
3 (severe)	1,337
Displaced in the planning case	193

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Mukaya	1,628	1,145	15 (10)	4 (1)	4,750 (64)	78.0 (58.3)
Lainya	525	350	10 (3)	6 (3)	10,349 (175)	33.9 (21.8)
Kupera	478	319	5 (0)	2 (2)	1,836 (15)	39.7 (25.8)
Wuji	473	289	5 (3)	4 (0)	2,384 (24)	36.6 (19.7)

Health facilities: 21 in the county, 10 on flood-prone ground | Schools: 41 in the county, 18 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 32 mm below median in the top metre (30-day rain 71% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 10 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 693 people affected, 193 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 18 of 41 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 193 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Morobo County

Central Equatoria | County population about 136,697 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 52% of normal); ~75 mm expected over 2 weeks = 324% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	464
2 (planning)	721
3 (severe)	1,391
Displaced in the planning case	201

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Panyume	530	282	6 (1)	2 (0)	1,990 (24)	1.8 (1.2)
Kimba	194	93	9 (1)	3 (2)	8,854 (92)	9.8 (2.8)
Wudabi	219	88	8 (3)	3 (0)	2,418 (28)	16.7 (7.9)
Lujulo	186	85	10 (3)	4 (1)	1,284 (9)	12.7 (5.5)

Health facilities: 15 in the county, 3 on flood-prone ground | Schools: 50 in the county, 8 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 52% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 3 of 15 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 721 people affected, 201 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 8 of 50 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 201 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Terekeka County

Central Equatoria | County population about 266,693 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 65 mm below median in the top metre (30-day rain 95% of normal); ~53 mm expected over 2 weeks = 81% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	8,503	8,505

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	2,471
2 (planning)	3,843
3 (severe)	7,412
Displaced in the planning case	1,069

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Rijong	2,272	2,170	7 (7)	4 (4)	2,098 (25)	201.8 (194.1)
Tali	2,270	2,115	4 (4)	10 (9)	3,073 (54)	195.3 (185.8)

Health facilities: 45 in the county, 43 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4845: Above normal (percentile 73) on 2026-09-17.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 65 mm below median in the top metre (30-day rain 95% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 43 of 45 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 3,843 people affected, 1,069 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 27 of 27 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,069 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4845 (hidroweb:7967)

River level status

Latest pass 2026-09-17: **Above normal** (percentile 73). Level 437.71 m; seasonal median 437.23 m; anomaly +0.48 m. Record: min 436.13 m, max 438.35 m, average 437.22 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.21 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hidroweb:7855	Near normal (percentile 55) on 2026-09-17	6 days	2026-09-23

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hidroweb:7854	Near normal (percentile 57) on 2026-09-17	4 days	2026-09-21

Exposure within 25 km of the station

WorldPop population (2020): 59,751, of which 56,095 at risk. Schools: 11 (11 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 15,868 (357 at risk). Counties within 25 km: Juba, Terekeka.

Yei County

Central Equatoria | County population about 327,602 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 69% of normal); ~71 mm expected over 2 weeks = 208% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,219
2 (planning)	1,896
3 (severe)	3,657
Displaced in the planning case	528

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Tore	4,088	2,501	15 (8)	6 (4)	4,335 (91)	237.5 (154.8)
Lasu	1,073	724	10 (6)	5 (3)	6,745 (110)	39.2 (25.9)
Yei	559	395	22 (12)	13 (6)	61,160 (n/a)	45.0 (33.4)
Otogo	513	373	13 (4)	10 (4)	9,916 (145)	51.5 (40.8)

Health facilities: 39 in the county, 18 on flood-prone ground | Schools: 77 in the county, 36 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 69% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 18 of 39 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,896 people affected, 528 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 36 of 77 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 528 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Budi County

Eastern Equatoria | County population about 108,474 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 20% of normal); ~35 mm expected over 2 weeks = 105% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (38%) on dry soils: monitor crops and pasture
- Exposure: County population about 108,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	407
2 (planning)	633
3 (severe)	1,221
Displaced in the planning case	176

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Komori	1,890	883	6 (1)	6 (3)	6,591 (48)	85.1 (32.1)
Loriyok	1,304	758	2 (2)	3 (3)	1,470 (26)	72.2 (52.8)
Napak	595	426	0 (0)	1 (1)	654 (7)	42.7 (26.8)
Kimotong	470	291	0 (0)	1 (0)	704 (10)	37.1 (26.8)

Health facilities: 21 in the county, 9 on flood-prone ground | Schools: 8 in the county, 3 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 20% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 9 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 633 people affected, 176 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 3 of 8 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 176 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Ikotos County

Eastern Equatoria | County population about 111,148 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 20 mm below median in the top metre (30-day rain 22% of normal); ~49 mm expected over 2 weeks = 244% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	413
2 (planning)	643
3 (severe)	1,240
Displaced in the planning case	179

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Losite	1,048	752	4 (3)	5 (1)	2,152 (3)	21.5 (16.9)
Ikotos	842	490	4 (2)	5 (3)	6,319 (85)	103.4 (61.4)
Lomohidang North	367	238	5 (3)	3 (1)	2,726 (29)	38.2 (25.8)
Imotong	212	170	0 (0)	2 (0)	1,224 (5)	15.4 (6.4)

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 20 in the county, 8 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 20 mm below median in the top metre (30-day rain 22% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 643 people affected, 179 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 8 of 20 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 179 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Kapoeta East County

Eastern Equatoria | County population about 175,078 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 31% of normal); ~33 mm expected over 2 weeks = 86% of the deficit. Soils should recover if the rain arrives
- Dry spell likely (60%): suitable for weeding, harvesting and drying; delay planting
- Exposure: County population about 175,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	658
2 (planning)	1,023
3 (severe)	1,973
Displaced in the planning case	285

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Jie	2,927	1,965	0 (0)	1 (1)	2,141 (42)	226.8 (172.9)
Kauto	7,471	1,720	0 (0)	2 (0)	10,963 (47)	348.1 (79.5)
Narus	9,603	874	12 (1)	7 (1)	10,318 (51)	673.7 (29.6)
Mogos	2,047	815	0 (0)	1 (1)	3,123 (35)	181.3 (92.2)

Health facilities: 18 in the county, 4 on flood-prone ground | Schools: 17 in the county, 2 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 31% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 4 of 18 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,023 people affected, 285 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 2 of 17 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 285 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Kapoeta North County

Eastern Equatoria | County population about 162,158 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 55 mm below median in the top metre (30-day rain 36% of normal); ~37 mm expected over 2 weeks = 68% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Dry spell possible (38%) on dry soils: monitor crops and pasture
- Exposure: County population about 162,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	601
2 (planning)	935
3 (severe)	1,803
Displaced in the planning case	260

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Karukomuge	4,520	3,057	2 (2)	8 (6)	1,274 (13)	91.4 (59.6)
Lomeyen	580	460	1 (1)	3 (3)	1,800 (25)	16.3 (11.4)
Mosingo	271	145	1 (1)	0 (0)	2,619 (26)	7.9 (4.6)
Paringa	190	94	1 (1)	2 (2)	1,430 (22)	9.0 (7.8)

Health facilities: 16 in the county, 14 on flood-prone ground | Schools: 10 in the county, 10 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 55 mm below median in the top metre (30-day rain 36% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 14 of 16 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 935 people affected, 260 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 10 of 10 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 260 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Kapoeta South County

Eastern Equatoria | County population about 105,511 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 38 mm below median in the top metre (30-day rain 15% of normal); ~28 mm expected over 2 weeks = 74% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Dry spell possible (40%) on dry soils: monitor crops and pasture
- Exposure: County population about 106,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	433
2 (planning)	674
3 (severe)	1,300
Displaced in the planning case	188

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Machi One	143	79	0 (0)	4 (3)	2,362 (33)	16.6 (8.9)
Machi Two	117	62	0 (0)	1 (1)	2,104 (22)	17.4 (9.4)
Kapoeta Town	114	62	1 (1)	4 (4)	7,639 (298)	24.4 (10.6)
Longeleya	132	45	4 (4)	0 (0)	2,645 (28)	15.0 (6.8)

Health facilities: 10 in the county, 9 on flood-prone ground | Schools: 9 in the county, 7 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 38 mm below median in the top metre (30-day rain 15% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 9 of 10 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 674 people affected, 188 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 7 of 9 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 188 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Lafon County

Eastern Equatoria | County population about 163,767 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 46% of normal); ~46 mm expected over 2 weeks = 94% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (32%) on dry soils: monitor crops and pasture
- Exposure: County population about 164,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	18,178	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	622
2 (planning)	968
3 (severe)	1,867
Displaced in the planning case	269

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Burgilo	10,443	9,891	5 (4)	2 (2)	2,652 (48)	73.1 (68.7)
Arihilo	1,506	1,158	1 (0)	4 (0)	2,235 (3)	104.0 (78.4)
Pachidi	1,232	1,074	6 (4)	3 (3)	671 (12)	109.8 (85.4)
Marguna	961	937	2 (2)	2 (2)	907 (20)	85.9 (83.4)

Health facilities: 24 in the county, 14 on flood-prone ground | Schools: 30 in the county, 17 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 46% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 14 of 24 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 968 people affected, 269 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 17 of 30 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 269 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Magwi County

Eastern Equatoria | County population about 314,109 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 26% of normal); ~67 mm expected over 2 weeks = 302% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	2,537	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,084
2 (planning)	1,686
3 (severe)	3,252
Displaced in the planning case	469

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pageri	2,301	1,442	29 (7)	16 (4)	5,956 (75)	123.5 (70.8)
Magwi	1,167	679	38 (15)	12 (1)	10,051 (123)	80.5 (38.4)

Health facilities: 46 in the county, 15 on flood-prone ground | Schools: 146 in the county, 57 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Bahr Al Jabal km 5093: Below normal (percentile 21) on 2026-09-24.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 26% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 15 of 46 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,686 people affected, 469 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 57 of 146 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 469 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Bahr Al Jabal km 5093 (hydroweb:112211)

River level status

Latest pass 2026-09-24: **Below normal** (percentile 21). Level 615.25 m; seasonal median 615.42 m; anomaly -0.17 m.

Record: min 614.86 m, max 616.31 m, average 615.49 m.

Baseline: 5 years, 26 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.07 m; 10 days since previous pass.

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:101187	Near normal (percentile 45) on 2026-09-17	14 days	2026-10-08

Exposure within 25 km of the station

WorldPop population (2020): 253,110, of which 0 at risk. Schools: 68 (0 at risk). Health facilities: 13 (0 at risk). Buildings (VIDA): 26,468 (0 at risk). Counties within 25 km: Magwi.

Torit County

Eastern Equatoria | County population about 65,844 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 26 mm below median in the top metre (30-day rain 27% of normal); ~63 mm expected over 2 weeks = 243% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	275
2 (planning)	427
3 (severe)	824
Displaced in the planning case	119

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Bur	1,100	1,025	12 (12)	8 (7)	2,487 (56)	76.3 (69.2)
Hiyala	1,246	1,022	35 (28)	13 (8)	5,717 (103)	85.3 (69.9)
Kudo	1,077	643	7 (4)	6 (2)	2,585 (40)	66.7 (48.2)
Imurok	646	343	14 (6)	3 (3)	1,023 (23)	72.5 (50.0)

Health facilities: 41 in the county, 27 on flood-prone ground | Schools: 141 in the county, 103 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 26 mm below median in the top metre (30-day rain 27% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 27 of 41 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 427 people affected, 119 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 103 of 141 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 119 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Akobo County

Jonglei | County population about 238,042 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 69% of normal); ~45 mm expected over 2 weeks = 53% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 238,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	13,986	not listed	97,730	17,652

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	10,941
2 (planning)	17,020
3 (severe)	32,824
Displaced in the planning case	4,736

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Diror	2,532	2,474	1 (1)	4 (4)	2,247 (49)	134.1 (132.7)
Nyandit	2,469	2,375	6 (6)	3 (3)	643 (24)	149.7 (137.4)
Bilkey	1,383	1,363	8 (8)	2 (1)	8,744 (235)	125.1 (122.2)
Dengjok	962	950	4 (4)	4 (4)	1,456 (39)	65.4 (64.0)

Health facilities: 18 in the county, 17 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 69% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 17 of 18 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 17,020 people affected, 4,736 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 25 of 25 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,736 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Ayod County

Jonglei | County population about 205,709 | Issued 03 October 2026

Advisory

- No significant change expected: near normal soils, about 12 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	55,000	not listed	26,700	57,270

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	18,552
2 (planning)	28,858
3 (severe)	55,655
Displaced in the planning case	8,030

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Ayod	2	1,800	0	1,000	800
Kuach-deng	3	24,300	0	8,300	16,000
Kurwai	2	800	800	0	0
Mogok	2	3,800	0	2,400	1,400
Pagil	6	24,100	22,500	0	1,600
Pajiek	6	12,200	8,500	2,000	1,700
Wau	1	700	0	700	0
Ayod County	22	67,700	31,800	14,400	21,500

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pajiek	4,026	2,775	3 (3)	3 (3)	4,038 (132)	174.5 (140.4)
Kurwai	2,375	2,150	7 (7)	4 (4)	1,523 (54)	11.8 (11.2)

Health facilities: 11 in the county, 11 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4336: Unusually high (percentile 93) on 2026-09-24.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: No significant change expected: near normal soils, about 12 mm of rain in week 1.	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 11 of 11 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 28,858 people affected, 8,030 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 23 of 23 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 8,030 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4336 (hydroweb:7874)

River level status

Latest pass 2026-09-24: **Unusually high** (percentile 93). Level 399.21 m; seasonal median 399.09 m; anomaly +0.12 m. Record: min 398.69 m, max 399.26 m, average 399.03 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7875	Below normal (percentile 18) on 2026-09-24	4 days	2026-09-28

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7900	Unusually low (percentile 6) on 2026-09-19	21 days	2026-10-15

Exposure within 25 km of the station

WorldPop population (2020): 67,944, of which 53,958 at risk. Schools: 17 (17 at risk). Health facilities: 10 (10 at risk). Buildings (VIDA): 11,943 (312 at risk). Counties within 25 km: Ayod, Leer, Mayendit.

Bor South County

Jonglei | County population about 354,711 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 109 mm below median in the top metre (30-day rain 115% of normal); ~50 mm expected over 2 weeks = 46% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 355,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	42,051	not listed	2,946	76,000

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	28,774
2 (planning)	44,760
3 (severe)	86,323
Displaced in the planning case	12,455

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Baidit	4,477	4,343	25 (23)	4 (4)	4,968 (153)	54.1 (47.0)
Makuach	3,301	3,259	11 (8)	1 (1)	2,060 (60)	32.5 (29.4)

Health facilities: 33 in the county, 31 on flood-prone ground | Schools: 142 in the county, 135 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile, River: Unusually high (percentile 100) on 2026-09-25.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 109 mm below median in the top metre (30-day rain 115% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 31 of 33 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 44,760 people affected, 12,455 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 135 of 142 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 12,455 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile, River (dahiti:17754)

River level status

Latest pass 2026-09-25: **Unusually high** (percentile 100). Level 422.61 m; seasonal median 422.32 m; anomaly +0.29 m. Record: min 421.06 m, max 422.63 m, average 422.01 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:17753	Above normal (percentile 69) on 2026-08-04	2 days	2026-08-06

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:3246	Above normal (percentile 75) on 2026-08-25	6 days	2026-10-01

Exposure within 25 km of the station

WorldPop population (2020): 50,867, of which 39,440 at risk. Schools: 99 (93 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 62,858 (n/a at risk). Counties within 25 km: Awerial, Bor South, Yirol East.

Canal/Pigi County

Jonglei | County population about 111,613 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 77 mm below median in the top metre (30-day rain 60% of normal); ~37 mm expected over 2 weeks = 48% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 112,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	35,462	not listed	39,971	25,500

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	9,699
2 (planning)	15,088
3 (severe)	29,098
Displaced in the planning case	4,198

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Alam	1,287	1,134	0 (0)	0 (0)	242 (7)	74.3 (65.5)
Wunlem	1,003	894	1 (0)	0 (0)	38 (0)	63.4 (52.9)

Health facilities: 12 in the county, 0 on flood-prone ground | Schools: 36 in the county, 13 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4029: Above normal (percentile 74) on 2026-09-15.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 77 mm below median in the top metre (30-day rain 60% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 0 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 15,088 people affected, 4,198 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 13 of 36 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,198 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4029 (hydroweb:7965)

River level status

Latest pass 2026-09-15: **Above normal** (percentile 74). Level 390.48 m; seasonal median 389.73 m; anomaly +0.75 m. Record: min 387.81 m, max 391.52 m, average 389.65 m.

Baseline: 9 years, 19 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7886	Near normal (percentile 50) on 2026-09-23	0 days	2026-09-23

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7895	Near normal (percentile 62) on 2026-09-02	1 days	2026-09-16

Exposure within 25 km of the station

WorldPop population (2020): 61,010, of which 2,006 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 5,349 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

Duk County

Jonglei | County population about 206,545 | Issued 03 October 2026

Advisory

- No significant change expected: dry soils, about 15 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	45,000	not listed	16,771	22,548

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	13,231
2 (planning)	20,582
3 (severe)	39,694
Displaced in the planning case	5,727

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Ageer	1	2,200	0	2,200	0
Dongchak	3	2,600	1,300	1,300	0
Padiet	4	39,500	1,000	9,600	28,900
Pagak	4	12,000	1,800	5,700	4,500
Panyang	3	9,100	0	6,200	2,900
Payuel	4	23,100	0	12,300	10,800
Duk County	19	88,500	4,100	37,300	47,100

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Dongchak	3,316	2,092	1 (1)	2 (2)	1,038 (25)	129.6 (104.6)
Panyang	872	850	4 (4)	3 (3)	1,201 (34)	87.4 (83.3)
Ageer	932	723	2 (0)	2 (2)	835 (13)	45.3 (31.8)
Pagak	680	679	0 (0)	1 (1)	424 (12)	15.2 (15.2)

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 11 in the county, 9 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	- Water scarcity and drying of groundwater in drought areas. - Damage to infrastructure and water contamination in flood zones.	- Rehabilitate and expand water storage facilities. - Pre-position water treatment chemicals and repair parts. - Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	- Crop failure, moisture stress and heat stress. - Livestock mortality and sudden pasture depletion. This county: No significant change expected: dry soils, about 15 mm of rain in week 1.	- Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. - Coordinate early livestock destocking and step up veterinary and deworming services. - Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	- Surges in vector-borne (malaria) and waterborne (cholera) disease. - Risk of acute malnutrition from harvest losses. This county: 14 of 14 health facilities on flood-prone ground.	- Strengthen integrated epidemiological surveillance. - Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). - Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 20,582 people affected, 5,727 displaced.	- Pre-position emergency shelter kits and basic household supplies outside flood zones. - Map highly exposed riverine settlements and set up early-warning protocols.
Education	Learning disruption from school closures, water shortages or infrastructure damage. This county: 9 of 11 schools on flood-prone ground.	- Activate pre-agreed education contingency plans before peak impacts. - Secure temporary learning structures and deploy emergency school WASH services.
Protection	Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 5,727 people displaced in the planning case.	- Mainstream GBV risk mitigation across emergency service delivery. - Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Fangak County

Jonglei | County population about 213,029 | Issued 03 October 2026

Advisory

- No significant change expected: near normal soils, about 11 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	73,191	17,669	154,005	145,316

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	36,008
2 (planning)	56,013
3 (severe)	108,025
Displaced in the planning case	15,586

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Manajang	10	27,300	7,000	0	20,300
Mareang	3	9,140	600	0	8,540
Old Fangak	2	3,000	3,000	0	0
Paguir	4	17,360	1,100	0	16,260
Phom	1	0	0	0	0
Fangak County	20	56,800	11,700	0	45,100

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Paguir	3,008	2,601	7 (4)	6 (4)	5,223 (110)	57.8 (37.7)
Mareang	1,742	1,624	5 (5)	2 (2)	420 (18)	0.0 (0.0)

Health facilities: 18 in the county, 8 on flood-prone ground | Schools: 24 in the county, 14 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Bahr El Zeraf km 4110: Above normal (percentile 69) on 2026-09-25.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: No significant change expected: near normal soils, about 11 mm of rain in week 1.	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 8 of 18 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 56,013 people affected, 15,586 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 14 of 24 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 15,586 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Bahr El Zeraf km 4110 (hydroweb:105860)

River level status

Latest pass 2026-09-25: **Above normal** (percentile 69). Level 393.28 m; seasonal median 393.17 m; anomaly +0.11 m. Record: min 391.28 m, max 393.93 m, average 392.82 m.
Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

Routed downstream signal

No downstream station linked.

Exposure within 25 km of the station

WorldPop population (2020): 36,373, of which 28,161 at risk. Schools: 13 (13 at risk). Health facilities: 5 (3 at risk). Buildings (VIDA): 6,583 (169 at risk). Counties within 25 km: Fangak.

Nyirol County

Jonglei | County population about 153,295 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 97 mm below median in the top metre (30-day rain 66% of normal); ~44 mm expected over 2 weeks = 45% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 153,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	8,832	0	16,500

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	9,578
2 (planning)	14,899
3 (severe)	28,734
Displaced in the planning case	4,146

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Thol	2,672	2,517	14 (13)	3 (3)	6,422 (142)	104.0 (95.9)
Chuil	1,453	1,209	0 (0)	0 (0)	1,727 (35)	30.2 (27.4)

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Fulus km 4188: Below normal (percentile 21) on 2026-09-02.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 97 mm below median in the top metre (30-day rain 66% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 9 of 9 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 14,899 people affected, 4,146 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 35 of 36 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,146 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Fulus km 4188 (hydroweb:106719)

River level status

Latest pass 2026-09-02: **Below normal** (percentile 21). Level 395.38 m; seasonal median 396.13 m; anomaly -0.75 m. Record: min 394.73 m, max 396.87 m, average 395.84 m.

Baseline: 6 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.08 m; 27 days since previous pass.

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:106193	Unusually low (percentile 0) on 2026-09-27	4 days	2026-09-06

Exposure within 25 km of the station

WorldPop population (2020): 55,622, of which 53,627 at risk. Schools: 20 (20 at risk). Health facilities: 7 (7 at risk). Buildings (VIDA): 6,816 (158 at risk). Counties within 25 km: Baiet, Nyirol.

Pibor County

Jonglei | County population about 237,649 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 74 mm below median in the top metre (30-day rain 62% of normal); ~45 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 238,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	0	146,851

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	35,634
2 (planning)	55,430
3 (severe)	106,901
Displaced in the planning case	15,424

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Verteth	7,791	7,529	0 (0)	0 (0)	1,561 (34)	110.7 (86.2)
Kiziongora	6,669	6,045	0 (0)	5 (4)	3,800 (47)	233.9 (208.9)
Gumuruk	4,471	4,429	0 (0)	1 (1)	10,677 (260)	174.6 (169.8)
Pibor	3,613	3,392	7 (7)	1 (1)	8,098 (195)	182.6 (166.7)

Health facilities: 15 in the county, 10 on flood-prone ground | Schools: 8 in the county, 8 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 74 mm below median in the top metre (30-day rain 62% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 10 of 15 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 55,430 people affected, 15,424 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 8 of 8 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 15,424 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Pochalla County

Jonglei | County population about 82,568 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 80 mm below median in the top metre (30-day rain 64% of normal); ~44 mm expected over 2 weeks = 55% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 83,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	31,326	15,335	22,477

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	4,234
2 (planning)	6,586
3 (severe)	12,702
Displaced in the planning case	1,833

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pochalla	3,089	2,962	3 (3)	4 (3)	2,143 (40)	170.5 (167.6)
Adongo	2,681	2,412	4 (4)	3 (3)	1,941 (25)	178.1 (159.1)
Omuela	1,033	856	1 (1)	0 (0)	108 (3)	69.9 (48.2)
Burator	950	813	1 (1)	0 (0)	357 (10)	37.0 (31.4)

Health facilities: 8 in the county, 7 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 80 mm below median in the top metre (30-day rain 64% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 7 of 8 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 6,586 people affected, 1,833 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 9 of 9 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,833 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Twic East County

Jonglei | County population about 129,822 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 58% of normal); ~51 mm expected over 2 weeks = 74% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 130,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	58,069	not listed	55,349	101,675

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	23,245
2 (planning)	36,159
3 (severe)	69,735
Displaced in the planning case	10,062

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Ajuong	1	11,100	0	0	11,100
Kongor	2	21,300	0	0	21,300
Lith	3	10,950	9,200	0	1,750
Nyuak	3	16,800	1,600	2,200	13,000
Pakeer	2	14,900	1,300	0	13,600
Twic East County	11	75,050	12,100	2,200	60,750

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pakeer	1,326	1,178	5 (5)	2 (2)	2,033 (68)	82.7 (80.6)
Ajuong	1,859	1,156	2 (2)	1 (1)	1,301 (40)	18.4 (18.4)

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 21 in the county, 21 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile, River: Unusually high (percentile 94) on 2026-09-23.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 58% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 8 of 8 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 36,159 people affected, 10,062 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 21 of 21 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 10,062 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile, River (dahiti:17749)

River level status

Latest pass 2026-09-23: **Unusually high** (percentile 94). Level 410.11 m; seasonal median 409.89 m; anomaly +0.21 m. Record: min 409.20 m, max 410.24 m, average 409.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:17750	Near normal (percentile 50) on 2026-09-11	14 days	2026-09-25

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:15557	Unusually high (percentile 93) on 2026-09-25	49 days	2026-11-11

Exposure within 25 km of the station

WorldPop population (2020): 23,275, of which 12,919 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 347 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

Uror County

Jonglei | County population about 205,594 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 105 mm below median in the top metre (30-day rain 71% of normal); ~45 mm expected over 2 weeks = 43% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 206,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	24,516	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	771
2 (planning)	1,200
3 (severe)	2,314
Displaced in the planning case	334

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pieri	4,609	4,605	8 (8)	2 (2)	2,324 (65)	181.6 (181.4)
Payai	3,307	3,304	2 (2)	1 (1)	981 (39)	101.2 (100.5)
Tiam	2,036	2,034	1 (1)	1 (1)	2,431 (69)	67.0 (66.9)
Pathai	773	767	1 (1)	2 (2)	2,153 (61)	94.1 (94.0)

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 105 mm below median in the top metre (30-day rain 71% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 10 of 10 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,200 people affected, 334 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 23 of 23 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 334 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Awerial County

Lakes | County population about 144,223 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 90 mm below median in the top metre (30-day rain 89% of normal); ~54 mm expected over 2 weeks = 59% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	8,130

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,999
2 (planning)	3,109
3 (severe)	5,996
Displaced in the planning case	865

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Bun-agok	897	891	4 (4)	2 (2)	2,527 (65)	83.1 (82.5)
Nile	771	625	5 (5)	0 (0)	506 (18)	0.0 (0.0)

Health facilities: 6 in the county, 6 on flood-prone ground | Schools: 27 in the county, 26 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4725: Below normal (percentile 31) on 2026-09-27.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 90 mm below median in the top metre (30-day rain 89% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 6 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 3,109 people affected, 865 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 26 of 27 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 865 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4725 (hydroweb:7894)

River level status

Latest pass 2026-09-27: **Below normal** (percentile 31). Level 422.72 m; seasonal median 422.88 m; anomaly -0.15 m. Record: min 421.58 m, max 423.49 m, average 422.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7966	Near normal (percentile 57) on 2026-09-17	20 days	2026-10-07

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7891	Below normal (percentile 19) on 2026-09-25	1 days	2026-09-28

Exposure within 25 km of the station

WorldPop population (2020): 50,440, of which 40,240 at risk. Schools: 105 (99 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 65,422 (n/a at risk). Counties within 25 km: Awerial, Bor South.

Cueibet County

Lakes | County population about 189,199 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 90% of normal); ~51 mm expected over 2 weeks = 79% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	33,000	68,988	52,395	13,655

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,076
2 (planning)	4,785
3 (severe)	9,228
Displaced in the planning case	1,332

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Malou Pec	1,650	1,622	6 (6)	5 (5)	14,372 (386)	190.0 (187.5)
Citcok	1,008	1,001	12 (12)	3 (3)	1,873 (38)	36.5 (36.4)
Abiriu	620	599	9 (9)	5 (5)	14,184 (310)	78.0 (75.7)
Pagor	598	585	4 (4)	0 (0)	2,760 (66)	59.9 (58.5)

Health facilities: 17 in the county, 17 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 90% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 17 of 17 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 4,785 people affected, 1,332 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 35 of 35 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,332 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Rumbek Centre County

Lakes | County population about 222,497 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 94 mm below median in the top metre (30-day rain 74% of normal); ~50 mm expected over 2 weeks = 53% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 222,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	88,865

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	24,492
2 (planning)	38,099
3 (severe)	73,477
Displaced in the planning case	10,602

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Amongpiny	1,249	1,209	4 (4)	1 (1)	3,460 (93)	95.3 (92.2)
Mayom	1,008	983	1 (1)	0 (0)	716 (13)	54.5 (49.8)
Matangai	976	955	25 (24)	12 (10)	37,517 (1,008)	76.8 (76.1)
Malek 2	470	470	3 (3)	1 (1)	214 (11)	22.9 (22.9)

Health facilities: 20 in the county, 18 on flood-prone ground | Schools: 38 in the county, 37 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 94 mm below median in the top metre (30-day rain 74% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 18 of 20 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 38,099 people affected, 10,602 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 37 of 38 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 10,602 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Rumbek East County

Lakes | County population about 180,970 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 110% of normal); ~54 mm expected over 2 weeks = 70% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 181,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	15,000	not listed	93,459	22,655

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	11,349
2 (planning)	17,654
3 (severe)	34,047
Displaced in the planning case	4,913

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Paloc	1,868	1,773	1 (1)	3 (3)	2,445 (44)	111.7 (109.9)
Cueicok	409	402	7 (7)	4 (4)	7,762 (222)	33.7 (32.4)

Health facilities: 24 in the county, 24 on flood-prone ground | Schools: 42 in the county, 41 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Gulnam km 4669: Below normal (percentile 23) on 2026-09-07.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 110% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 24 of 24 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 17,654 people affected, 4,913 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 41 of 42 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,913 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Gulnam km 4669 (hydroweb:104259)

River level status

Latest pass 2026-09-07: **Below normal** (percentile 23). Level 424.24 m; seasonal median 424.34 m; anomaly -0.10 m. Record: min 422.93 m, max 424.55 m, average 423.92 m.

Baseline: 6 years, 13 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:110221	Above normal (percentile 77) on 2026-03-14	53 days	2026-10-30

Exposure within 25 km of the station

WorldPop population (2020): 73,993, of which 72,848 at risk. Schools: 6 (6 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 9,386 (235 at risk). Counties within 25 km: Rumbek Centre, Rumbek East.

Rumbek North County

Lakes | County population about 75,047 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 124 mm below median in the top metre (30-day rain 56% of normal); ~46 mm expected over 2 weeks = 37% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 75,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	12,000	not listed	not listed	45,225

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	11,215
2 (planning)	17,445
3 (severe)	33,644
Displaced in the planning case	4,854

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Mayen	2,575	2,556	7 (7)	2 (2)	1,068 (26)	102.1 (101.8)
Malueeth	983	977	4 (4)	2 (2)	1,945 (50)	34.5 (34.5)
Madol	385	384	1 (1)	0 (0)	205 (4)	0.0 (0.0)
Aloor	71	71	0 (0)	1 (1)	652 (16)	0.0 (0.0)

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 124 mm below median in the top metre (30-day rain 56% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 9 of 9 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 17,445 people affected, 4,854 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 25 of 25 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,854 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Wulu County

Lakes | County population about 92,247 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 68% of normal); ~62 mm expected over 2 weeks = 176% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	5,570

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,319
2 (planning)	2,052
3 (severe)	3,957
Displaced in the planning case	571

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Bargel	5,628	4,690	7 (7)	4 (4)	3,588 (75)	282.1 (240.0)
Domoloto	5,329	4,621	1 (1)	4 (3)	4,247 (74)	224.7 (205.5)
Wulu	724	638	3 (3)	5 (5)	7,431 (126)	69.5 (65.5)
Makundi	162	149	0 (0)	1 (1)	417 (9)	12.3 (12.1)

Health facilities: 14 in the county, 13 on flood-prone ground | Schools: 11 in the county, 11 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 68% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 13 of 14 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 2,052 people affected, 571 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 11 of 11 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 571 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Yirol East County

Lakes | County population about 165,810 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 43 mm below median in the top metre (30-day rain 78% of normal); ~52 mm expected over 2 weeks = 122% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	1,398	not listed	not listed	26,155

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	11,537
2 (planning)	17,946
3 (severe)	34,610
Displaced in the planning case	4,994

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Malek	2,040	1,900	11 (11)	1 (1)	3,348 (92)	109.3 (103.4)
Adior	1,673	1,382	12 (12)	3 (2)	3,932 (109)	93.7 (86.5)

Health facilities: 9 in the county, 8 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4536: Above normal (percentile 86) on 2026-09-24.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 43 mm below median in the top metre (30-day rain 78% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 8 of 9 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 17,946 people affected, 4,994 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 35 of 35 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 4,994 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4536 (hydroweb:7880)

River level status

Latest pass 2026-09-24: **Above normal** (percentile 86). Level 410.22 m; seasonal median 409.87 m; anomaly +0.35 m. Record: min 408.93 m, max 410.55 m, average 409.77 m.

Baseline: 10 years, 61 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.25 m; 10 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7887	Below normal (percentile 22) on 2026-09-23	11 days	2026-10-04

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7879	Near normal (percentile 39) on 2026-09-24	25 days	2026-10-19

Exposure within 25 km of the station

WorldPop population (2020): 23,020, of which 12,620 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 340 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

Yirol West County

Lakes | County population about 181,325 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 72% of normal); ~53 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 181,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	87,830

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	22,730
2 (planning)	35,358
3 (severe)	68,191
Displaced in the planning case	9,839

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Geng-geng	1,881	1,845	7 (7)	1 (1)	2,667 (52)	47.2 (46.8)
Anuol	1,023	1,000	0 (0)	3 (3)	2,900 (57)	72.9 (71.4)
Gher	662	655	3 (3)	1 (1)	2,063 (44)	27.4 (27.2)
Yirol	654	649	3 (3)	3 (3)	11,496 (375)	22.6 (22.2)

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 72% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 14 of 14 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 35,358 people affected, 9,839 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 27 of 27 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 9,839 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Aweil Centre County

Northern Bahr el Ghazal | County population about 78,958 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 63 mm below median in the top metre (30-day rain 119% of normal); ~45 mm expected over 2 weeks = 72% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 79,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	1,800	45,288	48,864	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	364
2 (planning)	566
3 (severe)	1,092
Displaced in the planning case	157

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Achana	3,401	1,749	1 (0)	2 (1)	635 (8)	126.7 (68.3)
Nyalath	1,747	1,133	15 (9)	2 (0)	2,177 (27)	65.4 (35.3)
Abul	2,893	1,053	6 (0)	2 (0)	1,003 (7)	145.5 (52.8)
Bahr Mayen	895	712	19 (12)	3 (2)	4,771 (106)	76.8 (55.9)

Health facilities: 15 in the county, 6 on flood-prone ground | Schools: 60 in the county, 31 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 63 mm below median in the top metre (30-day rain 119% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 15 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 566 people affected, 157 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 31 of 60 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 157 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Aweil East County

Northern Bahr el Ghazal | County population about 395,769 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 160% of normal); ~35 mm expected over 2 weeks = 48% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 396,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	40,000	135,030	91,128	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,639
2 (planning)	2,549
3 (severe)	4,916
Displaced in the planning case	709

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Malual-bai	1,753	1,059	23 (14)	13 (8)	21,540 (451)	45.5 (19.7)
Baach	1,422	894	8 (6)	11 (7)	38,740 (879)	68.0 (47.0)
Madhol	995	474	29 (15)	6 (4)	19,359 (470)	49.7 (25.4)
Wunlang	584	361	10 (3)	4 (4)	19,311 (496)	13.5 (9.6)

Health facilities: 53 in the county, 33 on flood-prone ground | Schools: 108 in the county, 54 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 160% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 33 of 53 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 2,549 people affected, 709 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 54 of 108 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 709 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Aweil North County

Northern Bahr el Ghazal | County population about 185,929 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 51 mm below median in the top metre (30-day rain 200% of normal); ~31 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 186,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	14,041	30,846	16,820

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,727
2 (planning)	5,797
3 (severe)	11,180
Displaced in the planning case	1,613

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Malual West	3,399	1,842	11 (8)	9 (5)	9,390 (170)	3.6 (3.4)
Malual East	1,055	492	19 (10)	9 (3)	26,721 (498)	15.0 (8.5)

Health facilities: 37 in the county, 14 on flood-prone ground | Schools: 66 in the county, 25 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Lol, River: Below normal (percentile 14) on 2026-08-26.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 51 mm below median in the top metre (30-day rain 200% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 14 of 37 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 5,797 people affected, 1,613 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 25 of 66 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,613 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Lol, River (dahiti:19749)

River level status

Latest pass 2026-08-26: **Below normal** (percentile 14). Level 448.05 m; seasonal median 449.04 m; anomaly -0.99 m. Record: min 446.29 m, max 450.68 m, average 447.78 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:23343	Near normal (percentile 38) on 2026-08-07	1 days	2026-08-08

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:23342	Below normal (percentile 14) on 2026-08-24	4 days	2026-08-30

Exposure within 25 km of the station

WorldPop population (2020): 51,173, of which 2 at risk. Schools: 19 (0 at risk). Health facilities: 23 (0 at risk). Buildings (VIDA): 29,920 (0 at risk). Counties within 25 km: Aweil Centre, Aweil North, Aweil West.

Aweil South County

Northern Bahr el Ghazal | County population about 151,604 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 59 mm below median in the top metre (30-day rain 93% of normal); ~39 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 152,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	23,000	45,246	85,302	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	571
2 (planning)	888
3 (severe)	1,713
Displaced in the planning case	247

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Tar-weng	454	294	6 (2)	2 (0)	4,148 (100)	22.3 (13.1)
Gakrol	267	218	5 (3)	5 (2)	4,186 (91)	41.4 (32.8)
Wathmuok	222	173	6 (3)	3 (0)	3,744 (83)	12.4 (10.4)
Nyocawany II	166	141	4 (2)	0 (0)	5,656 (140)	19.6 (18.0)

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 37 in the county, 18 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 59 mm below median in the top metre (30-day rain 93% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 888 people affected, 247 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 18 of 37 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 247 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Aweil West County

Northern Bahr el Ghazal | County population about 223,173 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 66 mm below median in the top metre (30-day rain 152% of normal); ~36 mm expected over 2 weeks = 54% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 223,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	12,158	30,168	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	864
2 (planning)	1,344
3 (severe)	2,592
Displaced in the planning case	374

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Achana 2	1,619	1,053	0 (0)	3 (3)	862 (17)	63.5 (41.7)
Mariem West	889	484	3 (1)	3 (1)	12,251 (166)	18.8 (12.6)

Health facilities: 45 in the county, 21 on flood-prone ground | Schools: 44 in the county, 19 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Wadi Boro, River: Below normal (percentile 14) on 2026-08-24.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 66 mm below median in the top metre (30-day rain 152% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 21 of 45 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,344 people affected, 374 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 19 of 44 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 374 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Wadi Boro, River (dahiti:23342)

River level status

Latest pass 2026-08-24: **Below normal** (percentile 14). Level 436.18 m; seasonal median 436.80 m; anomaly -0.61 m. Record: min 434.18 m, max 437.90 m, average 435.69 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:19749	Below normal (percentile 14) on 2026-08-26	4 days	2026-08-30

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:23341	Below normal (percentile 19) on 2026-08-07	34 days	2026-09-27

Exposure within 25 km of the station

WorldPop population (2020): 70,305, of which 24 at risk. Schools: 41 (0 at risk). Health facilities: 33 (0 at risk). Buildings (VIDA): 94,635 (n/a at risk). Counties within 25 km: Aweil North, Aweil West.

Abiemnhom County

Unity | County population about 60,349 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 78 mm below median in the top metre (30-day rain 93% of normal); ~37 mm expected over 2 weeks = 48% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 60,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,367
2 (planning)	2,127
3 (severe)	4,102
Displaced in the planning case	592

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Aworpiny	696	649	0 (0)	0 (0)	11 (0)	12.8 (12.6)
Abiemnhom	416	408	4 (4)	8 (8)	4,649 (109)	47.9 (46.9)

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 4 in the county, 4 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Bahr Al Arab km 4307: Below normal (percentile 25) on 2026-09-15.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 78 mm below median in the top metre (30-day rain 93% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 8 of 8 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 2,127 people affected, 592 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 4 of 4 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 592 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Bahr Al Arab km 4307 (hydroweb:109368)

River level status

Latest pass 2026-09-15: **Below normal** (percentile 25). Level 391.30 m; seasonal median 391.70 m; anomaly -0.40 m. Record: min 390.14 m, max 392.46 m, average 391.39 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.14 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:104262	Below normal (percentile 24) on 2026-09-07	8 days	2026-09-15

Routed downstream signal

No downstream station linked.

Exposure within 25 km of the station

WorldPop population (2020): 38,538, of which 18,709 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 794 (5 at risk). Counties within 25 km: Abiemnhom, Mayom, Pariang, Rubkona.

Guit County

Unity | County population about 73,878 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 50% of normal); ~39 mm expected over 2 weeks = 103% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	8,000	not listed	5,010	3,336

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,888
2 (planning)	6,048
3 (severe)	11,664
Displaced in the planning case	1,683

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Guit	1	5,600	5,600	0	0
Kedad	3	3,700	3,700	0	0
Kuach	9	18,500	2,800	14,200	1,500
Kuerguini	7	20,040	8,170	11,870	0
Niemni	5	13,700	7,900	0	5,800
Nyathoar	3	3,650	3,650	0	0
Wathnyona	3	8,800	7,800	1,000	0
Guit County	31	73,990	39,620	27,070	7,300

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kedad	1,026	971	11 (11)	2 (2)	1,298 (32)	31.5 (30.8)
Kuach	780	735	4 (4)	4 (4)	811 (28)	7.0 (7.0)

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 21 in the county, 19 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4159: Unusually high (percentile 95) on 2026-09-11.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 50% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 12 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 6,048 people affected, 1,683 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 19 of 21 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,683 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4159 (hydroweb:7882)

River level status

Latest pass 2026-09-11: **Unusually high** (percentile 95). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 392.00 m, max 392.72 m, average 392.44 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7899	Above normal (percentile 81) on 2026-08-23	30 days	2026-09-22

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7881	Above normal (percentile 86) on 2026-09-11	4 days	2026-09-15

Exposure within 25 km of the station

WorldPop population (2020): 21,894, of which 18,253 at risk. Schools: 3 (1 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 336 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

Koch County

Unity | County population about 115,158 | Issued 03 October 2026

Advisory

- No significant change expected: near normal soils, about 12 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	2,898	not listed	36,278	47,984

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	12,999
2 (planning)	20,221
3 (severe)	38,998
Displaced in the planning case	5,627

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Boaw	2	15,197	15,197	0	0
Gany	2	7,681	0	7,681	0
Jaak	8	33,479	19,047	14,432	0
Kuachlual	1	12,382	12,382	0	0
Ngony	3	18,886	3,900	14,986	0
Norbor	1	4,700	0	4,700	0
Pakur	1	3,680	0	3,680	0
Koch County	18	96,005	50,526	45,479	0

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pakur	1,105	938	4 (3)	2 (2)	25 (0)	0.0 (0.0)
Jaak	984	923	3 (3)	2 (2)	3,125 (111)	2.1 (2.1)

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 26 in the county, 25 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	- Water scarcity and drying of groundwater in drought areas. - Damage to infrastructure and water contamination in flood zones.	- Rehabilitate and expand water storage facilities. - Pre-position water treatment chemicals and repair parts. - Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	- Crop failure, moisture stress and heat stress. - Livestock mortality and sudden pasture depletion. This county: No significant change expected: near normal soils, about 12 mm of rain in week 1.	- Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. - Coordinate early livestock destocking and step up veterinary and deworming services. - Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	- Surges in vector-borne (malaria) and waterborne (cholera) disease. - Risk of acute malnutrition from harvest losses. This county: 10 of 10 health facilities on flood-prone ground.	- Strengthen integrated epidemiological surveillance. - Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). - Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 20,221 people affected, 5,627 displaced.	- Pre-position emergency shelter kits and basic household supplies outside flood zones. - Map highly exposed riverine settlements and set up early-warning protocols.
Education	Learning disruption from school closures, water shortages or infrastructure damage. This county: 25 of 26 schools on flood-prone ground.	- Activate pre-agreed education contingency plans before peak impacts. - Secure temporary learning structures and deploy emergency school WASH services.
Protection	Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 5,627 people displaced in the planning case.	- Mainstream GBV risk mitigation across emergency service delivery. - Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Leer County

Unity | County population about 86,784 | Issued 03 October 2026

Advisory

- Wet spell likely (70%) with moist soils: favourable for planting and top-dressing

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	41,000	48,295	6,611	62,796

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	14,888
2 (planning)	23,159
3 (severe)	44,664
Displaced in the planning case	6,444

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Adok	6	15,600	5,000	10,600	0
Bou	1	1,400	1,400	0	0
Guat	1	4,400	0	4,400	0
Juong Kang	2	20,000	100	19,900	0
Leer	2	12,900	0	12,900	0
Padeah	3	2,900	0	2,900	0
Pilieny	3	13,100	2,800	10,300	0
Yang	3	9,400	0	9,400	0
Leer County	21	79,700	9,300	70,400	0

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Yang	632	481	2 (2)	1 (1)	2,040 (52)	21.0 (20.9)
Pilieny	355	353	0 (0)	1 (1)	872 (19)	29.3 (29.3)

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 22 in the county, 22 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	- Water scarcity and drying of groundwater in drought areas. - Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4371: Below normal (percentile 18) on 2026-09-24.	- Rehabilitate and expand water storage facilities. - Pre-position water treatment chemicals and repair parts. - Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	- Crop failure, moisture stress and heat stress. - Livestock mortality and sudden pasture depletion. This county: Wet spell likely (70%) with moist soils: favourable for planting and top-dressing.	- Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. - Coordinate early livestock destocking and step up veterinary and deworming services. - Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	- Surges in vector-borne (malaria) and waterborne (cholera) disease. - Risk of acute malnutrition from harvest losses. This county: 14 of 14 health facilities on flood-prone ground.	- Strengthen integrated epidemiological surveillance. - Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). - Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 23,159 people affected, 6,444 displaced.	- Pre-position emergency shelter kits and basic household supplies outside flood zones. - Map highly exposed riverine settlements and set up early-warning protocols.
Education	Learning disruption from school closures, water shortages or infrastructure damage. This county: 22 of 22 schools on flood-prone ground.	- Activate pre-agreed education contingency plans before peak impacts. - Secure temporary learning structures and deploy emergency school WASH services.
Protection	Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 6,444 people displaced in the planning case.	- Mainstream GBV risk mitigation across emergency service delivery. - Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4371 (hydroweb:7875)

River level status

Latest pass 2026-09-24: **Below normal** (percentile 18). Level 400.62 m; seasonal median 400.71 m; anomaly -0.09 m. Record: min 400.22 m, max 401.00 m, average 400.65 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7884	Unusually high (percentile 100) on 2026-08-13	0 days	2026-08-13

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7874	Unusually high (percentile 93) on 2026-09-24	4 days	2026-09-28

Exposure within 25 km of the station

WorldPop population (2020): 46,458, of which 29,382 at risk. Schools: 3 (3 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 2,855 (80 at risk). Counties within 25 km: Ayod, Leer, Panyijiar.

Mayendit County

Unity | County population about 74,335 | Issued 03 October 2026

Advisory

- No significant change expected: near normal soils, about 14 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	31,000	17,004	23,963	58,438

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	13,551
2 (planning)	21,080
3 (severe)	40,654
Displaced in the planning case	5,866

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Bor 2	2	4,700	0	4,700	0
Dablual	5	13,300	7,000	6,300	0
Rubkuay	9	25,700	0	25,700	0
Tutnyang	4	11,800	2,500	9,300	0
Mayendit County	20	55,500	9,500	46,000	0

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Pabuong	1,196	1,192	0 (0)	2 (2)	148 (0)	0.2 (0.2)
Tharjiath	563	550	1 (1)	0 (0)	19 (0)	0.0 (0.0)
Maal	465	461	4 (4)	2 (2)	794 (23)	34.8 (34.2)
Bor 2	288	285	2 (2)	2 (2)	611 (27)	20.3 (20.3)

Health facilities: 15 in the county, 15 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: No significant change expected: near normal soils, about 14 mm of rain in week 1.	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 15 of 15 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 21,080 people affected, 5,866 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 29 of 29 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 5,866 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Mayom County

Unity | County population about 170,251 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 44% of normal); ~41 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 170,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	60,000	not listed	42,844	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	7,471
2 (planning)	11,622
3 (severe)	22,414
Displaced in the planning case	3,234

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Wangkei	774	730	0 (0)	1 (1)	6,111 (181)	49.7 (48.5)
Kuerbuone	770	700	2 (2)	1 (1)	5,111 (160)	25.3 (24.5)

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 5 in the county, 5 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Jur, River: Above normal (percentile 88) on 2026-08-22.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 44% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 10 of 10 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 11,622 people affected, 3,234 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 5 of 5 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 3,234 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Jur, River (dahiti:2688)

River level status

Latest pass 2026-08-22: **Above normal** (percentile 88). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 391.63 m, max 392.77 m, average 392.37 m.

Baseline: 10 years, 49 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:2687	Above normal (percentile 84) on 2026-08-22	4 days	2026-08-26

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:23338	Above normal (percentile 83) on 2026-08-09	4 days	2026-08-26

Exposure within 25 km of the station

WorldPop population (2020): 37,127, of which 26,319 at risk. Schools: 1 (0 at risk). Health facilities: 1 (1 at risk). Buildings (VIDA): 4,944 (138 at risk). Counties within 25 km: Koch, Mayom, Rubkona, Tonj North.

Panyijiar County

Unity | County population about 126,239 | Issued 03 October 2026

Advisory

• Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 41% of normal); ~51 mm expected over 2 weeks = 102% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	44,836	6,420	56,318	82,548

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	20,175
2 (planning)	31,383
3 (severe)	60,524
Displaced in the planning case	8,733

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Settlements assessed Sept 2025

Payam	Settlements	People	Flooded	High ground	Small towns
Ganyllel	2	4,100	2,300	1,800	0
Kol	2	27,600	27,600	0	0
Mayom 2	1	4,800	4,800	0	0
Nyal	5	22,100	3,200	15,000	3,900
Pachaar	3	7,900	1,200	2,600	4,100
Pachak	3	14,300	10,100	4,200	0
Pachienjok	3	8,900	5,700	3,200	0
Panyijiar	1	1,800	0	1,800	0
Thoarnhoum	2	9,700	2,200	0	7,500
Tiap	1	6,100	6,100	0	0
Panyijiar County	23	107,300	63,200	28,600	15,500

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Nyal	1,314	971	6 (5)	4 (4)	5,885 (158)	52.1 (33.3)
Mayom 2	625	607	2 (2)	3 (3)	495 (14)	42.5 (39.1)

Health facilities: 25 in the county, 25 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	- Water scarcity and drying of groundwater in drought areas. - Damage to infrastructure and water contamination in flood zones. This county: White Nile km 4515: Above normal (percentile 77) on 2026-09-24.	- Rehabilitate and expand water storage facilities. - Pre-position water treatment chemicals and repair parts. - Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	- Crop failure, moisture stress and heat stress. - Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 41% of normal).	- Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. - Coordinate early livestock destocking and step up veterinary and deworming services. - Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	- Surges in vector-borne (malaria) and waterborne (cholera) disease. - Risk of acute malnutrition from harvest losses. This county: 25 of 25 health facilities on flood-prone ground.	- Strengthen integrated epidemiological surveillance. - Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). - Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 31,383 people affected, 8,733 displaced.	- Pre-position emergency shelter kits and basic household supplies outside flood zones. - Map highly exposed riverine settlements and set up early-warning protocols.
Education	Learning disruption from school closures, water shortages or infrastructure damage. This county: 35 of 36 schools on flood-prone ground.	- Activate pre-agreed education contingency plans before peak impacts. - Secure temporary learning structures and deploy emergency school WASH services.
Protection	Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 8,733 people displaced in the planning case.	- Mainstream GBV risk mitigation across emergency service delivery. - Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 4515 (hydroweb:7878)

River level status

Latest pass 2026-09-24: **Above normal** (percentile 77). Level 408.76 m; seasonal median 408.66 m; anomaly +0.10 m. Record: min 407.71 m, max 409.07 m, average 408.54 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.33 m; 10 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7879	Near normal (percentile 39) on 2026-09-24	2 days	2026-09-26

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7877	Below normal (percentile 30) on 2026-09-24	6 days	2026-09-30

Exposure within 25 km of the station

WorldPop population (2020): 21,871, of which 10,597 at risk. Schools: 5 (5 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 3,344 (94 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirrol East.

Pariang County

Unity | County population about 143,832 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 156% of normal); ~40 mm expected over 2 weeks = 51% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,124
2 (planning)	4,860
3 (severe)	9,373
Displaced in the planning case	1,352

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Jamjang	1,874	590	5 (1)	8 (1)	22,683 (117)	100.8 (44.8)
Wunkur	1,290	537	0 (0)	0 (0)	57 (0)	38.9 (8.6)

Health facilities: 23 in the county, 3 on flood-prone ground | Schools: 17 in the county, 4 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Bhar El Gazal km 4147: Unusually high (percentile 100) on 2026-09-11.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 156% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 3 of 23 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 4,860 people affected, 1,352 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 4 of 17 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,352 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Bhar El Gazal km 4147 (hydroweb:7826)

River level status

Latest pass 2026-09-11: **Unusually high** (percentile 100). Level 391.39 m; seasonal median 391.14 m; anomaly +0.25 m. Record: min 390.95 m, max 391.49 m, average 391.18 m.

Baseline: 6 years, 12 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.05 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7829	Near normal (percentile 33) on 2026-09-19	10 days	2026-09-29

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7828	Near normal (percentile 56) on 2026-09-21	32 days	2026-10-13

Exposure within 25 km of the station

WorldPop population (2020): 18,085, of which 9,167 at risk. Schools: 5 (0 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 725 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

Rubkona County

Unity | County population about 361,802 | Issued 03 October 2026

Advisory

- No significant change expected: near normal soils, about 10 mm of rain in week 1

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	32,648	52,247	28,000	1,000

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	28,002
2 (planning)	43,558
3 (severe)	84,005
Displaced in the planning case	12,121

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Budaang	1,461	1,130	3 (2)	1 (1)	3,981 (104)	51.0 (47.2)
Nhialdiu	576	560	11 (11)	4 (4)	5,199 (163)	0.0 (0.0)

Health facilities: 23 in the county, 17 on flood-prone ground | Schools: 65 in the county, 59 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Bhr Lgzi Trib 01 km 4273: Near normal (percentile 37) on 2026-09-21.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: No significant change expected: near normal soils, about 10 mm of rain in week 1.	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 17 of 23 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 43,558 people affected, 12,121 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 59 of 65 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 12,121 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Bhr Lgzi Trib 01 km 4273 (hydroweb:111299)

River level status

Latest pass 2026-09-21: **Near normal** (percentile 37). Level 391.80 m; seasonal median 391.87 m; anomaly -0.07 m. Record: min 391.16 m, max 392.35 m, average 391.83 m.

Baseline: 5 years, 27 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 10 days since previous pass.

Routed downstream signal

No downstream station linked.

Exposure within 25 km of the station

WorldPop population (2020): 75,112, of which 70,927 at risk. Schools: 17 (17 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 15,573 (486 at risk). Counties within 25 km: Koch, Mayom, Rubkona.

Baliet County

Upper Nile | County population about 76,145 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 71% of normal); ~37 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 76,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	13,152	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,960
2 (planning)	3,049
3 (severe)	5,880
Displaced in the planning case	848

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Akotweng	7,822	5,014	0 (0)	1 (0)	2,135 (36)	156.1 (65.4)
Abwong	1,014	726	0 (0)	0 (0)	77 (2)	72.5 (54.3)

Health facilities: 12 in the county, 2 on flood-prone ground | Schools: 15 in the county, 2 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Sobat, River: Unusually high (percentile 100) on 2026-09-27.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 71% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 2 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 3,049 people affected, 848 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 2 of 15 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 848 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Sobat, River (dahiti:18743)

River level status

Latest pass 2026-09-27: **Unusually high** (percentile 100). Level 392.55 m; seasonal median 392.15 m; anomaly +0.40 m. Record: min 386.93 m, max 392.68 m, average 390.99 m.

Baseline: 7 years, 29 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 19 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:23357	Below normal (percentile 22) on 2026-09-19	4 days	2026-09-23

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:18043	Unusually high (percentile 93) on 2026-09-02	6 days	2026-10-03

Exposure within 25 km of the station

WorldPop population (2020): 18,430, of which 408 at risk. Schools: 9 (1 at risk). Health facilities: 4 (0 at risk). Buildings (VIDA): 2,169 (0 at risk). Counties within 25 km: Baliet, Panyikang.

Fashoda County

Upper Nile | County population about 83,775 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 61 mm below median in the top metre (30-day rain 89% of normal); ~33 mm expected over 2 weeks = 55% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 84,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	13,476	not listed	2,620	8,690

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	4,020
2 (planning)	6,254
3 (severe)	12,061
Displaced in the planning case	1,740

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Lul	1,795	948	2 (0)	4 (1)	3,752 (19)	107.4 (52.4)
Kodok	1,455	290	1 (0)	8 (0)	2,762 (9)	177.4 (22.2)

Health facilities: 17 in the county, 2 on flood-prone ground | Schools: 4 in the county, 0 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 3905: Above normal (percentile 73) on 2026-09-19.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 61 mm below median in the top metre (30-day rain 89% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 2 of 17 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 6,254 people affected, 1,740 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 0 of 4 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,740 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 3905 (hydroweb:7969)

River level status

Latest pass 2026-09-19: **Above normal** (percentile 73). Level 388.54 m; seasonal median 387.89 m; anomaly +0.65 m. Record: min 385.59 m, max 389.30 m, average 387.64 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.06 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7964	Above normal (percentile 73) on 2026-09-13	3 days	2026-09-16

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:201707	Near normal (percentile 57) on 2026-09-23	10 days	2026-09-29

Exposure within 25 km of the station

WorldPop population (2020): 28,283, of which 326 at risk. Schools: 9 (0 at risk). Health facilities: 18 (0 at risk). Buildings (VIDA): 11,230 (0 at risk). Counties within 25 km: Baliet, Fashoda, Melut.

Longochuk County

Upper Nile | County population about 80,526 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 67 mm below median in the top metre (30-day rain 72% of normal); ~38 mm expected over 2 weeks = 56% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 81,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	31,000	not listed	not listed	15,000

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	2,917
2 (planning)	4,538
3 (severe)	8,752
Displaced in the planning case	1,263

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Guelguk	3,433	2,937	5 (5)	2 (2)	1,581 (39)	61.3 (50.1)
Dajo	1,601	1,253	1 (1)	2 (2)	645 (11)	41.3 (36.9)
Pamach	1,287	949	2 (2)	4 (4)	1,125 (27)	51.8 (43.1)
Longochuk	250	220	2 (2)	2 (2)	363 (12)	13.9 (8.7)

Health facilities: 16 in the county, 15 on flood-prone ground | Schools: 16 in the county, 14 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 67 mm below median in the top metre (30-day rain 72% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 15 of 16 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 4,538 people affected, 1,263 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 14 of 16 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,263 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Luakpiny/Nasir County

Upper Nile | County population about 350,742 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 71% of normal); ~38 mm expected over 2 weeks = 54% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 351,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	20,000	3,402	13,800	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	11,575
2 (planning)	18,005
3 (severe)	34,724
Displaced in the planning case	5,010

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Mading	1,183	1,102	2 (2)	2 (2)	1,958 (42)	24.2 (24.0)
Kiech Kuon	1,872	1,080	10 (10)	12 (11)	4,553 (105)	53.6 (39.2)

Health facilities: 26 in the county, 25 on flood-prone ground | Schools: 29 in the county, 28 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Sobat km 4301: Below normal (percentile 13) on 2026-09-27.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 71% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 25 of 26 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 18,005 people affected, 5,010 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 28 of 29 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 5,010 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Sobat km 4301 (hydroweb:113242)

River level status

Latest pass 2026-09-27: **Below normal** (percentile 13). Level 400.61 m; seasonal median 400.71 m; anomaly -0.10 m. Record: min 395.39 m, max 401.09 m, average 399.32 m.

Baseline: 5 years, 27 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:201706	Below normal (percentile 29) on 2026-09-23	18 days	2026-10-15

Exposure within 25 km of the station

WorldPop population (2020): 119,958, of which 112,805 at risk. Schools: 23 (22 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 13,946 (345 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

Maban County

Upper Nile | County population about 84,550 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 46 mm below median in the top metre (30-day rain 96% of normal); ~33 mm expected over 2 weeks = 71% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 85,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	31,452	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	420
2 (planning)	654
3 (severe)	1,261
Displaced in the planning case	182

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Jinmakda	5,089	4,912	1 (1)	1 (1)	5,402 (139)	234.4 (232.2)
Boung	2,297	2,048	5 (5)	7 (6)	22,483 (438)	111.9 (104.6)
Banashowa	1,875	1,777	1 (1)	5 (5)	3,060 (52)	49.5 (48.8)
Jinkuata	1,530	1,455	1 (1)	11 (10)	20,089 (358)	52.1 (50.8)

Health facilities: 25 in the county, 23 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 46 mm below median in the top metre (30-day rain 96% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 23 of 25 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 654 people affected, 182 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 9 of 9 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 182 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Maiwut County

Upper Nile | County population about 147,823 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 64 mm below median in the top metre (30-day rain 77% of normal); ~39 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 148,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	18,000	not listed	24,213	10,416

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	2,369
2 (planning)	3,685
3 (severe)	7,107
Displaced in the planning case	1,025

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kigila	1,058	760	0 (0)	0 (0)	178 (2)	27.0 (25.2)
Jotoma	927	701	1 (0)	4 (2)	624 (20)	71.1 (58.8)
Olang	775	696	0 (0)	3 (3)	806 (20)	35.6 (30.0)
Maiwut	544	508	3 (3)	2 (2)	257 (19)	40.5 (35.9)

Health facilities: 11 in the county, 9 on flood-prone ground | Schools: 4 in the county, 3 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 64 mm below median in the top metre (30-day rain 77% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 9 of 11 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 3,685 people affected, 1,025 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 3 of 4 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,025 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Malakal County

Upper Nile | County population about 204,041 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 65% of normal); ~34 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 204,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	5,000	not listed	not listed	5,784

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	14,001
2 (planning)	21,779
3 (severe)	42,002
Displaced in the planning case	6,060

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Lelo	535	331	18 (5)	9 (1)	12,747 (60)	51.0 (25.3)
Ogot	195	125	7 (1)	1 (0)	1,043 (9)	29.8 (12.1)

Health facilities: 16 in the county, 4 on flood-prone ground | Schools: 70 in the county, 24 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile, River: Above normal (percentile 73) on 2026-09-13.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 65% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 4 of 16 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 21,779 people affected, 6,060 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 24 of 70 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 6,060 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile, River (dahiti:14196)

River level status

Latest pass 2026-09-13: **Above normal** (percentile 73). Level 388.77 m; seasonal median 388.10 m; anomaly +0.67 m. Record: min 385.62 m, max 389.48 m, average 387.82 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:10179	Insufficient record on 2016-05-20	not established	n/a

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:16323	Above normal (percentile 88) on 2026-08-10	13 days	2026-09-26

Exposure within 25 km of the station

WorldPop population (2020): 166,673, of which 4,537 at risk. Schools: 71 (1 at risk). Health facilities: 20 (0 at risk). Buildings (VIDA): 25,020 (0 at risk). Counties within 25 km: Baltet, Fashoda, Malakal, Panyikang.

Manyo County

Upper Nile | County population about 83,853 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 34 mm below median in the top metre (30-day rain 111% of normal); ~23 mm expected over 2 weeks = 67% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 84,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	24,540	19,236	18,540

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	7,178
2 (planning)	11,165
3 (severe)	21,533
Displaced in the planning case	3,107

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Wedakona	2,947	1,264	17 (11)	4 (2)	4,511 (30)	132.2 (35.6)
Magenist	894	442	0 (0)	0 (0)	1,212 (5)	7.5 (3.4)

Health facilities: 14 in the county, 3 on flood-prone ground | Schools: 24 in the county, 13 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 3728: Above normal (percentile 86) on 2026-09-29.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 34 mm below median in the top metre (30-day rain 111% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 3 of 14 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 11,165 people affected, 3,107 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 13 of 24 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 3,107 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 3728 (hydroweb:202026)

River level status

Latest pass 2026-09-29: **Above normal** (percentile 86). Level 386.14 m; seasonal median 385.69 m; anomaly +0.45 m. Record: min 384.22 m, max 386.45 m, average 385.62 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.23 m; 21 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:7896	Above normal (percentile 75) on 2026-09-06	3 days	2026-09-09

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7961	Unusually high (percentile 93) on 2025-06-28	0 days	2026-09-29

Exposure within 25 km of the station

WorldPop population (2020): 33,802, of which 11,851 at risk. Schools: 8 (0 at risk). Health facilities: 4 (0 at risk). Buildings (VIDA): 5,114 (9 at risk). Counties within 25 km: Manyo, Melut, Renk.

Melut County

Upper Nile | County population about 134,054 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 47 mm below median in the top metre (30-day rain 100% of normal); ~30 mm expected over 2 weeks = 64% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 134,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	14,872	not listed	not listed	21,135

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	8,403
2 (planning)	13,071
3 (severe)	25,208
Displaced in the planning case	3,637

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Wunamum	2,069	1,998	1 (1)	0 (0)	3,716 (117)	100.6 (93.1)
Paloch	1,782	1,070	0 (0)	2 (0)	5,224 (10)	137.4 (56.6)

Health facilities: 6 in the county, 0 on flood-prone ground | Schools: 18 in the county, 2 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: R Adar km 3864: Above normal (percentile 69) on 2026-09-27.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 47 mm below median in the top metre (30-day rain 100% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 0 of 6 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 13,071 people affected, 3,637 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 2 of 18 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 3,637 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: R Adar km 3864 (hydroweb:106194)

River level status

Latest pass 2026-09-27: **Above normal** (percentile 69). Level 387.28 m; seasonal median 387.04 m; anomaly +0.24 m. Record: min 385.04 m, max 388.12 m, average 386.84 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:107566	Near normal (percentile 38) on 2026-09-06	0 days	2026-09-06

Routed downstream signal

No downstream station linked.

Exposure within 25 km of the station

WorldPop population (2020): 24,416, of which 1,275 at risk. Schools: 12 (0 at risk). Health facilities: 9 (0 at risk). Buildings (VIDA): 11,001 (2 at risk). Counties within 25 km: Fashoda, Manyo, Melut.

Panyikang County

Upper Nile | County population about 69,656 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 72% of normal); ~37 mm expected over 2 weeks = 48% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 70,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	31,000	not listed	39,680	15,140

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	5,059
2 (planning)	7,870
3 (severe)	15,178
Displaced in the planning case	2,190

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kuel	1,284	687	2 (0)	1 (0)	704 (1)	43.5 (20.9)
Dheteim	821	582	0 (0)	2 (0)	1,344 (5)	49.6 (33.3)

Health facilities: 11 in the county, 1 on flood-prone ground | Schools: 5 in the county, 1 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile, River: Unusually high (percentile 100) on 2026-09-23.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 72% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 1 of 11 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 7,870 people affected, 2,190 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 1 of 5 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 2,190 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile, River (dahiti:17743)

River level status

Latest pass 2026-09-23: **Unusually high** (percentile 100). Level 390.69 m; seasonal median 390.20 m; anomaly +0.49 m. Record: min 388.03 m, max 390.91 m, average 389.52 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:15557	Unusually high (percentile 93) on 2026-09-25	0 days	2026-09-25
dahiti:19752	Above normal (percentile 69) on 2026-08-29	0 days	2026-08-29

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:19751	Near normal (percentile 62) on 2026-08-27	1 days	2026-09-24

Exposure within 25 km of the station

WorldPop population (2020): 59,720, of which 1,946 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 6,262 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

Renk County

Upper Nile | County population about 210,351 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 36 mm below median in the top metre (30-day rain 131% of normal); ~22 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Dry spell possible (32%) on dry soils: monitor crops and pasture
- Exposure: County population about 210,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	8,000	18,581	not listed	1,500

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	15,954
2 (planning)	24,817
3 (severe)	47,861
Displaced in the planning case	6,906

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Jalhak	5,979	4,642	7 (3)	2 (0)	7,501 (53)	426.5 (311.0)
Geger	2,297	1,979	12 (6)	10 (5)	4,729 (73)	180.6 (147.0)

Health facilities: 20 in the county, 6 on flood-prone ground | Schools: 34 in the county, 15 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: White Nile km 3670: Above normal (percentile 86) on 2026-09-08.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 36 mm below median in the top metre (30-day rain 131% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 6 of 20 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 24,817 people affected, 6,906 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 15 of 34 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 6,906 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: White Nile km 3670 (hydroweb:201337)

River level status

Latest pass 2026-09-08: **Above normal** (percentile 86). Level 384.54 m; seasonal median 384.02 m; anomaly +0.52 m. Record: min 382.66 m, max 385.09 m, average 384.24 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.07 m; 21 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:202025	Near normal (percentile 57) on 2026-09-29	3 days	2026-10-02

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
hydroweb:7970	Above normal (percentile 77) on 2026-09-23	0 days	2026-09-08

Exposure within 25 km of the station

WorldPop population (2020): 31,669, of which 6,290 at risk. Schools: 13 (0 at risk). Health facilities: 5 (0 at risk). Buildings (VIDA): 6,186 (4 at risk). Counties within 25 km: Manyo, Renk.

Ulang County

Upper Nile | County population about 167,265 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 70% of normal); ~40 mm expected over 2 weeks = 49% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 167,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	5,205
2 (planning)	8,096
3 (severe)	15,614
Displaced in the planning case	2,253

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kurmuot	2,376	1,979	0 (0)	3 (3)	3,889 (94)	39.8 (32.6)
Doma	1,131	722	0 (0)	2 (2)	2,877 (60)	56.5 (30.1)

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 0 in the county, 0 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Sobat, River: Unusually high (percentile 93) on 2026-09-04.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 70% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 12 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 8,096 people affected, 2,253 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 0 of 0 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 2,253 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Sobat, River (dahiti:23359)

River level status

Latest pass 2026-09-04: **Unusually high** (percentile 93). Level 399.38 m; seasonal median 399.22 m; anomaly +0.16 m. Record: min 394.06 m, max 399.99 m, average 397.61 m.

Baseline: 7 years, 30 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 2 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:19747	Near normal (percentile 38) on 2026-09-23	23 days	2026-10-16

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:23358	Below normal (percentile 15) on 2026-09-17	10 days	2026-09-14

Exposure within 25 km of the station

WorldPop population (2020): 98,991, of which 85,910 at risk. Schools: 19 (18 at risk). Health facilities: 18 (18 at risk). Buildings (VIDA): 12,789 (331 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

Gogrial East County

Warrap | County population about 138,793 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 66% of normal); ~42 mm expected over 2 weeks = 53% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 139,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	46,583	25,218	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,336
2 (planning)	5,189
3 (severe)	10,007
Displaced in the planning case	1,444

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Toch East	2,109	1,839	11 (11)	4 (3)	16,426 (486)	54.9 (53.8)
Pathuon West	676	671	14 (14)	6 (6)	11,334 (343)	13.6 (13.6)

Health facilities: 21 in the county, 20 on flood-prone ground | Schools: 53 in the county, 52 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Nahr Al Jur km 4456: Below normal (percentile 14) on 2026-09-20.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 66% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 20 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 5,189 people affected, 1,444 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 52 of 53 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,444 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Nahr Al Jur km 4456 (hydroweb:203777)

River level status

Latest pass 2026-09-20: **Below normal** (percentile 14). Level 403.75 m; seasonal median 404.38 m; anomaly -0.63 m. Record: min 403.09 m, max 404.90 m, average 403.93 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.43 m; 21 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
hydroweb:203696	Unusually low (percentile 0) on 2026-09-25	27 days	2026-10-22

Routed downstream signal

No downstream station linked.

Exposure within 25 km of the station

WorldPop population (2020): 48,334, of which 46,112 at risk. Schools: 14 (14 at risk). Health facilities: 5 (5 at risk). Buildings (VIDA): 20,147 (549 at risk). Counties within 25 km: Gogrial East, Gogrial West, Tonj North, Twic.

Gogrial West County

Warrap | County population about 347,953 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 96% of normal); ~39 mm expected over 2 weeks = 77% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	13,000	71,821	48,828	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,384
2 (planning)	2,153
3 (severe)	4,152
Displaced in the planning case	599

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kuac North	896	739	2 (2)	7 (2)	40,987 (n/a)	43.7 (33.8)
Alek North	702	664	3 (3)	1 (1)	9,521 (235)	11.2 (11.2)
Kuac South	614	551	2 (2)	7 (6)	15,446 (390)	15.6 (14.8)
Alek South	485	357	8 (6)	4 (3)	15,249 (388)	35.4 (32.4)

Health facilities: 30 in the county, 16 on flood-prone ground | Schools: 44 in the county, 27 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 96% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 16 of 30 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 2,153 people affected, 599 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 27 of 44 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 599 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Tonj East County

Warrap | County population about 190,959 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 91 mm below median in the top metre (30-day rain 74% of normal); ~45 mm expected over 2 weeks = 49% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 191,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	10,000	31,785	15,000	5,634

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,724
2 (planning)	2,682
3 (severe)	5,172
Displaced in the planning case	746

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Makuac	700	700	3 (3)	2 (2)	4,487 (95)	16.0 (16.0)
Palal	671	664	6 (6)	1 (1)	4,900 (123)	71.0 (70.5)
Ananatak	607	603	4 (4)	2 (2)	3,148 (117)	66.4 (65.8)
Wun-liit	451	450	2 (2)	1 (1)	4,045 (120)	42.5 (42.5)

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 91 mm below median in the top metre (30-day rain 74% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 12 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 2,682 people affected, 746 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 29 of 29 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 746 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Tonj North County

Warrap | County population about 271,487 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 56% of normal); ~43 mm expected over 2 weeks = 63% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 271,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	12,207	30,000	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	6,289
2 (planning)	9,783
3 (severe)	18,867
Displaced in the planning case	2,722

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Akop	1,663	1,550	4 (4)	2 (2)	9,804 (252)	86.7 (86.7)
Alabek	1,592	1,512	6 (6)	1 (1)	14,953 (425)	56.1 (56.1)

Health facilities: 21 in the county, 19 on flood-prone ground | Schools: 59 in the county, 59 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Unknown, River: Above normal (percentile 84) on 2026-08-22.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 56% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 19 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 9,783 people affected, 2,722 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 59 of 59 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 2,722 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Unknown, River (dahiti:2687)

River level status

Latest pass 2026-08-22: **Above normal** (percentile 84). Level 392.81 m; seasonal median 392.51 m; anomaly +0.31 m. Record: min 391.50 m, max 393.19 m, average 392.55 m.

Baseline: 10 years, 58 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

Routed upstream signal

Upstream station	Status (latest pass)	Median travel time	Expected here around
dahiti:39376	Below normal (percentile 27) on 2026-09-28	38 days	2026-11-05

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:2688	Above normal (percentile 88) on 2026-08-22	4 days	2026-08-26

Exposure within 25 km of the station

WorldPop population (2020): 22,689, of which 17,128 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 203 (7 at risk). Counties within 25 km: Koch, Mayom, Tonj North.

Tonj South County

Warrap | County population about 126,289 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 88% of normal); ~54 mm expected over 2 weeks = 84% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	16,693	15,600	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	472
2 (planning)	734
3 (severe)	1,416
Displaced in the planning case	204

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Tonj	5,090	4,294	12 (12)	5 (5)	19,583 (560)	450.3 (398.1)
Manyang-ngok	878	849	7 (6)	2 (2)	6,179 (168)	150.9 (143.3)
Wath-alel	835	826	0 (0)	3 (3)	6,184 (179)	15.2 (15.2)
Thiet	363	345	0 (0)	2 (2)	9,482 (299)	68.2 (65.1)

Health facilities: 13 in the county, 13 on flood-prone ground | Schools: 19 in the county, 18 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 88% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 13 of 13 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 734 people affected, 204 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 18 of 19 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 204 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Twic County

Warrap | County population about 291,675 | Issued 03 October 2026

Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 94% of normal); ~35 mm expected over 2 weeks = 46% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 292,000

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	29,044	24,000	4,944

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	15,501
2 (planning)	24,112
3 (severe)	46,502
Displaced in the planning case	6,709

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Wunrok	846	797	22 (22)	7 (7)	25,922 (837)	34.5 (27.8)
Turalei	812	793	10 (10)	9 (9)	21,496 (616)	65.1 (64.6)
Aweeng	770	690	9 (9)	8 (8)	9,721 (296)	49.7 (45.6)
Ajak-kuac	431	416	7 (7)	3 (3)	7,376 (202)	12.7 (11.4)

Health facilities: 43 in the county, 34 on flood-prone ground | Schools: 78 in the county, 55 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 94% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 34 of 43 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 24,112 people affected, 6,709 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 55 of 78 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 6,709 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Jur River County

Western Bahr el Ghazal | County population about 293,840 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 56 mm below median in the top metre (30-day rain 103% of normal); ~51 mm expected over 2 weeks = 91% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	10,000	8,767	26,850	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	1,144
2 (planning)	1,779
3 (severe)	3,431
Displaced in the planning case	495

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kuajiena	4,408	3,483	9 (7)	6 (4)	12,868 (221)	262.1 (208.7)
Kangi	1,905	1,216	1 (0)	9 (5)	8,207 (107)	100.5 (68.7)
Rocrocdong	1,378	1,168	19 (14)	4 (4)	7,536 (143)	137.9 (119.3)
Udici	1,487	962	6 (4)	7 (4)	8,096 (124)	136.1 (101.2)

Health facilities: 43 in the county, 31 on flood-prone ground | Schools: 53 in the county, 42 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 56 mm below median in the top metre (30-day rain 103% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 31 of 43 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,779 people affected, 495 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 42 of 53 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 495 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Raja County

Western Bahr el Ghazal | County population about 76,633 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 62 mm below median in the top metre (30-day rain 121% of normal); ~48 mm expected over 2 weeks = 78% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	340
2 (planning)	529
3 (severe)	1,020
Displaced in the planning case	147

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Uyujuku	19,851	3,617	5 (0)	5 (1)	3,820 (16)	551.5 (139.3)
Raga	7,748	403	12 (0)	4 (0)	6,371 (1)	353.2 (24.0)
Ringi	10,632	139	6 (0)	5 (0)	1,189 (0)	124.7 (0.0)
Ere	23,780	0	0 (0)	1 (0)	6,470 (0)	633.8 (0.0)

Health facilities: 15 in the county, 1 on flood-prone ground | Schools: 23 in the county, 0 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 62 mm below median in the top metre (30-day rain 121% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 1 of 15 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 529 people affected, 147 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 0 of 23 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 147 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Wau County

Western Bahr el Ghazal | County population about 345,948 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 37 mm below median in the top metre (30-day rain 95% of normal); ~55 mm expected over 2 weeks = 146% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	5,398
2 (planning)	8,397
3 (severe)	16,194
Displaced in the planning case	2,337

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Bagari	11,417	4,651	25 (8)	9 (3)	5,104 (53)	245.9 (113.4)
Kpaile	4,651	2,399	9 (8)	5 (4)	1,729 (18)	160.8 (129.8)
Besselia	3,072	1,260	16 (7)	12 (6)	2,966 (55)	231.3 (104.7)
Wau South	50	44	62 (39)	13 (9)	41,799 (n/a)	21.8 (19.3)

Health facilities: 47 in the county, 29 on flood-prone ground | Schools: 188 in the county, 119 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 37 mm below median in the top metre (30-day rain 95% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 29 of 47 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 8,397 people affected, 2,337 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 119 of 188 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 2,337 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Ezo County

Western Equatoria | County population about 138,291 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 68% of normal); ~75 mm expected over 2 weeks = 333% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	600	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	550
2 (planning)	855
3 (severe)	1,649
Displaced in the planning case	238

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Yangiri	4,774	2,700	5 (1)	4 (1)	1,145 (11)	138.8 (81.1)
Bagidi	1,230	600	3 (1)	2 (0)	718 (5)	106.8 (52.5)
Naandi	906	333	7 (1)	9 (0)	1,190 (6)	91.4 (32.9)
Bariguna	539	288	1 (1)	1 (0)	585 (4)	29.3 (14.9)

Health facilities: 30 in the county, 7 on flood-prone ground | Schools: 32 in the county, 8 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 68% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 7 of 30 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 855 people affected, 238 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 8 of 32 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 238 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Ibba County

Western Equatoria | County population about 68,544 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 31 mm below median in the top metre (30-day rain 65% of normal); ~78 mm expected over 2 weeks = 247% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	7,524	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	260
2 (planning)	405
3 (severe)	781
Displaced in the planning case	113

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Maniakara	4,144	2,877	5 (3)	3 (1)	2,916 (31)	173.9 (121.9)
Maruko	2,864	1,986	0 (0)	2 (0)	67 (0)	74.3 (50.3)
Ibba Centre	977	541	4 (1)	5 (3)	7,277 (117)	66.3 (31.9)
Madebe	763	539	1 (0)	2 (0)	711 (3)	63.1 (35.9)

Health facilities: 14 in the county, 5 on flood-prone ground | Schools: 13 in the county, 4 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 31 mm below median in the top metre (30-day rain 65% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 5 of 14 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 405 people affected, 113 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 4 of 13 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 113 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Maridi County

Western Equatoria | County population about 113,864 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 45 mm below median in the top metre (30-day rain 73% of normal); ~78 mm expected over 2 weeks = 173% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	429
2 (planning)	668
3 (severe)	1,288
Displaced in the planning case	186

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kozi	3,075	2,370	8 (3)	4 (3)	1,736 (22)	250.7 (199.5)
Mambe	2,796	1,611	8 (5)	6 (3)	3,266 (43)	178.6 (110.7)
Ngamunde	602	322	2 (0)	4 (1)	1,985 (18)	56.5 (29.9)
Landili	808	271	1 (0)	3 (0)	384 (2)	58.8 (16.0)

Health facilities: 29 in the county, 12 on flood-prone ground | Schools: 36 in the county, 16 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 45 mm below median in the top metre (30-day rain 73% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 12 of 29 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 668 people affected, 186 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 16 of 36 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 186 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Mundri East County

Western Equatoria | County population about 103,283 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 144% of normal); ~64 mm expected over 2 weeks = 237% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	29,946	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	402
2 (planning)	625
3 (severe)	1,205
Displaced in the planning case	174

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kediba	1,426	1,256	6 (5)	6 (5)	7,040 (120)	133.8 (115.3)
Witto	1,382	1,054	7 (5)	3 (2)	6,197 (79)	108.1 (80.4)
Minga	802	704	5 (5)	2 (2)	1,709 (28)	30.1 (26.8)
Lozoh	918	657	11 (7)	4 (2)	8,501 (127)	90.8 (63.1)

Health facilities: 16 in the county, 12 on flood-prone ground | Schools: 35 in the county, 28 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 144% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 12 of 16 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 625 people affected, 174 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 28 of 35 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 174 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Mundri West County

Western Equatoria | County population about 51,413 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 83% of normal); ~72 mm expected over 2 weeks = 177% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	41,374	1,530	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	191
2 (planning)	297
3 (severe)	573
Displaced in the planning case	83

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Kotobi	2,200	1,580	6 (4)	5 (4)	3,398 (54)	125.6 (96.2)
Mundri	1,775	1,416	12 (9)	3 (2)	11,801 (277)	82.8 (70.1)
Bangolo	1,224	813	1 (1)	7 (4)	1,624 (17)	76.7 (51.5)
Amadi	675	555	5 (3)	3 (3)	2,450 (58)	76.2 (61.4)

Health facilities: 18 in the county, 13 on flood-prone ground | Schools: 24 in the county, 17 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 83% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 13 of 18 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 297 people affected, 83 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 17 of 24 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 83 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Mvolo County

Western Equatoria | County population about 77,611 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 66% of normal); ~64 mm expected over 2 weeks = 155% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	31,959	not listed	15,780

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	3,036
2 (planning)	4,723
3 (severe)	9,109
Displaced in the planning case	1,314

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Bagori	1,645	1,436	0 (0)	2 (2)	974 (21)	72.4 (57.6)
Yeri	1,326	1,192	0 (0)	1 (1)	1,053 (43)	94.7 (81.5)
Mvolo	577	534	1 (1)	1 (1)	5,600 (76)	49.0 (44.6)
Bahr El Grindi	582	525	2 (2)	3 (2)	1,450 (26)	34.5 (31.5)

Health facilities: 12 in the county, 8 on flood-prone ground | Schools: 7 in the county, 7 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 66% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 8 of 12 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 4,723 people affected, 1,314 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 7 of 7 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 1,314 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Nagero County

Western Equatoria | County population about 61,561 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 77% of normal); ~67 mm expected over 2 weeks = 195% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	265
2 (planning)	412
3 (severe)	795
Displaced in the planning case	115

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

Payam	Payam area km ²	At risk km ²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Nagero	9,197	4,877	7 (2)	8 (4)	2,224 (24)	356.8 (249.7)
Namutina	8,763	2,400	5 (1)	13 (1)	2,309 (9)	209.9 (47.1)

Health facilities: 21 in the county, 5 on flood-prone ground | Schools: 12 in the county, 3 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 77% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 5 of 21 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 412 people affected, 115 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 3 of 12 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 115 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Nzara County

Western Equatoria | County population about 86,370 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 28 mm below median in the top metre (30-day rain 67% of normal); ~75 mm expected over 2 weeks = 269% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	1,125	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	319
2 (planning)	496
3 (severe)	957
Displaced in the planning case	138

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Ringasi	4,433	2,895	2 (1)	1 (1)	945 (9)	84.8 (52.4)
Basukangbi	714	244	2 (0)	2 (0)	307 (4)	55.3 (17.8)

Health facilities: 19 in the county, 1 on flood-prone ground | Schools: 25 in the county, 2 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones. This county: Unknown, River: Near normal (percentile 47) on 2026-08-22.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 28 mm below median in the top metre (30-day rain 67% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 1 of 19 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 496 people affected, 138 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 2 of 25 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 138 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

River station: Unknown, River (dahiti:2686)

River level status

Latest pass 2026-08-22: **Near normal** (percentile 47). Level 476.10 m; seasonal median 476.16 m; anomaly -0.06 m.

Record: min 473.53 m, max 478.63 m, average 475.34 m.

Baseline: 10 years, 55 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 9 days since previous pass.

Routed downstream signal

Downstream station	Status (latest pass)	Median travel time from here	This station's signal expected there around
dahiti:39376	Below normal (percentile 27) on 2026-09-28	22 days	2026-09-13

Exposure within 25 km of the station

WorldPop population (2020): 8,946, of which 6,727 at risk. Schools: 2 (1 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 78 (1 at risk). Counties within 25 km: Ezo, Nagero, Nzara, Wulu, Yambio.

Tambura County

Western Equatoria | County population about 122,913 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 54% of normal); ~72 mm expected over 2 weeks = 328% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	478
2 (planning)	744
3 (severe)	1,435
Displaced in the planning case	207

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km ²	At risk km ²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Mupoi	1,563	961	7 (3)	3 (1)	1,834 (13)	66.0 (37.4)
Tambura	1,710	911	10 (1)	15 (3)	17,008 (71)	71.3 (34.4)
Source Yubu	418	139	7 (2)	5 (1)	2,780 (13)	56.7 (20.8)

Health facilities: 23 in the county, 5 on flood-prone ground | Schools: 24 in the county, 6 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 54% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 5 of 23 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 744 people affected, 207 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 6 of 24 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 207 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

Yambio County

Western Equatoria | County population about 173,972 | Issued 03 October 2026

Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 62% of normal); ~76 mm expected over 2 weeks = 286% of the deficit. Soils should recover if the rain arrives

People affected by floods, previous assessments (county)

Year	2021	2022	2024	2025
People affected	not listed	not listed	not listed	not listed

Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

Scenario	People affected
1 (lower)	656
2 (planning)	1,021
3 (severe)	1,969
Displaced in the planning case	284

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

Payam	Payam area km²	At risk km²	Schools (at risk)	Health (at risk)	Buildings (at risk)	Roads km (at risk)
Nadiangere	4,096	2,798	0 (0)	2 (0)	282 (6)	185.9 (134.0)
Bangasu	2,183	1,236	10 (4)	10 (1)	7,661 (57)	189.6 (100.5)
Ri-rangu	1,363	751	3 (3)	5 (3)	1,039 (14)	95.2 (47.2)
Yambio Town	555	327	36 (2)	26 (4)	72,009 (n/a)	71.4 (39.9)

Health facilities: 52 in the county, 10 on flood-prone ground | Schools: 60 in the county, 13 on flood-prone ground

Cluster-specific guidance and action priorities

Cluster	Core climate risk implication	Required actions and guidance
WASH	• Water scarcity and drying of groundwater in drought areas. • Damage to infrastructure and water contamination in flood zones.	• Rehabilitate and expand water storage facilities. • Pre-position water treatment chemicals and repair parts. • Improve resilience of groundwater pumps and map high-risk water points.
Food Security & Agriculture	• Crop failure, moisture stress and heat stress. • Livestock mortality and sudden pasture depletion. This county: Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 62% of normal).	• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons. • Coordinate early livestock destocking and step up veterinary and deworming services. • Provide flexible anticipatory cash transfers to farmers before the season fails.
Health & Nutrition	• Surges in vector-borne (malaria) and waterborne (cholera) disease. • Risk of acute malnutrition from harvest losses. This county: 10 of 52 health facilities on flood-prone ground.	• Strengthen integrated epidemiological surveillance. • Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF). • Prepare heat-stress management and prioritise essential maternal and child health care.
Shelter & NFIs	• Sudden displacement and destruction of homes from localized floods or storms. This county: planning case 1,021 people affected, 284 displaced.	• Pre-position emergency shelter kits and basic household supplies outside flood zones. • Map highly exposed riverine settlements and set up early-warning protocols.
Education	• Learning disruption from school closures, water shortages or infrastructure damage. This county: 13 of 60 schools on flood-prone ground.	• Activate pre-agreed education contingency plans before peak impacts. • Secure temporary learning structures and deploy emergency school WASH services.
Protection	• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement. This county: up to 284 people displaced in the planning case.	• Mainstream GBV risk mitigation across emergency service delivery. • Establish conflict-resolution mechanisms along shifting pastoral migration corridors.

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

About this report: data, methods and references

Decision support, not an official warning. Alert levels follow the impact-based likelihood x impact approach of WMO-No. 1150; the scales are provisional. Figures are planning and monitoring information and carry the uncertainties listed below.

1. How the report is produced

A GitHub Actions workflow runs the county bulletin twice a day, after the ECMWF 00 and 12 UTC releases (11:30 and 23:30 Juba). The combined report is rebuilt from that bulletin after the evening run (midnight Juba), emailed to subscribers as one PDF and published as the latest report linked from the live map. A weekly Earth Engine job refreshes the flood extent, the infrastructure-at-risk table and the 25 km station exposure. The weekly version label (vDDMMYY) is the Monday of the issue week; the first is v51026 (5 Oct 2026).

2. County indicators and alert levels

Rain so far: GSMaP v8 gauge-corrected rainfall, 7, 15 and 30-day totals against the same dates 2001–2025. **Soil and water balance:** NASA SMAP Level-4 root-zone soil moisture, evapotranspiration and runoff against 2015–2025; wetness is judged by the root-zone z-score (steadier than a percentile with about ten comparison years that include the flood years 2019–2022 and 2024). The soil deficit is the root-zone water missing against the median, in mm.

Outlook: ECMWF IFS ensemble (up to 51 members, 15 days); chances of a 7-day dry spell, a 3-day wet spell and 50 mm in week 1 are the share of members that show the event. **Alert level:** likelihood x impact (green no action, yellow be aware, orange be prepared, red take action), for the hazard (drought / dry spell or flood / waterlogging) named in each county advisory; the likelihood and impact ratings are shown in the advisory text.

Forecast check against observed rain: days 1–5, 711 county-days: hit rate 93%, false-alarm ratio 22%, Brier skill 0.13.

3. Cover lists

Drought watch: counties with the lowest root-zone soil moisture that the next 2 weeks of rain will not fix. **Flood watch:** wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground. **Gauge watch:** stations where the water takes more than 5 days to reach the next station downstream and the last pass is newer than that travel time, so there is still time to warn downstream counties (star = a station already on the watch list).

Towns and counties to monitor: red or orange counties not already in the drought or flood lists.

4. Flood history, scenarios and settlements

People affected in 2021, 2022, 2024 and 2025 come from the flood assessments compiled for the project (county totals; "not listed" means the county does not appear in that assessment, not that nobody was affected). The 2026 scenarios are planning figures from the 2026 Floods and Drought Plan (scenario 1 lower, 2 planning, 3 severe, and people displaced in the planning case); scenarios 1 and 3 apply the plan's state coefficients to the county planning case and are not forecasts or probabilities. Settlements are those assessed in September 2025 (OCHA 2024 and UNMISS 2025 high-ground list, other flooded settlements and small towns), grouped by payam. Population is the 2025 county estimate supplied to the project.

5. Infrastructure at risk, by payam

At risk = flooded in the current maximum flood extent, or flooded in at least 15% of the same-season baseline years (2020–2025) where at least three baseline years exist. The baseline is Sentinel-1 (descending VV): open water below -18 dB after a 50 m focal median, plus flooded vegetation where VV rises at least 3 dB over the Feb–Mar dry-season median, limited to terrain within 15 m above the nearest drainage (MERIT Hydro HAND). The current extent is the maximum over the latest 12 days of Sentinel-1, exported every Sunday to a fixed Earth Engine asset. Counts are per payam (512 payam polygons): schools and health facilities (OCHA point layers, counted when the point falls on at-risk ground), buildings (VIDA Google-Microsoft combined footprints; at-risk count skipped where a payam has more than 40,000), roads (GRIP4, 100 m raster, length on at-risk ground) and area. County totals are the sum of its payams.

6. River stations

Levels are satellite-altimetry passes from DAHITI (DGFI-TUM) and Hydroweb.Next (Theia / CNES, LEGOS), merged nightly with quality flags (jumps checked against neighbours, long gaps, high uncertainty). The **status** compares the latest level with passes within ± 30 days of the same date in 2016–2025: unusually high from the 70th percentile, above normal 60th–70th, near normal 40th–60th, below normal 30th–40th, unusually low below the 30th; fewer than 2 years or 6 passes counts as insufficient record. Low and insufficient stations are not shown. The **routed signal** reads the linked upstream and downstream stations: the median travel time is the typical lag between the two stations over their overlapping passes, and "expected here around" is the observation date plus that lag. Altimetry samples a river every 10–35 days, so a pass can miss a peak, and flood-level thresholds are "as seen by the satellite", not gauge return periods.

7. Exposure within 25 km of a station

Population (WorldPop 2020, 100 m), schools, health facilities and VIDA buildings inside a 25 km circle around the station, with the share on at-risk ground (definition in section 5) and a payam-by-payam breakdown of the part of each payam inside the circle. Circles overlap neighbouring counties, which are listed. A station is assigned to the county that contains it.

8. Main limits

- Rain, soil and flood layers are satellite products: coarse (GSMaP about 10 km, SMAP L4 about 9 km) and subject to retrieval error, especially in wetlands.

- The ensemble gives chances, not certainties; the dry-spell and heavy-rain chances are for the county as a whole.
- Flood extent from radar misses flooding under dense canopy and can over-detect on wet floodplain vegetation; the weekly window can miss short events.
- Population, building and facility layers are modelled or compiled, and may be out of date or incomplete in remote areas.
- River flooding from upstream can continue while local soils are dry: the land model does not include river overflow.
- Assessment and scenario figures describe past or planned situations, not the situation now.

Data sources

Layer	Source	Used for
Rainfall	GSMaP v8 operational, gauge-corrected (JAXA), via Google Earth Engine	Rain so far, anomalies
Soil moisture, ET, runoff	NASA SMAP Level-4 SPL4SMGP	Soil z-score, deficit, water balance
Forecast	ECMWF IFS ensemble open data (CC BY 4.0, © ECMWF)	Dry / wet spell and heavy-rain chances
Forecast rain, 7-day	NOAA GFS 0.25°; ECMWF IFS NRT; CHIRPS daily (UCSB-CHG)	Station rainfall outlook in the app
River levels	DAHITI (DGFI-TUM); Hydroweb.Next (Theia / CNES, LEGOS)	Station status and routed signals
River discharge outlook	GEOGLOWS ECMWF Streamflow Model (BYU / ECMWF)	River alert, where available
Flood extent and baseline	Copernicus Sentinel-1 GRD; MERIT Hydro HAND	Current and same-season flood extent
Flood-prone ground	JRC Global Surface Water; Global Flood Database	Flood-prone share of population
Population	County estimates 2025 (project); WorldPop 2020, 100 m (Univ. of Southampton, CC BY 4.0)	County and 25 km population
Settlement and buildings	GHSL built-up surface (JRC); VIDA combined footprints; JRC GHS-OBAT 2020	Built-up area, building counts
Roads	GRIP4 Africa (Meijer et al. 2018)	Road length at risk
Schools, health facilities	OCHA (data.humdata.org/group/ssd)	Facilities at risk
Cropland	ESA WorldCover 2021 v200 (CC BY 4.0)	Cropland in the county bulletin
Catchments	HydroBASINS / HydroSHEDS	Upstream catchment rainfall
Admin boundaries	OCHA (data.humdata.org/group/ssd); 512 payams	All county and payam figures
Flood assessments, scenarios	Flood assessments 2021–2025; 2026 Floods and Drought Plan; OCHA 2024 / UNMISS 2025 settlement list	Earlier assessments, scenarios, settlements

Key references

- Gorelick, N. et al. (2017). Google Earth Engine: planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment* 202, 18–27.
- Pekel, J.-F. et al. (2016). High-resolution mapping of global surface water and its long-term changes. *Nature* 540, 418–422.
- Tellman, B. et al. (2021). Satellite imaging reveals increased proportion of population exposed to floods. *Nature* 596, 80–86.
- Torres, R. et al. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment* 120, 9–24.
- Yamazaki, D. et al. (2019). MERIT Hydro: a high-resolution global hydrography map based on latest topography datasets. *Water Resources Research* 55, 5053–5073.
- Schwatke, C. et al. (2015). DAHITI: an innovative approach for estimating water level time series over inland waters using multi-mission satellite altimetry. *Hydrology and Earth System Sciences* 19, 4345–4364.
- Lehner, B. and Grill, G. (2013). Global river hydrography and network routing (HydroSHEDS, HydroBASINS). *Hydrological Processes* 27, 2171–2186.
- Meijer, J. R. et al. (2018). Global patterns of current and future road infrastructure. *Environmental Research Letters* 13, 064006.
- Zanaga, D. et al. (2022). ESA WorldCover 10 m 2021 v200. Zenodo.
- Gumbel, E. J. (1958). *Statistics of Extremes*. Columbia University Press.
- World Meteorological Organization (2015). *WMO Guidelines on Multi-hazard Impact-based Forecast and Warning Services*, WMO-No. 1150.
- Data providers: OCHA (schools, health facilities, administrative boundaries; data.humdata.org/group/ssd), JAXA (GSMaP), NASA (SMAP L4), ECMWF (IFS ensemble), NOAA (GFS), UCSB Climate Hazards Center (CHIRPS), DGFI-TUM (DAHITI), CNES / LEGOS (Hydroweb.Next), BYU / ECMWF (GEOGLOWS), University of Southampton (WorldPop), European Commission JRC (GSW, GHSL, GHS-OBAT), VIDA / Google / Microsoft (building footprints), ESA (WorldCover, Sentinel-1).

Method code and the live map

Pipeline code: github.com/Penuelabi/altimetry-nightly. Live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>. Prepared by ALLAU, Denis Abi, PhD, Abuk Project, Mayardit Academy for Space Sciences, University of Juba and University of California, Davis.