



# SOUTH SUDAN HYDRO-CLIMATE WATCH

02 Oct 2026 | Weekly version v51026

ECMWF run 2026-10-01 12 UTC | rain and soil data to 2026-09-28 | 0 red, 39 orange, 4 yellow, 36 green counties

## Top 3 drought-watch counties

| County                                  | Alert         | Soil z | Soil deficit | Rain next 2 wk (median) | Chance 7-day dry spell |
|-----------------------------------------|---------------|--------|--------------|-------------------------|------------------------|
| <b>Renk</b> (Upper Nile)                | <b>ORANGE</b> | -3.30  | 36 mm        | 24 mm                   | 24%                    |
| <b>Manyo</b> (Upper Nile)               | <b>ORANGE</b> | -2.84  | 34 mm        | 25 mm                   | 28%                    |
| <b>Kapoeta East</b> (Eastern Equatoria) | <b>ORANGE</b> | -2.62  | 38 mm        | 29 mm                   | 56%                    |

Lowest root-zone soil moisture that the next 2 weeks of rain will not fix.

## Top 3 flood-watch counties

| County                                 | Alert         | Soil z | 30-d surplus | Rain next 2 wk | Chance 50 mm wk 1 | People on flood-prone ground |
|----------------------------------------|---------------|--------|--------------|----------------|-------------------|------------------------------|
| <b>Juba</b> (Central Equatoria)        | <b>GREEN</b>  | -1.08  | -5 mm        | 55 mm          | 2%                | 2,953                        |
| <b>Mundri East</b> (Western Equatoria) | <b>GREEN</b>  | -1.77  | 28 mm        | 56 mm          | 6%                | 59                           |
| <b>Rumbek East</b> (Lakes)             | <b>ORANGE</b> | -2.42  | 66 mm        | 46 mm          | 2%                | 3,596                        |

Wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground.

## 5 Gauge watch list

| Station                                 | Last level             | vs 2-yr level        | Last 3 passes          | Travel time | Warning left | Next station    |
|-----------------------------------------|------------------------|----------------------|------------------------|-------------|--------------|-----------------|
| Sobat, River (dahiti:18743)             | 392.55 m (2026-09-27)  | above 2-yr by 0.04 m | rising +0.86 m         | 6 d         | 1 d          | dahiti:18043    |
| Lowa km 2674 (hydroweb:3889)            | 489.98 m (2026-09-24)  | below 2-yr by 1.93 m | rising +0.78 m         | 10 d        | 2 d          | hydroweb:3888   |
| Victoria Nile km 5723 (hydroweb:112210) | 1035.68 m (2026-09-24) | below 2-yr by 0.55 m | rising +0.17 m         | 10 d        | 2 d          | hydroweb:107877 |
| Lindi km 2447 (hydroweb:3801)           | 461.46 m (2026-09-24)  | below 2-yr by 1.73 m | rising +0.24 m         | 10 d        | 2 d          | hydroweb:3805   |
| ★ White Nile km 4541 (hydroweb:7887)    | 409.97 m (2026-09-23)  | below 2-yr by 0.16 m | steady/falling -0.13 m | 11 d        | 2 d          | hydroweb:7880   |

Travel time to the next station over 5 days and last pass newer than the travel time. ★ = station you already watch.

## 5 Towns and counties to monitor (red or orange, not in the lists above)

| Town / county                           | Alert         | Soil z | Rain next 2 wk | Chance 50 mm wk 1 | Chance 7-day dry spell |
|-----------------------------------------|---------------|--------|----------------|-------------------|------------------------|
| Kapoeta South - Eastern Equatoria       | <b>ORANGE</b> | -2.30  | 23 mm          | 0%                | 32%                    |
| Kapoeta North - Eastern Equatoria       | <b>ORANGE</b> | -2.73  | 35 mm          | 0%                | 28%                    |
| Pibor (Pibor) - Jonglei                 | <b>ORANGE</b> | -2.32  | 42 mm          | 0%                | 16%                    |
| Maban - Upper Nile                      | <b>ORANGE</b> | -2.67  | 33 mm          | 0%                | 12%                    |
| Mangalla (Terekeka) - Central Equatoria | <b>ORANGE</b> | -2.05  | 49 mm          | 2%                | 10%                    |

Open the live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>

Subscribe to the email list: <https://claud.ai/artifact/NW1fEYxo4VQ2BoUfsVfQoK>. To stop receiving it, [unsubscribe here](#).

ALLAU, Denis Abi, PhD

Abuk Project

Mayardit Academy for Space Sciences

[University of Juba and University of California, Davis](#)

WhatsApp: +211 917 939 818

Email: [penuelabi@gmail.com](mailto:penuelabi@gmail.com)

Decision support, not an official warning. One page per county follows. Rainfall figures are an outlook for local flooding and access, not a river-level forecast.

# Contents

Counties by state. Click a county to jump to its page.

## Abyei Region (1)

|                              |   |
|------------------------------|---|
| <a href="#">Abyei Region</a> | 3 |
|------------------------------|---|

## Central Equatoria (6)

|                           |   |
|---------------------------|---|
| <a href="#">Juba</a>      | 4 |
| <a href="#">Kajo-keji</a> | 5 |
| <a href="#">Lainya</a>    | 6 |
| <a href="#">Morobo</a>    | 7 |
| <a href="#">Terekeka</a>  | 8 |
| <a href="#">Yei</a>       | 9 |

## Eastern Equatoria (8)

|                               |    |
|-------------------------------|----|
| <a href="#">Budi</a>          | 10 |
| <a href="#">Ikotos</a>        | 11 |
| <a href="#">Kapoeta East</a>  | 12 |
| <a href="#">Kapoeta North</a> | 13 |
| <a href="#">Kapoeta South</a> | 14 |
| <a href="#">Lafon</a>         | 15 |
| <a href="#">Magwi</a>         | 16 |
| <a href="#">Torit</a>         | 17 |

## Jonglei (11)

|                            |    |
|----------------------------|----|
| <a href="#">Akobo</a>      | 18 |
| <a href="#">Ayod</a>       | 19 |
| <a href="#">Bor South</a>  | 20 |
| <a href="#">Canal/Pigi</a> | 21 |
| <a href="#">Duk</a>        | 22 |
| <a href="#">Fangak</a>     | 23 |
| <a href="#">Nyirol</a>     | 24 |
| <a href="#">Pibor</a>      | 25 |
| <a href="#">Pochalla</a>   | 26 |
| <a href="#">Twic East</a>  | 27 |
| <a href="#">Uror</a>       | 28 |

## Lakes (8)

|                               |    |
|-------------------------------|----|
| <a href="#">Awerial</a>       | 29 |
| <a href="#">Cueibet</a>       | 30 |
| <a href="#">Rumbek Centre</a> | 31 |
| <a href="#">Rumbek East</a>   | 32 |
| <a href="#">Rumbek North</a>  | 33 |
| <a href="#">Wulu</a>          | 34 |
| <a href="#">Yirol East</a>    | 35 |
| <a href="#">Yirol West</a>    | 36 |

## Northern Bahr el Ghazal (5)

|                              |    |
|------------------------------|----|
| <a href="#">Aweil Centre</a> | 37 |
| <a href="#">Aweil East</a>   | 38 |
| <a href="#">Aweil North</a>  | 39 |
| <a href="#">Aweil South</a>  | 40 |
| <a href="#">Aweil West</a>   | 41 |

## Unity (9)

|                           |    |
|---------------------------|----|
| <a href="#">Abiemnhom</a> | 42 |
| <a href="#">Guit</a>      | 43 |
| <a href="#">Koch</a>      | 44 |
| <a href="#">Leer</a>      | 45 |
| <a href="#">Mayendit</a>  | 46 |
| <a href="#">Mayom</a>     | 47 |
| <a href="#">Panyijiar</a> | 48 |
| <a href="#">Pariang</a>   | 49 |
| <a href="#">Rubkona</a>   | 50 |

## Upper Nile (12)

|                                |    |
|--------------------------------|----|
| <a href="#">Baliet</a>         | 51 |
| <a href="#">Fashoda</a>        | 52 |
| <a href="#">Longochuk</a>      | 53 |
| <a href="#">Luakpiny/Nasir</a> | 54 |
| <a href="#">Maban</a>          | 55 |
| <a href="#">Maiwut</a>         | 56 |
| <a href="#">Malakal</a>        | 57 |
| <a href="#">Manyo</a>          | 58 |
| <a href="#">Melut</a>          | 59 |
| <a href="#">Panyikang</a>      | 60 |
| <a href="#">Renk</a>           | 61 |
| <a href="#">Ulang</a>          | 62 |

## Warrap (6)

|                              |    |
|------------------------------|----|
| <a href="#">Gogrial East</a> | 63 |
| <a href="#">Gogrial West</a> | 64 |
| <a href="#">Tonj East</a>    | 65 |
| <a href="#">Tonj North</a>   | 66 |
| <a href="#">Tonj South</a>   | 67 |
| <a href="#">Twic</a>         | 68 |

## Western Bahr el Ghazal (3)

|                           |    |
|---------------------------|----|
| <a href="#">Jur River</a> | 69 |
| <a href="#">Raja</a>      | 70 |
| <a href="#">Wau</a>       | 71 |

## Western Equatoria (10)

|                             |    |
|-----------------------------|----|
| <a href="#">Ezo</a>         | 72 |
| <a href="#">Ibba</a>        | 73 |
| <a href="#">Maridi</a>      | 74 |
| <a href="#">Mundri East</a> | 75 |
| <a href="#">Mundri West</a> | 76 |
| <a href="#">Mvolo</a>       | 77 |
| <a href="#">Nagero</a>      | 78 |
| <a href="#">Nzara</a>       | 79 |
| <a href="#">Tambura</a>     | 80 |
| <a href="#">Yambio</a>      | 81 |

# Abyei Region County

Abyei Region | County population about 145,358 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 152% of normal); ~35 mm expected over 2 weeks = 52% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 145,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 24,468 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 723             |
| 2 (planning)                   | 1,125           |
| 3 (severe)                     | 2,170           |
| Displaced in the planning case | 313             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Abyei Region | 10,496         | 6,017       | 3 (3)             | 22 (22)          | 6 (1)               | 560.9 (352.9)      |

Health facilities: 22 in the county, 22 on flood-prone ground | Schools: 3 in the county, 3 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                          | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 152% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 22 of 22 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,125 people affected, 313 displaced.</p>                                                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 3 of 3 schools on flood-prone ground.</p>                                                                                                 | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 313 people displaced in the planning case.</p>                                                 | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Juba County

Central Equatoria | County population about 570,834 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 24 mm below median in the top metre (30-day rain 105% of normal); ~55 mm expected over 2 weeks = 234% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 10,000 | not listed | 13,320 | 16,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,095          |
| 2 (planning)                   | 20,369          |
| 3 (severe)                     | 39,283          |
| Displaced in the planning case | 5,668           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam         | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lobonok       | 5,210          | 3,326       | 2 (1)             | 5 (2)            | 4,174 (36)          | 263.2 (171.4)      |
| Mangala South | 1,573          | 1,545       | 5 (5)             | 2 (2)            | 6,664 (143)         | 123.1 (120.0)      |

Health facilities: 97 in the county, 64 on flood-prone ground | Schools: 73 in the county, 49 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                               | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4934: Above normal (percentile 80) on 2026-09-24.                 | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 24 mm below median in the top metre (30-day rain 105% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 64 of 97 health facilities on flood-prone ground.                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 20,369 people affected, 5,668 displaced.                                                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 49 of 73 schools on flood-prone ground.                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 5,668 people displaced in the planning case.                                           | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 4934 (hydroweb:7853)

### River level status

Latest pass 2026-09-24: **Above normal** (percentile 80). Level 459.60 m; seasonal median 458.89 m; anomaly +0.71 m. Record: min 456.54 m, max 460.56 m, average 458.65 m.

Baseline: 8 years, 46 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.06 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7856    | Near normal (percentile 67) on 2026-09-17 | 2 days             | 2026-09-19           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7968      | Above normal (percentile 73) on 2026-09-17 | 7 days                       | 2026-10-01                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 84,730, of which 68,895 at risk. Schools: 38 (22 at risk). Health facilities: 57 (37 at risk). Buildings (VIDA): 517,649 (n/a at risk). Counties within 25 km: Juba.

# Kajo-keji County

Central Equatoria | County population about 257,989 | Issued 02 October 2026

## Advisory

- No significant change expected: dry soils, about 13 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,656           |
| 2 (planning)                   | 5,687           |
| 3 (severe)                     | 10,968          |
| Displaced in the planning case | 1,583           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Liwolo     | 1,155          | 628         | 13 (4)            | 7 (1)            | 3,889 (28)          | 23.2 (11.1)        |
| Kangapo II | 336            | 227         | 22 (7)            | 14 (0)           | 15,437 (164)        | 0.0 (0.0)          |
| Nyepo      | 445            | 172         | 4 (0)             | 6 (1)            | 2,408 (7)           | 27.2 (11.7)        |
| Lire       | 297            | 133         | 11 (5)            | 8 (1)            | 10,082 (96)         | 17.8 (11.2)        |

Health facilities: 43 in the county, 6 on flood-prone ground | Schools: 61 in the county, 20 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> No significant change expected: dry soils, about 13 mm of rain in week 1.</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 6 of 43 health facilities on flood-prone ground.</p>        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 5,687 people affected, 1,583 displaced.</p>                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 20 of 61 schools on flood-prone ground.</p>                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,583 people displaced in the planning case.</p>          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Lainya County

Central Equatoria | County population about 119,155 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 32 mm below median in the top metre (30-day rain 65% of normal); ~67 mm expected over 2 weeks = 211% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 446             |
| 2 (planning)                   | 693             |
| 3 (severe)                     | 1,337           |
| Displaced in the planning case | 193             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mukaya | 1,628          | 1,145       | 15 (10)           | 4 (1)            | 4,750 (64)          | 78.0 (58.3)        |
| Lainya | 525            | 350         | 10 (3)            | 6 (3)            | 10,349 (175)        | 33.9 (21.8)        |
| Kupera | 478            | 319         | 5 (0)             | 2 (2)            | 1,836 (15)          | 39.7 (25.8)        |
| Wuji   | 473            | 289         | 5 (3)             | 4 (0)            | 2,384 (24)          | 36.6 (19.7)        |

Health facilities: 21 in the county, 10 on flood-prone ground | Schools: 41 in the county, 18 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 32 mm below median in the top metre (30-day rain 65% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 10 of 21 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 693 people affected, 193 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 18 of 41 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 193 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Morobo County

Central Equatoria | County population about 136,697 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 48% of normal); ~62 mm expected over 2 weeks = 267% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 464             |
| 2 (planning)                   | 721             |
| 3 (severe)                     | 1,391           |
| Displaced in the planning case | 201             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Panyume | 530            | 282         | 6 (1)             | 2 (0)            | 1,990 (24)          | 1.8 (1.2)          |
| Kimba   | 194            | 93          | 9 (1)             | 3 (2)            | 8,854 (92)          | 9.8 (2.8)          |
| Wudabi  | 219            | 88          | 8 (3)             | 3 (0)            | 2,418 (28)          | 16.7 (7.9)         |
| Lujulo  | 186            | 85          | 10 (3)            | 4 (1)            | 1,284 (9)           | 12.7 (5.5)         |

Health facilities: 15 in the county, 3 on flood-prone ground | Schools: 50 in the county, 8 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 48% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 3 of 15 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 721 people affected, 201 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 8 of 50 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 201 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Terekeka County

Central Equatoria | County population about 266,693 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 65 mm below median in the top metre (30-day rain 92% of normal); ~49 mm expected over 2 weeks = 75% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 267,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024  | 2025  |
|-----------------|------------|------------|-------|-------|
| People affected | not listed | not listed | 8,503 | 8,505 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,471           |
| 2 (planning)                   | 3,843           |
| 3 (severe)                     | 7,412           |
| Displaced in the planning case | 1,069           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Rijong | 2,272          | 2,170       | 7 (7)             | 4 (4)            | 2,098 (25)          | 201.8 (194.1)      |
| Tali   | 2,270          | 2,115       | 4 (4)             | 10 (9)           | 3,073 (54)          | 195.3 (185.8)      |

Health facilities: 45 in the county, 43 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4845: Above normal (percentile 73) on 2026-09-17.                    | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 65 mm below median in the top metre (30-day rain 92% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 43 of 45 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 3,843 people affected, 1,069 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 27 of 27 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,069 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 4845 (hydroweb:7967)

### River level status

Latest pass 2026-09-17: **Above normal** (percentile 73). Level 437.71 m; seasonal median 437.23 m; anomaly +0.48 m. Record: min 436.13 m, max 438.35 m, average 437.22 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.21 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7855    | Near normal (percentile 55) on 2026-09-17 | 6 days             | 2026-09-23           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7854      | Near normal (percentile 57) on 2026-09-17 | 4 days                       | 2026-09-21                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 59,751, of which 56,095 at risk. Schools: 11 (11 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 15,868 (357 at risk). Counties within 25 km: Juba, Terekeka.

# Yei County

Central Equatoria | County population about 327,602 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 64% of normal); ~71 mm expected over 2 weeks = 208% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,219           |
| 2 (planning)                   | 1,896           |
| 3 (severe)                     | 3,657           |
| Displaced in the planning case | 528             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tore  | 4,088          | 2,501       | 15 (8)            | 6 (4)            | 4,335 (91)          | 237.5 (154.8)      |
| Lasu  | 1,073          | 724         | 10 (6)            | 5 (3)            | 6,745 (110)         | 39.2 (25.9)        |
| Yei   | 559            | 395         | 22 (12)           | 13 (6)           | 61,160 (n/a)        | 45.0 (33.4)        |
| Otogo | 513            | 373         | 13 (4)            | 10 (4)           | 9,916 (145)         | 51.5 (40.8)        |

Health facilities: 39 in the county, 18 on flood-prone ground | Schools: 77 in the county, 36 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 64% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 18 of 39 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,896 people affected, 528 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 36 of 77 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 528 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Budi County

Eastern Equatoria | County population about 108,474 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 20% of normal); ~31 mm expected over 2 weeks = 92% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (36%) on dry soils: monitor crops and pasture
- Exposure: County population about 108,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 407             |
| 2 (planning)                   | 633             |
| 3 (severe)                     | 1,221           |
| Displaced in the planning case | 176             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Komori   | 1,890          | 883         | 6 (1)             | 6 (3)            | 6,591 (48)          | 85.1 (32.1)        |
| Loriyok  | 1,304          | 758         | 2 (2)             | 3 (3)            | 1,470 (26)          | 72.2 (52.8)        |
| Napak    | 595            | 426         | 0 (0)             | 1 (1)            | 654 (7)             | 42.7 (26.8)        |
| Kimotong | 470            | 291         | 0 (0)             | 1 (0)            | 704 (10)            | 37.1 (26.8)        |

Health facilities: 21 in the county, 9 on flood-prone ground | Schools: 8 in the county, 3 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 20% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 9 of 21 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 633 people affected, 176 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 3 of 8 schools on flood-prone ground.</p>                                                                                            | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 176 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Ikotos County

Eastern Equatoria | County population about 111,148 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 20 mm below median in the top metre (30-day rain 22% of normal); ~42 mm expected over 2 weeks = 206% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (32%) on dry soils: monitor crops and pasture
- Exposure: County population about 111,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 413             |
| 2 (planning)                   | 643             |
| 3 (severe)                     | 1,240           |
| Displaced in the planning case | 179             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam            | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Losite           | 1,048          | 752         | 4 (3)             | 5 (1)            | 2,152 (3)           | 21.5 (16.9)        |
| Ikotos           | 842            | 490         | 4 (2)             | 5 (3)            | 6,319 (85)          | 103.4 (61.4)       |
| Lomohidang North | 367            | 238         | 5 (3)             | 3 (1)            | 2,726 (29)          | 38.2 (25.8)        |
| Imotong          | 212            | 170         | 0 (0)             | 2 (0)            | 1,224 (5)           | 15.4 (6.4)         |

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 20 in the county, 8 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 20 mm below median in the top metre (30-day rain 22% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 6 of 21 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 643 people affected, 179 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 8 of 20 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 179 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Kapoeta East County

Eastern Equatoria | County population about 175,078 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 29% of normal); ~29 mm expected over 2 weeks = 76% of the deficit. Soils should recover if the rain arrives
- Dry spell possible (56%) on dry soils: monitor crops and pasture
- Exposure: County population about 175,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 658             |
| 2 (planning)                   | 1,023           |
| 3 (severe)                     | 1,973           |
| Displaced in the planning case | 285             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jie   | 2,927          | 1,965       | 0 (0)             | 1 (1)            | 2,141 (42)          | 226.8 (172.9)      |
| Kauto | 7,471          | 1,720       | 0 (0)             | 2 (0)            | 10,963 (47)         | 348.1 (79.5)       |
| Narus | 9,603          | 874         | 12 (1)            | 7 (1)            | 10,318 (51)         | 673.7 (29.6)       |
| Mogos | 2,047          | 815         | 0 (0)             | 1 (1)            | 3,123 (35)          | 181.3 (92.2)       |

Health facilities: 18 in the county, 4 on flood-prone ground | Schools: 17 in the county, 2 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 29% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 4 of 18 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,023 people affected, 285 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 2 of 17 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 285 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Kapoeta North County

Eastern Equatoria | County population about 162,158 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 55 mm below median in the top metre (30-day rain 35% of normal); ~35 mm expected over 2 weeks = 63% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 162,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 601             |
| 2 (planning)                   | 935             |
| 3 (severe)                     | 1,803           |
| Displaced in the planning case | 260             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Karukomuge | 4,520          | 3,057       | 2 (2)             | 8 (6)            | 1,274 (13)          | 91.4 (59.6)        |
| Lomeyen    | 580            | 460         | 1 (1)             | 3 (3)            | 1,800 (25)          | 16.3 (11.4)        |
| Mosingo    | 271            | 145         | 1 (1)             | 0 (0)            | 2,619 (26)          | 7.9 (4.6)          |
| Paringa    | 190            | 94          | 1 (1)             | 2 (2)            | 1,430 (22)          | 9.0 (7.8)          |

Health facilities: 16 in the county, 14 on flood-prone ground | Schools: 10 in the county, 10 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 55 mm below median in the top metre (30-day rain 35% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 14 of 16 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 935 people affected, 260 displaced.</p>                                                                                          | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 10 of 10 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 260 people displaced in the planning case.</p>                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Kapoeta South County

Eastern Equatoria | County population about 105,511 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 38 mm below median in the top metre (30-day rain 15% of normal); ~23 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Dry spell possible (32%) on dry soils: monitor crops and pasture
- Exposure: County population about 106,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 433             |
| 2 (planning)                   | 674             |
| 3 (severe)                     | 1,300           |
| Displaced in the planning case | 188             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Machi One    | 143            | 79          | 0 (0)             | 4 (3)            | 2,362 (33)          | 16.6 (8.9)         |
| Machi Two    | 117            | 62          | 0 (0)             | 1 (1)            | 2,104 (22)          | 17.4 (9.4)         |
| Kapoeta Town | 114            | 62          | 1 (1)             | 4 (4)            | 7,639 (298)         | 24.4 (10.6)        |
| Longeleya    | 132            | 45          | 4 (4)             | 0 (0)            | 2,645 (28)          | 15.0 (6.8)         |

Health facilities: 10 in the county, 9 on flood-prone ground | Schools: 9 in the county, 7 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 38 mm below median in the top metre (30-day rain 15% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 9 of 10 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 674 people affected, 188 displaced.</p>                                                                                          | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 7 of 9 schools on flood-prone ground.</p>                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 188 people displaced in the planning case.</p>                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Lafon County

Eastern Equatoria | County population about 163,767 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 44% of normal); ~41 mm expected over 2 weeks = 84% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 18,178 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 622             |
| 2 (planning)                   | 968             |
| 3 (severe)                     | 1,867           |
| Displaced in the planning case | 269             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Burgilo | 10,443         | 9,891       | 5 (4)             | 2 (2)            | 2,652 (48)          | 73.1 (68.7)        |
| Arihilo | 1,506          | 1,158       | 1 (0)             | 4 (0)            | 2,235 (3)           | 104.0 (78.4)       |
| Pachidi | 1,232          | 1,074       | 6 (4)             | 3 (3)            | 671 (12)            | 109.8 (85.4)       |
| Marguna | 961            | 937         | 2 (2)             | 2 (2)            | 907 (20)            | 85.9 (83.4)        |

Health facilities: 24 in the county, 14 on flood-prone ground | Schools: 30 in the county, 17 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 48 mm below median in the top metre (30-day rain 44% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 14 of 24 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 968 people affected, 269 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 17 of 30 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 269 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Magwi County

Eastern Equatoria | County population about 314,109 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 23% of normal); ~55 mm expected over 2 weeks = 246% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024       | 2025       |
|-----------------|------------|-------|------------|------------|
| People affected | not listed | 2,537 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,084           |
| 2 (planning)                   | 1,686           |
| 3 (severe)                     | 3,252           |
| Displaced in the planning case | 469             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pageri | 2,301          | 1,442       | 29 (7)            | 16 (4)           | 5,956 (75)          | 123.5 (70.8)       |
| Magwi  | 1,167          | 679         | 38 (15)           | 12 (1)           | 10,051 (123)        | 80.5 (38.4)        |

Health facilities: 46 in the county, 15 on flood-prone ground | Schools: 146 in the county, 57 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                              | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Bahr Al Jabal km 5093: Below normal (percentile 21) on 2026-09-24.             | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 23% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 15 of 46 health facilities on flood-prone ground.                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 1,686 people affected, 469 displaced.                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 57 of 146 schools on flood-prone ground.                                                                                         | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 469 people displaced in the planning case.                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Bahr Al Jabal km 5093 (hydroweb:112211)

### River level status

Latest pass 2026-09-24: **Below normal** (percentile 21). Level 615.25 m; seasonal median 615.42 m; anomaly -0.17 m.

Record: min 614.86 m, max 616.31 m, average 615.49 m.

Baseline: 5 years, 26 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.07 m; 10 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:101187    | Near normal (percentile 45) on 2026-09-17 | 14 days                      | 2026-10-08                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 253,110, of which 0 at risk. Schools: 68 (0 at risk). Health facilities: 13 (0 at risk). Buildings (VIDA): 26,468 (0 at risk). Counties within 25 km: Magwi.

# Torit County

Eastern Equatoria | County population about 65,844 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 26 mm below median in the top metre (30-day rain 26% of normal); ~49 mm expected over 2 weeks = 190% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 275             |
| 2 (planning)                   | 427             |
| 3 (severe)                     | 824             |
| Displaced in the planning case | 119             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bur    | 1,100          | 1,025       | 12 (12)           | 8 (7)            | 2,487 (56)          | 76.3 (69.2)        |
| Hiyala | 1,246          | 1,022       | 35 (28)           | 13 (8)           | 5,717 (103)         | 85.3 (69.9)        |
| Kudo   | 1,077          | 643         | 7 (4)             | 6 (2)            | 2,585 (40)          | 66.7 (48.2)        |
| Imurok | 646            | 343         | 14 (6)            | 3 (3)            | 1,023 (23)          | 72.5 (50.0)        |

Health facilities: 41 in the county, 27 on flood-prone ground | Schools: 141 in the county, 103 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 26 mm below median in the top metre (30-day rain 26% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 27 of 41 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 427 people affected, 119 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 103 of 141 schools on flood-prone ground.</p>                                                                                        | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 119 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Akobo County

Jonglei | County population about 238,042 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 65% of normal); ~38 mm expected over 2 weeks = 44% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 238,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 13,986 | not listed | 97,730 | 17,652 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 10,941          |
| 2 (planning)                   | 17,020          |
| 3 (severe)                     | 32,824          |
| Displaced in the planning case | 4,736           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Diror   | 2,532          | 2,474       | 1 (1)             | 4 (4)            | 2,247 (49)          | 134.1 (132.7)      |
| Nyandit | 2,469          | 2,375       | 6 (6)             | 3 (3)            | 643 (24)            | 149.7 (137.4)      |
| Bilkey  | 1,383          | 1,363       | 8 (8)             | 2 (1)            | 8,744 (235)         | 125.1 (122.2)      |
| Dengjok | 962            | 950         | 4 (4)             | 4 (4)            | 1,456 (39)          | 65.4 (64.0)        |

Health facilities: 18 in the county, 17 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 65% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 17 of 18 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 17,020 people affected, 4,736 displaced.</p>                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 25 of 25 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 4,736 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## Ayod County

Jonglei | County population about 205,709 | Issued 02 October 2026

### Advisory

- No significant change expected: near normal soils, about 13 mm of rain in week 1

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 55,000 | not listed | 26,700 | 57,270 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 18,552          |
| 2 (planning)                   | 28,858          |
| 3 (severe)                     | 55,655          |
| Displaced in the planning case | 8,030           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Settlements assessed Sept 2025

| Payam              | Settlements | People        | Flooded       | High ground   | Small towns   |
|--------------------|-------------|---------------|---------------|---------------|---------------|
| Ayod               | 2           | 1,800         | 0             | 1,000         | 800           |
| Kuach-deng         | 3           | 24,300        | 0             | 8,300         | 16,000        |
| Kurwai             | 2           | 800           | 800           | 0             | 0             |
| Mogok              | 2           | 3,800         | 0             | 2,400         | 1,400         |
| Pagil              | 6           | 24,100        | 22,500        | 0             | 1,600         |
| Pajiek             | 6           | 12,200        | 8,500         | 2,000         | 1,700         |
| Wau                | 1           | 700           | 0             | 700           | 0             |
| <b>Ayod County</b> | <b>22</b>   | <b>67,700</b> | <b>31,800</b> | <b>14,400</b> | <b>21,500</b> |

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pajiek | 4,026          | 2,775       | 3 (3)             | 3 (3)            | 4,038 (132)         | 174.5 (140.4)      |
| Kurwai | 2,375          | 2,150       | 7 (7)             | 4 (4)            | 1,523 (54)          | 11.8 (11.2)        |

Health facilities: 11 in the county, 11 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                 | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4336: Unusually high (percentile 93) on 2026-09-24. | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> No significant change expected: near normal soils, about 13 mm of rain in week 1.            | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 11 of 11 health facilities on flood-prone ground.                          | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 28,858 people affected, 8,030 displaced.                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 23 of 23 schools on flood-prone ground.                                                                             | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 8,030 people displaced in the planning case.                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile km 4336 (hydroweb:7874)

#### River level status

Latest pass 2026-09-24: **Unusually high** (percentile 93). Level 399.21 m; seasonal median 399.09 m; anomaly +0.12 m. Record: min 398.69 m, max 399.26 m, average 399.03 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7875    | Below normal (percentile 18) on 2026-09-24 | 4 days             | 2026-09-28           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7900      | Unusually low (percentile 6) on 2026-09-19 | 21 days                      | 2026-10-15                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 67,944, of which 53,958 at risk. Schools: 17 (17 at risk). Health facilities: 10 (10 at risk). Buildings (VIDA): 11,943 (312 at risk). Counties within 25 km: Ayod, Leer, Mayendit.

## Bor South County

Jonglei | County population about 354,711 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 109 mm below median in the top metre (30-day rain 112% of normal); ~45 mm expected over 2 weeks = 42% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 355,000

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024  | 2025   |
|-----------------|--------|------------|-------|--------|
| People affected | 42,051 | not listed | 2,946 | 76,000 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 28,774          |
| 2 (planning)                   | 44,760          |
| 3 (severe)                     | 86,323          |
| Displaced in the planning case | 12,455          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Baidit  | 4,477          | 4,343       | 25 (23)           | 4 (4)            | 4,968 (153)         | 54.1 (47.0)        |
| Makuach | 3,301          | 3,259       | 11 (8)            | 1 (1)            | 2,060 (60)          | 32.5 (29.4)        |

Health facilities: 33 in the county, 31 on flood-prone ground | Schools: 142 in the county, 135 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                    | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile, River: Unusually high (percentile 100) on 2026-09-25.                    | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 109 mm below median in the top metre (30-day rain 112% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 31 of 33 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 44,760 people affected, 12,455 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 135 of 142 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 12,455 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile, River (dahiti:17754)

#### River level status

Latest pass 2026-09-25: **Unusually high** (percentile 100). Level 422.61 m; seasonal median 422.32 m; anomaly +0.29 m. Record: min 421.06 m, max 422.63 m, average 422.01 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:17753     | Above normal (percentile 69) on 2026-08-04 | 2 days             | 2026-08-06           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:3246        | Above normal (percentile 75) on 2026-08-25 | 6 days                       | 2026-10-01                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 50,867, of which 39,440 at risk. Schools: 99 (93 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 62,858 (n/a at risk). Counties within 25 km: Awerial, Bor South, Yirol East.

## Canal/Pigi County

Jonglei | County population about 111,613 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 77 mm below median in the top metre (30-day rain 61% of normal); ~37 mm expected over 2 weeks = 49% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 112,000

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 35,462 | not listed | 39,971 | 25,500 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 9,699           |
| 2 (planning)                   | 15,088          |
| 3 (severe)                     | 29,098          |
| Displaced in the planning case | 4,198           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Alam   | 1,287          | 1,134       | 0 (0)             | 0 (0)            | 242 (7)             | 74.3 (65.5)        |
| Wunlem | 1,003          | 894         | 1 (0)             | 0 (0)            | 38 (0)              | 63.4 (52.9)        |

Health facilities: 12 in the county, 0 on flood-prone ground | Schools: 36 in the county, 13 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4029: Above normal (percentile 74) on 2026-09-15.                    | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 77 mm below median in the top metre (30-day rain 61% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 0 of 12 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 15,088 people affected, 4,198 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 13 of 36 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 4,198 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile km 4029 (hydroweb:7965)

#### River level status

Latest pass 2026-09-15: **Above normal** (percentile 74). Level 390.48 m; seasonal median 389.73 m; anomaly +0.75 m. Record: min 387.81 m, max 391.52 m, average 389.65 m.

Baseline: 9 years, 19 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7886    | Near normal (percentile 50) on 2026-09-23 | 0 days             | 2026-09-23           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7895      | Near normal (percentile 62) on 2026-09-02 | 1 days                       | 2026-09-16                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 61,010, of which 2,006 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 5,349 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

# Duk County

Jonglei | County population about 206,545 | Issued 02 October 2026

## Advisory

- No significant change expected: dry soils, about 15 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 45,000 | not listed | 16,771 | 22,548 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,231          |
| 2 (planning)                   | 20,582          |
| 3 (severe)                     | 39,694          |
| Displaced in the planning case | 5,727           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam      | Settlements | People | Flooded | High ground | Small towns |
|------------|-------------|--------|---------|-------------|-------------|
| Ageer      | 1           | 2,200  | 0       | 2,200       | 0           |
| Dongchak   | 3           | 2,600  | 1,300   | 1,300       | 0           |
| Padiet     | 4           | 39,500 | 1,000   | 9,600       | 28,900      |
| Pagak      | 4           | 12,000 | 1,800   | 5,700       | 4,500       |
| Panyang    | 3           | 9,100  | 0       | 6,200       | 2,900       |
| Payuel     | 4           | 23,100 | 0       | 12,300      | 10,800      |
| Duk County | 19          | 88,500 | 4,100   | 37,300      | 47,100      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Dongchak | 3,316          | 2,092       | 1 (1)             | 2 (2)            | 1,038 (25)          | 129.6 (104.6)      |
| Panyang  | 872            | 850         | 4 (4)             | 3 (3)            | 1,201 (34)          | 87.4 (83.3)        |
| Ageer    | 932            | 723         | 2 (0)             | 2 (2)            | 835 (13)            | 45.3 (31.8)        |
| Pagak    | 680            | 679         | 0 (0)             | 1 (1)            | 424 (12)            | 15.2 (15.2)        |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 11 in the county, 9 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                 | Required actions and guidance                                                                                                                                                                                                                                                                                            |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>Water scarcity and drying of groundwater in drought areas.</li><li>Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                           | <ul style="list-style-type: none"><li>Rehabilitate and expand water storage facilities.</li><li>Pre-position water treatment chemicals and repair parts.</li><li>Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>Crop failure, moisture stress and heat stress.</li><li>Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> No significant change expected: dry soils, about 15 mm of rain in week 1.</p> | <ul style="list-style-type: none"><li>Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 14 of 14 health facilities on flood-prone ground.</p>       | <ul style="list-style-type: none"><li>Strengthen integrated epidemiological surveillance.</li><li>Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 20,582 people affected, 5,727 displaced.</p>                                               | <ul style="list-style-type: none"><li>Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                |
| Education                   | <ul style="list-style-type: none"><li>Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 9 of 11 schools on flood-prone ground.</p>                                                         | <ul style="list-style-type: none"><li>Activate pre-agreed education contingency plans before peak impacts.</li><li>Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                             |
| Protection                  | <ul style="list-style-type: none"><li>Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 5,727 people displaced in the planning case.</p>        | <ul style="list-style-type: none"><li>Mainstream GBV risk mitigation across emergency service delivery.</li><li>Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                          |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Fangak County

Jonglei | County population about 213,029 | Issued 02 October 2026

## Advisory

- No significant change expected: near normal soils, about 14 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024    | 2025    |
|-----------------|--------|--------|---------|---------|
| People affected | 73,191 | 17,669 | 154,005 | 145,316 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 36,008          |
| 2 (planning)                   | 56,013          |
| 3 (severe)                     | 108,025         |
| Displaced in the planning case | 15,586          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam         | Settlements | People | Flooded | High ground | Small towns |
|---------------|-------------|--------|---------|-------------|-------------|
| Manajang      | 10          | 27,300 | 7,000   | 0           | 20,300      |
| Mareang       | 3           | 9,140  | 600     | 0           | 8,540       |
| Old Fangak    | 2           | 3,000  | 3,000   | 0           | 0           |
| Paguir        | 4           | 17,360 | 1,100   | 0           | 16,260      |
| Phom          | 1           | 0      | 0       | 0           | 0           |
| Fangak County | 20          | 56,800 | 11,700  | 0           | 45,100      |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Paguir  | 3,008          | 2,601       | 7 (4)             | 6 (4)            | 5,223 (110)         | 57.8 (37.7)        |
| Mareang | 1,742          | 1,624       | 5 (5)             | 2 (2)            | 420 (18)            | 0.0 (0.0)          |

Health facilities: 18 in the county, 8 on flood-prone ground | Schools: 24 in the county, 14 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Bahr El Zeraf km 4110: Above normal (percentile 69) on 2026-09-25. | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> No significant change expected: near normal soils, about 14 mm of rain in week 1.             | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 8 of 18 health facilities on flood-prone ground.                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 56,013 people affected, 15,586 displaced.                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 14 of 24 schools on flood-prone ground.                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 15,586 people displaced in the planning case.                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Bahr El Zeraf km 4110 (hydroweb:105860)

### River level status

Latest pass 2026-09-25: **Above normal** (percentile 69). Level 393.28 m; seasonal median 393.17 m; anomaly +0.11 m. Record: min 391.28 m, max 393.93 m, average 392.82 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 36,373, of which 28,161 at risk. Schools: 13 (13 at risk). Health facilities: 5 (3 at risk). Buildings (VIDA): 6,583 (169 at risk). Counties within 25 km: Fangak.

# Nyirol County

Jonglei | County population about 153,295 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 97 mm below median in the top metre (30-day rain 64% of normal); ~37 mm expected over 2 weeks = 38% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 153,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024 | 2025   |
|-----------------|------------|-------|------|--------|
| People affected | not listed | 8,832 | 0    | 16,500 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 9,578           |
| 2 (planning)                   | 14,899          |
| 3 (severe)                     | 28,734          |
| Displaced in the planning case | 4,146           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Thol  | 2,672          | 2,517       | 14 (13)           | 3 (3)            | 6,422 (142)         | 104.0 (95.9)       |
| Chuil | 1,453          | 1,209       | 0 (0)             | 0 (0)            | 1,727 (35)          | 30.2 (27.4)        |

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Fulus km 4188: Below normal (percentile 21) on 2026-09-02.                         | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 97 mm below median in the top metre (30-day rain 64% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 9 of 9 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 14,899 people affected, 4,146 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 35 of 36 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 4,146 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Fulus km 4188 (hydroweb:106719)

### River level status

Latest pass 2026-09-02: **Below normal** (percentile 21). Level 395.38 m; seasonal median 396.13 m; anomaly -0.75 m. Record: min 394.73 m, max 396.87 m, average 395.84 m.

Baseline: 6 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.08 m; 27 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:106193    | Unusually low (percentile 0) on 2026-09-27 | 4 days                       | 2026-09-06                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 55,622, of which 53,627 at risk. Schools: 20 (20 at risk). Health facilities: 7 (7 at risk). Buildings (VIDA): 6,816 (158 at risk). Counties within 25 km: Baiet, Nyirol.

# Pibor County

Jonglei | County population about 237,649 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 74 mm below median in the top metre (30-day rain 58% of normal); ~42 mm expected over 2 weeks = 58% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 238,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024 | 2025    |
|-----------------|------------|------------|------|---------|
| People affected | not listed | not listed | 0    | 146,851 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 35,634          |
| 2 (planning)                   | 55,430          |
| 3 (severe)                     | 106,901         |
| Displaced in the planning case | 15,424          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Verteth    | 7,791          | 7,529       | 0 (0)             | 0 (0)            | 1,561 (34)          | 110.7 (86.2)       |
| Kiziongora | 6,669          | 6,045       | 0 (0)             | 5 (4)            | 3,800 (47)          | 233.9 (208.9)      |
| Gumuruk    | 4,471          | 4,429       | 0 (0)             | 1 (1)            | 10,677 (260)        | 174.6 (169.8)      |
| Pibor      | 3,613          | 3,392       | 7 (7)             | 1 (1)            | 8,098 (195)         | 182.6 (166.7)      |

Health facilities: 15 in the county, 10 on flood-prone ground | Schools: 8 in the county, 8 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 74 mm below median in the top metre (30-day rain 58% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 10 of 15 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 55,430 people affected, 15,424 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 8 of 8 schools on flood-prone ground.</p>                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 15,424 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Pochalla County

Jonglei | County population about 82,568 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 80 mm below median in the top metre (30-day rain 60% of normal); ~46 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 83,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 31,326 | 15,335 | 22,477 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 4,234           |
| 2 (planning)                   | 6,586           |
| 3 (severe)                     | 12,702          |
| Displaced in the planning case | 1,833           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pochalla | 3,089          | 2,962       | 3 (3)             | 4 (3)            | 2,143 (40)          | 170.5 (167.6)      |
| Adongo   | 2,681          | 2,412       | 4 (4)             | 3 (3)            | 1,941 (25)          | 178.1 (159.1)      |
| Omuela   | 1,033          | 856         | 1 (1)             | 0 (0)            | 108 (3)             | 69.9 (48.2)        |
| Burator  | 950            | 813         | 1 (1)             | 0 (0)            | 357 (10)            | 37.0 (31.4)        |

Health facilities: 8 in the county, 7 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 80 mm below median in the top metre (30-day rain 60% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 7 of 8 health facilities on flood-prone ground.</p>                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 6,586 people affected, 1,833 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 9 of 9 schools on flood-prone ground.</p>                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,833 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## Twic East County

Jonglei | County population about 129,822 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 59% of normal); ~46 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 130,000

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025    |
|-----------------|--------|------------|--------|---------|
| People affected | 58,069 | not listed | 55,349 | 101,675 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 23,245          |
| 2 (planning)                   | 36,159          |
| 3 (severe)                     | 69,735          |
| Displaced in the planning case | 10,062          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Settlements assessed Sept 2025

| Payam                   | Settlements | People        | Flooded       | High ground  | Small towns   |
|-------------------------|-------------|---------------|---------------|--------------|---------------|
| Ajuong                  | 1           | 11,100        | 0             | 0            | 11,100        |
| Kongor                  | 2           | 21,300        | 0             | 0            | 21,300        |
| Lith                    | 3           | 10,950        | 9,200         | 0            | 1,750         |
| Nyuak                   | 3           | 16,800        | 1,600         | 2,200        | 13,000        |
| Pakeer                  | 2           | 14,900        | 1,300         | 0            | 13,600        |
| <b>Twic East County</b> | <b>11</b>   | <b>75,050</b> | <b>12,100</b> | <b>2,200</b> | <b>60,750</b> |

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pakeer | 1,326          | 1,178       | 5 (5)             | 2 (2)            | 2,033 (68)          | 82.7 (80.6)        |
| Ajuong | 1,859          | 1,156       | 2 (2)             | 1 (1)            | 1,301 (40)          | 18.4 (18.4)        |

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 21 in the county, 21 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile, River: Unusually high (percentile 94) on 2026-09-23.                   | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 59% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 8 of 8 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 36,159 people affected, 10,062 displaced.                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 21 of 21 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 10,062 people displaced in the planning case.                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile, River (dahiti:17749)

#### River level status

Latest pass 2026-09-23: **Unusually high** (percentile 94). Level 410.11 m; seasonal median 409.89 m; anomaly +0.21 m. Record: min 409.20 m, max 410.24 m, average 409.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:17750     | Near normal (percentile 50) on 2026-09-11 | 14 days            | 2026-09-25           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:15557       | Unusually high (percentile 93) on 2026-09-25 | 49 days                      | 2026-11-11                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 23,275, of which 12,919 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 347 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

# Uror County

Jonglei | County population about 205,594 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 105 mm below median in the top metre (30-day rain 69% of normal); ~40 mm expected over 2 weeks = 38% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 206,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024   | 2025       |
|-----------------|------------|------------|--------|------------|
| People affected | not listed | not listed | 24,516 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 771             |
| 2 (planning)                   | 1,200           |
| 3 (severe)                     | 2,314           |
| Displaced in the planning case | 334             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pieri  | 4,609          | 4,605       | 8 (8)             | 2 (2)            | 2,324 (65)          | 181.6 (181.4)      |
| Payai  | 3,307          | 3,304       | 2 (2)             | 1 (1)            | 981 (39)            | 101.2 (100.5)      |
| Tiam   | 2,036          | 2,034       | 1 (1)             | 1 (1)            | 2,431 (69)          | 67.0 (66.9)        |
| Pathai | 773            | 767         | 1 (1)             | 2 (2)            | 2,153 (61)          | 94.1 (94.0)        |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 23 in the county, 23 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                          | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 105 mm below median in the top metre (30-day rain 69% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 10 of 10 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,200 people affected, 334 displaced.</p>                                                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 23 of 23 schools on flood-prone ground.</p>                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 334 people displaced in the planning case.</p>                                                 | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Awerial County

Lakes | County population about 144,223 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 90 mm below median in the top metre (30-day rain 85% of normal); ~49 mm expected over 2 weeks = 55% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025  |
|-----------------|------------|------------|------------|-------|
| People affected | not listed | not listed | not listed | 8,130 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,999           |
| 2 (planning)                   | 3,109           |
| 3 (severe)                     | 5,996           |
| Displaced in the planning case | 865             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bun-agok | 897            | 891         | 4 (4)             | 2 (2)            | 2,527 (65)          | 83.1 (82.5)        |
| Nile     | 771            | 625         | 5 (5)             | 0 (0)            | 506 (18)            | 0.0 (0.0)          |

Health facilities: 6 in the county, 6 on flood-prone ground | Schools: 27 in the county, 26 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4725: Below normal (percentile 31) on 2026-09-27.                    | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 90 mm below median in the top metre (30-day rain 85% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 6 of 6 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 3,109 people affected, 865 displaced.                                                                                        | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 26 of 27 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 865 people displaced in the planning case.                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 4725 (hydroweb:7894)

### River level status

Latest pass 2026-09-27: **Below normal** (percentile 31). Level 422.72 m; seasonal median 422.88 m; anomaly -0.15 m. Record: min 421.58 m, max 423.49 m, average 422.74 m.

Baseline: 7 years, 16 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7966    | Near normal (percentile 57) on 2026-09-17 | 20 days            | 2026-10-07           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7891      | Below normal (percentile 19) on 2026-09-25 | 1 days                       | 2026-09-28                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 50,440, of which 40,240 at risk. Schools: 105 (99 at risk). Health facilities: 23 (22 at risk). Buildings (VIDA): 65,422 (n/a at risk). Counties within 25 km: Awerial, Bor South.

# Cueibet County

Lakes | County population about 189,199 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 90% of normal); ~50 mm expected over 2 weeks = 77% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025   |
|-----------------|--------|--------|--------|--------|
| People affected | 33,000 | 68,988 | 52,395 | 13,655 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,076           |
| 2 (planning)                   | 4,785           |
| 3 (severe)                     | 9,228           |
| Displaced in the planning case | 1,332           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malou Pec | 1,650          | 1,622       | 6 (6)             | 5 (5)            | 14,372 (386)        | 190.0 (187.5)      |
| Citcok    | 1,008          | 1,001       | 12 (12)           | 3 (3)            | 1,873 (38)          | 36.5 (36.4)        |
| Abiriu    | 620            | 599         | 9 (9)             | 5 (5)            | 14,184 (310)        | 78.0 (75.7)        |
| Pagor     | 598            | 585         | 4 (4)             | 0 (0)            | 2,760 (66)          | 59.9 (58.5)        |

Health facilities: 17 in the county, 17 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 90% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 17 of 17 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 4,785 people affected, 1,332 displaced.</p>                                                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 35 of 35 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,332 people displaced in the planning case.</p>                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Rumbek Centre County

Lakes | County population about 222,497 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 94 mm below median in the top metre (30-day rain 74% of normal); ~44 mm expected over 2 weeks = 47% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 222,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025   |
|-----------------|------------|------------|------------|--------|
| People affected | not listed | not listed | not listed | 88,865 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 24,492          |
| 2 (planning)                   | 38,099          |
| 3 (severe)                     | 73,477          |
| Displaced in the planning case | 10,602          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Amongpiny | 1,249          | 1,209       | 4 (4)             | 1 (1)            | 3,460 (93)          | 95.3 (92.2)        |
| Mayom     | 1,008          | 983         | 1 (1)             | 0 (0)            | 716 (13)            | 54.5 (49.8)        |
| Matangai  | 976            | 955         | 25 (24)           | 12 (10)          | 37,517 (1,008)      | 76.8 (76.1)        |
| Malek 2   | 470            | 470         | 3 (3)             | 1 (1)            | 214 (11)            | 22.9 (22.9)        |

Health facilities: 20 in the county, 18 on flood-prone ground | Schools: 38 in the county, 37 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 94 mm below median in the top metre (30-day rain 74% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 18 of 20 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 38,099 people affected, 10,602 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 37 of 38 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 10,602 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Rumbek East County

Lakes | County population about 180,970 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 109% of normal); ~46 mm expected over 2 weeks = 61% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 181,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 15,000 | not listed | 93,459 | 22,655 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,349          |
| 2 (planning)                   | 17,654          |
| 3 (severe)                     | 34,047          |
| Displaced in the planning case | 4,913           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Paloc   | 1,868          | 1,773       | 1 (1)             | 3 (3)            | 2,445 (44)          | 111.7 (109.9)      |
| Cueicok | 409            | 402         | 7 (7)             | 4 (4)            | 7,762 (222)         | 33.7 (32.4)        |

Health facilities: 24 in the county, 24 on flood-prone ground | Schools: 42 in the county, 41 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Gulnam km 4669: Below normal (percentile 23) on 2026-09-07.                         | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 109% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 24 of 24 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 17,654 people affected, 4,913 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 41 of 42 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 4,913 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Gulnam km 4669 (hydroweb:104259)

### River level status

Latest pass 2026-09-07: **Below normal** (percentile 23). Level 424.24 m; seasonal median 424.34 m; anomaly -0.10 m. Record: min 422.93 m, max 424.55 m, average 423.92 m.

Baseline: 6 years, 13 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.04 m; 27 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:110221    | Above normal (percentile 77) on 2026-03-14 | 53 days                      | 2026-10-30                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 73,993, of which 72,848 at risk. Schools: 6 (6 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 9,386 (235 at risk). Counties within 25 km: Rumbek Centre, Rumbek East.

# Rumbek North County

Lakes | County population about 75,047 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 124 mm below median in the top metre (30-day rain 56% of normal); ~42 mm expected over 2 weeks = 34% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 75,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 12,000 | not listed | not listed | 45,225 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,215          |
| 2 (planning)                   | 17,445          |
| 3 (severe)                     | 33,644          |
| Displaced in the planning case | 4,854           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mayen    | 2,575          | 2,556       | 7 (7)             | 2 (2)            | 1,068 (26)          | 102.1 (101.8)      |
| Malueeth | 983            | 977         | 4 (4)             | 2 (2)            | 1,945 (50)          | 34.5 (34.5)        |
| Madol    | 385            | 384         | 1 (1)             | 0 (0)            | 205 (4)             | 0.0 (0.0)          |
| Aloor    | 71             | 71          | 0 (0)             | 1 (1)            | 652 (16)            | 0.0 (0.0)          |

Health facilities: 9 in the county, 9 on flood-prone ground | Schools: 25 in the county, 25 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                          | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 124 mm below median in the top metre (30-day rain 56% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 9 of 9 health facilities on flood-prone ground.</p>                                              | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 17,445 people affected, 4,854 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 25 of 25 schools on flood-prone ground.</p>                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 4,854 people displaced in the planning case.</p>                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Wulu County

Lakes | County population about 92,247 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 65% of normal); ~61 mm expected over 2 weeks = 173% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025  |
|-----------------|------------|------------|------------|-------|
| People affected | not listed | not listed | not listed | 5,570 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,319           |
| 2 (planning)                   | 2,052           |
| 3 (severe)                     | 3,957           |
| Displaced in the planning case | 571             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bargel   | 5,628          | 4,690       | 7 (7)             | 4 (4)            | 3,588 (75)          | 282.1 (240.0)      |
| Domoloto | 5,329          | 4,621       | 1 (1)             | 4 (3)            | 4,247 (74)          | 224.7 (205.5)      |
| Wulu     | 724            | 638         | 3 (3)             | 5 (5)            | 7,431 (126)         | 69.5 (65.5)        |
| Makundi  | 162            | 149         | 0 (0)             | 1 (1)            | 417 (9)             | 12.3 (12.1)        |

Health facilities: 14 in the county, 13 on flood-prone ground | Schools: 11 in the county, 11 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 35 mm below median in the top metre (30-day rain 65% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 13 of 14 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 2,052 people affected, 571 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 11 of 11 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 571 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Yirol East County

Lakes | County population about 165,810 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 43 mm below median in the top metre (30-day rain 77% of normal); ~47 mm expected over 2 weeks = 109% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024       | 2025   |
|-----------------|-------|------------|------------|--------|
| People affected | 1,398 | not listed | not listed | 26,155 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,537          |
| 2 (planning)                   | 17,946          |
| 3 (severe)                     | 34,610          |
| Displaced in the planning case | 4,994           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malek | 2,040          | 1,900       | 11 (11)           | 1 (1)            | 3,348 (92)          | 109.3 (103.4)      |
| Adior | 1,673          | 1,382       | 12 (12)           | 3 (2)            | 3,932 (109)         | 93.7 (86.5)        |

Health facilities: 9 in the county, 8 on flood-prone ground | Schools: 35 in the county, 35 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                              | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4536: Above normal (percentile 86) on 2026-09-24.                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 43 mm below median in the top metre (30-day rain 77% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 8 of 9 health facilities on flood-prone ground.                                         | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 17,946 people affected, 4,994 displaced.                                                                                 | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 35 of 35 schools on flood-prone ground.                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 4,994 people displaced in the planning case.                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 4536 (hydroweb:7880)

### River level status

Latest pass 2026-09-24: **Above normal** (percentile 86). Level 410.22 m; seasonal median 409.87 m; anomaly +0.35 m. Record: min 408.93 m, max 410.55 m, average 409.77 m.

Baseline: 10 years, 61 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.25 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7887    | Below normal (percentile 22) on 2026-09-23 | 11 days            | 2026-10-04           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7879      | Near normal (percentile 39) on 2026-09-24 | 25 days                      | 2026-10-19                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 23,020, of which 12,620 at risk. Schools: 1 (1 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 340 (7 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

# Yirol West County

Lakes | County population about 181,325 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 68% of normal); ~47 mm expected over 2 weeks = 55% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 181,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025   |
|-----------------|------------|------------|------------|--------|
| People affected | not listed | not listed | not listed | 87,830 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 22,730          |
| 2 (planning)                   | 35,358          |
| 3 (severe)                     | 68,191          |
| Displaced in the planning case | 9,839           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Geng-geng | 1,881          | 1,845       | 7 (7)             | 1 (1)            | 2,667 (52)          | 47.2 (46.8)        |
| Anuol     | 1,023          | 1,000       | 0 (0)             | 3 (3)            | 2,900 (57)          | 72.9 (71.4)        |
| Gher      | 662            | 655         | 3 (3)             | 1 (1)            | 2,063 (44)          | 27.4 (27.2)        |
| Yirol     | 654            | 649         | 3 (3)             | 3 (3)            | 11,496 (375)        | 22.6 (22.2)        |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 27 in the county, 27 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 86 mm below median in the top metre (30-day rain 68% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 14 of 14 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 35,358 people affected, 9,839 displaced.</p>                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 27 of 27 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 9,839 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Aweil Centre County

Northern Bahr el Ghazal | County population about 78,958 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 63 mm below median in the top metre (30-day rain 122% of normal); ~47 mm expected over 2 weeks = 76% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022   | 2024   | 2025       |
|-----------------|-------|--------|--------|------------|
| People affected | 1,800 | 45,288 | 48,864 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 364             |
| 2 (planning)                   | 566             |
| 3 (severe)                     | 1,092           |
| Displaced in the planning case | 157             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Achana     | 3,401          | 1,749       | 1 (0)             | 2 (1)            | 635 (8)             | 126.7 (68.3)       |
| Nyalath    | 1,747          | 1,133       | 15 (9)            | 2 (0)            | 2,177 (27)          | 65.4 (35.3)        |
| Abul       | 2,893          | 1,053       | 6 (0)             | 2 (0)            | 1,003 (7)           | 145.5 (52.8)       |
| Bahr Mayen | 895            | 712         | 19 (12)           | 3 (2)            | 4,771 (106)         | 76.8 (55.9)        |

Health facilities: 15 in the county, 6 on flood-prone ground | Schools: 60 in the county, 31 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                      | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                            | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 63 mm below median in the top metre (30-day rain 122% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 6 of 15 health facilities on flood-prone ground.</p>                                         | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 566 people affected, 157 displaced.</p>                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 31 of 60 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 157 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Aweil East County

Northern Bahr el Ghazal | County population about 395,769 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 161% of normal); ~37 mm expected over 2 weeks = 52% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 396,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022    | 2024   | 2025       |
|-----------------|--------|---------|--------|------------|
| People affected | 40,000 | 135,030 | 91,128 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,639           |
| 2 (planning)                   | 2,549           |
| 3 (severe)                     | 4,916           |
| Displaced in the planning case | 709             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malual-bai | 1,753          | 1,059       | 23 (14)           | 13 (8)           | 21,540 (451)        | 45.5 (19.7)        |
| Baach      | 1,422          | 894         | 8 (6)             | 11 (7)           | 38,740 (879)        | 68.0 (47.0)        |
| Madhol     | 995            | 474         | 29 (15)           | 6 (4)            | 19,359 (470)        | 49.7 (25.4)        |
| Wunlang    | 584            | 361         | 10 (3)            | 4 (4)            | 19,311 (496)        | 13.5 (9.6)         |

Health facilities: 53 in the county, 33 on flood-prone ground | Schools: 108 in the county, 54 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                          | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 161% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 33 of 53 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 2,549 people affected, 709 displaced.</p>                                                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 54 of 108 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 709 people displaced in the planning case.</p>                                                 | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## Aweil North County

Northern Bahr el Ghazal | County population about 185,929 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 51 mm below median in the top metre (30-day rain 200% of normal); ~33 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 186,000

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 14,041 | 30,846 | 16,820 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,727           |
| 2 (planning)                   | 5,797           |
| 3 (severe)                     | 11,180          |
| Displaced in the planning case | 1,613           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Malual West | 3,399          | 1,842       | 11 (8)            | 9 (5)            | 9,390 (170)         | 3.6 (3.4)          |
| Malual East | 1,055          | 492         | 19 (10)           | 9 (3)            | 26,721 (498)        | 15.0 (8.5)         |

Health facilities: 37 in the county, 14 on flood-prone ground | Schools: 66 in the county, 25 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Lol, River: Below normal (percentile 14) on 2026-08-26.                             | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 51 mm below median in the top metre (30-day rain 200% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 14 of 37 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 5,797 people affected, 1,613 displaced.                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 25 of 66 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,613 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: Lol, River (dahiti:19749)

#### River level status

Latest pass 2026-08-26: **Below normal** (percentile 14). Level 448.05 m; seasonal median 449.04 m; anomaly -0.99 m. Record: min 446.29 m, max 450.68 m, average 447.78 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:23343     | Near normal (percentile 38) on 2026-08-07 | 1 days             | 2026-08-08           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23342       | Below normal (percentile 14) on 2026-08-24 | 4 days                       | 2026-08-30                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 51,173, of which 2 at risk. Schools: 19 (0 at risk). Health facilities: 23 (0 at risk). Buildings (VIDA): 29,920 (0 at risk). Counties within 25 km: Aweil Centre, Aweil North, Aweil West.

# Aweil South County

Northern Bahr el Ghazal | County population about 151,604 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 59 mm below median in the top metre (30-day rain 96% of normal); ~39 mm expected over 2 weeks = 66% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 152,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025       |
|-----------------|--------|--------|--------|------------|
| People affected | 23,000 | 45,246 | 85,302 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 571             |
| 2 (planning)                   | 888             |
| 3 (severe)                     | 1,713           |
| Displaced in the planning case | 247             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tar-weng     | 454            | 294         | 6 (2)             | 2 (0)            | 4,148 (100)         | 22.3 (13.1)        |
| Gakrol       | 267            | 218         | 5 (3)             | 5 (2)            | 4,186 (91)          | 41.4 (32.8)        |
| Wathmuok     | 222            | 173         | 6 (3)             | 3 (0)            | 3,744 (83)          | 12.4 (10.4)        |
| Nyocawany II | 166            | 141         | 4 (2)             | 0 (0)            | 5,656 (140)         | 19.6 (18.0)        |

Health facilities: 21 in the county, 6 on flood-prone ground | Schools: 37 in the county, 18 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 59 mm below median in the top metre (30-day rain 96% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 6 of 21 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 888 people affected, 247 displaced.</p>                                                                                          | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 18 of 37 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 247 people displaced in the planning case.</p>                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## Aweil West County

Northern Bahr el Ghazal | County population about 223,173 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 66 mm below median in the top metre (30-day rain 153% of normal); ~40 mm expected over 2 weeks = 60% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 223,000

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 12,158 | 30,168 | not listed |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 864             |
| 2 (planning)                   | 1,344           |
| 3 (severe)                     | 2,592           |
| Displaced in the planning case | 374             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Achana 2    | 1,619          | 1,053       | 0 (0)             | 3 (3)            | 862 (17)            | 63.5 (41.7)        |
| Mariem West | 889            | 484         | 3 (1)             | 3 (1)            | 12,251 (166)        | 18.8 (12.6)        |

Health facilities: 45 in the county, 21 on flood-prone ground | Schools: 44 in the county, 19 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Wadi Boro, River: Below normal (percentile 14) on 2026-08-24.                       | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 66 mm below median in the top metre (30-day rain 153% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 21 of 45 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 1,344 people affected, 374 displaced.                                                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 19 of 44 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 374 people displaced in the planning case.                                                 | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: Wadi Boro, River (dahiti:23342)

#### River level status

Latest pass 2026-08-24: **Below normal** (percentile 14). Level 436.18 m; seasonal median 436.80 m; anomaly -0.61 m. Record: min 434.18 m, max 437.90 m, average 435.69 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:19749     | Below normal (percentile 14) on 2026-08-26 | 4 days             | 2026-08-30           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23341       | Below normal (percentile 19) on 2026-08-07 | 34 days                      | 2026-09-27                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 70,305, of which 24 at risk. Schools: 41 (0 at risk). Health facilities: 33 (0 at risk). Buildings (VIDA): 94,635 (n/a at risk). Counties within 25 km: Aweil North, Aweil West.

# Abiemnhom County

Unity | County population about 60,349 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 78 mm below median in the top metre (30-day rain 93% of normal); ~38 mm expected over 2 weeks = 48% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 60,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,367           |
| 2 (planning)                   | 2,127           |
| 3 (severe)                     | 4,102           |
| Displaced in the planning case | 592             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Aworpiny  | 696            | 649         | 0 (0)             | 0 (0)            | 11 (0)              | 12.8 (12.6)        |
| Abiemnhom | 416            | 408         | 4 (4)             | 8 (8)            | 4,649 (109)         | 47.9 (46.9)        |

Health facilities: 8 in the county, 8 on flood-prone ground | Schools: 4 in the county, 4 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Bahr Al Arab km 4307: Below normal (percentile 25) on 2026-09-15.                  | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 78 mm below median in the top metre (30-day rain 93% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 8 of 8 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 2,127 people affected, 592 displaced.                                                                                        | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 4 of 4 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 592 people displaced in the planning case.                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Bahr Al Arab km 4307 (hydroweb:109368)

### River level status

Latest pass 2026-09-15: **Below normal** (percentile 25). Level 391.30 m; seasonal median 391.70 m; anomaly -0.40 m. Record: min 390.14 m, max 392.46 m, average 391.39 m.  
Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.14 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:104262  | Below normal (percentile 24) on 2026-09-07 | 8 days             | 2026-09-15           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 38,538, of which 18,709 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 794 (5 at risk). Counties within 25 km: Abiemnhom, Mayom, Pariang, Rubkona.

## Guit County

Unity | County population about 73,878 | Issued 02 October 2026

### Advisory

- Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 50% of normal); ~45 mm expected over 2 weeks = 119% of the deficit. Soils should recover if the rain arrives

### People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024  | 2025  |
|-----------------|-------|------------|-------|-------|
| People affected | 8,000 | not listed | 5,010 | 3,336 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,888           |
| 2 (planning)                   | 6,048           |
| 3 (severe)                     | 11,664          |
| Displaced in the planning case | 1,683           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Settlements assessed Sept 2025

| Payam              | Settlements | People        | Flooded       | High ground   | Small towns  |
|--------------------|-------------|---------------|---------------|---------------|--------------|
| Guit               | 1           | 5,600         | 5,600         | 0             | 0            |
| Kedad              | 3           | 3,700         | 3,700         | 0             | 0            |
| Kuach              | 9           | 18,500        | 2,800         | 14,200        | 1,500        |
| Kuerguini          | 7           | 20,040        | 8,170         | 11,870        | 0            |
| Niemni             | 5           | 13,700        | 7,900         | 0             | 5,800        |
| Nyathoar           | 3           | 3,650         | 3,650         | 0             | 0            |
| Wathnyona          | 3           | 8,800         | 7,800         | 1,000         | 0            |
| <b>Guit County</b> | <b>31</b>   | <b>73,990</b> | <b>39,620</b> | <b>27,070</b> | <b>7,300</b> |

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kedad | 1,026          | 971         | 11 (11)           | 2 (2)            | 1,298 (32)          | 31.5 (30.8)        |
| Kuach | 780            | 735         | 4 (4)             | 4 (4)            | 811 (28)            | 7.0 (7.0)          |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 21 in the county, 19 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                              | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4159: Unusually high (percentile 95) on 2026-09-11.              | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 38 mm below median in the top metre (30-day rain 50% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 12 of 12 health facilities on flood-prone ground.                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 6,048 people affected, 1,683 displaced.                                                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 19 of 21 schools on flood-prone ground.                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,683 people displaced in the planning case.                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile km 4159 (hydroweb:7882)

#### River level status

Latest pass 2026-09-11: **Unusually high** (percentile 95). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 392.00 m, max 392.72 m, average 392.44 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.03 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7899    | Above normal (percentile 81) on 2026-08-23 | 30 days            | 2026-09-22           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7881      | Above normal (percentile 86) on 2026-09-11 | 4 days                       | 2026-09-15                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 21,894, of which 18,253 at risk. Schools: 3 (1 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 336 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

# Koch County

Unity | County population about 115,158 | Issued 02 October 2026

## Advisory

- No significant change expected: near normal soils, about 16 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024   | 2025   |
|-----------------|-------|------------|--------|--------|
| People affected | 2,898 | not listed | 36,278 | 47,984 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 12,999          |
| 2 (planning)                   | 20,221          |
| 3 (severe)                     | 38,998          |
| Displaced in the planning case | 5,627           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam       | Settlements | People | Flooded | High ground | Small towns |
|-------------|-------------|--------|---------|-------------|-------------|
| Boaw        | 2           | 15,197 | 15,197  | 0           | 0           |
| Gany        | 2           | 7,681  | 0       | 7,681       | 0           |
| Jaak        | 8           | 33,479 | 19,047  | 14,432      | 0           |
| Kuachlual   | 1           | 12,382 | 12,382  | 0           | 0           |
| Ngony       | 3           | 18,886 | 3,900   | 14,986      | 0           |
| Norbor      | 1           | 4,700  | 0       | 4,700       | 0           |
| Pakur       | 1           | 3,680  | 0       | 3,680       | 0           |
| Koch County | 18          | 96,005 | 50,526  | 45,479      | 0           |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pakur | 1,105          | 938         | 4 (3)             | 2 (2)            | 25 (0)              | 0.0 (0.0)          |
| Jaak  | 984            | 923         | 3 (3)             | 2 (2)            | 3,125 (111)         | 2.1 (2.1)          |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 26 in the county, 25 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                             | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                   | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> No significant change expected: near normal soils, about 16 mm of rain in week 1.</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 10 of 10 health facilities on flood-prone ground.</p>               | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 20,221 people affected, 5,627 displaced.</p>                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 25 of 26 schools on flood-prone ground.</p>                                                                  | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 5,627 people displaced in the planning case.</p>                  | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Leer County

Unity | County population about 86,784 | Issued 02 October 2026

## Advisory

- No significant change expected: near normal soils, about 16 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024  | 2025   |
|-----------------|--------|--------|-------|--------|
| People affected | 41,000 | 48,295 | 6,611 | 62,796 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 14,888          |
| 2 (planning)                   | 23,159          |
| 3 (severe)                     | 44,664          |
| Displaced in the planning case | 6,444           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam       | Settlements | People | Flooded | High ground | Small towns |
|-------------|-------------|--------|---------|-------------|-------------|
| Adok        | 6           | 15,600 | 5,000   | 10,600      | 0           |
| Bou         | 1           | 1,400  | 1,400   | 0           | 0           |
| Guat        | 1           | 4,400  | 0       | 4,400       | 0           |
| Juong Kang  | 2           | 20,000 | 100     | 19,900      | 0           |
| Leer        | 2           | 12,900 | 0       | 12,900      | 0           |
| Padeah      | 3           | 2,900  | 0       | 2,900       | 0           |
| Pilieny     | 3           | 13,100 | 2,800   | 10,300      | 0           |
| Yang        | 3           | 9,400  | 0       | 9,400       | 0           |
| Leer County | 21          | 79,700 | 9,300   | 70,400      | 0           |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Yang    | 632            | 481         | 2 (2)             | 1 (1)            | 2,040 (52)          | 21.0 (20.9)        |
| Pilieny | 355            | 353         | 0 (0)             | 1 (1)            | 872 (19)            | 29.3 (29.3)        |

Health facilities: 14 in the county, 14 on flood-prone ground | Schools: 22 in the county, 22 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                           | Required actions and guidance                                                                                                                                                                                                                                                                                            |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>Water scarcity and drying of groundwater in drought areas.</li><li>Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4371: Below normal (percentile 18) on 2026-09-24. | <ul style="list-style-type: none"><li>Rehabilitate and expand water storage facilities.</li><li>Pre-position water treatment chemicals and repair parts.</li><li>Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>Crop failure, moisture stress and heat stress.</li><li>Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> No significant change expected: near normal soils, about 16 mm of rain in week 1.          | <ul style="list-style-type: none"><li>Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 14 of 14 health facilities on flood-prone ground.                        | <ul style="list-style-type: none"><li>Strengthen integrated epidemiological surveillance.</li><li>Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 23,159 people affected, 6,444 displaced.                                                                | <ul style="list-style-type: none"><li>Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                |
| Education                   | <ul style="list-style-type: none"><li>Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 22 of 22 schools on flood-prone ground.                                                                         | <ul style="list-style-type: none"><li>Activate pre-agreed education contingency plans before peak impacts.</li><li>Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                             |
| Protection                  | <ul style="list-style-type: none"><li>Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 6,444 people displaced in the planning case.                         | <ul style="list-style-type: none"><li>Mainstream GBV risk mitigation across emergency service delivery.</li><li>Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                          |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 4371 (hydroweb:7875)

### River level status

Latest pass 2026-09-24: **Below normal** (percentile 18). Level 400.62 m; seasonal median 400.71 m; anomaly -0.09 m. Record: min 400.22 m, max 401.00 m, average 400.65 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                          | Median travel time | Expected here around |
|------------------|-----------------------------------------------|--------------------|----------------------|
| hydroweb:7884    | Unusually high (percentile 100) on 2026-08-13 | 0 days             | 2026-08-13           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7874      | Unusually high (percentile 93) on 2026-09-24 | 4 days                       | 2026-09-28                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 46,458, of which 29,382 at risk. Schools: 3 (3 at risk). Health facilities: 2 (2 at risk). Buildings (VIDA): 2,855 (80 at risk). Counties within 25 km: Ayod, Leer, Panyijiar.

# Mayendit County

Unity | County population about 74,335 | Issued 02 October 2026

## Advisory

- No significant change expected: near normal soils, about 16 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025   |
|-----------------|--------|--------|--------|--------|
| People affected | 31,000 | 17,004 | 23,963 | 58,438 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 13,551          |
| 2 (planning)                   | 21,080          |
| 3 (severe)                     | 40,654          |
| Displaced in the planning case | 5,866           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Settlements assessed Sept 2025

| Payam                  | Settlements | People        | Flooded      | High ground   | Small towns |
|------------------------|-------------|---------------|--------------|---------------|-------------|
| Bor 2                  | 2           | 4,700         | 0            | 4,700         | 0           |
| Dablual                | 5           | 13,300        | 7,000        | 6,300         | 0           |
| Rubkuay                | 9           | 25,700        | 0            | 25,700        | 0           |
| Tutnyang               | 4           | 11,800        | 2,500        | 9,300         | 0           |
| <b>Mayendit County</b> | <b>20</b>   | <b>55,500</b> | <b>9,500</b> | <b>46,000</b> | <b>0</b>    |

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Pabuong   | 1,196          | 1,192       | 0 (0)             | 2 (2)            | 148 (0)             | 0.2 (0.2)          |
| Tharjiath | 563            | 550         | 1 (1)             | 0 (0)            | 19 (0)              | 0.0 (0.0)          |
| Maal      | 465            | 461         | 4 (4)             | 2 (2)            | 794 (23)            | 34.8 (34.2)        |
| Bor 2     | 288            | 285         | 2 (2)             | 2 (2)            | 611 (27)            | 20.3 (20.3)        |

Health facilities: 15 in the county, 15 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                             | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                   | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> No significant change expected: near normal soils, about 16 mm of rain in week 1.</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 15 of 15 health facilities on flood-prone ground.</p>               | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 21,080 people affected, 5,866 displaced.</p>                                                         | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 29 of 29 schools on flood-prone ground.</p>                                                                  | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 5,866 people displaced in the planning case.</p>                  | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Mayom County

Unity | County population about 170,251 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 44% of normal); ~46 mm expected over 2 weeks = 64% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 170,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025       |
|-----------------|--------|------------|--------|------------|
| People affected | 60,000 | not listed | 42,844 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 7,471           |
| 2 (planning)                   | 11,622          |
| 3 (severe)                     | 22,414          |
| Displaced in the planning case | 3,234           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wangkei   | 774            | 730         | 0 (0)             | 1 (1)            | 6,111 (181)         | 49.7 (48.5)        |
| Kuerbuone | 770            | 700         | 2 (2)             | 1 (1)            | 5,111 (160)         | 25.3 (24.5)        |

Health facilities: 10 in the county, 10 on flood-prone ground | Schools: 5 in the county, 5 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Jur, River: Above normal (percentile 88) on 2026-08-22.                            | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 71 mm below median in the top metre (30-day rain 44% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 10 of 10 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 11,622 people affected, 3,234 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 5 of 5 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 3,234 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Jur, River (dahiti:2688)

### River level status

Latest pass 2026-08-22: **Above normal** (percentile 88). Level 392.70 m; seasonal median 392.40 m; anomaly +0.30 m. Record: min 391.63 m, max 392.77 m, average 392.37 m.

Baseline: 10 years, 49 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:2687      | Above normal (percentile 84) on 2026-08-22 | 4 days             | 2026-08-26           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23338       | Above normal (percentile 83) on 2026-08-09 | 4 days                       | 2026-08-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 37,127, of which 26,319 at risk. Schools: 1 (0 at risk). Health facilities: 1 (1 at risk). Buildings (VIDA): 4,944 (138 at risk). Counties within 25 km: Koch, Mayom, Rubkona, Tonj North.

## Panyijiar County

Unity | County population about 126,239 | Issued 02 October 2026

### Advisory

- Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 41% of normal); ~41 mm expected over 2 weeks = 82% of the deficit. Soils should recover if the rain arrives

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025   |
|-----------------|--------|-------|--------|--------|
| People affected | 44,836 | 6,420 | 56,318 | 82,548 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 20,175          |
| 2 (planning)                   | 31,383          |
| 3 (severe)                     | 60,524          |
| Displaced in the planning case | 8,733           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Settlements assessed Sept 2025

| Payam                   | Settlements | People         | Flooded       | High ground   | Small towns   |
|-------------------------|-------------|----------------|---------------|---------------|---------------|
| Ganylliel               | 2           | 4,100          | 2,300         | 1,800         | 0             |
| Kol                     | 2           | 27,600         | 27,600        | 0             | 0             |
| Mayom 2                 | 1           | 4,800          | 4,800         | 0             | 0             |
| Nyal                    | 5           | 22,100         | 3,200         | 15,000        | 3,900         |
| Pachaar                 | 3           | 7,900          | 1,200         | 2,600         | 4,100         |
| Pachak                  | 3           | 14,300         | 10,100        | 4,200         | 0             |
| Pachienjok              | 3           | 8,900          | 5,700         | 3,200         | 0             |
| Panyijiar               | 1           | 1,800          | 0             | 1,800         | 0             |
| Thoarnhoum              | 2           | 9,700          | 2,200         | 0             | 7,500         |
| Tiap                    | 1           | 6,100          | 6,100         | 0             | 0             |
| <b>Panyijiar County</b> | <b>23</b>   | <b>107,300</b> | <b>63,200</b> | <b>28,600</b> | <b>15,500</b> |

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nyal    | 1,314          | 971         | 6 (5)             | 4 (4)            | 5,885 (158)         | 52.1 (33.3)        |
| Mayom 2 | 625            | 607         | 2 (2)             | 3 (3)            | 495 (14)            | 42.5 (39.1)        |

Health facilities: 25 in the county, 25 on flood-prone ground | Schools: 36 in the county, 35 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                              | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 4515: Above normal (percentile 77) on 2026-09-24.                | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 41% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 25 of 25 health facilities on flood-prone ground.                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 31,383 people affected, 8,733 displaced.                                                                                 | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 35 of 36 schools on flood-prone ground.                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 8,733 people displaced in the planning case.                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile km 4515 (hydroweb:7878)

#### River level status

Latest pass 2026-09-24: **Above normal** (percentile 77). Level 408.76 m; seasonal median 408.66 m; anomaly +0.10 m. Record: min 407.71 m, max 409.07 m, average 408.54 m.

Baseline: 10 years, 61 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.33 m; 10 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7879    | Near normal (percentile 39) on 2026-09-24 | 2 days             | 2026-09-26           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7877      | Below normal (percentile 30) on 2026-09-24 | 6 days                       | 2026-09-30                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 21,871, of which 10,597 at risk. Schools: 5 (5 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 3,344 (94 at risk). Counties within 25 km: Duk, Panyijiar, Twic East, Yirol East.

# Pariang County

Unity | County population about 143,832 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 160% of normal); ~37 mm expected over 2 weeks = 47% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 144,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,124           |
| 2 (planning)                   | 4,860           |
| 3 (severe)                     | 9,373           |
| Displaced in the planning case | 1,352           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jamjang | 1,874          | 590         | 5 (1)             | 8 (1)            | 22,683 (117)        | 100.8 (44.8)       |
| Wunkur  | 1,290          | 537         | 0 (0)             | 0 (0)            | 57 (0)              | 38.9 (8.6)         |

Health facilities: 23 in the county, 3 on flood-prone ground | Schools: 17 in the county, 4 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Bhar El Gazal km 4147: Unusually high (percentile 100) on 2026-09-11.               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 160% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 3 of 23 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 4,860 people affected, 1,352 displaced.                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 4 of 17 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,352 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Bhar El Gazal km 4147 (hydroweb:7826)

### River level status

Latest pass 2026-09-11: **Unusually high** (percentile 100). Level 391.39 m; seasonal median 391.14 m; anomaly +0.25 m. Record: min 390.95 m, max 391.49 m, average 391.18 m.

Baseline: 6 years, 12 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.05 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:7829    | Near normal (percentile 33) on 2026-09-19 | 10 days            | 2026-09-29           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7828      | Near normal (percentile 56) on 2026-09-21 | 32 days                      | 2026-10-13                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 18,085, of which 9,167 at risk. Schools: 5 (0 at risk). Health facilities: 1 (0 at risk). Buildings (VIDA): 725 (3 at risk). Counties within 25 km: Fangak, Guit, Pariang.

# Rubkona County

Unity | County population about 361,802 | Issued 02 October 2026

## Advisory

- No significant change expected: near normal soils, about 13 mm of rain in week 1

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025  |
|-----------------|--------|--------|--------|-------|
| People affected | 32,648 | 52,247 | 28,000 | 1,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 28,002          |
| 2 (planning)                   | 43,558          |
| 3 (severe)                     | 84,005          |
| Displaced in the planning case | 12,121          |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Budaang  | 1,461          | 1,130       | 3 (2)             | 1 (1)            | 3,981 (104)         | 51.0 (47.2)        |
| Nhialdiu | 576            | 560         | 11 (11)           | 4 (4)            | 5,199 (163)         | 0.0 (0.0)          |

Health facilities: 23 in the county, 17 on flood-prone ground | Schools: 65 in the county, 59 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                    | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Bhr Lgzi Trib 01 km 4273: Near normal (percentile 37) on 2026-09-21. | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> No significant change expected: near normal soils, about 13 mm of rain in week 1.               | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 17 of 23 health facilities on flood-prone ground.                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 43,558 people affected, 12,121 displaced.                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 59 of 65 schools on flood-prone ground.                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 12,121 people displaced in the planning case.                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Bhr Lgzi Trib 01 km 4273 (hydroweb:111299)

### River level status

Latest pass 2026-09-21: **Near normal** (percentile 37). Level 391.80 m; seasonal median 391.87 m; anomaly -0.07 m. Record: min 391.16 m, max 392.35 m, average 391.83 m.

Baseline: 5 years, 27 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 10 days since previous pass.

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 75,112, of which 70,927 at risk. Schools: 17 (17 at risk). Health facilities: 4 (4 at risk). Buildings (VIDA): 15,573 (486 at risk). Counties within 25 km: Koch, Mayom, Rubkona.

## Baliet County

Upper Nile | County population about 76,145 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 68% of normal); ~36 mm expected over 2 weeks = 59% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 76,000

### People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 13,152 | not listed | not listed |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,960           |
| 2 (planning)                   | 3,049           |
| 3 (severe)                     | 5,880           |
| Displaced in the planning case | 848             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Akotweng | 7,822          | 5,014       | 0 (0)             | 1 (0)            | 2,135 (36)          | 156.1 (65.4)       |
| Abwong   | 1,014          | 726         | 0 (0)             | 0 (0)            | 77 (2)              | 72.5 (54.3)        |

Health facilities: 12 in the county, 2 on flood-prone ground | Schools: 15 in the county, 2 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Sobat, River: Unusually high (percentile 100) on 2026-09-27.                       | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 68% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 2 of 12 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 3,049 people affected, 848 displaced.                                                                                        | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 2 of 15 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 848 people displaced in the planning case.                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: Sobat, River (dahiti:18743)

#### River level status

Latest pass 2026-09-27: **Unusually high** (percentile 100). Level 392.55 m; seasonal median 392.15 m; anomaly +0.40 m. Record: min 386.93 m, max 392.68 m, average 390.99 m.

Baseline: 7 years, 29 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 19 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:23357     | Below normal (percentile 22) on 2026-09-19 | 4 days             | 2026-09-23           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:18043       | Unusually high (percentile 93) on 2026-09-02 | 6 days                       | 2026-10-03                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 18,430, of which 408 at risk. Schools: 9 (1 at risk). Health facilities: 4 (0 at risk). Buildings (VIDA): 2,169 (0 at risk). Counties within 25 km: Baliet, Panyikang.

# Fashoda County

Upper Nile | County population about 83,775 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 61 mm below median in the top metre (30-day rain 88% of normal); ~34 mm expected over 2 weeks = 56% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 84,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024  | 2025  |
|-----------------|--------|------------|-------|-------|
| People affected | 13,476 | not listed | 2,620 | 8,690 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 4,020           |
| 2 (planning)                   | 6,254           |
| 3 (severe)                     | 12,061          |
| Displaced in the planning case | 1,740           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lul   | 1,795          | 948         | 2 (0)             | 4 (1)            | 3,752 (19)          | 107.4 (52.4)       |
| Kodok | 1,455          | 290         | 1 (0)             | 8 (0)            | 2,762 (9)           | 177.4 (22.2)       |

Health facilities: 17 in the county, 2 on flood-prone ground | Schools: 4 in the county, 0 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 3905: Above normal (percentile 73) on 2026-09-19.                    | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 61 mm below median in the top metre (30-day rain 88% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 2 of 17 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 6,254 people affected, 1,740 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 0 of 4 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,740 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 3905 (hydroweb:7969)

### River level status

Latest pass 2026-09-19: **Above normal** (percentile 73). Level 388.54 m; seasonal median 387.89 m; anomaly +0.65 m. Record: min 385.59 m, max 389.30 m, average 387.64 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.06 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7964    | Above normal (percentile 73) on 2026-09-13 | 3 days             | 2026-09-16           |

### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:201707    | Near normal (percentile 57) on 2026-09-23 | 10 days                      | 2026-09-29                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 28,283, of which 326 at risk. Schools: 9 (0 at risk). Health facilities: 18 (0 at risk). Buildings (VIDA): 11,230 (0 at risk). Counties within 25 km: Baliät, Fashoda, Melut.

# Longochuk County

Upper Nile | County population about 80,526 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 67 mm below median in the top metre (30-day rain 68% of normal); ~40 mm expected over 2 weeks = 60% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 81,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 31,000 | not listed | not listed | 15,000 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,917           |
| 2 (planning)                   | 4,538           |
| 3 (severe)                     | 8,752           |
| Displaced in the planning case | 1,263           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Guelguk   | 3,433          | 2,937       | 5 (5)             | 2 (2)            | 1,581 (39)          | 61.3 (50.1)        |
| Dajo      | 1,601          | 1,253       | 1 (1)             | 2 (2)            | 645 (11)            | 41.3 (36.9)        |
| Pamach    | 1,287          | 949         | 2 (2)             | 4 (4)            | 1,125 (27)          | 51.8 (43.1)        |
| Longochuk | 250            | 220         | 2 (2)             | 2 (2)            | 363 (12)            | 13.9 (8.7)         |

Health facilities: 16 in the county, 15 on flood-prone ground | Schools: 16 in the county, 14 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 67 mm below median in the top metre (30-day rain 68% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 15 of 16 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 4,538 people affected, 1,263 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 14 of 16 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,263 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Luakpiny/Nasir County

Upper Nile | County population about 350,742 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 68% of normal); ~35 mm expected over 2 weeks = 51% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 351,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025       |
|-----------------|--------|-------|--------|------------|
| People affected | 20,000 | 3,402 | 13,800 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 11,575          |
| 2 (planning)                   | 18,005          |
| 3 (severe)                     | 34,724          |
| Displaced in the planning case | 5,010           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mading     | 1,183          | 1,102       | 2 (2)             | 2 (2)            | 1,958 (42)          | 24.2 (24.0)        |
| Kiech Kuon | 1,872          | 1,080       | 10 (10)           | 12 (11)          | 4,553 (105)         | 53.6 (39.2)        |

Health facilities: 26 in the county, 25 on flood-prone ground | Schools: 29 in the county, 28 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Sobat km 4301: Below normal (percentile 13) on 2026-09-27.                         | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 70 mm below median in the top metre (30-day rain 68% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 25 of 26 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 18,005 people affected, 5,010 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 28 of 29 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 5,010 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Sobat km 4301 (hydroweb:113242)

### River level status

Latest pass 2026-09-27: **Below normal** (percentile 13). Level 400.61 m; seasonal median 400.71 m; anomaly -0.10 m. Record: min 395.39 m, max 401.09 m, average 399.32 m.

Baseline: 5 years, 27 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 10 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:201706    | Below normal (percentile 29) on 2026-09-23 | 18 days                      | 2026-10-15                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 119,958, of which 112,805 at risk. Schools: 23 (22 at risk). Health facilities: 19 (19 at risk). Buildings (VIDA): 13,946 (345 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

# Maban County

Upper Nile | County population about 84,550 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 46 mm below median in the top metre (30-day rain 93% of normal); ~33 mm expected over 2 weeks = 72% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 85,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 31,452 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 420             |
| 2 (planning)                   | 654             |
| 3 (severe)                     | 1,261           |
| Displaced in the planning case | 182             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jinmakda  | 5,089          | 4,912       | 1 (1)             | 1 (1)            | 5,402 (139)         | 234.4 (232.2)      |
| Boung     | 2,297          | 2,048       | 5 (5)             | 7 (6)            | 22,483 (438)        | 111.9 (104.6)      |
| Banashowa | 1,875          | 1,777       | 1 (1)             | 5 (5)            | 3,060 (52)          | 49.5 (48.8)        |
| Jinkuata  | 1,530          | 1,455       | 1 (1)             | 11 (10)          | 20,089 (358)        | 52.1 (50.8)        |

Health facilities: 25 in the county, 23 on flood-prone ground | Schools: 9 in the county, 9 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 46 mm below median in the top metre (30-day rain 93% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 23 of 25 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 654 people affected, 182 displaced.</p>                                                                                          | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 9 of 9 schools on flood-prone ground.</p>                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 182 people displaced in the planning case.</p>                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Maiwut County

Upper Nile | County population about 147,823 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 64 mm below median in the top metre (30-day rain 74% of normal); ~34 mm expected over 2 weeks = 53% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 148,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 18,000 | not listed | 24,213 | 10,416 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 2,369           |
| 2 (planning)                   | 3,685           |
| 3 (severe)                     | 7,107           |
| Displaced in the planning case | 1,025           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kigila | 1,058          | 760         | 0 (0)             | 0 (0)            | 178 (2)             | 27.0 (25.2)        |
| Jotoma | 927            | 701         | 1 (0)             | 4 (2)            | 624 (20)            | 71.1 (58.8)        |
| Olang  | 775            | 696         | 0 (0)             | 3 (3)            | 806 (20)            | 35.6 (30.0)        |
| Maiwut | 544            | 508         | 3 (3)             | 2 (2)            | 257 (19)            | 40.5 (35.9)        |

Health facilities: 11 in the county, 9 on flood-prone ground | Schools: 4 in the county, 3 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 64 mm below median in the top metre (30-day rain 74% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 9 of 11 health facilities on flood-prone ground.</p>                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 3,685 people affected, 1,025 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 3 of 4 schools on flood-prone ground.</p>                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,025 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Malakal County

Upper Nile | County population about 204,041 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 65% of normal); ~37 mm expected over 2 weeks = 62% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 204,000

## People affected by floods, previous assessments (county)

| Year            | 2021  | 2022       | 2024       | 2025  |
|-----------------|-------|------------|------------|-------|
| People affected | 5,000 | not listed | not listed | 5,784 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 14,001          |
| 2 (planning)                   | 21,779          |
| 3 (severe)                     | 42,002          |
| Displaced in the planning case | 6,060           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Lelo  | 535            | 331         | 18 (5)            | 9 (1)            | 12,747 (60)         | 51.0 (25.3)        |
| Ogot  | 195            | 125         | 7 (1)             | 1 (0)            | 1,043 (9)           | 29.8 (12.1)        |

Health facilities: 16 in the county, 4 on flood-prone ground | Schools: 70 in the county, 24 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile, River: Above normal (percentile 73) on 2026-09-13.                     | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 60 mm below median in the top metre (30-day rain 65% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 4 of 16 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 21,779 people affected, 6,060 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 24 of 70 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 6,060 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile, River (dahiti:14196)

### River level status

Latest pass 2026-09-13: **Above normal** (percentile 73). Level 388.77 m; seasonal median 388.10 m; anomaly +0.67 m. Record: min 385.62 m, max 389.48 m, average 387.82 m.

Baseline: 10 years, 22 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.02 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)              | Median travel time | Expected here around |
|------------------|-----------------------------------|--------------------|----------------------|
| dahiti:10179     | Insufficient record on 2016-05-20 | not established    | n/a                  |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:16323       | Above normal (percentile 88) on 2026-08-10 | 13 days                      | 2026-09-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 166,673, of which 4,537 at risk. Schools: 71 (1 at risk). Health facilities: 20 (0 at risk). Buildings (VIDA): 25,020 (0 at risk). Counties within 25 km: Baltet, Fashoda, Malakal, Panyikang.

# Manyo County

Upper Nile | County population about 83,853 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 34 mm below median in the top metre (30-day rain 110% of normal); ~25 mm expected over 2 weeks = 73% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 84,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025   |
|-----------------|------------|--------|--------|--------|
| People affected | not listed | 24,540 | 19,236 | 18,540 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 7,178           |
| 2 (planning)                   | 11,165          |
| 3 (severe)                     | 21,533          |
| Displaced in the planning case | 3,107           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wedakona | 2,947          | 1,264       | 17 (11)           | 4 (2)            | 4,511 (30)          | 132.2 (35.6)       |
| Magenist | 894            | 442         | 0 (0)             | 0 (0)            | 1,212 (5)           | 7.5 (3.4)          |

Health facilities: 14 in the county, 3 on flood-prone ground | Schools: 24 in the county, 13 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 3728: Above normal (percentile 86) on 2026-09-29.                     | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 34 mm below median in the top metre (30-day rain 110% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 3 of 14 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 11,165 people affected, 3,107 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 13 of 24 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 3,107 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: White Nile km 3728 (hydroweb:202026)

### River level status

Latest pass 2026-09-29: **Above normal** (percentile 86). Level 386.14 m; seasonal median 385.69 m; anomaly +0.45 m. Record: min 384.22 m, max 386.45 m, average 385.62 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.23 m; 21 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:7896    | Above normal (percentile 75) on 2026-09-06 | 3 days             | 2026-09-09           |

### Routed downstream signal

| Downstream station | Status (latest pass)                         | Median travel time from here | This station's signal expected there around |
|--------------------|----------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7961      | Unusually high (percentile 93) on 2025-06-28 | 0 days                       | 2026-09-29                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 33,802, of which 11,851 at risk. Schools: 8 (0 at risk). Health facilities: 4 (0 at risk). Buildings (VIDA): 5,114 (9 at risk). Counties within 25 km: Manyo, Melut, Renk.

# Melut County

Upper Nile | County population about 134,054 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 47 mm below median in the top metre (30-day rain 97% of normal); ~31 mm expected over 2 weeks = 67% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 134,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024       | 2025   |
|-----------------|--------|------------|------------|--------|
| People affected | 14,872 | not listed | not listed | 21,135 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 8,403           |
| 2 (planning)                   | 13,071          |
| 3 (severe)                     | 25,208          |
| Displaced in the planning case | 3,637           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wunamum | 2,069          | 1,998       | 1 (1)             | 0 (0)            | 3,716 (117)         | 100.6 (93.1)       |
| Paloch  | 1,782          | 1,070       | 0 (0)             | 2 (0)            | 5,224 (10)          | 137.4 (56.6)       |

Health facilities: 6 in the county, 0 on flood-prone ground | Schools: 18 in the county, 2 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> R Adar km 3864: Above normal (percentile 69) on 2026-09-27.                        | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 47 mm below median in the top metre (30-day rain 97% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 0 of 6 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 13,071 people affected, 3,637 displaced.                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 2 of 18 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 3,637 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: R Adar km 3864 (hydroweb:106194)

### River level status

Latest pass 2026-09-27: **Above normal** (percentile 69). Level 387.28 m; seasonal median 387.04 m; anomaly +0.24 m. Record: min 385.04 m, max 388.12 m, average 386.84 m.

Baseline: 7 years, 16 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:107566  | Near normal (percentile 38) on 2026-09-06 | 0 days             | 2026-09-06           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 24,416, of which 1,275 at risk. Schools: 12 (0 at risk). Health facilities: 9 (0 at risk). Buildings (VIDA): 11,001 (2 at risk). Counties within 25 km: Fashoda, Manyo, Melut.

## Panyikang County

Upper Nile | County population about 69,656 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 72% of normal); ~38 mm expected over 2 weeks = 51% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 70,000

### People affected by floods, previous assessments (county)

| Year            | 2021   | 2022       | 2024   | 2025   |
|-----------------|--------|------------|--------|--------|
| People affected | 31,000 | not listed | 39,680 | 15,140 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,059           |
| 2 (planning)                   | 7,870           |
| 3 (severe)                     | 15,178          |
| Displaced in the planning case | 2,190           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kuel    | 1,284          | 687         | 2 (0)             | 1 (0)            | 704 (1)             | 43.5 (20.9)        |
| Dheteim | 821            | 582         | 0 (0)             | 2 (0)            | 1,344 (5)           | 49.6 (33.3)        |

Health facilities: 11 in the county, 1 on flood-prone ground | Schools: 5 in the county, 1 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile, River: Unusually high (percentile 100) on 2026-09-23.                  | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 72% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 1 of 11 health facilities on flood-prone ground.                                            | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 7,870 people affected, 2,190 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 1 of 5 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 2,190 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile, River (dahiti:17743)

#### River level status

Latest pass 2026-09-23: **Unusually high** (percentile 100). Level 390.69 m; seasonal median 390.20 m; anomaly +0.49 m. Record: min 388.03 m, max 390.91 m, average 389.52 m.

Baseline: 7 years, 14 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 27 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                         | Median travel time | Expected here around |
|------------------|----------------------------------------------|--------------------|----------------------|
| dahiti:15557     | Unusually high (percentile 93) on 2026-09-25 | 0 days             | 2026-09-25           |
| dahiti:19752     | Above normal (percentile 69) on 2026-08-29   | 0 days             | 2026-08-29           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                      | Median travel time from here | This station's signal expected there around |
|--------------------|-------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:19751       | Near normal (percentile 62) on 2026-08-27 | 1 days                       | 2026-09-24                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 59,720, of which 1,946 at risk. Schools: 14 (0 at risk). Health facilities: 17 (0 at risk). Buildings (VIDA): 6,262 (0 at risk). Counties within 25 km: Canal/Pigi, Fangak, Panyikang.

## Renk County

Upper Nile | County population about 210,351 | Issued 02 October 2026

### Advisory

- Soil moisture deficit (moderate): soil about 36 mm below median in the top metre (30-day rain 129% of normal); ~24 mm expected over 2 weeks = 68% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 210,000

### People affected by floods, previous assessments (county)

| Year            | 2021  | 2022   | 2024       | 2025  |
|-----------------|-------|--------|------------|-------|
| People affected | 8,000 | 18,581 | not listed | 1,500 |

### Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 15,954          |
| 2 (planning)                   | 24,817          |
| 3 (severe)                     | 47,861          |
| Displaced in the planning case | 6,906           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

### Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Jalhak | 5,979          | 4,642       | 7 (3)             | 2 (0)            | 7,501 (53)          | 426.5 (311.0)      |
| Geger  | 2,297          | 1,979       | 12 (6)            | 10 (5)           | 4,729 (73)          | 180.6 (147.0)      |

Health facilities: 20 in the county, 6 on flood-prone ground | Schools: 34 in the county, 15 on flood-prone ground

### Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                   | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> White Nile km 3670: Above normal (percentile 86) on 2026-09-08.                     | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 36 mm below median in the top metre (30-day rain 129% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 6 of 20 health facilities on flood-prone ground.                                             | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 24,817 people affected, 6,906 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 15 of 34 schools on flood-prone ground.                                                                                               | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 6,906 people displaced in the planning case.                                               | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

### River station: White Nile km 3670 (hydroweb:201337)

#### River level status

Latest pass 2026-09-08: **Above normal** (percentile 86). Level 384.54 m; seasonal median 384.02 m; anomaly +0.52 m. Record: min 382.66 m, max 385.09 m, average 384.24 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.07 m; 21 days since previous pass.

#### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| hydroweb:202025  | Near normal (percentile 57) on 2026-09-29 | 3 days             | 2026-10-02           |

#### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| hydroweb:7970      | Above normal (percentile 77) on 2026-09-23 | 0 days                       | 2026-09-08                                  |

#### Exposure within 25 km of the station

WorldPop population (2020): 31,669, of which 6,290 at risk. Schools: 13 (0 at risk). Health facilities: 5 (0 at risk). Buildings (VIDA): 6,186 (4 at risk). Counties within 25 km: Manyo, Renk.

# Ulang County

Upper Nile | County population about 167,265 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 66% of normal); ~36 mm expected over 2 weeks = 43% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 167,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,205           |
| 2 (planning)                   | 8,096           |
| 3 (severe)                     | 15,614          |
| Displaced in the planning case | 2,253           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kurmuot | 2,376          | 1,979       | 0 (0)             | 3 (3)            | 3,889 (94)          | 39.8 (32.6)        |
| Doma    | 1,131          | 722         | 0 (0)             | 2 (2)            | 2,877 (60)          | 56.5 (30.1)        |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 0 in the county, 0 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Sobat, River: Unusually high (percentile 93) on 2026-09-04.                        | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 82 mm below median in the top metre (30-day rain 66% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 12 of 12 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 8,096 people affected, 2,253 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 0 of 0 schools on flood-prone ground.                                                                                                | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 2,253 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Sobat, River (dahiti:23359)

### River level status

Latest pass 2026-09-04: **Unusually high** (percentile 93). Level 399.38 m; seasonal median 399.22 m; anomaly +0.16 m. Record: min 394.06 m, max 399.99 m, average 397.61 m.

Baseline: 7 years, 30 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.01 m; 2 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                      | Median travel time | Expected here around |
|------------------|-------------------------------------------|--------------------|----------------------|
| dahiti:19747     | Near normal (percentile 38) on 2026-09-23 | 23 days            | 2026-10-16           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:23358       | Below normal (percentile 15) on 2026-09-17 | 10 days                      | 2026-09-14                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 98,991, of which 85,910 at risk. Schools: 19 (18 at risk). Health facilities: 18 (18 at risk). Buildings (VIDA): 12,789 (331 at risk). Counties within 25 km: Luakpiny/Nasir, Ulang.

# Gogrial East County

Warrap | County population about 138,793 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 66% of normal); ~45 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 139,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 46,583 | 25,218 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,336           |
| 2 (planning)                   | 5,189           |
| 3 (severe)                     | 10,007          |
| Displaced in the planning case | 1,444           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Toch East    | 2,109          | 1,839       | 11 (11)           | 4 (3)            | 16,426 (486)        | 54.9 (53.8)        |
| Pathuon West | 676            | 671         | 14 (14)           | 6 (6)            | 11,334 (343)        | 13.6 (13.6)        |

Health facilities: 21 in the county, 20 on flood-prone ground | Schools: 53 in the county, 52 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Nahr Al Jur km 4456: Below normal (percentile 14) on 2026-09-20.                   | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 79 mm below median in the top metre (30-day rain 66% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 20 of 21 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 5,189 people affected, 1,444 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 52 of 53 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 1,444 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Nahr Al Jur km 4456 (hydroweb:203777)

### River level status

Latest pass 2026-09-20: **Below normal** (percentile 14). Level 403.75 m; seasonal median 404.38 m; anomaly -0.63 m. Record: min 403.09 m, max 404.90 m, average 403.93 m.

Baseline: 3 years, 7 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.43 m; 21 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| hydroweb:203696  | Unusually low (percentile 0) on 2026-09-25 | 27 days            | 2026-10-22           |

### Routed downstream signal

No downstream station linked.

### Exposure within 25 km of the station

WorldPop population (2020): 48,334, of which 46,112 at risk. Schools: 14 (14 at risk). Health facilities: 5 (5 at risk). Buildings (VIDA): 20,147 (549 at risk). Counties within 25 km: Gogrial East, Gogrial West, Tonj North, Twic.

# Gogrial West County

Warrap | County population about 347,953 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 96% of normal); ~43 mm expected over 2 weeks = 86% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025       |
|-----------------|--------|--------|--------|------------|
| People affected | 13,000 | 71,821 | 48,828 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,384           |
| 2 (planning)                   | 2,153           |
| 3 (severe)                     | 4,152           |
| Displaced in the planning case | 599             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kuac North | 896            | 739         | 2 (2)             | 7 (2)            | 40,987 (n/a)        | 43.7 (33.8)        |
| Alek North | 702            | 664         | 3 (3)             | 1 (1)            | 9,521 (235)         | 11.2 (11.2)        |
| Kuac South | 614            | 551         | 2 (2)             | 7 (6)            | 15,446 (390)        | 15.6 (14.8)        |
| Alek South | 485            | 357         | 8 (6)             | 4 (3)            | 15,249 (388)        | 35.4 (32.4)        |

Health facilities: 30 in the county, 16 on flood-prone ground | Schools: 44 in the county, 27 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 50 mm below median in the top metre (30-day rain 96% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 16 of 30 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 2,153 people affected, 599 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 27 of 44 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 599 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Tonj East County

Warrap | County population about 190,959 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 91 mm below median in the top metre (30-day rain 74% of normal); ~43 mm expected over 2 weeks = 47% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 191,000

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022   | 2024   | 2025  |
|-----------------|--------|--------|--------|-------|
| People affected | 10,000 | 31,785 | 15,000 | 5,634 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,724           |
| 2 (planning)                   | 2,682           |
| 3 (severe)                     | 5,172           |
| Displaced in the planning case | 746             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Makuac   | 700            | 700         | 3 (3)             | 2 (2)            | 4,487 (95)          | 16.0 (16.0)        |
| Palal    | 671            | 664         | 6 (6)             | 1 (1)            | 4,900 (123)         | 71.0 (70.5)        |
| Ananatak | 607            | 603         | 4 (4)             | 2 (2)            | 3,148 (117)         | 66.4 (65.8)        |
| Wun-liit | 451            | 450         | 2 (2)             | 1 (1)            | 4,045 (120)         | 42.5 (42.5)        |

Health facilities: 12 in the county, 12 on flood-prone ground | Schools: 29 in the county, 29 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 91 mm below median in the top metre (30-day rain 74% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 12 of 12 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 2,682 people affected, 746 displaced.</p>                                                                                        | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 29 of 29 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 746 people displaced in the planning case.</p>                                                | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Tonj North County

Warrap | County population about 271,487 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 56% of normal); ~46 mm expected over 2 weeks = 67% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 271,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 12,207 | 30,000 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 6,289           |
| 2 (planning)                   | 9,783           |
| 3 (severe)                     | 18,867          |
| Displaced in the planning case | 2,722           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Akop   | 1,663          | 1,550       | 4 (4)             | 2 (2)            | 9,804 (252)         | 86.7 (86.7)        |
| Alabek | 1,592          | 1,512       | 6 (6)             | 1 (1)            | 14,953 (425)        | 56.1 (56.1)        |

Health facilities: 21 in the county, 19 on flood-prone ground | Schools: 59 in the county, 59 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                  | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Unknown, River: Above normal (percentile 84) on 2026-08-22.                        | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit (moderate): soil about 69 mm below median in the top metre (30-day rain 56% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 19 of 21 health facilities on flood-prone ground.                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 9,783 people affected, 2,722 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 59 of 59 schools on flood-prone ground.                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 2,722 people displaced in the planning case.                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Unknown, River (dahiti:2687)

### River level status

Latest pass 2026-08-22: **Above normal** (percentile 84). Level 392.81 m; seasonal median 392.51 m; anomaly +0.31 m. Record: min 391.50 m, max 393.19 m, average 392.55 m.

Baseline: 10 years, 58 passes within ±30 days, 2016–2025. Quality: ok; uncertainty ±0.00 m; 9 days since previous pass.

### Routed upstream signal

| Upstream station | Status (latest pass)                       | Median travel time | Expected here around |
|------------------|--------------------------------------------|--------------------|----------------------|
| dahiti:39376     | Below normal (percentile 27) on 2026-09-28 | 38 days            | 2026-11-05           |

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:2688        | Above normal (percentile 88) on 2026-08-22 | 4 days                       | 2026-08-26                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 22,689, of which 17,128 at risk. Schools: 1 (0 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 203 (7 at risk). Counties within 25 km: Koch, Mayom, Tonj North.

# Tonj South County

Warrap | County population about 126,289 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 88% of normal); ~55 mm expected over 2 weeks = 85% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025       |
|-----------------|------------|--------|--------|------------|
| People affected | not listed | 16,693 | 15,600 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 472             |
| 2 (planning)                   | 734             |
| 3 (severe)                     | 1,416           |
| Displaced in the planning case | 204             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam        | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Tonj         | 5,090          | 4,294       | 12 (12)           | 5 (5)            | 19,583 (560)        | 450.3 (398.1)      |
| Manyang-ngok | 878            | 849         | 7 (6)             | 2 (2)            | 6,179 (168)         | 150.9 (143.3)      |
| Wath-alel    | 835            | 826         | 0 (0)             | 3 (3)            | 6,184 (179)         | 15.2 (15.2)        |
| Thiet        | 363            | 345         | 0 (0)             | 2 (2)            | 9,482 (299)         | 68.2 (65.1)        |

Health facilities: 13 in the county, 13 on flood-prone ground | Schools: 19 in the county, 18 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                                | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WASH</b>                            | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| <b>Food Security &amp; Agriculture</b> | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 64 mm below median in the top metre (30-day rain 88% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| <b>Health &amp; Nutrition</b>          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 13 of 13 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| <b>Shelter &amp; NFIs</b>              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 734 people affected, 204 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| <b>Education</b>                       | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 18 of 19 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| <b>Protection</b>                      | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 204 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Twic County

Warrap | County population about 291,675 | Issued 02 October 2026

## Advisory

- Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 94% of normal); ~44 mm expected over 2 weeks = 57% of the deficit. Monitor crops and pasture; delay new planting until soils recover
- Exposure: County population about 292,000

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024   | 2025  |
|-----------------|------------|--------|--------|-------|
| People affected | not listed | 29,044 | 24,000 | 4,944 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 15,501          |
| 2 (planning)                   | 24,112          |
| 3 (severe)                     | 46,502          |
| Displaced in the planning case | 6,709           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Wunrok    | 846            | 797         | 22 (22)           | 7 (7)            | 25,922 (837)        | 34.5 (27.8)        |
| Turalei   | 812            | 793         | 10 (10)           | 9 (9)            | 21,496 (616)        | 65.1 (64.6)        |
| Aweeng    | 770            | 690         | 9 (9)             | 8 (8)            | 9,721 (296)         | 49.7 (45.6)        |
| Ajak-kuac | 431            | 416         | 7 (7)             | 3 (3)            | 7,376 (202)         | 12.7 (11.4)        |

Health facilities: 43 in the county, 34 on flood-prone ground | Schools: 78 in the county, 55 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                         | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                               | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit (moderate): soil about 76 mm below median in the top metre (30-day rain 94% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 34 of 43 health facilities on flood-prone ground.</p>                                           | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 24,112 people affected, 6,709 displaced.</p>                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 55 of 78 schools on flood-prone ground.</p>                                                                                              | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 6,709 people displaced in the planning case.</p>                                              | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Jur River County

Western Bahr el Ghazal | County population about 293,840 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 56 mm below median in the top metre (30-day rain 104% of normal); ~50 mm expected over 2 weeks = 90% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021   | 2022  | 2024   | 2025       |
|-----------------|--------|-------|--------|------------|
| People affected | 10,000 | 8,767 | 26,850 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 1,144           |
| 2 (planning)                   | 1,779           |
| 3 (severe)                     | 3,431           |
| Displaced in the planning case | 495             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kuajiena   | 4,408          | 3,483       | 9 (7)             | 6 (4)            | 12,868 (221)        | 262.1 (208.7)      |
| Kangi      | 1,905          | 1,216       | 1 (0)             | 9 (5)            | 8,207 (107)         | 100.5 (68.7)       |
| Rocrocdong | 1,378          | 1,168       | 19 (14)           | 4 (4)            | 7,536 (143)         | 137.9 (119.3)      |
| Udici      | 1,487          | 962         | 6 (4)             | 7 (4)            | 8,096 (124)         | 136.1 (101.2)      |

Health facilities: 43 in the county, 31 on flood-prone ground | Schools: 53 in the county, 42 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                      | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                            | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 56 mm below median in the top metre (30-day rain 104% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 31 of 43 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,779 people affected, 495 displaced.</p>                                                                                     | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 42 of 53 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 495 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Raja County

Western Bahr el Ghazal | County population about 76,633 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 62 mm below median in the top metre (30-day rain 122% of normal); ~52 mm expected over 2 weeks = 84% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 340             |
| 2 (planning)                   | 529             |
| 3 (severe)                     | 1,020           |
| Displaced in the planning case | 147             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Uyujuku | 19,851         | 3,617       | 5 (0)             | 5 (1)            | 3,820 (16)          | 551.5 (139.3)      |
| Raga    | 7,748          | 403         | 12 (0)            | 4 (0)            | 6,371 (1)           | 353.2 (24.0)       |
| Ringi   | 10,632         | 139         | 6 (0)             | 5 (0)            | 1,189 (0)           | 124.7 (0.0)        |
| Ere     | 23,780         | 0           | 0 (0)             | 1 (0)            | 6,470 (0)           | 633.8 (0.0)        |

Health facilities: 15 in the county, 1 on flood-prone ground | Schools: 23 in the county, 0 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                      | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                            | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 62 mm below median in the top metre (30-day rain 122% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 1 of 15 health facilities on flood-prone ground.</p>                                         | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 529 people affected, 147 displaced.</p>                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 0 of 23 schools on flood-prone ground.</p>                                                                                            | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 147 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Wau County

Western Bahr el Ghazal | County population about 345,948 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 37 mm below median in the top metre (30-day rain 95% of normal); ~50 mm expected over 2 weeks = 134% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 5,398           |
| 2 (planning)                   | 8,397           |
| 3 (severe)                     | 16,194          |
| Displaced in the planning case | 2,337           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam     | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bagari    | 11,417         | 4,651       | 25 (8)            | 9 (3)            | 5,104 (53)          | 245.9 (113.4)      |
| Kpaile    | 4,651          | 2,399       | 9 (8)             | 5 (4)            | 1,729 (18)          | 160.8 (129.8)      |
| Besselia  | 3,072          | 1,260       | 16 (7)            | 12 (6)           | 2,966 (55)          | 231.3 (104.7)      |
| Wau South | 50             | 44          | 62 (39)           | 13 (9)           | 41,799 (n/a)        | 21.8 (19.3)        |

Health facilities: 47 in the county, 29 on flood-prone ground | Schools: 188 in the county, 119 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 37 mm below median in the top metre (30-day rain 95% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 29 of 47 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 8,397 people affected, 2,337 displaced.</p>                                                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 119 of 188 schools on flood-prone ground.</p>                                                                                        | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 2,337 people displaced in the planning case.</p>                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Ezo County

Western Equatoria | County population about 138,291 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 68% of normal); ~74 mm expected over 2 weeks = 330% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022 | 2024       | 2025       |
|-----------------|------------|------|------------|------------|
| People affected | not listed | 600  | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 550             |
| 2 (planning)                   | 855             |
| 3 (severe)                     | 1,649           |
| Displaced in the planning case | 238             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Yangiri  | 4,774          | 2,700       | 5 (1)             | 4 (1)            | 1,145 (11)          | 138.8 (81.1)       |
| Bagidi   | 1,230          | 600         | 3 (1)             | 2 (0)            | 718 (5)             | 106.8 (52.5)       |
| Naandi   | 906            | 333         | 7 (1)             | 9 (0)            | 1,190 (6)           | 91.4 (32.9)        |
| Bariguna | 539            | 288         | 1 (1)             | 1 (0)            | 585 (4)             | 29.3 (14.9)        |

Health facilities: 30 in the county, 7 on flood-prone ground | Schools: 32 in the county, 8 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 23 mm below median in the top metre (30-day rain 68% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 7 of 30 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 855 people affected, 238 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 8 of 32 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 238 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Ibba County

Western Equatoria | County population about 68,544 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 31 mm below median in the top metre (30-day rain 63% of normal); ~77 mm expected over 2 weeks = 246% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022  | 2024       | 2025       |
|-----------------|------------|-------|------------|------------|
| People affected | not listed | 7,524 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 260             |
| 2 (planning)                   | 405             |
| 3 (severe)                     | 781             |
| Displaced in the planning case | 113             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Maniakara   | 4,144          | 2,877       | 5 (3)             | 3 (1)            | 2,916 (31)          | 173.9 (121.9)      |
| Maruko      | 2,864          | 1,986       | 0 (0)             | 2 (0)            | 67 (0)              | 74.3 (50.3)        |
| Ibba Centre | 977            | 541         | 4 (1)             | 5 (3)            | 7,277 (117)         | 66.3 (31.9)        |
| Madebe      | 763            | 539         | 1 (0)             | 2 (0)            | 711 (3)             | 63.1 (35.9)        |

Health facilities: 14 in the county, 5 on flood-prone ground | Schools: 13 in the county, 4 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 31 mm below median in the top metre (30-day rain 63% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 5 of 14 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 405 people affected, 113 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 4 of 13 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 113 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Maridi County

Western Equatoria | County population about 113,864 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 45 mm below median in the top metre (30-day rain 69% of normal); ~73 mm expected over 2 weeks = 163% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 429             |
| 2 (planning)                   | 668             |
| 3 (severe)                     | 1,288           |
| Displaced in the planning case | 186             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kozi     | 3,075          | 2,370       | 8 (3)             | 4 (3)            | 1,736 (22)          | 250.7 (199.5)      |
| Mambe    | 2,796          | 1,611       | 8 (5)             | 6 (3)            | 3,266 (43)          | 178.6 (110.7)      |
| Ngamunde | 602            | 322         | 2 (0)             | 4 (1)            | 1,985 (18)          | 56.5 (29.9)        |
| Landili  | 808            | 271         | 1 (0)             | 3 (0)            | 384 (2)             | 58.8 (16.0)        |

Health facilities: 29 in the county, 12 on flood-prone ground | Schools: 36 in the county, 16 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 45 mm below median in the top metre (30-day rain 69% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 12 of 29 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 668 people affected, 186 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 16 of 36 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 186 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Mundri East County

Western Equatoria | County population about 103,283 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 140% of normal); ~56 mm expected over 2 weeks = 207% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025       |
|-----------------|------------|--------|------------|------------|
| People affected | not listed | 29,946 | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 402             |
| 2 (planning)                   | 625             |
| 3 (severe)                     | 1,205           |
| Displaced in the planning case | 174             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam  | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|--------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kediba | 1,426          | 1,256       | 6 (5)             | 6 (5)            | 7,040 (120)         | 133.8 (115.3)      |
| Witto  | 1,382          | 1,054       | 7 (5)             | 3 (2)            | 6,197 (79)          | 108.1 (80.4)       |
| Minga  | 802            | 704         | 5 (5)             | 2 (2)            | 1,709 (28)          | 30.1 (26.8)        |
| Lozoh  | 918            | 657         | 11 (7)            | 4 (2)            | 8,501 (127)         | 90.8 (63.1)        |

Health facilities: 16 in the county, 12 on flood-prone ground | Schools: 35 in the county, 28 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                      | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                            | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 140% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 12 of 16 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 625 people affected, 174 displaced.</p>                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 28 of 35 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 174 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Mundri West County

Western Equatoria | County population about 51,413 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 78% of normal); ~64 mm expected over 2 weeks = 158% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024  | 2025       |
|-----------------|------------|--------|-------|------------|
| People affected | not listed | 41,374 | 1,530 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 191             |
| 2 (planning)                   | 297             |
| 3 (severe)                     | 573             |
| Displaced in the planning case | 83              |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam   | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|---------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Kotobi  | 2,200          | 1,580       | 6 (4)             | 5 (4)            | 3,398 (54)          | 125.6 (96.2)       |
| Mundri  | 1,775          | 1,416       | 12 (9)            | 3 (2)            | 11,801 (277)        | 82.8 (70.1)        |
| Bangolo | 1,224          | 813         | 1 (1)             | 7 (4)            | 1,624 (17)          | 76.7 (51.5)        |
| Amadi   | 675            | 555         | 5 (3)             | 3 (3)            | 2,450 (58)          | 76.2 (61.4)        |

Health facilities: 18 in the county, 13 on flood-prone ground | Schools: 24 in the county, 17 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 78% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 13 of 18 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 297 people affected, 83 displaced.</p>                                                                                       | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 17 of 24 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 83 people displaced in the planning case.</p>                                             | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Mvolo County

Western Equatoria | County population about 77,611 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 61% of normal); ~57 mm expected over 2 weeks = 138% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022   | 2024       | 2025   |
|-----------------|------------|--------|------------|--------|
| People affected | not listed | 31,959 | not listed | 15,780 |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 3,036           |
| 2 (planning)                   | 4,723           |
| 3 (severe)                     | 9,109           |
| Displaced in the planning case | 1,314           |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam          | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Bagori         | 1,645          | 1,436       | 0 (0)             | 2 (2)            | 974 (21)            | 72.4 (57.6)        |
| Yeri           | 1,326          | 1,192       | 0 (0)             | 1 (1)            | 1,053 (43)          | 94.7 (81.5)        |
| Mvolo          | 577            | 534         | 1 (1)             | 1 (1)            | 5,600 (76)          | 49.0 (44.6)        |
| Bahr El Grindi | 582            | 525         | 2 (2)             | 3 (2)            | 1,450 (26)          | 34.5 (31.5)        |

Health facilities: 12 in the county, 8 on flood-prone ground | Schools: 7 in the county, 7 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 41 mm below median in the top metre (30-day rain 61% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 8 of 12 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 4,723 people affected, 1,314 displaced.</p>                                                                                  | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 7 of 7 schools on flood-prone ground.</p>                                                                                            | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 1,314 people displaced in the planning case.</p>                                          | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Nagero County

Western Equatoria | County population about 61,561 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 77% of normal); ~62 mm expected over 2 weeks = 181% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 265             |
| 2 (planning)                   | 412             |
| 3 (severe)                     | 795             |
| Displaced in the planning case | 115             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020–2025).

| Payam    | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|----------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nagero   | 9,197          | 4,877       | 7 (2)             | 8 (4)            | 2,224 (24)          | 356.8 (249.7)      |
| Namutina | 8,763          | 2,400       | 5 (1)             | 13 (1)           | 2,309 (9)           | 209.9 (47.1)       |

Health facilities: 21 in the county, 5 on flood-prone ground | Schools: 12 in the county, 3 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 34 mm below median in the top metre (30-day rain 77% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 5 of 21 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 412 people affected, 115 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 3 of 12 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 115 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Nzara County

Western Equatoria | County population about 86,370 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 28 mm below median in the top metre (30-day rain 66% of normal); ~75 mm expected over 2 weeks = 269% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024  | 2025       |
|-----------------|------------|------------|-------|------------|
| People affected | not listed | not listed | 1,125 | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 319             |
| 2 (planning)                   | 496             |
| 3 (severe)                     | 957             |
| Displaced in the planning case | 138             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam      | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Ringasi    | 4,433          | 2,895       | 2 (1)             | 1 (1)            | 945 (9)             | 84.8 (52.4)        |
| Basukangbi | 714            | 244         | 2 (0)             | 2 (0)            | 307 (4)             | 55.3 (17.8)        |

Health facilities: 19 in the county, 1 on flood-prone ground | Schools: 25 in the county, 2 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                              | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul> <b>This county:</b> Unknown, River: Near normal (percentile 47) on 2026-08-22.                     | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <b>This county:</b> Soil moisture deficit easing: soil about 28 mm below median in the top metre (30-day rain 66% of normal). | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <b>This county:</b> 1 of 19 health facilities on flood-prone ground.                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <b>This county:</b> planning case 496 people affected, 138 displaced.                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <b>This county:</b> 2 of 25 schools on flood-prone ground.                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <b>This county:</b> up to 138 people displaced in the planning case.                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## River station: Unknown, River (dahiti:2686)

### River level status

Latest pass 2026-08-22: **Near normal** (percentile 47). Level 476.10 m; seasonal median 476.16 m; anomaly -0.06 m.

Record: min 473.53 m, max 478.63 m, average 475.34 m.

Baseline: 10 years, 55 passes within ±30 days, 2016-2025. Quality: ok; uncertainty ±0.01 m; 9 days since previous pass.

### Routed downstream signal

| Downstream station | Status (latest pass)                       | Median travel time from here | This station's signal expected there around |
|--------------------|--------------------------------------------|------------------------------|---------------------------------------------|
| dahiti:39376       | Below normal (percentile 27) on 2026-09-28 | 22 days                      | 2026-09-13                                  |

### Exposure within 25 km of the station

WorldPop population (2020): 8,946, of which 6,727 at risk. Schools: 2 (1 at risk). Health facilities: 0 (0 at risk). Buildings (VIDA): 78 (1 at risk). Counties within 25 km: Ezo, Nagero, Nzara, Wulu, Yambio.

# Tambura County

Western Equatoria | County population about 122,913 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 54% of normal); ~65 mm expected over 2 weeks = 299% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 478             |
| 2 (planning)                   | 744             |
| 3 (severe)                     | 1,435           |
| Displaced in the planning case | 207             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Mupoi       | 1,563          | 961         | 7 (3)             | 3 (1)            | 1,834 (13)          | 66.0 (37.4)        |
| Tambura     | 1,710          | 911         | 10 (1)            | 15 (3)           | 17,008 (71)         | 71.3 (34.4)        |
| Source Yubu | 418            | 139         | 7 (2)             | 5 (1)            | 2,780 (13)          | 56.7 (20.8)        |

Health facilities: 23 in the county, 5 on flood-prone ground | Schools: 24 in the county, 6 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 22 mm below median in the top metre (30-day rain 54% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 5 of 23 health facilities on flood-prone ground.</p>                                        | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 744 people affected, 207 displaced.</p>                                                                                      | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 6 of 24 schools on flood-prone ground.</p>                                                                                           | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 207 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

# Yambio County

Western Equatoria | County population about 173,972 | Issued 02 October 2026

## Advisory

- Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 61% of normal); ~76 mm expected over 2 weeks = 283% of the deficit. Soils should recover if the rain arrives

## People affected by floods, previous assessments (county)

| Year            | 2021       | 2022       | 2024       | 2025       |
|-----------------|------------|------------|------------|------------|
| People affected | not listed | not listed | not listed | not listed |

## Flood scenarios, 2026 Floods & Drought Plan (county, people affected)

| Scenario                       | People affected |
|--------------------------------|-----------------|
| 1 (lower)                      | 656             |
| 2 (planning)                   | 1,021           |
| 3 (severe)                     | 1,969           |
| Displaced in the planning case | 284             |

Planning figures, not forecasts or probabilities. Scenarios 1 and 3 apply the plan's state coefficients to the county planning case.

## Infrastructure at risk of flooding, by payam (flood-prone ground)

At risk = flooded now or in at least 15% of years in the same season (Sentinel-1, 2020-2025).

| Payam       | Payam area km² | At risk km² | Schools (at risk) | Health (at risk) | Buildings (at risk) | Roads km (at risk) |
|-------------|----------------|-------------|-------------------|------------------|---------------------|--------------------|
| Nadiangere  | 4,096          | 2,798       | 0 (0)             | 2 (0)            | 282 (6)             | 185.9 (134.0)      |
| Bangasu     | 2,183          | 1,236       | 10 (4)            | 10 (1)           | 7,661 (57)          | 189.6 (100.5)      |
| Ri-rangu    | 1,363          | 751         | 3 (3)             | 5 (3)            | 1,039 (14)          | 95.2 (47.2)        |
| Yambio Town | 555            | 327         | 36 (2)            | 26 (4)           | 72,009 (n/a)        | 71.4 (39.9)        |

Health facilities: 52 in the county, 10 on flood-prone ground | Schools: 60 in the county, 13 on flood-prone ground

## Cluster-specific guidance and action priorities

| Cluster                     | Core climate risk implication                                                                                                                                                                                                                                                                     | Required actions and guidance                                                                                                                                                                                                                                                                                                  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WASH                        | <ul style="list-style-type: none"><li>• Water scarcity and drying of groundwater in drought areas.</li><li>• Damage to infrastructure and water contamination in flood zones.</li></ul>                                                                                                           | <ul style="list-style-type: none"><li>• Rehabilitate and expand water storage facilities.</li><li>• Pre-position water treatment chemicals and repair parts.</li><li>• Improve resilience of groundwater pumps and map high-risk water points.</li></ul>                                                                       |
| Food Security & Agriculture | <ul style="list-style-type: none"><li>• Crop failure, moisture stress and heat stress.</li><li>• Livestock mortality and sudden pasture depletion.</li></ul> <p><b>This county:</b> Soil moisture deficit easing: soil about 27 mm below median in the top metre (30-day rain 61% of normal).</p> | <ul style="list-style-type: none"><li>• Distribute drought-tolerant, short-cycle seed varieties ahead of planting seasons.</li><li>• Coordinate early livestock destocking and step up veterinary and deworming services.</li><li>• Provide flexible anticipatory cash transfers to farmers before the season fails.</li></ul> |
| Health & Nutrition          | <ul style="list-style-type: none"><li>• Surges in vector-borne (malaria) and waterborne (cholera) disease.</li><li>• Risk of acute malnutrition from harvest losses.</li></ul> <p><b>This county:</b> 10 of 52 health facilities on flood-prone ground.</p>                                       | <ul style="list-style-type: none"><li>• Strengthen integrated epidemiological surveillance.</li><li>• Pre-position cholera kits, bed nets and ready-to-use therapeutic food (RUTF).</li><li>• Prepare heat-stress management and prioritise essential maternal and child health care.</li></ul>                                |
| Shelter & NFIs              | <ul style="list-style-type: none"><li>• Sudden displacement and destruction of homes from localized floods or storms.</li></ul> <p><b>This county:</b> planning case 1,021 people affected, 284 displaced.</p>                                                                                    | <ul style="list-style-type: none"><li>• Pre-position emergency shelter kits and basic household supplies outside flood zones.</li><li>• Map highly exposed riverine settlements and set up early-warning protocols.</li></ul>                                                                                                  |
| Education                   | <ul style="list-style-type: none"><li>• Learning disruption from school closures, water shortages or infrastructure damage.</li></ul> <p><b>This county:</b> 13 of 60 schools on flood-prone ground.</p>                                                                                          | <ul style="list-style-type: none"><li>• Activate pre-agreed education contingency plans before peak impacts.</li><li>• Secure temporary learning structures and deploy emergency school WASH services.</li></ul>                                                                                                               |
| Protection                  | <ul style="list-style-type: none"><li>• Heightened protection, gender-based violence (GBV) and child labour risks from resource strain and climate displacement.</li></ul> <p><b>This county:</b> up to 284 people displaced in the planning case.</p>                                            | <ul style="list-style-type: none"><li>• Mainstream GBV risk mitigation across emergency service delivery.</li><li>• Establish conflict-resolution mechanisms along shifting pastoral migration corridors.</li></ul>                                                                                                            |

Guidance adapted from the Global Nutrition Cluster, Climate Crisis and Humanitarian Coordination (2025) and the Global Protection Cluster preparedness guidance. Decision support, to be confirmed by cluster coordinators.

## About this report: data, methods and references

Decision support, not an official warning. Alert levels follow the impact-based likelihood x impact approach of WMO-No. 1150; the scales are provisional. Figures are planning and monitoring information and carry the uncertainties listed below.

### 1. How the report is produced

A GitHub Actions workflow runs the county bulletin twice a day, after the ECMWF 00 and 12 UTC releases (11:30 and 23:30 Juba). The combined report is rebuilt from that bulletin after the evening run (midnight Juba), emailed to subscribers as one PDF and published as the latest report linked from the live map. A weekly Earth Engine job refreshes the flood extent, the infrastructure-at-risk table and the 25 km station exposure. The weekly version label (vDDMMYY) is the Monday of the issue week; the first is v51026 (5 Oct 2026).

### 2. County indicators and alert levels

**Rain so far:** GSMaP v8 gauge-corrected rainfall, 7, 15 and 30-day totals against the same dates 2001–2025. **Soil and water balance:** NASA SMAP Level-4 root-zone soil moisture, evapotranspiration and runoff against 2015–2025; wetness is judged by the root-zone z-score (steadier than a percentile with about ten comparison years that include the flood years 2019–2022 and 2024). The soil deficit is the root-zone water missing against the median, in mm.

**Outlook:** ECMWF IFS ensemble (up to 51 members, 15 days); chances of a 7-day dry spell, a 3-day wet spell and 50 mm in week 1 are the share of members that show the event. **Alert level:** likelihood x impact (green no action, yellow be aware, orange be prepared, red take action), for the hazard (drought / dry spell or flood / waterlogging) named in each county advisory; the likelihood and impact ratings are shown in the advisory text.

Forecast check against observed rain: days 1–5, 316 county-days: hit rate 82%, false-alarm ratio 25%, Brier skill 0.16.

### 3. Cover lists

**Drought watch:** counties with the lowest root-zone soil moisture that the next 2 weeks of rain will not fix. **Flood watch:** wettest soil, water surplus and heavy rain ahead, weighted by people on flood-prone ground. **Gauge watch:** stations where the water takes more than 5 days to reach the next station downstream and the last pass is newer than that travel time, so there is still time to warn downstream counties (star = a station already on the watch list).

**Towns and counties to monitor:** red or orange counties not already in the drought or flood lists.

### 4. Flood history, scenarios and settlements

People affected in 2021, 2022, 2024 and 2025 come from the flood assessments compiled for the project (county totals; "not listed" means the county does not appear in that assessment, not that nobody was affected). The 2026 scenarios are planning figures from the 2026 Floods and Drought Plan (scenario 1 lower, 2 planning, 3 severe, and people displaced in the planning case); scenarios 1 and 3 apply the plan's state coefficients to the county planning case and are not forecasts or probabilities. Settlements are those assessed in September 2025 (OCHA 2024 and UNMISS 2025 high-ground list, other flooded settlements and small towns), grouped by payam. Population is the 2025 county estimate supplied to the project.

### 5. Infrastructure at risk, by payam

**At risk** = flooded in the current maximum flood extent, or flooded in at least 15% of the same-season baseline years (2020–2025) where at least three baseline years exist. The baseline is Sentinel-1 (descending VV): open water below -18 dB after a 50 m focal median, plus flooded vegetation where VV rises at least 3 dB over the Feb–Mar dry-season median, limited to terrain within 15 m above the nearest drainage (MERIT Hydro HAND). The current extent is the maximum over the latest 12 days of Sentinel-1, exported every Sunday to a fixed Earth Engine asset. Counts are per payam (512 payam polygons): schools and health facilities (OCHA point layers, counted when the point falls on at-risk ground), buildings (VIDA Google-Microsoft combined footprints; at-risk count skipped where a payam has more than 40,000), roads (GRIP4, 100 m raster, length on at-risk ground) and area. County totals are the sum of its payams.

### 6. River stations

Levels are satellite-altimetry passes from DAHITI (DGFI-TUM) and Hydroweb.Next (Theia / CNES, LEGOS), merged nightly with quality flags (jumps checked against neighbours, long gaps, high uncertainty). The **status** compares the latest level with passes within  $\pm 30$  days of the same date in 2016–2025: unusually high from the 70th percentile, above normal 60th–70th, near normal 40th–60th, below normal 30th–40th, unusually low below the 30th; fewer than 2 years or 6 passes counts as insufficient record. Low and insufficient stations are not shown. The **routed signal** reads the linked upstream and downstream stations: the median travel time is the typical lag between the two stations over their overlapping passes, and "expected here around" is the observation date plus that lag. Altimetry samples a river every 10–35 days, so a pass can miss a peak, and flood-level thresholds are "as seen by the satellite", not gauge return periods.

### 7. Exposure within 25 km of a station

Population (WorldPop 2020, 100 m), schools, health facilities and VIDA buildings inside a 25 km circle around the station, with the share on at-risk ground (definition in section 5) and a payam-by-payam breakdown of the part of each payam inside the circle. Circles overlap neighbouring counties, which are listed. A station is assigned to the county that contains it.

### 8. Main limits

- Rain, soil and flood layers are satellite products: coarse (GSMaP about 10 km, SMAP L4 about 9 km) and subject to retrieval error, especially in wetlands.

- The ensemble gives chances, not certainties; the dry-spell and heavy-rain chances are for the county as a whole.
- Flood extent from radar misses flooding under dense canopy and can over-detect on wet floodplain vegetation; the weekly window can miss short events.
- Population, building and facility layers are modelled or compiled, and may be out of date or incomplete in remote areas.
- River flooding from upstream can continue while local soils are dry: the land model does not include river overflow.
- Assessment and scenario figures describe past or planned situations, not the situation now.

## Data sources

| Layer                        | Source                                                                                             | Used for                                    |
|------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------|
| Rainfall                     | GSMaP v8 operational, gauge-corrected (JAXA), via Google Earth Engine                              | Rain so far, anomalies                      |
| Soil moisture, ET, runoff    | NASA SMAP Level-4 SPL4SMGP                                                                         | Soil z-score, deficit, water balance        |
| Forecast                     | ECMWF IFS ensemble open data (CC BY 4.0, © ECMWF)                                                  | Dry / wet spell and heavy-rain chances      |
| Forecast rain, 7-day         | NOAA GFS 0.25°; ECMWF IFS NRT; CHIRPS daily (UCSB-CHG)                                             | Station rainfall outlook in the app         |
| River levels                 | DAHITI (DGFI-TUM); Hydroweb.Next (Theia / CNES, LEGOS)                                             | Station status and routed signals           |
| River discharge outlook      | GEOGLOWS ECMWF Streamflow Model (BYU / ECMWF)                                                      | River alert, where available                |
| Flood extent and baseline    | Copernicus Sentinel-1 GRD; MERIT Hydro HAND                                                        | Current and same-season flood extent        |
| Flood-prone ground           | JRC Global Surface Water; Global Flood Database                                                    | Flood-prone share of population             |
| Population                   | County estimates 2025 (project); WorldPop 2020, 100 m (Univ. of Southampton, CC BY 4.0)            | County and 25 km population                 |
| Settlement and buildings     | GHSL built-up surface (JRC); VIDA combined footprints; JRC GHS-OBAT 2020                           | Built-up area, building counts              |
| Roads                        | GRIP4 Africa (Meijer et al. 2018)                                                                  | Road length at risk                         |
| Schools, health facilities   | OCHA (data.humdata.org/group/ssd)                                                                  | Facilities at risk                          |
| Cropland                     | ESA WorldCover 2021 v200 (CC BY 4.0)                                                               | Cropland in the county bulletin             |
| Catchments                   | HydroBASINS / HydroSHEDS                                                                           | Upstream catchment rainfall                 |
| Admin boundaries             | OCHA (data.humdata.org/group/ssd); 512 payams                                                      | All county and payam figures                |
| Flood assessments, scenarios | Flood assessments 2021–2025; 2026 Floods and Drought Plan; OCHA 2024 / UNMISS 2025 settlement list | Earlier assessments, scenarios, settlements |

## Key references

- Gorelick, N. et al. (2017). Google Earth Engine: planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment* 202, 18–27.
- Pekel, J.-F. et al. (2016). High-resolution mapping of global surface water and its long-term changes. *Nature* 540, 418–422.
- Tellman, B. et al. (2021). Satellite imaging reveals increased proportion of population exposed to floods. *Nature* 596, 80–86.
- Torres, R. et al. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment* 120, 9–24.
- Yamazaki, D. et al. (2019). MERIT Hydro: a high-resolution global hydrography map based on latest topography datasets. *Water Resources Research* 55, 5053–5073.
- Schwatke, C. et al. (2015). DAHITI: an innovative approach for estimating water level time series over inland waters using multi-mission satellite altimetry. *Hydrology and Earth System Sciences* 19, 4345–4364.
- Lehner, B. and Grill, G. (2013). Global river hydrography and network routing (HydroSHEDS, HydroBASINS). *Hydrological Processes* 27, 2171–2186.
- Meijer, J. R. et al. (2018). Global patterns of current and future road infrastructure. *Environmental Research Letters* 13, 064006.
- Zanaga, D. et al. (2022). ESA WorldCover 10 m 2021 v200. Zenodo.
- Gumbel, E. J. (1958). *Statistics of Extremes*. Columbia University Press.
- World Meteorological Organization (2015). *WMO Guidelines on Multi-hazard Impact-based Forecast and Warning Services*, WMO-No. 1150.
- Data providers: OCHA (schools, health facilities, administrative boundaries; data.humdata.org/group/ssd), JAXA (GSMaP), NASA (SMAP L4), ECMWF (IFS ensemble), NOAA (GFS), UCSB Climate Hazards Center (CHIRPS), DGFI-TUM (DAHITI), CNES / LEGOS (Hydroweb.Next), BYU / ECMWF (GEOGLOWS), University of Southampton (WorldPop), European Commission JRC (GSW, GHSL, GHS-OBAT), VIDA / Google / Microsoft (building footprints), ESA (WorldCover, Sentinel-1).

## Method code and the live map

Pipeline code: [github.com/Penuelabi/altimetry-nightly](https://github.com/Penuelabi/altimetry-nightly). Live map: <https://penuelabi.users.earthengine.app/view/south-sudan-weather-forecast>. Prepared by ALLAU, Denis Abi, PhD, Abuk Project, Mayardit Academy for Space Sciences, University of Juba and University of California, Davis.