

START Experiments recorded for
 from SC-Database on Saturday, 01 January, 2000 at 00:56:14
 Software version = 5.81 Data version = 4.62
 Experiment list contains 35 experiments for
 (no ligands specified)
 Metal : Os
 (no references specified)
 (no experimental details specified)

e- HL Electron (442)
 Electron;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|----------|-----------|---------|
| Os | kin | oth/un | ? | 1.00M | U | H | | | 1968BHc | (762) 1 |

K=0.89.

Medium: 1 M KOH. K: OsO6---- + OsO4-- = 2Os(VII)

| | | | | | | | | | | |
|----|-----|------|------|-----|---|--|--|--|---------|---------|
| Os | EMF | none | 25°C | 0.0 | M | | | | 1966BDb | (763) 2 |
|----|-----|------|------|-----|---|--|--|--|---------|---------|

K=14.96, 884.7 mV

K'=8.18, 483.6 mV

K: Os(bpy)3+++ + e = Os(bpy)3++. K': Os(bpY)2(py)Cl++ + e = Os(bpy)2(py)Cl+
 17 similar reactions

| | | | | | | | | | | |
|----|-----|------|------|-----|---|--|--|--|---------|---------|
| Os | EMF | none | 25°C | 0.0 | U | | | | 1956CAa | (764) 3 |
|----|-----|------|------|-----|---|--|--|--|---------|---------|

K=65.3(964 mV)

K: OsO4(aq)+4H+4e=OsO2(H2O)x(s)+2H2O

| | | | | | | | | | | |
|----|-----|------|------|-----|---|--|--|--|---------|---------|
| Os | oth | none | 25°C | 0.0 | U | | | | 1952LAb | (765) 4 |
|----|-----|------|------|-----|---|--|--|--|---------|---------|

K=10(0.3 V)

K(HOs(VIII)O5+2e=Os(VI)O4+OH); from thermodynamic data. Estimated values:
 K(OsO4+8H+8e=Os(s)+4H2O)=114(850 mV), K(Os(IV)Cl6+e)=14(850 mV)

| | | | | | | | | | | |
|----|-----|--------|------|-------|---|---|--|--|---------|---------|
| Os | EMF | oth/un | 25°C | 2.11M | U | I | | | 1950Mca | (766) 5 |
|----|-----|--------|------|-------|---|---|--|--|---------|---------|

K=5.90(349 mV)

Medium: M HBr; K: Os(IV)Br6+e=Os(V)Br6. In I=4 M: K=5.24(310 mV), I=3.25 M:
 K=5.43(321 mV), I=2.12: K=5.90(349 mV)

| | | | | | | | | | | |
|----|-----|--------|------|-------|---|---|--|--|---------|---------|
| Os | EMF | oth/un | 20°C | 0.10M | U | I | | | 1946DHa | (767) 6 |
|----|-----|--------|------|-------|---|---|--|--|---------|---------|

K=7.67(446 mV)

Medium: HCl; K: Os(IV)+e=Os(III). For I=5 M HCl: K=5.28(307 mV); 3.5 M: K=
 5.80(337 mV); 2 M: 6.66(387 mV). Also in HBr: 1 M: K=6.63(392 mV)

CO L Carbon monoxide CAS 630-08-0 (551)
 Carbon monoxide;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|----------|
| Os | kin | non-aq | 25°C | 100% | U | T HM | | | 1993PSb | (2816) 7 |

Medium: Decalin. T. 25-90 C. K=2.63(30C); 2.51(35); 2.41(40); 1.96(60); 1.87(70); 1.64(80); 1.49(90). At 25-40C, DH=-42.3 kJ mol⁻¹; at 50-90 C, DH=-39.8

Medium:Decalin. DH=-79.9 kJ mol⁻¹; DS=-113.0.

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

Medium: (K,H)SO₄. K': cis-Ru(NH₃)₄(H₂O)₂+Os(NH₃)₅N₂. K'=3.61 by kinetics

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

$$*K(OsO(OH)(CN)_4) \Rightarrow -1$$

0s sp oth/un 25°C var C 1983GZa (11829) 13

Metal is Os(VI).

Metal is Os(VIII).

0s sp NaClO4 100C 4.00M U M 1982B Ma (11831) 15

| | | | | | | | |
|--|-----|--------------------|------|-----------|-----|--|-------|
| Os | kin | oth/un | 20°C | 0.10M | C | 1978LDa (11832) | 16 |
| | | | | | | K(OsO ₄ +OH=HOsO ₅)=2.48 | |
| Metal is Os(VIII). Medium: 0.10 M NaHCO ₃ /Na ₂ CO ₃ . | | | | | | | |
| Os | kin | oth/un | 35°C | 1.0M | U | 1977MGa (11833) | 17 |
| | | | | | | K(OsO ₃ L ₃ +L)=1.50 | |
| Os | dis | oth/un | 24°C | | U | 1972LEb (11834) | 18 |
| | | | | | | *K ₁ (OsO ₄ +H ₂ O=OsO ₄ OH+H)=-12.5 | |
| medium:KOH at various concentrations | | | | | | | |
| Os | gl | oth/un | 20°C | 0.25M | U | 1967BNa (11835) | 19 |
| | | | | | | *K ₁ =-7.24 | |
| Os as OsO ₂ (OH) ₄ . Medium: 0.25 M Na ₂ SO ₄ . In 'dilute' soln: *K ₁ =-7.2, *K ₂ =12.2, *K ₃ =-13.95, *K ₄ =K(OsO ₅ OH=OsO ₅ H+H)=-14.17 | | | | | | | |
| Os | gl | oth/un | 25°C | dil | U | 1966WSa (11836) | 20 |
| | | | | | | *K ₁ (Os(en) ₃)=-5.10 | |
| Metal: Os+++ | | | | | | | |
| Os | dis | none | 25°C | 0.0 | U I | 1963GOb (11837) | 21 |
| | | | | | | Kd(M(aq)=M(CCl ₄))=1.09 | |
| M is OsO ₄ (H ₂ O) _n ; data also for 1 M-NaClO ₄ (Kd=1.16); no ev polynuclear complex for <10 ⁻³ M-Os in CCl ₄ | | | | | | | |
| Os | gl | oth/un | ? | var | U | 1955DHa (11838) | 22 |
| | | | | | | *K ₁ (Os(en) ₃) > 0 | |
| | | | | | | *K ₂ =-5.8 | |
| Os | dis | NaClO ₄ | 25°C | 1.0M | U | 1953SSb (11839) | 23 |
| | | | | | | *K ₁ (OsO ₄ (H ₂ O) _n)=-12.0 | |
| | | | | | | *K ₂ =-14.85? | |
| By spectrophotometry *K ₁ =-12.0, *K ₂ =-14.52 | | | | | | | |
| Os | dis | non-aq | 25°C | 100% | U | 1938AYa (11840) | 24 |
| | | | | | | Kd=1.89(x units) | |
| | | | | | | K=0.80 in CCl ₄ | |
| In CCl ₄ ; metal is OsO ₄ (H ₂ O) _n ; Kd: K(OsO ₄ (aq)=OsO ₄ (CCl ₄));ev (OsO ₄) _n in CCl ₄ , K(4OsO ₄ =(OsO ₄) ₄ ?); method:also partial pressure of CCl ₄ | | | | | | | |
| Os | dis | oth/un | 25°C | dil | U | 1928YWa (11841) | 25 |
| | | | | | | *K ₁ (OsO ₄ (H ₂ O) _n)=-12.10 | |
| | | | | | | Kd=1.09 | |
| metal is OsO ₄ (H ₂ O) _n ; Kd(OsO ₄ (aq)=OsO ₄ (CCl ₄)) | | | | | | | |
| ***** | | | | | | | |
| PO ₄ --- | | H ₃ L | | Phosphate | | CAS 7664-38-2 | (176) |
| Phosphate; | | | | | | | |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|---|-----|------------------|------|---------|-------|-------|--------------------------------|-----------------|--------|
| Os | kin | oth/un | 25°C | var | U | | K(OsO ₄ +L)=2.4 (?) | 1973KRb (13282) | 26 |
| ***** | | | | | | | | | |
| C ₂ H ₅ NO ₂ | | HL | | Glycine | | | CAS 56-40-6 | (85) | |
| 2-Aminoethanoic acid; H ₂ N.CH ₂ .COOH | | | | | | | | | |
| ----- | | | | | | | | | |
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
| Os | kin | NaCl | 25°C | 1.00M | U T H | | K ₁ =1.30 | 1984MKa (21655) | 27 |
| Data at 25-40°C. DH = 8 kJ mol ⁻¹ . Os = OsO ₄ (OH) ₂ | | | | | | | | | |
| ***** | | | | | | | | | |
| C ₃ H ₇ NO ₂ | | HL | | Alanine | | | CAS 56-41-7 | (86) | |
| 2-Aminopropanoic acid; H ₂ N.CH(CH ₃).COOH | | | | | | | | | |
| ----- | | | | | | | | | |
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
| Os | kin | NaCl | 25°C | 1.00M | U T H | | K ₁ =0.93 | 1984MKa (26229) | 28 |
| Data at 25-40°C. DH = 17 kJ mol ⁻¹ . Os = OsO ₄ (OH) ₂ | | | | | | | | | |
| ***** | | | | | | | | | |
| C ₅ H ₁₁ NS ₂ | | HL | | | | | CAS 147-84-2 | (2126) | |
| Diethyldithiocarbamic acid; (CH ₃ .CH ₂) ₂ N.CSSH | | | | | | | | | |
| ----- | | | | | | | | | |
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
| Os | sp | non-aq | 30°C | 100% | U | | | 1993PBa (41358) | 29 |
| K(trans-OsL ₂ A ₂ =cis-OsL ₂ A ₂)=0.78 (for Os(II)) and -3.87 (for Os(III)). | | | | | | | | | |
| ***** | | | | | | | | | |
| C ₉ H ₇ N ₃ O ₂ S | | H ₂ L | | TAR | | | CAS 2246-46-0 | (707) | |
| 4-(2'-Thiazolylazo)-resorcinol; C ₃ H ₂ NS.N:N.C ₆ H ₃ (OH) ₂ | | | | | | | | | |
| ----- | | | | | | | | | |
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
| Os | sp | oth/un | ? | 0.10M | U | | | 1969IBc (64718) | 30 |
| K(?)=8.59 | | | | | | | | | |
| Metal:Os(IV). For Os(VIII), K(?)=6.49 | | | | | | | | | |
| ***** | | | | | | | | | |
| C ₁₀ H ₁₁ N ₇ S ₂ | | L | | | | | CAS 60435-22-5 | (2819) | |
| Phthalimide-dithiosemicarbazone; | | | | | | | | | |
| ----- | | | | | | | | | |
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
| Os | sp | none | 25°C | 0.0 | U | | | 1976GPc (71099) | 31 |
| K _{eff} =4.18 | | | | | | | | | |
| Os(VIII) at pH 4 | | | | | | | | | |
| ***** | | | | | | | | | |
| C ₁₂ H ₈ N ₂ O ₄ | | H ₂ L | | | | | CAS 6813-38-3 | (5904) | |
| 4,4'-Dicarboxy-2,2'-bipyridine; | | | | | | | | | |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

| | | | | | | | | | |
|----|----|------|------|-----|---|--|--|-----------------|----|
| Os | sp | none | 25°C | 0.0 | U | | | 1990KNb (80549) | 32 |
| | | | | | | | $K(\text{OsH}_2\text{L}_3=\text{OsL}_3+2\text{H})=-1.70$ | | |

C14H10N4 L CAS 25005-96-3 (5906)
2,3-Bis(2-pyridyl)pyrazine;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

| | | | | | | | | | |
|----|----|------|------|-----|---|--|---|-----------------|----|
| Os | sp | none | 25°C | 0.0 | U | | | 1990KNb (86913) | 33 |
| | | | | | | | $K(\text{OsHL}_3=\text{OsL}_3+\text{H})=4.60$ | | |

C15H11N3O HL PAN CAS 85-85-8 (572)
1-(2-Pyridylazo)-2-naphthol; C5H4N.N:N.C10H6.OH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

| | | | | | | | | | |
|----|----|-------|---|-----|---|--|---------------|-----------------|----|
| Os | sp | mixed | ? | 50% | U | | $K_1=9.34$ | 1969Bic (91235) | 34 |
| | | | | | | | $K_1(?)=8.62$ | | |

C15H12N2O3S HL (4070)
2-(3'-Benzoylthioureido)benzoic acid;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

| | | | | | | | | | |
|----|----|-------|------|-----|---|--|-------------|-----------------|----|
| Os | sp | alc/w | 30°C | 96% | U | | | 1966MBa (91440) | 35 |
| | | | | | | | $K(?)=4.38$ | | |

Metal: Os(VIII). Medium: 95% EtOH

REFERENCES

- 1998ARA A Abou-Hamdan,A Roodt,A Merbach; Inorg.Chem.,37,1278 (1998)
 1993PBa A Pramanik,N Bag,A Chakravorty; J.Chem.Soc.,Dalton Trans.,237 (1993)
 1993PSb A Poe,C Sampson et al; J.Am.Chem.Soc.,115,3174 (1993)
 1990KNb K Kalyanasundaram,K Nazeeruddin; Inorg.Chim.Acta,171,213 (1990)
 1984MKa R Mehrotra,R Kapoor,S Vajpai; J.Chem.Soc.,Dalton Trans.,999 (1984)
 1983GZa Z Galbacs,A Zsednai,L Csanyi; Transition Met.Chem.,8,328 (1983)
 1983WPa H Walker,R Pearson et al; J.Am.Chem.Soc.,105,1179 (1983)
 1982BMA C Bremard,B Mouchel; Inorg.Chem.,21,1810 (1982)
 1978LDa J Leipoldt,C Dennis,A van Wyk; Inorg.Chim.Acta,31,187 (1978)
 1977MGa D Mohan,Y Gupta; J.Chem.Soc.,Dalton Trans.,1085 (1977)
 1976GPc M Guzman,D Perez-Bendito et al; Anal.Chim.Acta,83,259 (1976)
 1973KRb G Konishevskaya,V Romanov,K Yatsimirskii; Zh.Neorg.Khim.,18,462(E:243) (1973)
 1972LEb D Lee; J.Inorg.Nucl.Chem.,34,375 (1972)
 1972RKc V Romanov,G Kinishevskaya et al; Zh.Neorg.Khim.,17,3300(E:1734) (1972)
 1971EGa C Elson,J Gulens,J Page; Can.J.Chem.,49,207 (1971)
 1969Bic A Busev,V Ivanov,L Bogdanovich; Vestnik Moskov Univ.,24,3,86 (1969)

1969IBc V Ivanov,A Busev,L Popova et al; Zh.Anal.Khim.,24,7,1064 (1969)
1968BHc J Beaufils,M Hellin,F Coussemant; Compt.Rend.,266C,496 (1968)
1967BNa J Bavay,G Nowogrocki,G Tridot; Bull.Soc.Chim.Fr.,2026 (1967)
1966BDb D Buckingham,F Dwyer,A Sargeson; Inorg.Chem.,5,1243 (1966)
1966MBa A Majumdar,S Bhowal; Anal.Chim.Acta,35,479 (1966)
1966WSa G Watt,J Summers,E Potrafke,E Birnbaum; Inorg.Chem.,5,857 (1966)
1963GOB G Goldstein; Inorg.Chem.,2,425 (1963)
1956CAa G Cartledge; J.Phys.Chem.,60,1468 (1956)
1955DHa F Dwyer,J Hogarth; J.Am.Chem.Soc.,77,6152 (1955)
1953SSb R Sauerbrunn,E Sandell; J.Am.Chem.Soc.,75,4170 (1953)
1952LAB W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)
1950MCA R Mertes,W Crowell,R Brinton; J.Am.Chem.Soc.,72,4218 (1950)
1946DHa F Dwyer,J Humpoletz,R Nyholm; J.Proc.Roy.Soc.,NSW,80,242 (1946)
1938AYa L Anderson,D Yost; J.Am.Chem.Soc., 60,1822 (1938)
1928YWa D Yost,R White; J.Am.Chem.Soc., 50,81 (1928)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES
I Data with various BACKGROUNDS
H Data for THERMOCHEMICAL quantities
M Data for TERNARY Complexes

END Experiments recorded for
from SC-Database on Saturday, 01 January, 2000 at 00:56:14