```
Software version = 5.81 Data version = 4.62
Experiment list contains 47 experiments for
(no ligands specified)
Metal : Cf+++
(no references specified)
(no experimental details specified)
***********************************
            HL
                Electron
                          (442)
Electron:
        Mtd Medium Temp Conc Cal Flags Lg K values
                                 Reference ExptNo
             oth none 25°C 0.0 U
                               1972MRd (399) 1
                      K(Cf+e=Cf(II))=-27.1(-1.6V)
Method: Estimated data
______
Cf+++ oth none 25°C 0.0 U
                               1969NBa (400) 2
                      K(Cf+e=Cf(II))=-33.8(-2.0V)
Method: Estimated data
************************************
Br-
            HL
                Bromide
                         CAS 10035-10-6 (19)
Bromide:
         ._____
     Mtd Medium Temp Conc Cal Flags Lg K values
                                Reference ExptNo
______
     dis NaClO4 20°C 3.00M U K1=0.30 B2=0.30 1982FKb (1819)
                                            3
***********************************
C1-
            HL
               Chloride
                        CAS 7647-01-0 (50)
Chloride;
______
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
-----
      dis NaClO4 20°C 3.00M U
                      K1=0.61 B2=0.25 1982FKb (4600)
                                            4
______
      dis NaCl
           30°C 1.00M U
                      K1=0.14 B2=0.06 1980KMa (4601)
                                            5
********************************
               Perchlorate CAS 7001-90-3 (287)
C104-
            HL
Perchlorate:
-----
    Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
     dis NaClO4 25°C 2.00M U T
                       B2 = -0.59
                               1981LMa (6175) 6
**********************************
F-
                Fluoride
                         CAS 7644-39-3 (201)
            HL
Fluoride:
-----
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
```

SC-Database

| Cf+++ | | | | K1=2.99 | 1969JCa (6808) 7 | |
|---|---|--|--|--|--|----------|
| NO3- Nitrate; | | HL | Nitrate | CAS 7697- | 37-2 (288) | |
| Metal | | | | | Reference ExptNo | |
| Cf+++ | dis NaCl | 30°C | 1.00M U | K1=0.40 B2= | -0.21 1980KMa (9621) | 8 |
| Medium: NH | H4SCN | | | | 1973CDd (9622) 9 | |
| OH- Hydroxide | ; | HL | Hydroxide | (57) | | |
| Metal | | | Conc Cal Flag | | Reference ExptNo | |
| | dis NaClO | 4 ? | | *K1=-5.05 | 1973HHd (11125) 10 | |
| Medium: Li | | | | | | |
| Cf+++ | dis NaClO | 4 23°C | 0.10M U | *K1=-5.62 | 1969DHa (11126) 11 | |
| Medium: L: | | ***** | ****** | ****** | ******* | |
| CCN | | | | | | |
| SCN- Thiocyana | te; | HL | • | e CAS 463-5 | • | |
| Thiocyanat | | | | | Reference ExptNo | |
| Thiocyanat | Mtd Mediu | m Temp | Conc Cal Fla | gs Lg K values | | 12 |
| Thiocyanat Metal Cf+++ Cf+++ In 1.0 M N | Mtd Mediu dis NaCl dis oth/u dis oth/u | m Temp 30°C n 30°C SCN. E | Conc Cal Flag 1.00M U 1.0M C T H xtraction of 2 | gs Lg K values K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= | Reference ExptNo | 12 13 |
| Thiocyanat | Mtd Mediu dis NaCl dis oth/u NH4ClO4/NH4 | m Temp 30°C n 30°C SCN. E e. Dat | Conc Cal Flag 1.00M U 1.0M C T H xtraction of 2 a for 15-45 C | K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= 252Cf into hexan DH(K1)=-8.6 kJ K1=0.2 B2= B3=1.38 | Reference ExptNo :0.79 1980KMa (14844) :0.79 1980KMe (14845) ne/ammonium dinonyl- I mol-1, DH(K2)=3.0 :0.91 1973CDd (14846) | 13 |
| Thiocyanat | Mtd Mediu dis NaCl dis oth/u NH4ClO4/NH4 ne sulfonat dis R4N.X | m Temp 30°C n 30°C SCN. E e. Dat 25°C | Conc Cal Flag 1.00M U 1.0M C T H xtraction of 2 a for 15-45 C | K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= 252Cf into hexan DH(K1)=-8.6 kJ K1=0.2 B2= B3=1.38 | Reference ExptNo | 13 14 |
| Thiocyanat | Mtd Mediu dis NaCl dis oth/u NH4ClO4/NH4 ne sulfonat dis R4N.X dis NaClO | m Temp 30°C n 30°C SCN. E e. Dat 25°C 4 25°C | Conc Cal Flag 1.00M U 1.00M C T H xtraction of 2 a for 15-45 C 2.0M U 1.0M U | K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= 252Cf into hexan DH(K1)=-8.6 kJ K1=0.2 B2= B3=1.38 T K1=0.57 B2= B3=0.42 T K1=0.49 | Reference ExptNo :0.79 1980KMa (14844) :0.79 1980KMe (14845) ne/ammonium dinonyl- I mol-1, DH(K2)=3.0 :0.91 1973CDd (14846) | 13 14 |
| Thiocyanate | Mtd Mediumedis NaCl dis oth/u NH4ClO4/NH4 ne sulfonat dis R4N.X dis NaClo dis NaClo | Temp 30°C 30°C SCN. E e. Dat 25°C 4 25°C ++*** H2L | Conc Cal Flag 1.00M U 1.00M C T H xtraction of 2 a for 15-45 C 2.0M U 1.0M U ************************************ | K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= Z52Cf into hexan DH(K1)=-8.6 kJ K1=0.2 B2= B3=1.38 T K1=0.57 B2= B3=0.42 T K1=0.49 *********************************** | Reference ExptNo | 13 14 |
| Thiocyanate | Mtd Mediu dis NaCl dis oth/u NH4ClO4/NH4 ne sulfonat dis R4N.X dis NaClO dis NaClO | m Temp 30°C 130°C SCN. E E. Dat 25°C 4 25°C 4 25°C 4 25°C 4 25°C | Conc Cal Flag 1.00M U 1.00M C T H xtraction of 2 a for 15-45 C 2.0M U 1.0M U ********** Sulfate Conc Cal Flag | K1=0.20 B2= K1=0.20 B2= K1=0.20 B2= 252Cf into hexan DH(K1)=-8.6 kJ K1=0.2 B2= B3=1.38 T K1=0.57 B2= B3=0.42 T K1=0.49 *********************************** | Reference ExptNo | 13 14 |

```
Cf+++ dis none 25°C 0.0 U K1=3.73 B2=5.58 1972MCc (16061)
                                               18
                       B3=5.09
Cf+++ dis NaCl04 55°C 2.0M U T H K1=1.62 B2=2.34 1967CCd (16062)
K1=1.04(0 \text{ C}), 1.36(25 \text{ C}), 1.49(40 \text{ C}); B2=1.75(0 \text{ C}), 2.07(25 \text{ C}), 2.09(40 \text{ C})
DH(K1)=18.8 kJ mol-1, DS=87.8 J K-1 mol-1
*************************************
            H2L Oxalic acid CAS 144-62-7 (24)
Ethanedioic acid; (COOH)2
_____
     Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
      oth oth/un 25°C 0.10M U K1=5.50 B2=9.37 1971STe (18831)
Method : electrical migration or transference number
***********************
            HL Acetic acid CAS 64-19-7 (36)
Ethanoic acid; CH3.COOH
______
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
-----
      dis NaClO4 25°C 2.00M U T K1=2.12
                                 1970CSd (19921) 21
0-55 C. 0 C: K1=1.82, 40 C: K1=2.26, 55 C: K1=2.35
**********************************
             HL Glycolic acid CAS 79-14-1 (33)
2-Hydroxyethanoic acid; HO.CH2.COOH
______
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
Cf+++ dis NaClO4 53°C 2.00M U T K1=2.63 B2=4.60 1972CDb (20514) 22
*********************************
             HL
                L-Lactic acid CAS 79-33-4 (82)
L-2-Hydroxypropanoic acid; CH3.CH(OH).COOH
______
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
Cf+++ dis R4N.X 20°C 0.50M U
                                  1967ESa (25423) 23
                        B3=6.09
Medium: NH4ClO4. By ix B3=6.08
Squaric acid CAS 2892-51-5 (439)
             H2L
3,4-Dihydroxy-3-cyclobutene-1,2-dione;
-----
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
      ix R4N.X 25°C 1.00M U K1=2.48 B2=4.18 1972CSb (28640) 24
Medium: NH4ClO4
************************************
                 Citric acid CAS 77-92-9 (95)
             H3L
2-Hydroxypropane-1,2,3-tricarboxylic acid; HOOCCH2.CH(OH)(COOH).CH2COOH
```

| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |
|------------------------|---|---|
| Cf+++ | dis NaClO4 25°C 0.10M U | 1974HHa (46059) 25 K(CfL2+6H)=13.9 K(CfL(HL)+5H)=9.42 |
| Cf+++ | | K1=7.28 1971GBa (46060) 26 K(Cf+2H3L=CfHL2+5H)=-9.9 |
| | oth oth/un 25°C 0.10M U | K1=7.93 B2=11.23 1971STe (46061) K(CfL+HL)=2.60 |
| Constants ***** | obtained by survey of literat ************ | ure data ****************************** |
| C6H9N06 | | CAS 139-13-9 (191) |
| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |
| C6H11N05 | H4C104 ************ | T K1=11.92 B2=21.21 1968EAa (46743) ************ CAS 93-62-9 (192) HO.CH2.CH2.N(CH2.COOH)2 |
| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |
| | dis oth/un 25°C 0.10M U *********** | K1=9.61 1971EVb (48703) 29 ************************************ |
| C7H11NO6 N-(2'-Carl | H3L boxyethyl)iminodiethanoic acid | CAS 40199-58-4 (3165) ; HOOC.CH2.CH2.N(CH2.COOH)2 |
| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |
| Cf+++ | ix R4N.X 25°C 0.10M U | K1=10.94 B2=18.45 1968EAa (56880) K(Cf+HL)=4.43 |
| Medium: NH | | ********** |
| C8H502F3S | HL TTA fluoro-1-(2-thienyl)butane-1,3 | CAS 326-91-0 (165) |
| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |
| | dis oth/un 25°C 0.10M U | 1969KSa (58608) 31 B3=14.94 |
| C9H5NOC12 | ************************************** | ************************************** |
| Metal | Mtd Medium Temp Conc Cal Fla | gs Lg K values Reference ExptNo |

| Cf+++ | dis R4N.X | 25°C 0.10M U | K1=6.5 B2=1 K3=7.4 | 5.10 1969FKb (63529) |
|--------------------------------------|---------------------------|--|-----------------------|--|
| Medium : 0 | .1 (H,NH4)C | 104 | | |
| | ******* | ******* | | ******* |
| C10H702F3 | | HL | CAS 326-06 | -7 (196) |
| 3-Benzoy1- | 1,1,1-tri+l | uoroacetone; CF3.CC | 0.CH2.CO.C6H5 | |
| Metal | Mtd Medium | Temp Conc Cal Flag | gs Lg K values | Reference ExptNo |
| Cf+++ | dis oth/un | 25°C 0.10M U | B3=16.06 | 1969KSa (69138) 33 |
| ****** | ****** | ******* | ******* | *********** |
| C10H11NO5 N-(2-Hydro | xyphenyl)im | H3L minodiethanoic acid; | | -86-8 (2108) OOH)2 |
| Metal | Mtd Medium | Temp Conc Cal Flag | gs Lg K values | Reference ExptNo |
| Cf+++ | dis R4N.X | 25°C 0.10M U | | 1971EVa (71039) 34 |
| | | | K(Cf+HL)=7.38 | , , |
| | | | K(Cf+2HL)=12.28 | |
| | 1 M NH4ClO4 ********* | | ******* | ******* |
| C10H16N2O8 | | H4L EDTA | -CAS 60-00 | |
| | | I,N',N'-tetraethanoi | | ` , |
| | | | | |
| Metal | Mtd Medium | Temp Conc Cal Flag | gs Lg K values | Reference ExptNo |
| Cf+++ | oth oth/un | 25°C 0.10M U | K1=18.70 | 1970SMe (73660) 35 |
| CIIII | oen oen, un | 25 6 0.1011 0 | K(Cf+HL)=1.0 | 19703/1C (79000) 33 |
| Method: el | ectrical mi | gration or transfer | , | |
| | | | | |
| Cf+++ | | | K1=19.09 | 1957FSa (73661) 36 |
| | 1 M NH4ClO4 ******* | | ******* | ****** |
| C11H18N2O8 | | H4L | CAS 4408-8 | 1-5 (923) |
| | | N,N',N'-tetraethand | | ` , |
| | | | · | |
| Metal | Mtd Medium | remp Conc Cal Flag | gs Lg K values | Reference ExptNo |
| | dis NaCl | 25°C 0.10M C | K1=14.66 | 1985CMc (79429) 37 |
| (++++ | | ² 252Cf from 0.1 M N | | |
| Cf+++ Method: ex | traction of | | | • |
| Method: ex | | | ********** | ************ |
| Method: ex ******** C12H12N2O2 | ******* | ************************************** | CAS 4173-7 | ************************************** |
| Method: ex ******** C12H12N2O2 | ******* | ******* | CAS 4173-7 | |
| Method: ex ******** C12H12N2O2 | ********** -methyl-4-a | ************************************** | CAS 4173-7 | |

| ************************************** |
|--|
| 1,4,7,10,13,16-Hexaoxacyclooctadecane; |
| Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo |
| Cf+++ vlt R4N.X 25°C 0.10M C K1=2.0 1984SSg (83310) 39 Method: radiopolarography using 250,252Cf. Medium: 0.10 M Me4NI. Metal is Cf++. ********************************** |
| C14H902F3 HL (3429) 1,1,1-Trifluoro-1'-naphthoylacetone; |
| Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo |
| Cf+++ dis oth/un 25°C 0.10M U 1969KSa (86871) 40 B3=18.83 |
| ************************************** |
| Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo |
| Cf+++ dis NaCl04 20°C 0.10M U K1=19.56 1990GBc (88608) 41 |
| Cf+++ oth oth/un 25°C 0.10M U $K1=19.9$ 1970SMe (88609) 42 $K(Cf+HL)=1.6$ Method: electrical migration or transference number. |
| Cf+++ ix R4N.X 25°C 0.10M U K1=19.42 1966BAc (88610) 43 Medium: NH4Cl04 ************************************ |
| C14H23N3O10 H5L DTPA CAS 67-43-6 (238) Diethylenetriamine-pentaethanoic acid; H0OC.CH2.N(CH2.CH2.N(CH2.COOH)2)2 |
| Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo |
| Cf+++ ix R4N.X 25°C 0.10M U K1=24.95 1971BRa (89186) 44 K(Cf+HL)=15.89 |
| Medium: NH4ClO4 |
| Cf+++ oth oth/un 0.10M U K1=22.6 1966STb (89187) 45 Literature data from ORNL-3651 |
| Cf+++ ix R4N.X 25°C 0.10M U K1=22.57 1965BAc (89188) 46 Medium: NH4ClO4 ************************************ |
| 4-Benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one; |

```
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
______
Cf+++ dis oth/un 25°C 0.10M U
                                                        1973BKc (95875) 47
                                         B3=17.78
REFERENCES
  1990GBc B Gorski, G Buklanov et al; Radiochim. Acta, 51,59 (1990)
  1985CMc G Choppin, A Muscatello; Inorg. Chim. Acta, 109, 67 (1985)
  1984SSg Y Shiokawa, S Suzuki; Bull.Chem.Soc.Jpn.,57,2910 (1984)
  1982FKb T Fukusawa, I Kawasuji et al; Bull.Chem.Soc.Jpn.,55,726 (1982)
  1981LMa I Lebedev, Y Mazur; Radiokhim., 23, 359 (1981)
  1980KMa P Khopkar, J Mathur; J.Inorg.Nucl.Chem., 42,109 (1980)
  1980KMe P Khopkar, J Mathur; Thermochim. Acta, 37,71 (1980)
  1974HHa S Hubert, M Hussonois, L Brillard et al; J.Inorg.Nucl.Chem., 36,2361 (1974)
  1973BKc W Bacher, C Keller; J.Inorg.Nucl.Chem., 35, 2945 (1973)
  1973CDd R Chiarizia, P Danesi, G Scibona et al; J.Inorg.Nucl.Chem., 35, 3595 (1973)
  1973HHd M Hussonois, S Hubert, L Brillard et al; Radiochem. Radioanal. Lett., 15,47
(1973)
  1972CDb G Choppin, G Degischer; J.Inorg.Nucl.Chem., 34, 3473 (1972)
  1972CSb L Cilindro, E Stadlbauer, C Keller; J.Inorg. Nucl. Chem., 34, 2577 (1972)
  1972HPb H Harmon, J Peterson et al; J.Inorg.Nucl.Chem., 34,1381 (1972)
  1972MCc W McDowell, C Coleman; J.Inorg.Nucl.Chem., 34, 2837 (1972)
  1972MRd N Mikheev, A Rumer; Radiokhim., 14,492(E:502) (1972)
  1971BRa E Brandau; Inorg. Nucl. Chem. Lett., 7, 1177 (1971)
  1971EVa V Ermakov, V Vorobeva, A Zaitsev et al; Radiokhim., 13,5,692 (1971)
  1971EVb V Ermakov, V Vorobeva, A Zaitsev et al; Radiokhim., 13,6,840 (1971)
  1971GBa R Guillaumont, L Bourderie; Bull.Soc.Chim.Fr.,2806 (1971)
  1971STe A Stepanov; Zh.Neorg.Khim., 16, 11, 2981 (1971)
  1970CSd G Choppin, J Schneider; J.Inorg.Nucl.Chem., 32, 3283 (1970)
  1970SMe A Stepanov, A Maksimova, E Pazukhin et al; Radiokhim., 12,5,727 (1970)
  1969DHa B Desire, M Hussonois et al; Compt.Rend., 269C, 448 (1969)
  1969FKb D Feinauer, C Keller; Inorg. Nucl. Chem. Lett., 5,625 (1969)
  1969JCa A Jones, G Choppin; Actinide Reviews, 1,311 (1969)
  1969KSa C Keller, H Schreck; J.Inorg. Nucl. Chem., 31, 1121 (1969)
  1969NBa L Nugent, R Baybarz, J Burnett; J.Phys.Chem., 73,1177 (1969)
  1968EAa S Eberle, S Ali; Z.Anorg.Allg.Chem., 361,1 (1968)
  1967CCd R Carvalho, G Choppin; J.Inorg. Nucl. Chem., 29,725;737 (1967)
  1967ESa V Ermakov, I Stary; Radiokhim., 9, 197 (1967)
  1966BAc R Baybarz; J.Inorg.Nucl.Chem., 28, 1055 (1966)
  1966STb J Stary; Talanta, 13, 421 (1966)
  1965BAc R Baybarz; J.Inorg.Nucl.Chem., 27, 1831 (1965)
  1965CKb G Choppin, J Ketels; J. Inorg. Nucl. Chem., 27, 1335 (1965)
  1957FSa J Foreman, T Smith; J.Chem.Soc., 1752 (1957)
```

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES

| H Data for THERMOCHEMICAL quantities |
|---|
| EVALUATION Flags are :- |
| T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC |
| END |