

## SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 704 experiments for  
(no ligands specified)

Metal : Be++

(no references specified)

(no experimental details specified)

\*\*\*\*\*

e- HL Electron (442)

Electron;

| Metal                         | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference     | ExptNo |
|-------------------------------|-----|--------|------|------|-----|-------|----|----------|---------------|--------|
| Be++                          | cal | none   | 25°C | 0.0  | M   |       |    |          | 1965BTb (363) | 1      |
| K(Be+2e=Be(s))=-66.5 to -66.8 |     |        |      |      |     |       |    |          |               |        |

|               |     |        |       |      |   |  |  |  |               |   |
|---------------|-----|--------|-------|------|---|--|--|--|---------------|---|
| Be++          | EMF | oth/un | 350°C | 100% | U |  |  |  | 1959SCf (364) | 2 |
| K=2.36-4904/T |     |        |       |      |   |  |  |  |               |   |

Medium:(K,Li)Cl(liquid,eutectic),x units. K: Be+Be(s)=2Be+. 350-600 C

|                         |     |      |      |     |   |  |  |  |               |   |
|-------------------------|-----|------|------|-----|---|--|--|--|---------------|---|
| Be++                    | EMF | none | 25°C | 0.0 | U |  |  |  | 1952LAb (365) | 3 |
| K(Be+2e)=-62.5(-1.85 V) |     |      |      |     |   |  |  |  |               |   |

Method:combination of thermodynamic data

\*\*\*\*\*

Br- HL Bromide CAS 10035-10-6 (19)

Bromide;

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values        | Reference      | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|-----------------|----------------|--------|
| Be++  | dis | NaCl04 | 25°C | 4.0M  | U   |       |    | K1=-0.7 B2=-0.8 | 1971SKb (1737) | 4      |
| Be++  | dis | NaCl04 | 20°C | .691M | U   |       |    | K1=-0.42        | 1965MJa (1738) | 5      |

\*\*\*\*\*

CO2 L Carbon dioxide CAS 124-38-9 (1759)

Carbon dioxide;

| Metal            | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference      | ExptNo |
|------------------|-----|--------|------|------|-----|-------|----|----------|----------------|--------|
| Be++             | gl  | NaCl04 | 25°C | 3.0M | C   | M     |    |          | 1987BGa (2827) | 6      |
| B(-3,3,1)=-8.90  |     |        |      |      |     |       |    |          |                |        |
| B(-6,5,2)=-17.24 |     |        |      |      |     |       |    |          |                |        |
| B(-9,6,2)=-29.46 |     |        |      |      |     |       |    |          |                |        |
| B(-2,1,1)=-10.4  |     |        |      |      |     |       |    |          |                |        |

B(p,q,r)=pH+qBe+rL=HpBeqLr

|                             |    |        |      |      |   |   |  |  |                |   |
|-----------------------------|----|--------|------|------|---|---|--|--|----------------|---|
| Be++                        | gl | NaCl04 | 25°C | 3.0M | C | M |  |  | 1987BGb (2828) | 7 |
| *K1=-6.02, B(-2,1,1)=-10.12 |    |        |      |      |   |   |  |  |                |   |
| B(-3,1,1)=-16.68            |    |        |      |      |   |   |  |  |                |   |
| B(-4,1,1)=-24.22            |    |        |      |      |   |   |  |  |                |   |

B(-9,3,3)=-45.5

B(-10,3,3)=-52.0. \*Kso=6.18. B(p,q,r) = pH+qBe+rL=HpBeqLr  
 \*\*\*\*\*

C03--                      H2L      Carbonate                      CAS 465-79-6    (268)  
 Carbonate;

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values            | Reference | ExptNo      |
|-------|-----|--------|------|-------|-----|-------|----|---------------------|-----------|-------------|
| Be++  | sol | KNO3   | 25°C | 1.00M | U   | T M   |    | K1=7.0      B2=8.95 | 1981SGa   | (3160)    8 |

B(Be(C03)F)=10.09

|      |     |        |      |       |   |  |  |  |         |             |
|------|-----|--------|------|-------|---|--|--|--|---------|-------------|
| Be++ | sol | NaClO4 | 25°C | 1.00M | U |  |  |  | 1980SMa | (3161)    9 |
|------|-----|--------|------|-------|---|--|--|--|---------|-------------|

K(Be(OH)2+L=Be(OH)L+OH)=0.43  
 K(Be(OH)L+L=BeL2+OH)=0.37

\*\*\*\*\*

C6N6Fe---                      H3L      Ferricyanide                      (2491)  
 Hexacyanoferrate (III); Fe(III)(CN)6---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo       |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------------|
| Be++  | oth | oth/un | 25°C |      | U   |       |    |          | 1974HEb   | (3634)    10 |

K1out=2.85  
 (K1out/K1)=-1.0

\*\*\*\*\*

Cl-                                      HL      Chloride                      CAS 7647-01-0    (50)  
 Chloride;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values           | Reference | ExptNo       |
|-------|-----|--------|------|------|-----|-------|----|--------------------|-----------|--------------|
| Be++  | cal | non-aq | 25°C | 100% | U   | IH    |    | K1=2.9      B2=3.8 | 1995KSb   | (4520)    11 |

Medium: N,N-Dimethylacetamide, 0.1 M Bu4NClO4. DH(K1)=4.0 kJ mol<sup>-1</sup>,  
 DH(B2)=17. Data also in DMF: K1=2.3, B2=3.2; DH(K1)=5.8, DH(B2)=21

|      |    |        |      |       |   |   |  |        |         |              |
|------|----|--------|------|-------|---|---|--|--------|---------|--------------|
| Be++ | ix | NaClO4 | 20°C | 0.50M | U | I |  | K1=0.8 | 1971BNa | (4521)    12 |
|------|----|--------|------|-------|---|---|--|--------|---------|--------------|

Medium: HClO4. In 80% MeOH/H2O: K1=-0.15; 80% PrOH/H2O: K1=0.34;  
 80% acetone/H2O: K1=0.53; 80% dioxan/H2O: K1=0.82

|      |     |        |      |      |   |  |  |                      |         |              |
|------|-----|--------|------|------|---|--|--|----------------------|---------|--------------|
| Be++ | dis | NaClO4 | 25°C | 4.0M | U |  |  | K1=-0.85    B2=-0.70 | 1971SKb | (4522)    13 |
|------|-----|--------|------|------|---|--|--|----------------------|---------|--------------|

|      |     |        |      |       |   |  |  |          |         |              |
|------|-----|--------|------|-------|---|--|--|----------|---------|--------------|
| Be++ | dis | NaClO4 | 20°C | .691M | U |  |  | K1=-0.36 | 1965MJa | (4523)    14 |
|------|-----|--------|------|-------|---|--|--|----------|---------|--------------|

|      |    |        |      |       |   |  |  |                    |         |              |
|------|----|--------|------|-------|---|--|--|--------------------|---------|--------------|
| Be++ | ix | NaClO4 | 18°C | 0.50M | U |  |  | K1=1.11    B2=0.30 | 1963KBb | (4524)    15 |
|------|----|--------|------|-------|---|--|--|--------------------|---------|--------------|

B3=1.40

|      |     |        |      |     |   |  |  |          |         |              |
|------|-----|--------|------|-----|---|--|--|----------|---------|--------------|
| Be++ | dis | oth/un | 20°C | var | U |  |  | K1=-0.66 | 1961HGa | (4525)    16 |
|------|-----|--------|------|-----|---|--|--|----------|---------|--------------|

\*\*\*\*\*

F-                                      HL      Fluoride                      CAS 7644-39-3    (201)  
 Fluoride;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|   |     |        |      |       |       |                        |         |         |        |    |
|---|-----|--------|------|-------|-------|------------------------|---------|---------|--------|----|
| Be++  | ISE | NaClO4 | 25°C | 3.00M | C     | K1=5.21                | B2=9.57 | 1991AGa | (6768) | 17 |
| B(p,q,r); pH+qBe+rL=HpBeqLr   |     |        |      |       |       | B(-3,3,1)=-4.18        |         |         |        |    |
|   |     |        |      |       |       | B(-3,3,2)=-0.67        |         |         |        |    |
| Be++  | vlt | NaClO4 | 25°C | 1.0M  | U     | K1=5.28                |         | 1970GMj | (6769) | 18 |
| Be++  | nmr | oth/un | 25°C | var   | U     | K1=3.0                 | B2=5.70 | 1970HRA | (6770) | 19 |
| Method: nmr. -10 to 25 C  |     |        |      |       |       | K3=2.0                 |         |         |        |    |
|   |     |        |      |       |       | K4=1.1                 |         |         |        |    |
| Be++  | ISE | NaCl   | 25°C | 1.0M  | U TIH | K1=4.90                | B2=8.66 | 1969MBc | (6771) | 20 |
| DH(K1)=-1.7 kJ mol <sup>-1</sup> , DS=88.7 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(K2)=-5.0, DS=55.6; DH(K3)=-1.3, DS=49.4; DH(K4)=-2.1, DS=20.9. Method: emf with F- and H electrodes |     |        |      |       |       | B3=11.45               |         |         |        |    |
|   |     |        |      |       |       | B4=12.88               |         |         |        |    |
| Be++  | ISE | NaCl   | 0°C  | 1.0M  | U TI  | K1=4.94                | B2=8.80 | 1969MBc | (6772) | 21 |
| Method: fluoride and H electrodes. At 60 C: K1=4.9, B2=8.6, B3=11.25, B4=12.66. In 1 M NaClO4: K1=4.99, B2=8.80, B3=11.61, B4=13.05   |     |        |      |       |       | B3=11.53               |         |         |        |    |
|   |     |        |      |       |       | B4=13.00               |         |         |        |    |
| Be++  | oth | oth/un | ?    | 0.0   | U     |                        |         | 1968BSa | (6773) | 22 |
| Method: estimated   |     |        |      |       |       | K1out=0.18             |         |         |        |    |
| Be++  | nmr | oth/un | var  | var   | U H   |                        |         | 1968FHa | (6774) | 23 |
| 2-50 C. DH(K4)=0 kJ mol <sup>-1</sup> , DS=21 J K <sup>-1</sup> mol <sup>-1</sup>   |     |        |      |       |       | K4=1.1                 |         |         |        |    |
| Be++  | EMF | NaClO4 | 25°C | 0.50M | U H   |                        |         | 1967AHa | (6775) | 24 |
| DH(K1)=-1.67 kJ mol <sup>-1</sup> , DS=92.0 J K <sup>-1</sup> mol <sup>-1</sup> . At I=0 corr.: DH(K1)=-0.8, DS=113   |     |        |      |       |       |                        |         |         |        |    |
| Be++  | ix  | NaNO3  | ?    | 0.16M | U     | K1=3.64                | B2=5.90 | 1966PPa | (6776) | 25 |
| Method: cation exchange. By anion exchange: B2=5.93, B3=7.76, B4=9.12   |     |        |      |       |       |                        |         |         |        |    |
| Be++  | EMF | oth/un | 25°C | 0.50M | U     | K1=4.71                | B2=8.32 | 1965BGb | (6777) | 26 |
|   |     |        |      |       |       | K3=2.80                |         |         |        |    |
|   |     |        |      |       |       | K4=2.27                |         |         |        |    |
| Be++  | dis | NaClO4 | 20°C | 2.00M | U     |                        |         | 1961HGa | (6778) | 27 |
| Medium: HClO4   |     |        |      |       |       | K(Be+HF=BeF+H)=1.99    |         |         |        |    |
|   |     |        |      |       |       | K(BeF+HF=BeF2+H)=1.12  |         |         |        |    |
|   |     |        |      |       |       | K(BeF2+HF=BeF3+H)=0.38 |         |         |        |    |
| Be++  | sol | oth/un | 25°C | var   | U     | K1=4.29                |         | 1961TPc | (6779) | 28 |

|   |     |        |      |       |       |         |                  |                 |        |
|---|-----|--------|------|-------|-------|---------|------------------|-----------------|--------|
| Be++  | sol | oth/un | 25°C | var   | U     | K1=5.64 | B2=8.04          | 1960TVa (6780)  | 29     |
| Be++  | sp  | oth/un | ?    | var   | U     | K1=5.4  |                  | 1959BSg (6781)  | 30     |
| Be++  | EMF | NaCl04 | 25°C | 0.50M | U T H |         |                  | 1955YAa (6782)  | 31     |
| K(Be+HF=BeF+H)=2.12<br>K(BeF+HF=BeF2+H)=0.84<br>K(BeF2+HF=BeF3+H)=0.03<br>At 0 C: *K1=2.23, *K2=0.85, *K3=-0.78 ?. 50 C: *K1=1.86, *K2=0.67, *K3=-0.73<br>DH(*K1)=-14.2 kJ mol-1, DS=6.2 J K-1 mol-1; DH(*K2)=-7.3, DS=-8 |     |        |      |       |       |         |                  |                 |        |
| Be++  | sp  | oth/un | ?    | var   | U     | K1=5.89 |                  | 1951KLb (6783)  | 32     |
| Be++  | sol | oth/un | 25°C | var   | U     | K1=4.29 | B2=2.0           | 1949TDa (6784)  | 33     |
| *****<br>NO3- HL Nitrate CAS 7697-37-2 (288)<br>Nitrate;  |     |        |      |       |       |         |                  |                 |        |
| Metal   | Mtd | Medium | Temp | Conc  | Cal   | Flags   | Lg K values      | Reference       | ExptNo |
| Be++  | dis | NaCl04 | 25°C | 4.0M  | U     |         | K1=-0.63         | 1971SKb (9585)  | 34     |
| Be++  | ix  | NaCl04 | 18°C | 0.50M | U     |         | K1=-0.60 B2=1.62 | 1963KBb (9586)  | 35     |
| *****<br>OH- HL Hydroxide (57)<br>Hydroxide;  |     |        |      |       |       |         |                  |                 |        |
| Metal   | Mtd | Medium | Temp | Conc  | Cal   | Flags   | Lg K values      | Reference       | ExptNo |
| Be++  | gl  | NaCl04 | 25°C | 0.50M | C I   |         |                  | 1997CDc (11023) | 36     |
| *B(2,1)=-3.20<br>*B(3,3)=-8.68<br>*B(5,6)=-18.31<br>*B(6,8)=-25.77<br>*B2=-11.68. In 80% DMSO/H2O, *B(2,1)=-2.98, *B(3,3)=-9.28, *B(5,6)=-18.03,<br>*B(6,8)=-25.26, *B2=-9.59. Additional method: 9Be nmr.                |     |        |      |       |       |         |                  |                 |        |
| Be++  | gl  | NaCl04 | 25°C | 3.0M  | C I   |         |                  | 1987BRb (11024) | 37     |
| *B(2,1)=-3.23<br>*B(3,3)=-8.656<br>*B(5,6)=-18.81<br>*B(6,8)=-26.70<br>*B(1,2)=-11.09. Data also computed for I=0.0. *Kso=6.87 at I=0.0   |     |        |      |       |       |         |                  |                 |        |
| Be++  | gl  | NaCl04 | 25°C | 0.50M | U     |         |                  | 1987MDa (11025) | 38     |
| *B(3,3)=-8.92<br>*B(2,1)=-3.20  |     |        |      |       |       |         |                  |                 |        |
| Be++  | gl  | NaCl04 | 25°C | 1.0M  | C     |         |                  | 1987MMA (11026) | 39     |

\*B(2,1)=-2.9

\*B(2,1)=-3.43(25 C), -2.93(60 C); DH=20.9, DS=5.8. \*B(5,7)=-22.11(60 C); DH=189

|   |     |        |       |       |       |                |                 |    |
|---|-----|--------|-------|-------|-------|----------------|-----------------|----|
| Be++  | gl  | diox/w | 25°C  | 0.20M | U     |                | 19670Ha (11045) | 58 |
|   |     |        |       |       |       | *B(2,1)=-3.66  |                 |    |
|   |     |        |       |       |       | *B(2,2)=-7.15  |                 |    |
|   |     |        |       |       |       | *B(3,3)=-8.75  |                 |    |
|   |     |        |       |       |       | *B2=-10.84     |                 |    |
| Medium: 0.2 dioxan + 0.8 H2O, 3 M LiClO4. *K1 < -6  |     |        |       |       |       |                |                 |    |
| Be++  | gl  | diox/w | 25°C  | 35%   | U I   |                | 19670Ka (11046) | 59 |
|   |     |        |       |       |       | *B(3,3)=-8.65  |                 |    |
|   |     |        |       |       |       | *B(2,1)=-3.29  |                 |    |
|   |     |        |       |       |       | *B2=-11.5      |                 |    |
| Medium: 35% dioxan 3 M LiClO4. In 3 M LiClO4: *B(3,3)=-8.74, *B(1,2)=-3.27, *B2=-11.5, *K1 < -5.4 |     |        |       |       |       |                |                 |    |
| Be++  | gl  | NaClO4 | ?     | 0.50M | U     |                | 1965BTa (11047) | 60 |
|   |     |        |       |       |       | *B(3,3)=-8.61  |                 |    |
|   |     |        |       |       |       | *B(2,1)=-3.24  |                 |    |
|   |     |        |       |       |       | *B2=-11.0      |                 |    |
| Be++  | gl  | oth/un | 25°C  | dil   | U     |                | 1965GAb (11048) | 61 |
|   |     |        |       |       |       | *B2=-13.65     |                 |    |
|   |     |        |       |       |       | *B3=-24.11     |                 |    |
| Be++  | sol | non-aq | 240°C | 100%  | U T H |                | 1965SAa (11049) | 62 |
| Medium: molten Na/KNO3. 240-510 C. DH(BeO(s)+H2O+2OH=Be(OH)4--)=20.0 kJ m-1, DS=31.4 J K-1 mol-1  |     |        |       |       |       |                |                 |    |
| Be++  | EMF | NaClO4 | 25°C  | 3.00M | U     |                | 1964HSa (11050) | 63 |
|   |     |        |       |       |       | *B(3,3)=-8.664 |                 |    |
|   |     |        |       |       |       | *B(2,1)=-3.22  |                 |    |
|   |     |        |       |       |       | *B2=-10.87     |                 |    |
| Be++  | gl  | KCl    | 20°C  | 0.10M | U I   |                | 1964WEb (11051) | 64 |
|   |     |        |       |       |       | *K1=-5.68      |                 |    |
|   |     |        |       |       |       | *K2 < -6.7     |                 |    |
| In 0.1 M NaClO4: *K1=-5.71. Method: rapid flow  |     |        |       |       |       |                |                 |    |
| Be++  | cal | NaClO4 | 25°C  | 3.0M  | U H   |                | 1962COa (11052) | 65 |
| DH(*B(2,1))=18.5 kJ mol-1, DS=0.8 J K-1 mol-1; DH(*B(3,3))=63.5, DS=47.3                          |     |        |       |       |       |                |                 |    |
| Be++  | gl  | NaClO4 | 20°C  | 0.10M | U     |                | 1962SCd (11053) | 66 |
|   |     |        |       |       |       | *K1=-5.7       |                 |    |
|   |     |        |       |       |       | *K2=ca.-7      |                 |    |
| Be++  | gl  | NaClO4 | 25°C  | 3.0M  | U     |                | 1961COc (11054) | 67 |
|   |     |        |       |       |       | *B(3,3)=-8.66  |                 |    |
|   |     |        |       |       |       | *B(2,1)=-3.20  |                 |    |
| Be++  | sol | none   | 25°C  | 0.0   | U     |                | 1960SGb (11055) | 68 |

$K(\text{Be}(\text{OH})_2(\text{s}) + 2\text{H} = \text{Be} + 2\text{H}_2\text{O}) = 6.86$

$*K_s(3,3) = 11.67$

$*B(3,3) = -8.9$

$*K_s(3,3): K(3\text{Be}(\text{OH})_2(\text{s}) + 3\text{H} = \text{Be}_3(\text{OH})_3 + 3\text{H}_2\text{O})$

-----  
Be++ gl none 25°C 0.0 U 1959ASb (11056) 69

$B(2,2) = 21.31$  or  $B(3,3) = 33.03$

$K(\text{Be}(\text{OH})_2(\text{s}) = \text{BeOH} + \text{OH}) = -10.82$  or  $K_s(2,2) = -19.5$  or  $K_s(3,3) = -28.2$

-----  
Be++ vlt none 19°C 0.0 U 1959KGb (11057) 70

$K_{\text{so}}(\text{Be}(\text{OH})_2) = -25.7$

-----  
Be++ sol none 25°C 0.0 U 1956GGa (11058) 71

$K(\text{Be}(\text{OH})_2(\text{s}) + \text{OH}) = -2.49$

$K(\text{Be}(\text{OH})_2(\text{s}) + 2\text{OH}) = -2.70$

$*K_{\text{so}} > 6.86$

$K_{\text{so}}(\text{Be}(\text{OH})_2) > -21.14$

$*B(2,2) = -6.80$ ;  $*K_{\text{so}}: K(\text{Be}(\text{OH})_2 + 2\text{H} = \text{Be} + 2\text{H}_2\text{O})$

-----  
Be++ gl none rt 0.0 U B2=14.04 1956KFb (11059) 72

$K_{\text{so}}(\text{Be}(\text{OH})_2) = -17.7$

$K(\text{Be}(\text{OH})_2(\text{s}) = \text{Be}(\text{OH})_2) = -3.66$

-----  
Be++ EMF NaCl04 25°C 3.0M U 1956Ksa (11060) 73

$*B(3,3) = -8.66$

$*B(2,1) = -3.24$

$*B_2 = -10.9$

Method: quinhydrone and H electrodes

-----  
Be++ gl NaCl04 25°C 1.0M U 1954MAa (11061) 74

$*K_1 = -6.52$

$*B(2,1) = -3.51$

-----  
Be++ gl R4N.X 22°C 2.0M U 1941BJa (11062) 75

$*K_1 = -6.70$

Medium:  $\text{NH}_4\text{NO}_3$ ;  $*K_1: \text{Be} + \text{H}_2\text{O} = \text{BeOH} + \text{H}$

-----  
Be++ EMF oth/un 25°C var C I 1931PRa (11063) 76

$*B(2,2) = -6.32$

$*K_s(2,2) = 9.15$

$K_s(2,2) = -18.57$

Medium:  $\text{BeBr}_2$ . In  $\text{BeI}_2$   $*B(2,2) = -6.36$ ,  $*K_s(2,2) = 9.23$ ,  $K_s(2,2) = -18.48$ .

Method: H electrode

-----  
Be++ EMF oth/un 25°C var C 1929PRa (11064) 77

$*B(2,2) = -6.85$

$*K_s(2,2) = 8.90$

Medium:  $\text{BeSO}_4$ .  $*K_s(2,2): 2\text{Be}(\text{OH})_2(\text{s}) + 2\text{H} = \text{Be}_2(\text{OH})_2 + 2\text{H}_2$ . Method: H electrode

-----  
Be++ sol oth/un rt var U 1913BKa (11065) 78



```

Ks(2,6)=-0.77
Ks(2,4)=-1.19 or -1.4
Ks(2,6):K(2Be(OH)2(s)+4OH=Be2(OH)6); Ks(2,4): K(2Be(OH)2(s)=Be2(OH)4)
-----
Be++      EMF oth/un 25°C   var   C           K1=10.28      1910W0a (11066)  79
                                         *K1=-3.63
Method: H electrode
-----
Be++      kin oth/un 100°C   var   U           1899LEa (11067)  80
                                         *K1=-4.46
*****
PO4---      H3L      Phosphate      CAS 7664-38-2 (176)
Phosphate;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  NaCl04 25°C   3.0M C I           1997CIa (13115)  81
                                         K(Be+H3L=BeH2L+H)=0.01
                                         K(Be+2H3L=BeH4L2+2H)=0.59
                                         K(2Be+H3L=Be2HL+2H)=-0.43
                                         K(3Be+3H3L=Be3H3L3+6H)=-2.07
K(3Be+6H3L=Be3H10L6+8H)=1.58, K(3Be+H3L=Be3H-2L+5H)=-8.36
-----
Be++      gl  oth/un 20°C   dil  U    M           1961CAa (13116)  82
                                         Kso(Be3L2)=-37.7
                                         Ks(Be(NH4)L(s)=Be+NH4+L)=-19.7
*****
P207----      H4L      Pyrophosphate      CAS 2466-09-3 (198)
Diphosphate; from (HO)2PO.O.PO(OH)2
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  KCl   25°C   0.10M U           K1=10.08  B2=15.45  1968DMa (13564)  83
                                         K(Be+HL)=5.98
*****
P3010-----      H5L                        CAS 10380-08-2 (1001)
Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  R4N.X  20°C   0.10M U    H           1965ANa (13844)  84
                                         K(BeL+H)=5.35
Medium: Me4NN03. By calorimetry: DH(K1)=19.6 kJ mol-1
*****
SCN-      HL      Thiocyanate      CAS 463-56-9 (106)
Thiocyanate;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      cal non-aq 25°C  100% U  IH      K1=3.0    B2=5.1    1995KSb (14823)  85

```

B3=7.0

Medium: N,N-Dimethylacetamide, 0.1 M Bu<sub>4</sub>NClO<sub>4</sub>. DH(K<sub>1</sub>)=5.9 kJ mol<sup>-1</sup>,  
DH(B<sub>2</sub>)=10, DH(B<sub>3</sub>)=8.1. Data also in DMF: K<sub>1</sub>=2.6, B<sub>2</sub>=4.4, B<sub>3</sub>=5.9

|      |    |                    |      |      |   |   |                      |                      |                 |    |
|------|----|--------------------|------|------|---|---|----------------------|----------------------|-----------------|----|
| Be++ | ix | NaClO <sub>4</sub> | 18°C | 1.0M | U | T | K <sub>1</sub> =0.13 | B <sub>2</sub> =0.13 | 1971PTa (14824) | 86 |
|------|----|--------------------|------|------|---|---|----------------------|----------------------|-----------------|----|

|      |     |                    |      |      |   |   |                       |                       |                 |    |
|------|-----|--------------------|------|------|---|---|-----------------------|-----------------------|-----------------|----|
| Be++ | dis | NaClO <sub>4</sub> | 25°C | 4.0M | U | T | K <sub>1</sub> =-0.16 | B <sub>2</sub> =-0.60 | 1971SKb (14825) | 87 |
|------|-----|--------------------|------|------|---|---|-----------------------|-----------------------|-----------------|----|

|      |     |        |  |     |   |  |  |  |                 |    |
|------|-----|--------|--|-----|---|--|--|--|-----------------|----|
| Be++ | dis | oth/un |  | var | U |  |  |  | 1967BMb (14826) | 88 |
|------|-----|--------|--|-----|---|--|--|--|-----------------|----|

Kd(Be+2L=BeL<sub>2</sub>(EtCOMe))=-0.5

\*\*\*\*\*  
S04-- H<sub>2</sub>L Sulfate CAS 7664-93-9 (15)  
Sulfate;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |     |      |      |     |   |   |  |                       |                 |    |
|------|-----|------|------|-----|---|---|--|-----------------------|-----------------|----|
| Be++ | EMF | none | 25°C | 0.0 | C | H |  | K <sub>1</sub> =2.225 | 1988PGc (16024) | 89 |
|------|-----|------|------|-----|---|---|--|-----------------------|-----------------|----|

Method: Hg/Hg<sub>2</sub>S04 electrode. K<sub>1</sub> derived from data for 0.016-0.04 M  
BeS04/H<sub>2</sub>S04 solutions. DH(K<sub>1</sub>)=-23.5 kJ mol<sup>-1</sup>, DS(K<sub>1</sub>)=-121 J K<sup>-1</sup> mol<sup>-1</sup>.

|      |     |        |      |     |   |  |  |   |                 |    |
|------|-----|--------|------|-----|---|--|--|---|-----------------|----|
| Be++ | kin | oth/un | 25°C | 0.0 | U |  |  | K <sub>1</sub> =2.22<br>K <sub>1</sub> out=2.0<br>K <sub>1</sub> in=-0.19 | 1974KFa (16025) | 90 |
|------|-----|--------|------|-----|---|--|--|---|-----------------|----|

By spectrophotometry: K<sub>1</sub>=2.16

|      |     |      |      |     |   |  |  |  |                 |    |
|------|-----|------|------|-----|---|--|--|--|-----------------|----|
| Be++ | oth | none | 25°C | 0.0 | C |  |  | K <sub>1</sub> =2.66 B <sub>2</sub> = 2.96 | 1972PIa (16026) | 91 |
|------|-----|------|------|-----|---|--|--|--|-----------------|----|

Calculated from published osmotic coefficient data.

|      |     |        |       |     |   |  |  |                      |                 |    |
|------|-----|--------|-------|-----|---|--|--|----------------------|-----------------|----|
| Be++ | ISE | oth/un | 35?°C | 0.0 | U |  |  | K <sub>1</sub> =2.17 | 1968PRd (16027) | 92 |
|------|-----|--------|-------|-----|---|--|--|----------------------|-----------------|----|

|      |     |                    |      |      |   |  |  |  |                 |    |
|------|-----|--------------------|------|------|---|--|--|--|-----------------|----|
| Be++ | dis | NaClO <sub>4</sub> | 25°C | 1.0M | U |  |  | B <sub>2</sub> =1.78<br>B <sub>3</sub> =2.08 | 1967SSd (16028) | 93 |
|------|-----|--------------------|------|------|---|--|--|--|-----------------|----|

|      |     |        |      |     |   |  |  |   |                 |    |
|------|-----|--------|------|-----|---|--|--|---|-----------------|----|
| Be++ | kin | oth/un | 25°C | 0.0 | U |  |  | K <sub>1</sub> =1.95<br>K <sub>1</sub> in/K <sub>1</sub> out=-0.22<br>K <sub>1</sub> out=1.70 | 1966Kwa (16029) | 94 |
|------|-----|--------|------|-----|---|--|--|---|-----------------|----|

|      |    |                    |      |       |   |  |  |                      |                 |    |
|------|----|--------------------|------|-------|---|--|--|----------------------|-----------------|----|
| Be++ | ix | NaClO <sub>4</sub> | 18°C | 0.50M | U |  |  | K <sub>1</sub> =0.72 | 1962BKc (16030) | 95 |
|------|----|--------------------|------|-------|---|--|--|----------------------|-----------------|----|

\*\*\*\*\*  
SeO<sub>3</sub>-- H<sub>2</sub>L Selenite CAS 7783-00-8 (2391)  
Selenite;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |     |        |      |     |   |  |  |                       |                 |    |
|------|-----|--------|------|-----|---|--|--|-----------------------|-----------------|----|
| Be++ | con | oth/un | 18°C | dil | U |  |  | K <sub>so</sub> =-8.0 | 1968RVa (17042) | 96 |
|------|-----|--------|------|-----|---|--|--|-----------------------|-----------------|----|

\*\*\*\*\*  
CH<sub>2</sub>O<sub>2</sub> HL Formic acid CAS 64-18-6 (37)  
Methanoic acid; H.COOH

| Metal                                     | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values   | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|---------------|-----------------|--------|
| Be++                                      | kin | oth/un | 25°C | dil  | U   |       | K1=0.15       | 1976GKa (17597) | 97     |
| *****                                     |     |        |      |      |     |       |               |                 |        |
| CH4O3ClP                                  |     | H2L    |      |      |     |       | CAS 2565-58-4 | (1973)          |        |
| Chloromethylphosphonic acid; Cl.CH2.PO3H2 |     |        |      |      |     |       |               |                 |        |

| Metal                            | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values               | Reference       | ExptNo |
|----------------------------------|-----|--------|------|-------|-----|-------|---------------------------|-----------------|--------|
| Be++                             | EMF | KCl    | 25°C | 0.10M | U   |       | K1=5.29<br>B(Be2L2)=13.55 | 1968DMb (17929) | 98     |
| *****                            |     |        |      |       |     |       |                           |                 |        |
| CH5O3P                           |     | H2L    |      |       |     |       | CAS 13590-71-1            | (1752)          |        |
| Methylphosphonic acid; CH3.PO3H2 |     |        |      |       |     |       |                           |                 |        |

| Metal                                 | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                                       | Reference       | ExptNo |
|---------------------------------------|-----|--------|------|-------|-----|-------|---|-----------------|--------|
| Be++                                  | gl  | NaCl04 | 25°C | 0.50M | C   |       | K1=6.17 B2=11.53<br>K(BeL+H)=3.3<br>K(Be+H2L)=2.0 | 1999AVa (18125) | 99     |
| *****                                 |     |        |      |       |     |       |   |                 |        |
| Be++                                  | EMF | KCl    | 25°C | 0.10M | U   |       | K1=6.31 B2=15.6                                   | 1968DMb (18126) | 100    |
| *****                                 |     |        |      |       |     |       |   |                 |        |
| CH6O6P2                               |     | H4L    |      |       |     |       | CAS 1984-15-2                                     | (2384)          |        |
| Methanediphosphonic acid; CH2(PO3H2)2 |     |        |      |       |     |       |   |                 |        |

| Metal                     | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|---------------------------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++                      | gl  | NaCl04 | 25°C | 0.50M | C   |       | K1=13.7 B2=21.36<br>K(BeL+H)=5.04<br>K(BeHL+H)=2.6<br>K(BeL2+H)=6.3<br>K(BeHL2)=6.5<br>K(Be+HL)=8.3, K(Be+H2L)=4.0, K(Be+2H2L)=7.6 | 1999AVa (18275) | 101    |
| *****                     |     |        |      |       |     |       |  |                 |        |
| Be++                      | gl  | KCl    | 25°C | 0.10M | U   |       | K(Be+HL)=8.82<br>K(2Be+L)=19.15  | 1967KLa (18276) | 102    |
| *****                     |     |        |      |       |     |       |  |                 |        |
| C2H2O4                    |     | H2L    |      |       |     |       | CAS 144-62-7   | (24)            |        |
| Ethanedioic acid; (COOH)2 |     |        |      |       |     |       |  |                 |        |

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                           | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|---------------------------------------|-----------------|--------|
| Be++   | cal | NaCl04 | 25°C | 0.50M | C   | H     |                                       | 1998ABe (18808) | 103    |
| DH(K1)=19.5 kJ mol <sup>-1</sup> , DS(K1)=132 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(K2)=31, DS(K2)=138;<br>DH(Be3(OH)3+L)=10.9, DS=109; DH(Be3(OH)3+3L)=28, DS=254. |     |        |      |       |     |       |                                       |                 |        |
| *****  |     |        |      |       |     |       |                                       |                 |        |
| Be++   | gl  | NaCl04 | 25°C | 0.50M | C   |       | K1=3.47 B2=5.24<br>K(Be3(OH)3+L)=3.78 | 1997BCa (18809) | 104    |

$$K(\text{Be}_3(\text{OH})_3+3\text{L})=8.33$$

Be++ oth NaClO4 40°C 0.10M C M B2=5.43 1984SIa (18810) 105  
B(BeL(nta))=7.42

Method: Paper electrophoresis, pH 10.0.

Be++ kin none 25°C 0.0 U 1978GKa (18811) 106  
K(Be+HL)=1.23  
K(BeHL=BeL+H)=-3.0

Be++ sp oth/un 20°C var C K1=3.26 B2= 5.32 1978JBc (18812) 107  
K(3Be+30H+3L)=39.94

Method: Raman and IR spectroscopy. Medium: 0.22-0.32 M oxalic acid.

Be++ gl NaClO4 25°C 0.50M C K1=3.52 B2=9.09 1977DBb (18813) 108  
B(1,3,3)=-3.85  
B(3,3,3)=-0.59

$$K(r,q,p)=p\text{Be}+r\text{L}+q\text{H}_2\text{O}=\text{Be}_p(\text{OH})_q\text{L}_r+q\text{H}$$

Be++ gl KNO3 20°C 0.10M M K1=4.08 B2= 5.38 1975VBb (18814) 109

Be++ gl NaNO3 ? 2.00M U K1=3.2 B2=5.7 1970CFa (18815) 110  
K(2Be+2L+2H2O=Be2(OH)2L2+2H)=-0.85

Be++ dis NaClO4 25°C 1.0M U K1=3.55 B2=5.40 1967SSd (18816) 111

Be++ sp oth/un ? ? U K1=4.87 1964PCa (18817) 112  
By Job's method K1=4.93

Be++ dis oth/un 20°C 0.10M U K1=4.12 1963STc (18818) 113  
Medium: KClO4

Be++ gl NaClO4 25°C 0.15M U K1=4.08 B2=5.91 1962BKa (18819) 114

\*\*\*\*\*

C2H3NO4 HL CAS 625-75-2 (2968)

Nitroacetic acid; O2N.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ kin oth/un 18°C 0.20M U K1=0.26 1949PEa (19207) 115

Medium: Ba(NO3)2

\*\*\*\*\*

C2H4O2S H2L Thioglycolic CAS 68-11-1 (596)

Mercaptoethanoic acid; HS.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl oth/un 25°C .065M U TIH K1=7.17 B2=12.58 1975GSA (20301) 116

At 35 C: K1=6.95, K2=4.89; 45 C: 6.82, 4.86. At 35 C, I=0.15: 7.06, 5.00.

At 35 C, I=0.25: K1=7.35, K2=5.82. DH(K1)=-102 kJ mol<sup>-1</sup>

\*\*\*\*\*

C2H4O3                      HL      Glycolic acid      CAS 79-14-1    (33)  
2-Hydroxyethanoic acid; HO.CH2.COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                             | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | M   |       | K1=1.05    B2= 2.85<br>B(Be3H-3L)=-7.56 | 1996PLa (20497) | 117    |

|      |    |        |      |       |   |  |                     |                 |     |
|------|----|--------|------|-------|---|--|---------------------|-----------------|-----|
| Be++ | gl | NaCl04 | 30°C | 0.20M | U |  | K1=7.51    B2=13.45 | 1975JBb (20498) | 118 |
|------|----|--------|------|-------|---|--|---------------------|-----------------|-----|

|      |    |        |      |       |   |  |         |                 |     |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|
| Be++ | ix | NaCl04 | 18°C | 0.10M | U |  | K1=1.49 | 1965BKb (20499) | 119 |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|

\*\*\*\*\*

C2H5NO2                      HL      Glycine                      CAS 56-40-6    (85)  
2-Aminoethanoic acid; H2N.CH2.COOH

| Metal                          | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|--------------------------------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++                           | gl  | NaNO3  | 25°C | 0.10M | C   |       | K1=6.80  | 1989GAb (21499) | 120    |
| Be++                           | oth | NaCl04 | 35°C | 0.10M | C   |       | K1=5.38  | 1983PYa (21500) | 121    |
| Method: paper electrophoresis. |     |        |      |       |     |       |  |                 |        |
| Be++                           | gl  | NaCl04 | 30°C | 0.20M | U   |       | K1=6.58    B2=12.17  | 1975JBb (21501) | 122    |
| Be++                           | gl  | NaCl04 | 25°C | 0.50M | M   |       |  | 1974DBa (21502) | 123    |
|                                |     |        |      |       |     |       | B(BeHL)=10.69<br>B(Be3HL2)=18.84<br>B(Be3H-1L2)=12.89<br>B(Be3H-2L)=1.68 |                 |        |

B(Be3H-3L)=-4.35

|      |    |        |   |   |   |  |         |                 |     |
|------|----|--------|---|---|---|--|---------|-----------------|-----|
| Be++ | sp | oth/un | ? | ? | U |  | B2=4.95 | 1964PCa (21503) | 124 |
|------|----|--------|---|---|---|--|---------|-----------------|-----|

|      |    |        |      |       |   |  |         |                 |     |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|
| Be++ | gl | oth/un | 22°C | 0.01M | U |  | B2=13.3 | 1952PEa (21504) | 125 |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|

Medium: BeSO4.

\*\*\*\*\*

C2H5O5P                      H3L                      CAS 4408-78-0    (4225)  
Phosphonoethanoic acid; H00C.CH2.PO3H2

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | C   |       | K1=9.24    B2=14.98<br>K(BeL+H)=3.36<br>K(BeL2+H)=5.05<br>K(BeHL2+H)=ca. 3<br>K(Be+HL)=4.53 | 1999AVa (21890) | 126    |

K(Be3(OH)3+L)=7.2, K(Be3(OH)3+3L)=20.86.

\*\*\*\*\*

C2H8O7P2                      H4L      HEDPA                      CAS 2809-21-4    (436)

1-Hydroxyethane-1,1-diphosphonic acid; CH<sub>3</sub>.C(OH)(PO<sub>3</sub>H<sub>2</sub>)<sub>2</sub>

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.10M | U   |       | K1=13.40<br>K(Be+H-1L)=16.55<br>K(Be+HL)=7.00<br>K(2Be+H-1L)=25.74<br>K(2Be+L)=18.01 | 1967KLa (23360) | 127    |

\*\*\*\*\*

C3H4O4 H2L Malonic acid CAS 141-82-2 (79)  
Propanedioic acid; CH<sub>2</sub>(COOH)<sub>2</sub>

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | C   |       | K1=5.36 B2= 9.21<br>K(Be3(OH)3+L)=5.26<br>K(Be3(OH)3+3L)=12.84 | 1999AVa (24397) | 128    |

Be++ cal NaClO4 25°C 0.50M C H 1998ABe (24398) 129  
DH(K1)=10.53 kJ mol<sup>-1</sup>, DS(K1)=138.0 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=5.19, DS(K2)=91.2;  
DH(Be3(OH)3+L)=8.4, DS=129; DH(Be3(OH)3+3L)=18.8, DS=309.

|      |    |        |      |       |   |  |   |                 |     |
|------|----|--------|------|-------|---|--|---|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50M | C |  | K1=5.36 B2=9.21<br>K(Be3(OH)3+L)=5.26<br>K(Be3(OH)3+3L)=12.84 | 1997BCa (24399) | 130 |
|------|----|--------|------|-------|---|--|---|-----------------|-----|

|      |     |        |      |   |   |  |  |                 |     |
|------|-----|--------|------|---|---|--|--|-----------------|-----|
| Be++ | oth | oth/un | 20°C | ? | U |  | K1=5.51 B2=8.88<br>K(Be3(OH)3+3L)=2.88 | 1988JBa (24400) | 131 |
|------|-----|--------|------|---|---|--|--|-----------------|-----|

Method: Raman spectroscopy

|      |    |        |      |       |   |   |  |                 |     |
|------|----|--------|------|-------|---|---|--|-----------------|-----|
| Be++ | gl | NaClO4 | 30°C | 0.10M | U | M | K1=5.15 B2= 8.45<br>B(BeLA)=8.74<br>B(BeLB)=8.02<br>B(BeLC)=7.41<br>B(BeLD)=7.59 | 1983SHf (24401) | 132 |
|------|----|--------|------|-------|---|---|--|-----------------|-----|

B(BeLE)=8.70. H2A is succinic acid, H2B is itaconic acid, H2C is glutaric acid, H2D is adipic acid, H2E is maleic acid.

|      |     |      |      |     |   |  |                                      |                 |     |
|------|-----|------|------|-----|---|--|--------------------------------------|-----------------|-----|
| Be++ | kin | none | 25°C | 0.0 | U |  | K(Be+HL)=1.26<br>K(BeHL=BeL+H)=-1.66 | 1978GKa (24402) | 133 |
|------|-----|------|------|-----|---|--|--------------------------------------|-----------------|-----|

|      |    |        |      |       |   |  |  |                 |     |
|------|----|--------|------|-------|---|--|--|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50M | C |  | K1=5.34 B2=8.85<br>K(Be3(OH)3+3L)=0.81 | 1977DBa (24403) | 134 |
|------|----|--------|------|-------|---|--|--|-----------------|-----|

|      |    |      |      |       |   |  |                  |                 |     |
|------|----|------|------|-------|---|--|------------------|-----------------|-----|
| Be++ | gl | KN03 | 20°C | 0.10M | M |  | K1=5.30 B2= 8.56 | 1975VBb (24404) | 135 |
|------|----|------|------|-------|---|--|------------------|-----------------|-----|

|      |    |        |      |       |   |   |               |                 |     |
|------|----|--------|------|-------|---|---|---------------|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 1.00M | U | T | K(Be+HL)=2.65 | 1974TGa (24405) | 136 |
|------|----|--------|------|-------|---|---|---------------|-----------------|-----|

At 35 C:  $K(\text{Be}+\text{HL})=2.77$ ,  $K(\text{Be}+2\text{HL})=5.43$

|                              |    |                |             |      |
|------------------------------|----|----------------|-------------|------|
| C3H6O2                       | HL | Propionic acid | CAS 79-09-4 | (35) |
| Propanoic acid; CH3.CH2.COOH |    |                |             |      |

|   |    |               |             |      |
|---|----|---------------|-------------|------|
| C3H6O3  | HL | L-Lactic acid | CAS 79-33-4 | (82) |
| L-2-Hydroxypropanoic acid; CH <sub>3</sub> .CH(OH).COOH |    |               |             |      |

Be++ gl NaCl04 25°C 1.00M U T K1=0.40 1975TRa (25411) 143  
Values also at 35 C, 45 C

Be++ ix NaClO4 18°C 0.10M U K1=1.53 1965BKa (25412) 144  
\*\*\*\*\*  
C3H7NO2 HL Alanine CAS 56-41-7 (86)  
2-Aminopropanoic acid; H2N.CH(CH3).COOH

Be++            gl   oth/un 21°C 0.01M U            B2=13.1            1952PEa (26143) 146  
Medium: 0.005-0.01 M BeSO4

C3H7NO2                      HL            B-Alanine                      CAS 107-95-9    (575)  
3-Aminopropanoic acid; H2N.CH2.CH2.COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|----------|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | M   |       |    |          | 1974DBa (26446) | 147    |

$$\begin{aligned} B(\text{BeHL}) &= 11.52 \\ B(\text{Be}3\text{H}-1\text{L}2) &= 13.80 \end{aligned}$$

B(Be3H-2L)=2.76  
B(Be3H-3L)=-3.77

-----  
Be++ sp oth/un ? ? U B2=3.07 1964PCa (26447) 148  
\*\*\*\*\*  
C3H7NO2 HL Sarcosine CAS 107-97-1 (87)  
N-Methyl-2-aminoethanoic acid; CH3.NH.CH2.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 20°C 0.01M U B2=13.9 1952PEa (26599) 149  
Medium: BeSO4  
\*\*\*\*\*  
C3H7NO2 HL (6927)  
N-Methylacetohydroxamic acid; CH3.CO.N(OH)CH3  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp NaClO4 25°C 0.10M C K1=6.93 B2=10.76 1999BB1 (26621) 150  
\*\*\*\*\*  
C3H7NO2S H2L Cysteine CAS 52-90-4 (96)  
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaNO3 15°C 0.10M U T K1=12.50 B2=20.00 1984IDa (26755) 151  
At 30 C, K1=12.35, K2=7.40.  
\*\*\*\*\*  
C3H7NO3 HL Serine CAS 56-45-1 (49)  
2-Amino-3-hydroxypropanoic acid; H2N.CH(CH2.OH)COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 20°C .005M U B2=12.1 1953PEa (27118) 152  
Medium: 0.005 M BeSO4  
\*\*\*\*\*  
C3H7O5P H3L CAS 5962-42-5 (522)  
3-Phosphonopropanoic acid; HOOCH2.CH2.PO3H2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl R4N.X 25°C 0.50M C K1=6.76 1999VCa (27311) 153  
K(Be+HL)=3.12  
K(BeHL+HL)=1.6  
K(Be3(OH)3+L)=6.2  
K(Be+OH+L)=13.60  
Medium: 0.50 M Me4NCl/NaClO4.  
\*\*\*\*\*

C3H8NO5P H3L Glyphosate CAS 1071-83-6 (1617)  
N-(Phosphonomethyl)glycine; H2O3P.CH2.NH.CH2.COOH



| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++   | gl  | KNO3   | 30°C | 0.10M | U   | T HM  | K1=13.00 B2=23.16<br>K(BeL+gly)=4.81<br>K(BeL+ala)=5.17<br>K(BeL+A)=10.99<br>K(Be(phen)+L)=10.82 | 1997RPc (27402) | 154    |
| Data for 20-50 C. DH(K1)=-43 kJ mol <sup>-1</sup> , DS(K1)=106 J K <sup>-1</sup> mol <sup>-1</sup> , DH(K2)=-34, DS(K2)=82. H2A is catechol. K(Be(bpy)+L)=10.81, K(Be(ida)+L)=10.61. |     |        |      |       |     |       |  |                 |        |
| *****  |     |        |      |       |     |       |  |                 |        |
| C3H10NO3P  |     | H2L    |      |       |     |       | (1986)   |                 |        |
| 1,1-Dimethyl-1-aminomethylphosphonic acid; H2N.C(CH3)2.PO3H2   |     |        |      |       |     |       |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
| Be++   | gl  | KCl    | 25°C | 0.10M | U   |       | K(Be+HL)=4.81<br>B(Be2L2)=12.73  | 1969DMd (28074) | 155    |
| *****  |     |        |      |       |     |       |  |                 |        |
| C3H10NO3P  |     | H2L    |      |       |     |       | CAS 28660-33-5 (4243)  |                 |        |
| 2-Aminopropane-1-phosphonic acid; CH3.CH(NH2).CH2.PO3H2  |     |        |      |       |     |       |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
| Be++   | EMF | KCl    | 25°C | 0.10M | U   |       | K1=4.81<br>B(Be2L2)=12.6   | 1968DMb (28080) | 156    |
| *****  |     |        |      |       |     |       |  |                 |        |
| C4H4N2O2   |     | HL     |      |       |     |       | CAS 66-22-8 (412)  |                 |        |
| 2,4-Dihydroxypyrimidone, 2,4-Pyrimidinedione;  |     |        |      |       |     |       |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 30°C | 0.10M | U   |       | K1=6.52 B2=12.02   | 1978SSa (28857) | 157    |
| *****  |     |        |      |       |     |       |  |                 |        |
| C4H4O4   |     | H2L    |      |       |     |       | CAS 110-16-7 (111)   |                 |        |
| cis-Butenedioic acid; HOOC.CH:CH.COOH  |     |        |      |       |     |       |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 30°C | 0.10M | U   | M     | K1=4.30 B2= 6.41<br>B(BeLA)=6.92<br>B(BeLB)=7.01   | 1983SHf (29049) | 158    |
| H2A is succinic acid, H2B is itaconic acid.  |     |        |      |       |     |       |  |                 |        |
| Be++   | kin | none   | 25°C | 0.0   | U   |       | K(Be+HL)=1.48<br>K(BeL+H)=3.5  | 1978GKa (29050) | 159    |
| Be++   | sp  | oth/un | ?    | ?     | U   |       | K1=3.24  | 1964PCa (29051) | 160    |

-----  
 Be++ gl NaClO4 25°C 0.15M U K1=4.33 B2=6.46 1962BKa (29052) 161  
 \*\*\*\*\*

C4H4O4 H2L Fumaric acid CAS 110-17-8 (289)  
 trans-Butenedioic acid; HOOC.CH:CH.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ sp oth/un ? ? U K1=3.23 1964PCa (29179) 162  
 \*\*\*\*\*

C4H4O5 H2L Oxobutanedioic CAS 328-42-7 (1733)  
 2-Oxosuccinic acid, Oxalacetic acid; HOOC.CH2.CO.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ sp NaClO4 25°C 0.20M U 1972DTa (29262) 163  
 K(Be+HL)=3.1

By kinetics: K(Be+HL)=3.3

\*\*\*\*\*

C4H6O4 H2L Succinic acid CAS 110-15-6 (112)  
 1,4-Butanedioic acid; HOOC.CH2.CH2.COOH

-----  
 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 0.50M C H K1=3.04 B2= 4.04 2001MDa (29941) 164  
 K(Be3(OH)3+L)=2.03  
 DH(K1)=21.1 kJ mol<sup>-1</sup>, DS(K1)=129 J K<sup>-1</sup> mol<sup>-1</sup>; DH(K2)=15, DS(K2)=69;  
 DH(Be3(OH)3L)=42, DS(Be3(OH)3L)=181.

-----  
 Be++ gl NaClO4 25°C 0.50M C H K1=3.04 B2= 4.04 1998ABe (29942) 165  
 K(Be3(OH)3+L)=2.03  
 DH(K1)=21.1 kJ mol<sup>-1</sup>, DS(K1)=129 J K<sup>-1</sup> mol<sup>-1</sup>, DH(K2)=15, DS(K2)=69,  
 DH(Be3(OH)3+L)=42, DS=181.

-----  
 Be++ gl NaClO4 30°C 0.10M U K1=3.18 B2= 4.83 1983SHF (29943) 166  
 -----

Be++ kin none 25°C 0.0 U 1978GKa (29944) 167  
 K(Be+HL)=1.48  
 K(BeHL=BeL+H)=-2.69

-----  
 Be++ gl NaClO4 25°C 0.50M C K1=2.74 B2=4.36 1977DBa (29945) 168  
 K(Be+2HL)=3.05  
 K(Be3(OH)3+HL)=2.00  
 K(Be3(OH)3+3L)=5.07

-----  
 Be++ gl KNO3 25°C 1.00M U K1=3.13 1975VGa (29946) 169  
 B(BeHL)=6.54  
 B(BeH-1L)=-2.64

-----  
 Be++ gl NaClO4 25°C 1.00M U T 1974TGa (29947) 170

K(Be+HL)=2.48  
K(Be+2HL)=4.90

At 35 C: K(Be+HL)=2.56, K(Be+2HL)=5.23

-----  
Be++ sp oth/un ? ? U K1=3.08 1964PCa (29948) 171  
-----

Be++ gl NaCl04 25°C 0.15M U K1=4.69 B2=6.43 1962BKa (29949) 172

\*\*\*\*\*

C4H6O4 L CAS 553-90-2 (2991)

Dimethyl oxalate; (COOCH3)2  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp oth/un ? ? U K1=4.97 1960BHe (30088) 173

\*\*\*\*\*

C4H6O4 H2L Me-Malonic Acid CAS 516-15-2 (816)

Methylpropanedioic acid; H00C.CH(CH3).COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 25°C 0.50M C K1=5.394 B2= 9.08 1999ACa (30116) 174

K(Be3(OH)3+L)=5.47

K(Be3(OH)3+3L)=12.64  
-----

Be++ gl NaCl04 30°C 0.10M U K1=5.21 B2= 8.67 1983SHf (30117) 175

\*\*\*\*\*

C4H6O4S H3L Thiomalic acid CAS 70-49-5 (109)

2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; H00C.CH(SH).CH2.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 30°C 0.10M U M K1=4.80 B2= 7.97 1983SHf (30320) 176

B(BeLA)=8.22

B(BeLB)=8.70

B(BeLC)=8.47

B(BeLD)=6.99

B(BeLE)=7.15, B(BeLF)=8.45. H2A=malonic acid, H2B=methylmalonic,

H2C=dimethylmalonic, H2D=succinic, H2E=itaconic, H2F=maleic acid.  
-----

Be++ gl NaCl04 30°C 0.10M U M 1983SHf (30321) 177

B(BeLA)=6.69

B(BeLB)=6.68

H2A is glutaric acid, H2B is adipic acid.

\*\*\*\*\*

C4H6O5 H2L Malic acid CAS 617-48-1 (393)

2-Hydroxybutane-1,4-dioic acid, Hydroxy-succinic acid; H00C.CH2.CH(OH).COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 25°C 0.50M C K1=2.49 1980DTa (30593) 178

K(Be3(OH)3+L)=5.35  
 K(Be3(OH)3+2L)=8.39  
 K(Be3(OH)3+3L)=10.61  
 B(3,-2,1)=-3.47

B(3,-3,2)=-0.42, B(3,-3,3)=1.80. B(p,q,r): pBe+qH+rL=BepHqLr

-----  
 Be++ gl NaClO4 30°C 0.20M U K1=9.09 1975JBb (30594) 179  
 -----

Be++ gl KNO3 25°C 1.00M U K1=2.70 1975VGa (30595) 180  
 B(BeHL)=5.74  
 B(Be2L2)=8.48  
 B(Be2H-2L)=1.35  
 B(Be2H-1L)=3.05

B(Be4H-4L2) = -1.74

-----  
 Be++ sp oth/un ? ? U K1=3.04 1964PCa (30596) 181  
 \*\*\*\*\*  
 C4H6O5 H2L Diglycolic acid CAS 110-99-6 (243)  
 Di(carboxy)methyl ether, 2,2'-Oxydiethanoic acid; HOOC.CH2.O.CH2.COOH  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 0.10M U TIH K1=2.62 1979SDc (30854) 182  
 \*\*\*\*\*  
 C4H6O6 H2L DL-Tartaric acid CAS 133-37-9 (94)  
 DL-Tartaric acid,DL-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 1.00M M M 1988MOa (31013) 183  
 K(Be+H2L+(ascorbate))=4.56  
 -----

Be++ gl KNO3 25°C 1.00M U K1=1.74 1975VGa (31014) 184  
 B(Be4H-6L4)=-9.83  
 B(BeH-1L)=-2.66  
 B(Be2H-2L2)=-1.46  
 B(Be4H-6L2)=-15.27

\*\*\*\*\*  
 C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)  
 L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 0.50M M K1=1.52 B2= 3.20 1996PLa (31207) 185  
 B(Be3H-3L)=-5.56  
 B(Be3H-4L)=-10.86  
 B(BeH-2L2)=-6.12  
 -----

Be++ gl NaClO4 25°C 0.50M C K1=1.69 B2=2.93 1980DTa (31208) 186  
 K(Be3(OH)3+L)=3.32

$$B(1, -2, 2) = -6.52$$

$$B(3, -3, 1) = -5.49$$

$$B(3, -4, 1) = -10.49. \quad B(p, q, r): pBe + qH + rL = BepHqLr$$

---

|      |            |      |       |   |         |                 |     |
|------|------------|------|-------|---|---------|-----------------|-----|
| Be++ | EMF oth/un | 18°C | 0.10M | U | K1=2.57 | 1965KBa (31209) | 187 |
|------|------------|------|-------|---|---------|-----------------|-----|

---

|      |     |        |      |       |   |         |                 |     |
|------|-----|--------|------|-------|---|---------|-----------------|-----|
| Be++ | dis | NaClO4 | 20°C | 0.10M | U | K1=2.89 | 1963STc (31210) | 188 |
|------|-----|--------|------|-------|---|---------|-----------------|-----|

---

\*\*\*\*\*

|        |     |               |              |      |
|--------|-----|---------------|--------------|------|
| C4H6O6 | H2L | meso-Tartaric | CAS 147-73-9 | (91) |
|--------|-----|---------------|--------------|------|

meso-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |      |      |       |   |  |         |                 |     |
|------|----|------|------|-------|---|--|---------|-----------------|-----|
| Be++ | gl | KN03 | 25°C | 1.00M | U |  | K1=1.74 | 1975VGa (31426) | 189 |
|------|----|------|------|-------|---|--|---------|-----------------|-----|

$$B(Be4H-6L2) = -14.70$$

$$B(BeH-1L) = -2.49$$

$$B(Be2H-2L2) = 0.31$$

$$B(Be2H-3L) = -9.26$$

\*\*\*\*\*

|         |     |               |             |      |
|---------|-----|---------------|-------------|------|
| C4H7N04 | H2L | Aspartic acid | CAS 56-84-8 | (21) |
|---------|-----|---------------|-------------|------|

Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |        |      |       |   |  |  |                 |     |
|------|----|--------|------|-------|---|--|--|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50M | C |  |  | 1989MMe (31820) | 190 |
|------|----|--------|------|-------|---|--|--|-----------------|-----|

$$B(-4, 1, 1) = -19.23$$

$$B(-3, 1, 1) = 0$$

$$B(-9, 3, 3) = 0$$

$$B(p, q, r): pH + qM + rH2L = HpMq(H2L)r$$


---

|      |    |        |      |       |   |   |         |          |                 |     |
|------|----|--------|------|-------|---|---|---------|----------|-----------------|-----|
| Be++ | gl | NaClO4 | 30°C | 0.10M | U | M | K1=6.56 | B2=11.40 | 1983SHf (31821) | 191 |
|------|----|--------|------|-------|---|---|---------|----------|-----------------|-----|

$$B(BeLA) = 10.24$$

$$B(BeLB) = 10.85$$

$$B(BeLC) = 8.27$$

$$B(BeLD) = 8.47$$

H2A is malonic acid, H2B is methylmalonic acid, H2C is succinic acid,

H2D is itaconic acid.

---

|      |    |        |      |       |   |   |  |  |                 |     |
|------|----|--------|------|-------|---|---|--|--|-----------------|-----|
| Be++ | gl | NaClO4 | 30°C | 0.10M | U | M |  |  | 1983SHf (31822) | 192 |
|------|----|--------|------|-------|---|---|--|--|-----------------|-----|

$$B(BeLA) = 9.22$$

$$B(BeLB) = 10.29$$

$$B(BeLC) = 7.91$$

$$B(BeLD) = 8.23$$

H2A is thiomalic acid, H2B is maleic acid, H2C is glutaric acid,

H2D is adipic acid.

---

|      |    |        |      |       |   |  |         |          |                 |     |
|------|----|--------|------|-------|---|--|---------|----------|-----------------|-----|
| Be++ | gl | NaClO4 | 30°C | 0.20M | U |  | K1=6.54 | B2=11.35 | 1975JBb (31823) | 193 |
|------|----|--------|------|-------|---|--|---------|----------|-----------------|-----|

---

|      |    |        |      |       |   |  |          |          |                 |     |
|------|----|--------|------|-------|---|--|----------|----------|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.10M | U |  | K1=12.26 | B2=20.99 | 1972SSe (31824) | 194 |
|------|----|--------|------|-------|---|--|----------|----------|-----------------|-----|

---

Be++ sp oth/un ? ? U K1=3.03 1964PCa (31825) 195

Be++ gl oth/un 15°C .005M U B2=13.4 1953PEa (31826) 196  
Medium: 0.005 M BeSO4

\*\*\*\*\*

C4H7NO4 H2L IDA CAS 142-73-4 (118)  
Iminodiethanoic acid; HN(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl NaClO4 25°C 0.50M U 1987MDa (32202) 197

B(-2,1,1)=-5.98  
B(-1,1,1)=-1.90  
B(-9,3,3)=-30.40  
B(-3,1,1)=-11.60

B(p,q,r): pH + qBe + r(H2L)

Be++ gl NaClO4 25°C 0.10M U T K1=7.70 1981DSa (32203) 198  
At 35 C: K1=7.59; 45 C: 7.43

\*\*\*\*\*

C4H8N2O3 HL Asparagine CAS 70-47-3 (17)  
2-Aminobutanedioic acid 4-amide; H2N.CH(CH2.CO.NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl KNO3 25°C 0.10M U T K1=6.25 B2=11.20 1986SSe (32683) 199  
Data for 25-45 C and 0-1.0 M KNO3. DH and DS values reported.

Be++ gl oth/un 15°C .005M U B2=11.7 1953PEa (32684) 200  
Medium: 0.005 M BeSO4

\*\*\*\*\*

C4H8N2O3 HL Gly-Gly CAS 556-50-3 (54)  
Glycyl-glycine; H2N.CH2.CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl oth/un 21°C 0.01M U B2=9.8 1952PEa (33018) 201  
Medium: BeSO4

\*\*\*\*\*

C4H8O3 HL CAS 594-61-6 (81)  
2-Hydroxy-2-methylpropanoic acid; (CH3)2C(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl NaClO4 25°C 0.50M M K1=1.15 B2= 3.04 1996PLa (33447) 202  
B(Be3H-3L)=-7.22

Be++ gl NaClO4 25°C 0.50M C K1=1.16 B2=2.65 1979DTb (33448) 203  
K(Be3(OH)3+3L)=4.14  
B(BeH-1L)=-3.68

B(Be3H-3L3)=-4.68

\*\*\*\*\*

C4H8O3 HL CAS 300-85-6 (30)  
3-Hydroxybutanoic acid; CH3.CH(OH).CH2.COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | C   |       | K1=1.44 B2=2.83<br>K(Be3(OH)3+3L)=2.68<br>B(Be3H-3L3)=-6.13 | 1979DTb (33621) | 204    |

\*\*\*\*\*

C4H9NO2 HL Aminoisobutyric CAS 144-90-1 (188)  
2-Amino-2-methylpropanoic acid; H2N.C(CH3)2.COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | oth/un | 19°C | 0.01M | U   |       | B2=12.4     | 1952PEa (33836) | 205    |

Medium: BeSO4

\*\*\*\*\*

C4H9NO2 HL 2-Aminobutyric CAS 2835-81-6 (571)  
2-Aminobutanoic acid; CH3.CH2.CH(NH2).COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.10M | U   |       | K1=6.80 B2=12.70 | 1976SSf (33909) | 206    |
| Be++  | gl  | oth/un | 17°C | 0.01M | U   |       | B2=12.9          | 1952PEa (33910) | 207    |

Medium: 0.005-0.01 N BeSO4, 15-20 C

\*\*\*\*\*

C4H9NO2S HL Methylcysteine CAS 1187-84-4 (84)  
2-Amino-3-methylmercaptopropanoic acid; H2N.CH(CH2.S.CH3)COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | dis | NaCl04 | 35°C | 0.10M | U   | M     | K1=5.55 B2=10.50 | 1990TSb (34095) | 208    |

Method: electrophoresis. Ternary complexes with NTA

\*\*\*\*\*

C4H9NO3 HL Threonine CAS 72-19-5 (48)  
2-Amino-3-hydroxybutanoic acid; H2N.CH(CH(OH).CH3)COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | oth/un | 20°C | .005M | U   |       | B2=11.9     | 1953PEa (34291) | 209    |

Medium: 0.005 BeSO4

\*\*\*\*\*

C4H10OS2 H2L CAS 2150-02-9 (2896)  
2,2'-Dimercaptoethyl ether; HS.CH2CH2.O.CH2CH2.SH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

Be++ gl alc/w 25°C 40% U K1=11.96 1975SSe (34662) 210  
At 35 C: K1=11.90

\*\*\*\*\*

C4H11O3P HL CAS 762-04-9 (1329)

Diethylphosphonic acid; (C2H5.0)2P(O)H

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl R4N.X 25°C 0.10M C 2001BCd (35244) 211

K(Be+CpCoL3)=7.67

K(2Be+2CpCoL3)=11.0

K(Be2(OH)+2CpCoL3)=14.2

Medium: 0.50 M (CH3)4NCl. CpCoL3 is cyclopentadienyltris(diethyldiphos-  
phito-P)cobaltate. K(CpCoL3+H)=5.87, K(CpCoL3+Na)=2.6.

\*\*\*\*\*

C4H14N2O6P2 H2L EDDPO CAS 1733-49-9 (2435)

1,2-Diaminoethane-N,N'-bis(methylenephosphonic) acid; (H2O3P.CH2.NH.CH2)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ EMF KCl 25°C 0.10M U 1968DMb (35870) 212

K(Be+H2L)=8.76

K(2Be+H2L)=11.4

-----  
Be++ gl KCl 25°C 0.10M U K1=>7 1965DKb (35871) 213

\*\*\*\*\*

C5H4N2O4 H2L Orotic acid CAS 65-86-1 (624)

1,2,3,6-Tetrahydro-2,6-dioxo-4-pyrimidinecarboxylic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M U I 1983MDa (36110) 214

K(Be+H2L)=2.15

K(Be+2H2L)=3.83

K(Be+HL)=4.51

K(Be+2HL)=8.20

At I=0.1 M K(Be+HL)=4.65

\*\*\*\*\*

C5H4O2S HL 2-Thenoic acid CAS 527-72-0 (2312)

Thiophene-2-carboxylic acid; C4H3S.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 30°C 0.20M U T K1=2.15 B2=4.21 1976SKc (36255) 215

At 40 C:K1=2.14, K2=2.05; 50 C:2.12, 2.04

\*\*\*\*\*

C5H5N L Pyridine CAS 110-86-1 (31)

Pyridine, Azine;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo



-----  
 Be++ gl oth/un 45°C ? U T H K1=2.30 1967RBd (36596) 216  
 At 35 C: K1=2.40. DH(K1)=-18.8 kJ mol<sup>-1</sup>, DS=-12 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
 C5H5NO2 HL CAS 16867-04-2 (2316)  
 2,3-Dihydroxypyridine, 3-Hydroxypyridin-2(1H)-one; C5H3N(OH)2  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       | K1=7.30 B2=13.15 | 1970GDa (36781) | 217    |

Medium: 50% dioxan, 0.1 M NaClO4

\*\*\*\*\*  
 C5H5N5 L Adenine CAS 73-24-5 (237)  
 6-Aminopurine; H2N.C5H3N4  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | dis | NaClO4 | 25°C | 0.10M | C   | M     | K1=7.20 B2=13.40 | 1989MMf (36968) | 218    |

K(Be(nta)+L)=5.65  
 B(Be(nta)L)=12.75

Method: paper electrophoresis. Medium pH=8.5.  
 \*\*\*\*\*  
 C5H6N2 L 2-Aminopyridine CAS 504-29-0 (1478)  
 2-Aminoazine, 2-Pyridylamine; C5H4N.NH2  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags   | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|---------|-------------|-----------------|--------|
| Be++  | gl  | oth/un | 45°C |      |     | ? U T H | K1=4.24     | 1967RBd (37125) | 219    |

K1=4.37(35 C); DH(K1)=-28.4 kJ mol<sup>-1</sup>, DS=-16(?) J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*  
 C5H6N2O2 HL Thymine CAS 65-71-4 (413)  
 2,4-Dihydroxy-5-methylpyrimidine; C4HN2(CH3)(OH)2  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 30°C | 0.10M | U   |       | K1=7.01 B2=13.21 | 1978SSa (37275) | 220    |

\*\*\*\*\*  
 C5H6O4 H2L Itaconic acid CAS 97-65-4 (398)  
 Methylene succinic acid; HOOCH2C(:CH2).COOH  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 30°C | 0.10M | U   |       | K1=3.55 B2= 5.60 | 1983SHf (37411) | 221    |

\*\*\*\*\*  
 C5H8O2 HL Acetylacetone CAS 123-54-6 (164)  
 Pentane-2,4-dione; CH3.CO.CH2.CO.CH3  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | oth | NaClO4 | 25°C | 0.10M | C   | I R   | K1=7.48 B2=14.08 | 1982SLc (37918) | 222    |

IUPAC evaluation. I=1 M: B2=14.30; I=0 corr.: K1=7.9, B2=14.62

-----  
Be++ gl diox/w 20°C 17% C K1=10.71 B2=20.07 1976JWa (37919) 223  
-----

Be++ EMF R4N.X 19°C 1.00M U K1=7.27 B2=14.26 1968RSe (37920) 224  
-----

Be++ dis NaClO4 25°C 0.02M U I K1=7.96 B2=14.67 1963GAa (37921) 225  
K(BeLOH+H)=6.4  
K(BeL(OH)2+H)=9.8

I=1: K1=7.55, B2=14.35  
-----

Be++ gl oth/un 20°C 0.0 U T H K1=7.88 B2=14.63 1955IFb (37922) 226  
DH(K1)=-8.4 kJ mol<sup>-1</sup>, DS=121; DH(K2)=-29, DS=33. 10 C: k1=7.93, K2=6.96;  
40 C: K1=3.77, K2=6.44  
-----

Be++ gl oth/un 30°C 0.0 U K1=7.8 B2=14.5 1955IFc (37923) 227  
-----

Be++ gl diox/w 30°C 50% U K1=9.0 B2=16.7 1954BFb (37924) 228  
-----

Be++ gl oth/un 10°C 0.0 U K1=7.93 B2=14.89 1954IHa (37925) 229  
-----

Be++ gl diox/w 30°C 75% U K1=12.36 B2=23.30 1953UFb (37926) 230  
-----

\*\*\*\*\*  
C5H8O4 H2L CAS 595-46-0 (1144)  
Dimethylmalonic acid; HOOC.C(CH3)2.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M C K1=5.544 B2= 8.92 1999ACa (38209) 231  
K(Be3(OH)3+L)=5.22  
K(Be3(OH)3+3L)=12.57  
-----

Be++ gl NaClO4 30°C 0.10M U K1=4.88 B2= 8.28 1983SHf (38210) 232  
-----

\*\*\*\*\*  
C5H8O4 H2L Glutaric acid CAS 110-94-1 (420)  
Pentanedioic acid; HOOC.CH2.CH2.CH2.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 30°C 0.10M U K1=3.04 1983SHf (38310) 233  
-----

.  
\*\*\*\*\*  
C5H9NO2 HL Proline CAS 147-85-3 (44)  
Pyrrolidine-2-carboxylic acid; C4H8N.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 17°C 0.01M U B2=14.2 1952PEa (38602) 234  
Medium: BeSO4  
-----  
\*\*\*\*\*

C5H9NO3                      HL      Hydroxyproline      CAS 51-35-4      (416)  
 4-Hydroxy-2-pyrrolidinecarboxylic acid; C4H7N(OH)(COOH)

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |        |      |       |   |  |         |                 |     |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|
| Be++ | gl | oth/un | 17°C | 0.01M | U |  | B2=12.7 | 1952PEa (38720) | 235 |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|

Medium: BeSO4

\*\*\*\*\*

C5H9NO4                      H2L      Glutamic acid      CAS 56-86-0      (22)  
 2-Aminopentanedioic acid; H2N.CH(CH2.CH2.COOH)COOH

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |        |      |       |   |  |                      |                 |     |
|------|----|--------|------|-------|---|--|----------------------|-----------------|-----|
| Be++ | gl | NaCl04 | 25°C | 0.10M | U |  | K1=12.04    B2=20.02 | 1972SSe (39069) | 236 |
|------|----|--------|------|-------|---|--|----------------------|-----------------|-----|

|      |    |        |   |   |   |  |         |                 |     |
|------|----|--------|---|---|---|--|---------|-----------------|-----|
| Be++ | sp | oth/un | ? | ? | U |  | K1=3.11 | 1964PCa (39070) | 237 |
|------|----|--------|---|---|---|--|---------|-----------------|-----|

|      |    |        |      |       |   |  |         |                 |     |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|
| Be++ | gl | oth/un | 15°C | .005M | U |  | B2=13.0 | 1953PEa (39071) | 238 |
|------|----|--------|------|-------|---|--|---------|-----------------|-----|

Medium: 0.005 BeSO4

\*\*\*\*\*

C5H9NO4                      H2L      MIDA                      CAS 4408-64-4      (190)  
 N-Methyliminodiethanoic acid; CH3.N(CH2.COOH)2

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |        |      |       |   |  |  |                 |     |
|------|----|--------|------|-------|---|--|--|-----------------|-----|
| Be++ | gl | NaCl04 | 25°C | 0.50M | U |  |  | 1987MDa (39243) | 239 |
|------|----|--------|------|-------|---|--|--|-----------------|-----|

B(-2,1,1)=-5.28

B(-1,1,1)=-1.68

B(-3,1,1)=-11.31

B(p,q,r): pH + qBe + r(H2L)

\*\*\*\*\*

C5H9N3                      L      Histamine                      CAS 51-45-6      (103)  
 4(5)-(2'-Aminoethyl)imidazole; C3H3N2.CH2.CH2.NH2

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |     |      |       |     |  |                     |                 |     |
|------|----|-----|------|-------|-----|--|---------------------|-----------------|-----|
| Be++ | gl | KCl | 25°C | 0.12M | U T |  | K1=7.12    B2=12.47 | 1969CAc (39531) | 240 |
|------|----|-----|------|-------|-----|--|---------------------|-----------------|-----|

Temperature range 15-45C

K1(15 C)=7.90, K1(45 C)=5.84, K2(15 C)=5.60, K2(45 C)=4.82

\*\*\*\*\*

C5H10NO7P                      H4L      PMIDA                      CAS 5994-61-6      (2433)  
 N-(Phosphonomethyl)iminodiethanoic acid; H2O3P.CH2.N(CH2.COOH)2

---

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

---

|      |    |      |      |       |        |  |                      |                 |     |
|------|----|------|------|-------|--------|--|----------------------|-----------------|-----|
| Be++ | gl | KNO3 | 30°C | 0.10M | U T HM |  | K1=14.09    B2=24.78 | 1997RPC (39670) | 241 |
|------|----|------|------|-------|--------|--|----------------------|-----------------|-----|

K(BeL+gly)=4.86

K(BeL+ala)=5.33

K(BeL+A)=11.60

K(Be(phen)+L)=12.80

|      |    |     |      |       |   |              |                 |     |
|------|----|-----|------|-------|---|--------------|-----------------|-----|
| Be++ | gl | KCl | 25°C | 0.10M | U | K1=9.5       | 1980VRa (39671) | 242 |
|      |    |     |      |       |   | K(Be+HL)=4.8 |                 |     |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

\*\*\*\*\*  
C5H11NO2                      HL      Valine                      CAS 72-18-4    (43)  
2-Amino-3-methylbutanoic acid; H2N.CH(CH3)CH2COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

|               |    |        |      |         |         |                 |     |
|---------------|----|--------|------|---------|---------|-----------------|-----|
| Be++          | gl | oth/un | 20°C | 0.01M U | B2=12.4 | 1952PEa (40689) | 245 |
| Medium: BeSO4 |    |        |      |         |         |                 |     |

\*\*\*\*\*  
C5H11NO2                      HL       Nor-Valine                      CAS 760-78-1    (689)  
2-Aminopentanoic acid; CH3.CH2.CH2.CH(NH2).COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

|                      |    |        |      |      |   |         |         |         |     |
|----------------------|----|--------|------|------|---|---------|---------|---------|-----|
| Be++                 | gl | oth/un | 20°C | 0.00 | U | B2=12.6 | 1952PEa | (40836) | 246 |
| Medium: 0.0005 BeSO4 |    |        |      |      |   |         |         |         |     |

\*\*\*\*\*

|           |    |            |             |      |
|-----------|----|------------|-------------|------|
| C5H11NO2S | HL | Methionine | CAS 63-68-3 | (42) |
|-----------|----|------------|-------------|------|

2-Amino-4-(methylthio)butanoic acid; H2N.CH(CH2.CH2.S.CH3)COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K | values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|---|--------|-----------|--------|

-----  
Be++            gl   NaClO4 25°C 0.50M C                                 1989MMe (41079) 247  
B(-3,1,1)=-15.92  
B(-2,1,1)=0  
B(-6,3,3)=0

$$B(p, q, r) = p^H + q^M + r^{HL} = H^p M^q (HL)^r$$

-----  
Be++ gl oth/un 18°C .005M U B2=12.0 1953PEa (41080) 248  
Medium: 0.005 BeSO4

\*\*\*\*\*  
C5H11NO2S                      H2L      D-Penicillamine    CAS 52-67-5    (1323)  
D-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                     | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---------------------------------|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.10M | M   |       |                                 | 1987HLA (41182) | 249    |
|       |     |        |      |       |     |       | B(Be2L)=14.15<br>B(Be3L2)=26.63 |                 |        |

\*\*\*\*\*

C5H11NO2S H2L Penicillamine CAS 52-66-4 (350)  
DL-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values   | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|---|-----------------|--------|
| Be++  | gl  | KNO3   | 32°C | 0.0  | U   |       |   | 1992BKf (41253) | 250    |
|       |     |        |      |      |     |       | K(Be+H2L=BeL+2H)=-7.97<br>K(Be+2H2L=BeL2+4H)=-19.32 |                 |        |

Medium: 0.005 M KNO3

\*\*\*\*\*

C5H12N2O2 HL Ornithine CAS 1069-31-4 (46)  
2,5-Diaminopentanoic acid; H2N.CH2.CH2.CH(NH2)COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | oth/un | 20°C | .005M | U   |       | B2=11.7     | 1953PEa (41572) | 251    |

Medium: 0.005 BeSO4

\*\*\*\*\*

C6H4N2O6 H2L CAS 7659-29-2 (2694)  
1,2-Dihydroxy-3,5-dinitrobenzene; (HO)2.C6H2(NO2)2

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.10M | M   |       | K1=8.49 B2=15.28 | 1987HAb (42265) | 252    |

\*\*\*\*\*

C6H5NO2 HL Picolinic acid CAS 98-98-6 (391)  
2-Pyridine-carboxylic acid; C5H4N.COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------------------|-----------------|--------|
| Be++  | gl  | NaCl   | 25°C | 0.50M | U   |       |                               | 1968BTa (42502) | 253    |
|       |     |        |      |       |     |       | K(2Be+2L+H2O=Be2(OH)L2+H)=3.9 |                 |        |

Medium: 0.5 NaCl, NaClO4. K(3Be+3L+3H2O=Be3(OH)3+3H)=-1.06

\*\*\*\*\*

C6H5NO4 H2L 3-Nitrocatechol CAS 6665-98-1 (2685)  
1,2-Dihydroxy-3-nitrobenzene; O2N.C6H3(OH)2

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------------------|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.10M | M   |       | K1=11.29 B2=20.13             | 1986HAc (42859) | 254    |
|       |     |        |      |       |     |       | B(BeHL)=15.2<br>B(BeHL2)=25.0 |                 |        |

\*\*\*\*\*

C6H5NO4 H2L 4-Nitrocatechol CAS 3316-09-4 (890)

1,2-Dihydroxy-4-nitrobenzene; O2N.C6H3(OH)2

| Metal  | Mtd | Medium | Temp | Conc  | Cal             | Flags | Lg K values       | Reference       | ExptNo |
|--|-----|--------|------|-------|-----------------|-------|-------------------|-----------------|--------|
| Be++   | gl  | KCl    | 25°C | 0.10M | M               |       | K1=10.36 B2=18.27 | 1984HAd (42919) | 255    |
| *****  |     |        |      |       |                 |       |                   |                 |        |
| C6H5O4Cl                                     |     | HL     |      |       | Chlorokojic aci |       | (3086)            |                 |        |
| 3-Chloro-5-hydroxy-2-hydroxymethyl-4-pyrone; |     |        |      |       |                 |       |                   |                 |        |

| Metal                                    | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++                                     | gl  | diox/w | 30°C | 75%  | U   |       | K1=9.57 B2=18.20 | 1960KFc (43128) | 256    |
| *****                                    |     |        |      |      |     |       |                  |                 |        |
| C6H6N2O3                                 |     | HL     |      |      |     |       | CAS 99-57-0      | (469)           |        |
| 2-Amino-4-nitrophenol; H2N.C6H3(OH)(NO2) |     |        |      |      |     |       |                  |                 |        |

| Metal  | Mtd | Medium | Temp | Conc | Cal      | Flags | Lg K values     | Reference       | ExptNo |
|--|-----|--------|------|------|----------|-------|-----------------|-----------------|--------|
| Be++   | gl  | diox/w | 30°C | 50%  | U        |       | K1=4.47 B2=7.70 | 1966VMa (43446) | 257    |
| Medium: 50% dioxan, 0.1 M NaClO4               |     |        |      |      |          |       |                 |                 |        |
| *****  |     |        |      |      |          |       |                 |                 |        |
| C6H6O2   |     | H2L    |      |      | Catechol |       | CAS 120-80-9    | (534)           |        |
| 1,2-Dihydroxybenzene, pyrocatechol; HO.C6H4.OH |     |        |      |      |          |       |                 |                 |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | KNO3   | 20°C | 0.10M | U   |       | K1=13.52 B2=23.35 | 1967BZa (43734) | 258    |
|       |     |        |      |       |     |       | K(Be+HL)=5.0      |                 |        |
|       |     |        |      |       |     |       | K(BeL+HL)=2.8     |                 |        |

| Metal                              | Mtd | Medium | Temp | Conc  | Cal        | Flags | Lg K values       | Reference       | ExptNo |
|------------------------------------|-----|--------|------|-------|------------|-------|-------------------|-----------------|--------|
| Be++                               | gl  | KNO3   | ?    | 0.20M | U          |       | K1=13.70 B2=25.72 | 1964DMb (43735) | 259    |
| *****                              |     |        |      |       |            |       |                   |                 |        |
| C6H6O3                             |     | H3L    |      |       | Pyrogallol |       | CAS 87-66-1       | (696)           |        |
| 1,2,3-Trihydroxybenzene; C6H3(OH)3 |     |        |      |       |            |       |                   |                 |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---------------|-----------------|--------|
| Be++  | gl  | KNO3   | 20°C | 0.10M | U   |       |               | 1967BZa (43953) | 260    |
|       |     |        |      |       |     |       | K(Be+HL)=13.5 |                 |        |
|       |     |        |      |       |     |       | K(Be+H2L)=4.6 |                 |        |

| Metal                            | Mtd | Medium | Temp | Conc  | Cal       | Flags | Lg K values     | Reference       | ExptNo |
|----------------------------------|-----|--------|------|-------|-----------|-------|-----------------|-----------------|--------|
| Be++                             | gl  | KNO3   | ?    | 0.20M | U         |       |                 | 1967DMa (43954) | 261    |
|                                  |     |        |      |       |           |       | K(Be+HL)=11.4   |                 |        |
|                                  |     |        |      |       |           |       | K(BeHL+HL)=10.0 |                 |        |
| *****                            |     |        |      |       |           |       |                 |                 |        |
| C6H6O3                           |     | HL     |      |       | Isomaltol |       | CAS 3420-59-5   | (5885)          |        |
| 1-(3-Hydroxy-2-furanyl)ethanone; |     |        |      |       |           |       |                 |                 |        |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

Be++ gl NaCl04 25°C 0.50M C K1=4.11 B2= 7.21 2002CGa (44032) 262  
\*\*\*\*\*

C6H6O3 HL Maltol CAS 118-71-8 (2442)  
3-Hydroxy-2-methyl-4H-pyran-4-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 25°C 0.50M C K1=5.73 2002CGa (44077) 263  
K(Be3(OH)3+3L)=13.8

\*\*\*\*\*

C6H6O4 HL Kojic acid CAS 501-30-4 (1800)  
5-Hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 25°C 0.50M C K1=5.01 2002CGa (44197) 264  
K(Be3(OH)3+3L)=11.4

-----  
Be++ gl diox/w 30°C 75v% U K1=10.7 B2=17.89 1960KFc (44198) 265  
\*\*\*\*\*

C6H6O8S2 H4L Tiron CAS 149-45-1 (104)  
4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)2.C6H2(SO3H)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ nmr oth/un 20°C 0.03M U K1=12.2 B2=21.50 1992EYa (44410) 266

-----  
Be++ gl KCl 30°C 0.10M U TIH K1=12.51 B2=23.17 1980BDe (44411) 267  
Data for I=0.20 and 0.30 M. Data at 40 C. DH and DS values.  
At I=0, K1=13.24, K2=11.50.

-----  
Be++ gl NaCl04 25°C 0.50M C M K1=11.78 B2=21.37 1977SLa (44412) 268  
B(BeHL)=16.16  
B(BeHL2)=26.33

-----  
Be++ gl KNO3 20°C 0.10M U T K1=12.88 B2=22.25 1967BZa (44413) 269  
K(Be+HL)=4.2  
K(BeL+HL)=2.3

-----  
Be++ gl KNO3 20?°C 0.10M U K1=13.5 B2=26.00 1965DMb (44414) 270  
\*\*\*\*\*

C6H7N L Picoline CAS 109-06-8 (320)  
2-Methylpyridine; C5H4N.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 45°C ? U T H K1=3.42 1967RBd (44603) 271  
K1=3.53(35 C); DH(K1)=-20.9 kJ mol<sup>-1</sup>, DS=0

\*\*\*\*\*

C6H7N L beta-Picoline CAS 108-99-6 (324)

### 3-Methylpyridine; C5H4N.CH3

| Metal   | Mtd | Medium | Temp | Conc | Cal            | Flags | Lg K values  | Reference       | ExptNo |
|---|-----|--------|------|------|----------------|-------|--------------|-----------------|--------|
| Be++  | gl  | oth/un | 45°C | ?    | U T H          |       | K1=2.80      | 1967RBd (44692) | 272    |
| K1=2.89(35 C); DH(K1)=-17.1 kJ mol <sup>-1</sup> , DS=0 |     |        |      |      |                |       |              |                 |        |
| *****   |     |        |      |      |                |       |              |                 |        |
| C6H7N   |     | L      |      |      | gamma-Picoline |       | CAS 108-89-4 | (325)           |        |
| 4-Methylpyridine; C5H4N.CH3                             |     |        |      |      |                |       |              |                 |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal   | Flags | Lg K values | Reference       | ExptNo |
|---|-----|--------|------|------|-------|-------|-------------|-----------------|--------|
| Be++  | gl  | oth/un | 45°C | ?    | U T H |       | K1=3.43     | 1967RBd (44813) | 273    |
| K1=3.54(35 C); DH(K1)=-20.9 kJ mol <sup>-1</sup> , DS=0 |     |        |      |      |       |       |             |                 |        |
| *****   |     |        |      |      |       |       |             |                 |        |
| C6H7NO2   |     | HL     |      |      |       |       | (4362)      |                 |        |
| 3-Cyanoacetylacetone; CH3.CO.CH(CN).CO.CH3              |     |        |      |      |       |       |             |                 |        |

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values     | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|-----------------|-----------------|--------|
| Be++   | gl  | diox/w | 25°C | 75%  | U I |       | K1=3.88 B2=7.21 | 1968CSa (45034) | 274    |
| Medium: 75% dioxan, 0.08 M KCl                     |     |        |      |      |     |       |                 |                 |        |
| I=0.04: K1=3.98, K2=3.41; I=0.15: K1=3.63, K2=3.18 |     |        |      |      |     |       |                 |                 |        |
| *****  |     |        |      |      |     |       |                 |                 |        |
| C6H7NO2  |     | HL     |      |      |     |       | CAS 17184-19-9  | (5888)          |        |
| 3-Hydroxy-2-methylpyridin-4(1H)-one;               |     |        |      |      |     |       |                 |                 |        |

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values     | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|-----------------|-----------------|--------|
| Be++   | nmr | oth/un | 20°C | 0.03M | U   |       | K1=8.4 B2=15.60 | 1992EYa (45048) | 275    |
| *****  |     |        |      |       |     |       |                 |                 |        |
| C6H8O4   |     | H2L    |      |       |     |       | CAS 5445-51-2   | (69)            |        |
| Cyclobutane-1,1-dicarboxylic acid; C4H6(COOH)2 |     |        |      |       |     |       |                 |                 |        |

| Metal   | Mtd | Medium | Temp | Conc  | Cal          | Flags | Lg K values      | Reference       | ExptNo |
|---|-----|--------|------|-------|--------------|-------|------------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | C            |       | K1=5.51 B2= 8.89 | 1999ACa (45506) | 276    |
| K(Be3(OH)3+3L)=10.68                                      |     |        |      |       |              |       |                  |                 |        |
| *****   |     |        |      |       |              |       |                  |                 |        |
| C6H8O6  |     | H3L    |      |       | Tricarballic |       | CAS 99-14-9      | (1620)          |        |
| 1,2,3-Propanetricarboxylic acid; HOOCH2.CH(COOH).CH2.COOH |     |        |      |       |              |       |                  |                 |        |

| Metal                      | Mtd | Medium | Temp | Conc  | Cal           | Flags | Lg K values | Reference       | ExptNo |
|----------------------------|-----|--------|------|-------|---------------|-------|-------------|-----------------|--------|
| Be++                       | gl  | KNO3   | 25°C | 1.00M | U             |       | K1=3.75     | 1974VGa (45563) | 277    |
| B(BeHL)=8.00               |     |        |      |       |               |       |             |                 |        |
| *****                      |     |        |      |       |               |       |             |                 |        |
| C6H8O6                     |     | H2L    |      |       | Ascorbic acid |       | CAS 50-81-7 | (285)           |        |
| Ascorbic acid (Vitamin C); |     |        |      |       |               |       |             |                 |        |



| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----------------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 1.00M | M   |       |                            | 1988MOa (45628) | 278    |
|       |     |        |      |       |     |       | K(Be+H2L+(ascorbate))=4.56 |                 |        |

|      |    |        |      |       |   |  |                |                 |     |
|------|----|--------|------|-------|---|--|----------------|-----------------|-----|
| Be++ | gl | NaClO4 | 20°C | 1.00M | M |  |                | 1983MOa (45629) | 279 |
|      |    |        |      |       |   |  | K(Be+HL)=1.04  |                 |     |
|      |    |        |      |       |   |  | K(Be+2HL)=3.11 |                 |     |

\*\*\*\*\*

|   |  |     |  |  |  |  |                    |  |  |
|---|--|-----|--|--|--|--|--------------------|--|--|
| C6H8O6S   |  | H3L |  |  |  |  | CAS 99-68-3 (3692) |  |  |
| (Carboxymethylthio)butanedioic acid; H00C.CH(S.CH2.C00H).CH2.C00H |  |     |  |  |  |  |                    |  |  |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | KN03   | 25°C | 0.05M | M   |       | K1=3.90     | 1975DPb (45687) | 280    |

\*\*\*\*\*

|   |  |     |  |             |  |  |                  |  |  |
|---|--|-----|--|-------------|--|--|------------------|--|--|
| C6H8O7  |  | H3L |  | Citric acid |  |  | CAS 77-92-9 (95) |  |  |
| 2-Hydroxypropane-1,2,3-tricarboxylic acid; H00CCH2.CH(OH)(C00H).CH2C00H |  |     |  |             |  |  |                  |  |  |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | M   |       | K1=4.40 B2= 8.12  | 1996PLa (46043) | 281    |
|       |     |        |      |       |     |       | B(Be2L2)=12.77    |                 |        |
|       |     |        |      |       |     |       | B(BeHL)=7.36      |                 |        |
|       |     |        |      |       |     |       | B(Be2H-2L2)=2.98  |                 |        |
|       |     |        |      |       |     |       | B(Be2H-3L2)=-4.12 |                 |        |

|      |    |      |      |       |   |  |                   |                 |     |
|------|----|------|------|-------|---|--|-------------------|-----------------|-----|
| Be++ | gl | KN03 | 25°C | 1.00M | U |  | K1=4.31           | 1974VGa (46044) | 282 |
|      |    |      |      |       |   |  | B(BeHL)=7.56      |                 |     |
|      |    |      |      |       |   |  | B(Be2L2(OH))=8.23 |                 |     |

Further data available for various combinations of M, L and OH.

|      |  |            |      |       |   |  |                   |                 |     |
|------|--|------------|------|-------|---|--|-------------------|-----------------|-----|
| Be++ |  | EMF oth/un | 18°C | 0.10M | U |  |                   | 1965KBa (46045) | 283 |
|      |  |            |      |       |   |  | K(Be+HL)=2.56(?)  |                 |     |
|      |  |            |      |       |   |  | K(Be+2HL)=3.95(?) |                 |     |
|      |  |            |      |       |   |  | K(Be+3HL)=6.97(?) |                 |     |

|      |    |        |      |       |   |  |                        |                 |     |
|------|----|--------|------|-------|---|--|------------------------|-----------------|-----|
| Be++ | gl | NaClO4 | 32°C | 0.25M | U |  |                        | 1961PPa (46046) | 284 |
|      |    |        |      |       |   |  | K(Be+H3L=BeHL+2H)=-3.3 |                 |     |
|      |    |        |      |       |   |  | K(BeL+H)=3.6           |                 |     |
|      |    |        |      |       |   |  | K(BeH-1L+H)=5.3        |                 |     |

|      |    |        |      |       |   |  |                |                 |     |
|------|----|--------|------|-------|---|--|----------------|-----------------|-----|
| Be++ | ix | oth/un | 25°C | 0.15M | U |  | K1=4.52        | 1955FTa (46047) | 285 |
|      |    |        |      |       |   |  | K(Be+HL)=2.22  |                 |     |
|      |    |        |      |       |   |  | K(Be+H2L)=1.40 |                 |     |

\*\*\*\*\*

|                                       |  |     |  |     |  |  |                    |  |  |
|---------------------------------------|--|-----|--|-----|--|--|--------------------|--|--|
| C6H9N06                               |  | H3L |  | NTA |  |  | CAS 139-13-9 (191) |  |  |
| Nitrilotriethanoic acid; N(CH2.C00H)3 |  |     |  |     |  |  |                    |  |  |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----  
 Be++ dis NaClO4 25°C 0.10M C K1=7.10 1989MMf (46710) 286  
 Method: paper electrophoresis. Medium pH=8.5.  
 -----

Be++ gl NaClO4 25°C 0.50 C K1=6.84 1987MDb (46711) 287  
 -----

Be++ oth NaClO4 35°C 0.10M C M K1=7.22 1986SRb (46712) 288  
 Exp. method: paper electrophoresis. Data also for NTA ternary complexes  
 -----

Be++ dis NaClO4 35°C 0.10M U M K1=7.22 1985SRa (46713) 289  
 K=(Be(NTA)+Leu)=5.56  
 Method - paper electrophoresis  
 -----

Be++ gl NaClO4 25°C 0.10M U T K1=8.44 1981DSa (46714) 290  
 At 35 C: K1=8.16; 45 C: 7.94  
 -----

Be++ gl KNO3 25°C 0.10M U T K1=7.86 1977SVa (46715) 291  
 -----

Be++ gl KNO3 20°C 0.10M M K1=7.64 1975VBb (46716) 292  
 -----

Be++ dis NaClO4 20°C 0.10M U T K1=7.11 1963STc (46717) 293  
 -----

\*\*\*\*\*  
 C6H9N3O2 HL Histidine CAS 71-00-1 (1)  
 2-Amino-3-(4'-imidazolyl)propanoic acid; H2N.CH(CH2.C3H3N2)COOH  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 0.50M C 1976DBb (47532) 294  
 -----

B(2,1,0,1)=16.82  
 B(1,1,0,1)=12.26  
 B(2,1,3,3)=8.54  
 B(1,1,3,3)=2.97

B(2,2,3,3)=13.48; B(3,3,3,3)=24.78. B(s,r,q,p): pBe+rL+(s-q)H=Be^p(OH)^qA^r  
 -----

Be++ gl KCl 25°C 0.12M U T K1=6.28 B2=10.98 1970CAa (47533) 295  
 K1(35 C)=5.52, K1(45 C)=4.78, K2(35 C)=4.50, K2(45 C)=4.32  
 -----

\*\*\*\*\*  
 C6H10O2 HL CAS 815-57-6 (2261)  
 3-Methyl-pent-2,4-dione; CH3.CO.CH(CH3).CO.CH3  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl diox/w 25°C 50% U K1=8.56 B2=16.94 1971MKc (47946) 296  
 Medium: 50% dioxan, 0.3 M NaClO4  
 -----

Be++ gl diox/w 30°C 75% U K1=10.36 B2=20.51 1962MMb (47947) 297  
 Medium: 75% v/v dioxan, I-->0  
 -----

\*\*\*\*\*  
 C6H10O4 H2L Adipic acid CAS 124-04-9 (401)  
 1,6-Hexanedioic acid; HOOC.(CH2)4.COOH

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  NaClO4 30°C 0.10M U          K1=3.24          1983SHf (48066) 298
.

```

```

-----
Be++       sp  oth/un  ?      ?  U          K1=3.24          1964PCa (48067) 299
*****
C6H10O4S          H2L                      CAS 111-17-1 (139)
3,3'-Thiodipropionic acid; HOOCH2CH2SCH2CH2COOH

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  KNO3   25°C 0.05M M          K1=3.50          1975DPb (48180) 300
*****
C6H11NO2          HL                      CAS 2044-64-6 (4374)
N,N-Dimethylacetamide; CH3COCH2CON(CH3)2

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 20°C 50% U          K1=11.13 B2=19.60 1969KSd (48541) 301
Medium: 50% dioxan, 0.025 M NaClO4
*****
C6H11NO4          H2L                      CAS 5336-17-4 (345)
N-Ethyliminodiethanoic acid; C2H5N(CH2COOH)2

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  NaClO4 25°C 0.50M U          B(-3,1,1)=-11.40 1987MDa (48600) 302
B(p,q,r): pH + qBe + r(H2L)
*****
C6H13NO2          HL      Isoleucine      CAS 73-32-5 (424)
2-Amino-3-methylpentanoic acid; CH3CH2CH(CH3)CH(NH2)COOH

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  oth/un 20°C 0.01M U          B2=12.6          1952PEa (49898) 303
Medium: BeSO4
*****
C6H13NO2          HL      Leucine         CAS 61-90-5 (47)
2-Amino-4-methylpentanoic acid; H2NCH(CH2CH(CH3)2)COOH

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       dis NaClO4 35°C 0.10M U      M  K1=7.00 B2=13.30 1985SRa (50059) 304
K=(Be(NTA)+Leu)=5.56
Method - paper electrophoresis

```

```

-----
Be++       gl  oth/un 20°C 0.01M U          B2=13.2          1952PEa (50060) 305

```

\*\*\*\*\*

---

---

\*\*\*\*\*

---

---

\*\*\*\*\*

---

---

\*\*\*\*\*

---

---

\*\*\*\*\*

---

---

---

\*\*\*\*\*

---

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values                                   | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|----|--|-----------------|--------|
| Be++   | gl  | alc/w  | 25°C | 20%   | U   | I     |    | K1=7.55<br>*K(BeL)=-6.43                   | 1996KOb (52463) | 312    |
| Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K1=7.82, *K(BeL)=-6.68.                              |     |        |      |       |     |       |    |  |                 |        |
| Be++   | gl  | alc/w  | 25°C | 20%   | U   | I M   |    | K(BeL+A)=7.62                              | 1996KOb (52464) | 313    |
| Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K(BeL+A)=7.94. HA is 2-hydroxyacetophenone.          |     |        |      |       |     |       |    |  |                 |        |
| Be++   | gl  | alc/w  | 25°C | 20%   | U   | I M   |    | K(BeL+B)=7.51                              | 1996KOb (52465) | 314    |
| Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K(BeL+B)=7.81. HB is 2-hydroxy-5-chloroacetophenone. |     |        |      |       |     |       |    |  |                 |        |
| Be++   | gl  | alc/w  | 25°C | 20%   | U   | I M   |    | K(BeL+C)=7.25                              | 1996KOb (52466) | 315    |
| Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K(BeL+C)=7.59. H2C is 2,5-dihydroxyacetophenone.     |     |        |      |       |     |       |    |  |                 |        |
| Be++   | nmr | oth/un | 20°C | 0.03M | U   |       |    | K1=7.8 B2=13.30                            | 1992EYa (52467) | 316    |
| Be++   | gl  | NaCl04 | 25°C | 0.10M | U   |       |    | K1=8.50 B2=15.40<br>K(Be+H2L=BeL+2H)=0.14  | 1979LTc (52468) | 317    |
| Be++   | gl  | KNO3   | 35°C | 0.10M | U   |       |    | K1=7.13 B2=12.42                           | 1969DDc (52469) | 318    |
| *****<br>C7H5NO5 H2L Nitrosalicylic CAS 96-97-9 (148)<br>2-Hydroxy-5-nitrobenzoic acid; HO.C6H3(NO2).COOH  |     |        |      |       |     |       |    |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values                                   | Reference       | ExptNo |
| Be++   | nmr | oth/un | 20°C | 0.03M | U   |       |    | K1=10.1 B2=18.10                           | 1992EYa (53041) | 319    |
| Be++   | gl  | NaCl04 | 25°C | 0.10M | U   |       |    | K1=9.64 B2=17.17<br>K(Be+H2L=BeL+2H)=-2.24 | 1979LTc (53042) | 320    |
| Be++   | gl  | NaCl04 | 35°C | 0.10M | U   |       |    | K1=9.71 B2=17.57                           | 1976ABe (53043) | 321    |
| *****<br>C7H5O2Br HL CAS 4584-68-3 (2691)<br>3-Bromotropolone;   |     |        |      |       |     |       |    |  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values                                   | Reference       | ExptNo |
| Be++   | gl  | diox/w | 30°C | 50%   | U   |       |    | K1=8.1 B2=15.4                             | 1954BFd (53113) | 322    |
| *****<br>C7H5O3Br HL CAS 85-55-4 (1194)<br>5-Bromosalicylic acid; Br.C6H3(OH).COOH   |     |        |      |       |     |       |    |  |                 |        |

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  NaCl04 35°C 0.10M U      T K1=11.84 B2=21.12 1976ABe (53308) 323
*****
C7H5O3Cl      H2L      CAS 321-14-2 (1113)
5-Chlorosalicylic acid; Cl.C6H3(OH).COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  NaCl04 30°C 0.10M U T      K1=11.05 B2=18.40 1983MSd (53336) 324
Data for 35 and 40 C.
-----

```

```

-----
Be++      gl  NaCl04 25°C 0.10M U      K1=11.26 B2=20.04 1979LTc (53337) 325
K(Be+H2L=B2L+2H)=-3.10
-----

```

```

-----
Be++      gl  NaCl04 35°C 0.10M U      T K1=11.97 B2=21.27 1976ABe (53338) 326
*****
C7H6O2      HL      Tropolone      CAS 533-75-5 (3129)
2-Hydroxycyclohepta-2,4,6-trien-1-one;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      sp  NaCl04 25°C 0.10M U      K1=7.40      1970HOa (53666) 327
-----
Be++      gl  diox/w 30°C 50% U      K1=8.4 B2=15.4 1954BFb (53667) 328
*****
C7H6O3      H2L      Salicylic acid CAS 69-72-7 (14)
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++      gl  alc/w 25°C 20% U I      K1=12.41      1996KOb (54157) 329
*K(BeL)=-7.78
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in
20% EtOH/H2O. At I=0, K1=12.68, *K(BeL)=-8.03.
-----

```

```

-----
Be++      gl  alc/w 25°C 20% U I M      1996KOb (54158) 330
K(BeL+A)=7.03
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in
20% EtOH/H2O. At I=0, K(BeL+A)=7.38. HA is 2-hydroxyacetophenone.
-----

```

```

-----
Be++      gl  alc/w 25°C 20% U I M      1996KOb (54159) 331
K(BeL+B)=6.91
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in
20% EtOH/H2O. At I=0, K(BeL+B)=7.26. HB is 5-chloro-2-hydroxyacetophenone.
-----

```

```

-----
Be++      gl  alc/w 25°C 20% U I M      1996KOb (54160) 332
K(BeL+C)=6.48
Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in
-----

```

20% EtOH/H<sub>2</sub>O. At I=0, K(BeL+C)=6.74. H<sub>2</sub>C is 2,5-dihydroxyacetophenone.

-----  
Be++ gl NaClO<sub>4</sub> 25°C 1.0M C M 1987MMa (54161) 333

K(Be+HL)=1.56  
K(Be+2HL)=3.78  
K(Be+2HL=BeHL<sub>2</sub>+H)=0.84  
K(Be+HL=BeL+H)=-0.84

Also K(Be+2HL=BeL<sub>2</sub>+2H) = 2.88

-----  
Be++ gl NaClO<sub>4</sub> 35°C 0.10M U K1=12.69 B2=22.34 1984ABe (54162) 334

-----  
Be++ gl NaClO<sub>4</sub> 25°C 0.1M U T K1=11.45 B2=20.29 1979LTc (54163) 335

-----  
Be++ gl KNO<sub>3</sub> 35°C 0.10M U K1=13.12 B2=22.02 1977JKa (54164) 336

-----  
Be++ gl NaClO<sub>4</sub> 35°C 0.10M U K1=12.69 B2=22.34 1976ABe (54165) 337

-----  
Be++ gl KNO<sub>3</sub> 20°C 0.10M U K1=12.37 B2=22.02 1967BZa (54166) 338

-----  
Be++ EMF oth/un 18°C 0.10M U 1965KBa (54167) 339

K(Be+HL)=2.51  
K(Be+2HL)=4.4  
K(Be+3HL)=6.6

-----  
Be++ sp NaClO<sub>4</sub> 45°C 0.20M U T H 1964DAa (54168) 340

K(Be+HL=BeL+H)=-0.48

K=-0.55(20 C), -0.52(30 C). DH=5.0 kJ mol<sup>-1</sup>, DS=25 J K<sup>-1</sup> mol<sup>-1</sup>. Recalculated

-----  
Be++ gl NaClO<sub>4</sub> 25°C 0.15M U K1=12.61 B2=22.60 1962BKa (54169) 341

-----  
Be++ gl alc/w 22°C 50% U K1=12.45 B2=20.95 1961AMb (54170) 342

-----  
Be++ sp NaClO<sub>4</sub> 30°C 0.20M U I 1961DAa (54171) 343

K(Be+HL=BeL+H)=-0.53

K=-0.27(I=0), -0.38(I=0.02), -0.46(I=0.05), -0.51(I=0.10). Recalculated values

-----  
Be++ oth NaCl 25°C 0.16M U 1954SLc (54172) 344

K(Be+HL)=4.30

\*\*\*\*\*

C<sub>7</sub>H<sub>6</sub>O<sub>4</sub> H<sub>3</sub>L Resorcylic acid CAS 89-86-1 (876)

2,4-Dihydroxybenzoic acid, b-Resorcylic acid; C<sub>6</sub>H<sub>3</sub>(OH)<sub>2</sub>.COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl NaClO<sub>4</sub> 25°C 0.50M C T 1979LKa (54515) 345

B(1,1,1)=20.238  
B(1,2,2)=37.933  
B(1,1,2)=29.018  
B(1,0,2)=19.803

B(q,p,r): qBe+pH+rL=(Be)qHpLr

-----  
 Be++ gl KNO3 30°C 0.10M U T K1=18.15 B2=33.10 1978SDa (54516) 346  
 B1 and K2 of the Be(II) complexes are obtained from the -log[L] values at  
 n=0.5 and 1.5.  
 -----

Be++ gl diox/w 30°C 50% U 1971VMa (54517) 347  
 K(Be+HL)=9.40

Medium: 50% dioxan, 0.1 M NaClO4

\*\*\*\*\*  
 C7H6O4 H3L CAS 409-79-9 (1115)  
 2,5-Dihydroxybenzoic acid; C6H3(OH)2.COOH  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | U   |       | B2=20.972<br>B(BeHL)=21.839<br>B(BeH2L2)=41.347<br>B(BeHL2)=31.409 | 1978LKe (54583) | 348    |

-----  
 Be++ gl diox/w 30°C 50% U 1971VMa (54584) 349  
 K(Be+HL)=8.26

Medium: 50% dioxan, 0.1 M NaClO4

\*\*\*\*\*  
 C7H6O4 H3L g-Resorcylic ac CAS 303-07-1 (1624)  
 2,6-Dihydroxybenzoic acid; C6H3(OH)2.COOH  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | C   | T     | B(1,1,1)=25.203<br>B(1,2,2)=48.528<br>B(2,0,1)=25.089<br>B(1,1,2)=36.765 | 1979LKa (54604) | 350    |

B(q,p,r): qBe+pH+rL=(Be)qHpLr

\*\*\*\*\*  
 C7H6O5 H4L CAS 610-02-6 (3725)  
 2,3,4-Trihydroxybenzoic acid; (HO)3.C6H2.COOH  
 -----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---|-----------------|--------|
| Be++  | EMF | oth/un | 18°C | 0.10M | U   |       | K(Be+H3L)=2.51(?)<br>K(Be+2H3L)=4.07(?)<br>K(Be+3H3L)=7.15(?) | 1965KBa (54720) | 351    |

\*\*\*\*\*  
 C7H6O5S H2L CAS 29848-93-9 (3151)  
 Salicylaldehyde-5-sulfonic acid; (5-Sulfosalicylaldehyde)  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|



In 0.2 M NaClO<sub>4</sub>: K=-0.45(20 °C), -0.42(30 °C), -0.37(45 °C); DH=6.0 kJ mol<sup>-1</sup>

-----  
Be++ gl alc/w 22°C 50% U K1=11.52 B2=20.42 1961AMb (54953) 365  
Medium: 50% EtOH  
-----

Be++ sp NaClO4 25°C 0.10M U K1=11.72 B2=20.60 1960BSb (54954) 366  
By glass electrode K1=11.71, K2=9.10  
-----

Be++ oth oth/un 25°C 0.16M U 1960BSb (54955) 367  
K(Be+HL)=4.85  
-----

Be++ sp NaClO4 25°C 0.10M U K1=11.46 B2=20.08 1959BSa (54956) 368  
By glass electrode: K1=11.50, K2=8.84  
-----

\*\*\*\*\*  
C7H6O9S2 H3L CAS 56507-30-3 (2659)  
3,5-Disulfosalicylic acid; (HO3S)2.C6H2(OH).COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ gl NaClO4 25°C 0.50M C M T K1=10.50 B2=18.69 1974SRd (55092) 369  
-----

\*\*\*\*\*  
C7H7NO2 HL Anthranilic CAS 118-92-3 (1589)  
2-Aminobenzoic acid, Anthranilic acid; H2N.C6H4.COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M C K1=1.95 1975DBc (55210) 370  
B(Be2H-1L2)=1.50  
K(Be3H-3L)=-7.34  
K(Be3H-3L2)=-5.62  
-----

\*\*\*\*\*  
C7H7NO2 H2L Salicylaldoxime CAS 94-67-7 (1486)  
2-Hydroxybenzaldehyde oxime; HO.C6H4.CH:N.OH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl alc/w 20°C 50% U 1959HOa (55307) 371  
K(Be+HL) < 7  
-----

\*\*\*\*\*  
C7H7NO3 H2L CAS 89-57-6 (2675)  
2-Hydroxy-5-aminobenzoic acid, 5-Aminosalicylic acid; H2N.C6H3(OH).COOH  
-----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 30°C 0.10M U T K1=14.40 B2=21.30 1983MSd (55547) 372  
Data for 35 and 40 C.  
-----

Be++ gl NaClO4 25°C 0.50M C T K1=10.77 B2=17.53 1979LAa (55548) 373  
B(BeHL)=16.12  
B(Be2HL)=19.49  
B(Be2L)=15.57  
-----

\*\*\*\*\*

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 25%  | U   |       |    | K1=6.71 B2=11.58 | 1975GSb (55873) | 374    |
| ***** |     |        |      |      |     |       |    |                  |                 |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values  | Reference | ExptNo      |
|-------|-----|--------|------|-------|-----|-------|----|---|-----------|-------------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | C   |       |    | K1=8.47<br>K(Be3(OH)3+L)=8.24<br>K(Be3(OH)3+2L)=14.9<br>K(Be3(OH)3+3L)=21.4<br>K(Be(OH)2+2L)=6.38 | 2002CGa   | (56427) 375 |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values                                   | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|--|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50 | C   |       |    | K1=8.10<br>K(Be+HL)=1.96<br>K(Be+H2L)=1.37 | 1987MDb (56879) | 377    |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values                 | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|--------------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50 | C   |       |    | K1=7.39<br>K(Be+HL)=1.79 | 1987MDb (56906) | 378    |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values   | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|--|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.10M | U   |       |    | K1=16.20<br>K(Be+HL)=10.43<br>B(Be2L)=23.41<br>K(2Be+HL)=17.12 | 1969Dmd (56940) | 379    |

\*\*\*\*\*

# Histidine methyl ester

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values     | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-----------------|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.12M | U T |       | K1=4.80 B2=8.28 | 1970CAa (57002) | 380    |

K1(35 C)=4.50, K1(45 C)=4.15, K2(35 C)=3.22, K2(45 C)=3.04

\*\*\*\*\*

C7H12O2 HL CAS 98-89-5 (2793)  
Cyclohexanecarboxylic acid, Hexahydrobenzoic acid; C6H11.COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++  | sp  | oth/un | ?    | ?    | U   |       | K1=3.32     | 1964PCa (57228) | 381    |

\*\*\*\*\*

C7H12O4 H2L CAS 510-20-3 (482)  
Diethylpropanedioic acid (Diethylmalonic acid); HOOC.C(C2H5)2.COOH

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++  | sp  | oth/un | ?    | ?    | U   |       | K1=4.99     | 1964PCa (57358) | 382    |

\*\*\*\*\*

C7H13NO3 HL (7175)  
3,3'-Dimethylglutaramide; HOOCCH2C(CH3)2CH2CONH2

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | KNO3   | 25°C | 0.10M | U   |       | B2=7.86     | 1995MWb (57472) | 383    |

\*\*\*\*\*

C7H13NO4 H2L CAS 16578-07-5 (341)  
N-Propyliminodiethanoic acid; CH3.CH2.CH2.N(CH2.COOH)2

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | U   |       |             | 1987MDa (57528) | 384    |

B(-3,1,1)=-11.54  
B(-5,2,2)=-14.5  
B(-2,1,1)=0

B(p,q,r): pH + qBe + r(H2L)

\*\*\*\*\*

C8H5O2F3S HL TTA CAS 326-91-0 (165)  
4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione; F3C.CO.CH2.CO.C4H3S

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 20°C | 17%  | C   |       | K1=9.14 B2=17.44 | 1976JWa (58603) | 385    |

Be++ dis R4N.X 20°C 1.0M U B2=11.50 1971SGb (58604) 386  
Medium: NH4Cl

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | dis | non-aq | 25°C | 100% | U   |       | K1=5.54 B2=11.11 | 1962BTa (58605) | 387    |

\*\*\*\*\*

.....

-----

.....

-----

.....

.....

[illegible]

.....

\*\*\*\*\*

.....

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | alc/w  | 25°C | 20%  | U   | I     | K1=9.26     | 1996K0b (59457) | 394    |

\*K(BeL)=-6.41

Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K1=9.54, \*K(BeL)=-6.81.

\*\*\*\*\*

C8H8O2 HL CAS 1004-72-4 (3190)  
alpha-Methyltropolone;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values     | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-----------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       | K1=10.3 B2=19.3 | 1954BFb (59581) | 395    |

\*\*\*\*\*

C8H8O2 HL CAS 583-80-2 (3191)  
beta-Methyltropolone;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values    | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       | K1=9.4 B2=17.1 | 1954BFb (59592) | 396    |

\*\*\*\*\*

C8H8O3 H2L CAS 490-78-8 (6324)  
2,5-Dihydroxyacetophenone; (HO)2C6H3.CO.CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++  | gl  | alc/w  | 25°C | 20%  | U I |       | K1=9.24     | 1996K0b (59674) | 397    |

\*K(BeL)=-6.30

Medium: 20% v/v EtOH/H2O, 0.10 M NaNO3. Data for 0.05 and 0.15 M NaNO3 in 20% EtOH/H2O. At I=0, K1=9.51, \*K(BeL)=-6.57.

\*\*\*\*\*

C8H8O3 H2L o-Cresotic acid CAS 83-40-9 (2338)  
2-Hydroxy-3-methylbenzoic acid; CH3.C6H3(OH).COOH

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 35°C | 0.10M | U   | T     | K1=13.05 B2=21.83 | 1976ABe (59697) | 398    |

|      |    |        |      |     |   |  |         |                 |     |
|------|----|--------|------|-----|---|--|---------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 50% | U |  | K1=7.17 | 1971VMa (59698) | 399 |
|------|----|--------|------|-----|---|--|---------|-----------------|-----|

Medium: 50% dioxan, 0.1 M NaCl04

|      |    |      |   |     |   |  |         |                 |     |
|------|----|------|---|-----|---|--|---------|-----------------|-----|
| Be++ | sp | none | ? | 0.0 | U |  | K1=4.60 | 1964PCa (59699) | 400 |
|------|----|------|---|-----|---|--|---------|-----------------|-----|

\*\*\*\*\*

C8H8O3 H2L p-Cresotic acid CAS 89-56-5 (3797)  
2-Hydroxy-5-methylbenzoic acid, (5-methylsalicylic acid)

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 35°C | 0.10M | U   |       | K1=12.87 B2=22.76 | 1976ABe (59708) | 401    |

\*\*\*\*\*

C8H8O3 H2L CAS 614-75-5 (4475)  
2-Hydroxyphenylethanoic acid; HO.C6H4.CH2.COOH

| Metal   | Mtd | Medium | Temp | Conc          | Cal | Flags | Lg K values  | Reference       | ExptNo |
|---|-----|--------|------|---------------|-----|-------|--------------|-----------------|--------|
| Be++  | EMF | oth/un | 20°C | ?             | U   |       | K1=8.29      | 1972MKb (59715) | 402    |
| *****   |     |        |      |               |     |       |              |                 |        |
| C8H8O3  |     | HL     |      | Mandelic Acid |     |       | CAS 611-72-3 | (80)            |        |
| 2-Phenyl-2-hydroxyethanoic acid; C6H5.CH(OH).COOH |     |        |      |               |     |       |              |                 |        |

| Metal   | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference       | ExptNo |
|---|-----|--------|------|-------|-----|-------|--------------|-----------------|--------|
| Be++  | kin | none   | 25°C | 0.0   | U   |       | K1=0.15      | 1978GKa (59813) | 403    |
| *****   |     |        |      |       |     |       |              |                 |        |
| Be++  | ix  | NaClO4 | 18°C | 0.10M | U   |       | K1=1.64      | 1965BKb (59814) | 404    |
| *****   |     |        |      |       |     |       |              |                 |        |
| C8H8O3  |     | H2L    |      |       |     |       | CAS 621-37-4 | (1832)          |        |
| 3-Hydroxyphenylethanoic acid; HO.C6H4.CH2COOH |     |        |      |       |     |       |              |                 |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values  | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|--------------|-----------------|--------|
| Be++  | EMF | oth/un | 20°C | ?    | U   |       | K1=6.95      | 1972MKb (59897) | 405    |
| *****   |     |        |      |      |     |       |              |                 |        |
| C8H8O3  |     | H2L    |      |      |     |       | CAS 156-38-7 | (1831)          |        |
| 4-Hydroxyphenylethanoic acid; HO.C6H4.CH2COOH |     |        |      |      |     |       |              |                 |        |

| Metal                                     | Mtd | Medium | Temp | Conc            | Cal | Flags | Lg K values | Reference       | ExptNo |
|---|-----|--------|------|-----------------|-----|-------|-------------|-----------------|--------|
| Be++                                      | EMF | oth/un | 20°C | ?               | U   |       | K1=7.10     | 1972MKb (59939) | 406    |
| *****                                     |     |        |      |                 |     |       |             |                 |        |
| C8H8O3                                    |     | H2L    |      | m-Cresotic acid |     |       | CAS 50-85-1 | (1244)          |        |
| 4-Methylsalicylic acid; CH3.C6H3(OH).COOH |     |        |      |                 |     |       |             |                 |        |

| Metal                            | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|----------------------------------|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++                             | gl  | NaClO4 | 35°C | 0.10M | U   |       | K1=12.94 B2=22.91 | 1976ABe (59994) | 407    |
| *****                            |     |        |      |       |     |       |                   |                 |        |
| Be++                             | gl  | diox/w | 30°C | 50%   | U   |       | K1=8.55           | 1971VMa (59995) | 408    |
| Medium: 50% dioxan, 0.1 M NaClO4 |     |        |      |       |     |       |                   |                 |        |

|  |    |      |   |     |   |  |               |                 |     |
|--|----|------|---|-----|---|--|---------------|-----------------|-----|
| Be++   | sp | none | ? | 0.0 | U |  | K1=4.62       | 1964PCa (59996) | 409 |
| *****  |    |      |   |     |   |  |               |                 |     |
| C8H9NOS  |    | HL   |   |     |   |  | CAS 4822-44-0 | (3240)          |     |
| N-(Mercaptoacetyl)aniline (thioglycolanilide); C6H5.NH.CO.CH2.SH |    |      |   |     |   |  |               |                 |     |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       | K1=9.54 B2=18.47 | 1961MAe (60159) | 410    |
| *****   |     |        |      |      |     |       |                  |                 |        |
| C8H9NO2S  |     | HL     |      |      |     |       | CAS 104-18-7     | (4575)          |        |
| (4-Aminophenylthio)ethanoic acid; H2N.C6H4.S.CH2.COOH |     |        |      |      |     |       |                  |                 |        |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----  
 Be++ gl KNO3 25°C 0.05M M K1=3.90 1975DPb (60371) 411  
 \*\*\*\*\*  
 C8H9N3O2 HL CAS 38713-69-8 (4518)  
 2-Acetoacetamidopyrimidine; CH3.CO.CH2.CO.NH.C4H3N2  
 -----

| Metal   | Mtd | Medium         | Temp           | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|---|-----|----------------|----------------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w         | 20°C           | 50%   | U   |       | K1=6.58 B2=11.94 | 1969KSe (60562) | 412    |
| Medium: 50% dioxan, 0.025 M NaClO4                              |     |                |                |       |     |       |                  |                 |        |
| *****   |     |                |                |       |     |       |                  |                 |        |
| C8H9N3O7  | H2L | Uramildiacetic | CAS 13055-06-5 | (185) |     |       |                  |                 |        |
| 5-Amino-2,4,6-trioxo-1,3-perhydrodiazimino-N,N-diethanoic acid; |     |                |                |       |     |       |                  |                 |        |

-----

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++   | cal | KNO3   | 25°C | 0.1M | C   | H     |             | 1981CSb (60626) | 413    |
| DH(K1)=-11.7 kJ mol <sup>-1</sup> , DS=151 K J mol <sup>-1</sup> |     |        |      |      |     |       |             |                 |        |

-----

|      |    |      |      |       |   |   |          |                 |     |
|------|----|------|------|-------|---|---|----------|-----------------|-----|
| Be++ | gl | KNO3 | 25°C | 0.10M | U | T | K1=10.13 | 1977SVa (60627) | 414 |
|------|----|------|------|-------|---|---|----------|-----------------|-----|

-----

|      |    |      |      |       |   |  |                           |                 |     |
|------|----|------|------|-------|---|--|---------------------------|-----------------|-----|
| Be++ | gl | KNO3 | 20°C | 0.10M | U |  | K1=10.36<br>K(Be+HL)=3.44 | 1963IFb (60628) | 415 |
|------|----|------|------|-------|---|--|---------------------------|-----------------|-----|

\*\*\*\*\*

|   |     |          |              |       |  |  |  |  |  |
|---|-----|----------|--------------|-------|--|--|--|--|--|
| C8H11NO2  | H2L | Dopamine | CAS 579-59-9 | (251) |  |  |  |  |  |
| 2-(3',4'-Dihydroxyphenyl)ethylamine; (HO)2.C6H3.CH2.CH2.NH2 |     |          |              |       |  |  |  |  |  |

-----

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                      | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|----------------------------------|-----------------|--------|
| Be++   | gl  | KCl    | 25°C | 0.10M | U   | T H   |                                  | 1986CVb (61078) | 416    |
|  |     |        |      |       |     |       | K(Be+HL)=7.97<br>K(Be+2HL)=12.32 |                 |        |
| Data for 0-37 C. At 37 C, K(Be+HL)=7.25, K(Be+2HL)=11.55.<br>DH(Be+HL)=-26.8 kJ mol <sup>-1</sup> , DS=-63.9 J K <sup>-1</sup> mol <sup>-1</sup> ; DH(Be+2HL)=-52.9, DS=93.8 |     |        |      |       |     |       |                                  |                 |        |

\*\*\*\*\*

|  |    |                |        |  |  |  |  |  |  |
|--|----|----------------|--------|--|--|--|--|--|--|
| C8H11NO2                                 | HL | CAS 30652-12-1 | (5889) |  |  |  |  |  |  |
| 3-Hydroxy-2-methyl-1-ethylpyridin-4-one; |    |                |        |  |  |  |  |  |  |

-----

| Metal   | Mtd | Medium        | Temp         | Conc  | Cal | Flags | Lg K values     | Reference       | ExptNo |
|---|-----|---------------|--------------|-------|-----|-------|-----------------|-----------------|--------|
| Be++  | nmr | oth/un        | 20°C         | 0.03M | U   |       | K1=8.5 B2=15.80 | 1992EYa (61091) | 417    |
| *****   |     |               |              |       |     |       |                 |                 |        |
| C8H11NO3  | H2L | Noradrenaline | CAS 138-65-8 | (253) |     |       |                 |                 |        |
| Norepinephrine, 3,4-Dihydroxyphenylethanolamine; (HO)2C6H3.CH(CH2.NH2).OH |     |               |              |       |     |       |                 |                 |        |

-----

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++   | gl  | KCl    | 25°C | 0.10M | U   | T H   | K1=7.95 B2=11.05 | 1982CVa (61163) | 418    |
| Data for 0 and 37 C. DH(K1)=-36.2 kJ mol <sup>-1</sup> , DS(K1)=25 J K <sup>-1</sup> mol <sup>-1</sup> ;<br>DH(K2)=-11.4, DS(K2)=62. |     |        |      |       |     |       |                  |                 |        |



\*\*\*\*\*  
 C8H11O2F3                      HL                      CAS 22767-90-4 (1249)  
 1,1,1-Trifluoro-5,5-dimethyl-2,4-hexanedione; F3C.CO.CH2.CO.CH(CH3)3

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |     |   |  |  |         |                 |     |
|------|----|--------|------|-----|---|--|--|---------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  |  | K2=7.14 | 1972UDa (61300) | 419 |
|------|----|--------|------|-----|---|--|--|---------|-----------------|-----|

Medium: 75% v/v dioxan, 0.01 M Me4NC1O4

\*\*\*\*\*  
 C8H13NO6                      H3L                      (3232)  
 N-(Carboxymethyl)iminodipropionic acid; H0OC.CH2.N(CH2.CH2.COOH)2

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |      |   |  |  |         |                 |     |
|------|----|--------|------|------|---|--|--|---------|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50 | C |  |  | K1=9.25 | 1987MDb (61810) | 420 |
|------|----|--------|------|------|---|--|--|---------|-----------------|-----|

K(Be+HL)=2.37

\*\*\*\*\*  
 C8H14O2                      HL                      CAS 1540-35-8 (4487)  
 (3-Propyl)pentane-2,4-dione; CH3.CO.CH(CH2.CH2.CH3).CO.CH3

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |     |   |  |  |         |          |                     |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|
| Be++ | gl | diox/w | 25°C | 50% | U |  |  | K1=9.09 | B2=15.90 | 1971MKc (62032) 421 |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|

Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*  
 C8H14O2                      HL                      CAS 7307-04-2 (3208)  
 5,5-Dimethylhexane-2,4-dione; CH3.CO.CH2.CO.C(CH3)3

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |     |   |  |  |          |                 |     |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  |  | K2=10.47 | 1972UDa (62043) | 422 |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|

Medium: 75% v/v dioxan, 0.01 M Me4NC1O4

---

|      |    |        |      |     |   |  |  |         |          |                     |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|
| Be++ | gl | diox/w | 25°C | 50% | U |  |  | K1=9.78 | B2=18.54 | 1971MKc (62044) 423 |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|

Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*  
 C8H14O2                      HL                      CAS 3002-23-1 (4485)  
 6-Methylheptane-2,4-dione; CH3.CO.CH2.CO.CH2.CH(CH3)2

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |     |   |  |  |         |          |                     |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|
| Be++ | gl | diox/w | 25°C | 50% | U |  |  | K1=9.55 | B2=18.34 | 1971MKc (62050) 424 |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|

Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*  
 C8H14O2                      HL                      CAS 14090-87-0 (4486)  
 Octane-2,4-dione; CH3.CO.CH2.CO.CH2.CH2.CH2.CH3

---

|       |     |        |      |      |     |       |    |          |           |        |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

---

|      |    |        |      |     |   |  |  |         |          |                     |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|
| Be++ | gl | diox/w | 25°C | 50% | U |  |  | K1=9.53 | B2=18.18 | 1971MKc (62060) 425 |
|------|----|--------|------|-----|---|--|--|---------|----------|---------------------|

Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*

C8H15NO2 HL CAS 2235-46-3 (4544)

N,N-Diethylacetoacetamide; CH3.CO.CH2.CO.N(CH2.CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ gl diox/w 20°C 50% U K1=11.30 B2=20.01 1969KSe (62169) 426  
Medium: 0.025 NaClO4, 50% dioxan

\*\*\*\*\*

C8H18N2O10P2 H6L EDDADPO CAS 2310-83-0 (2436)

1,2-Diaminoethane-N,N'-diethanoic-N,N'-dimethylphosphonic acid;  
(-CH2.N(CH2.COOH)(CH2.PO3H2))2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ EMF KCl 25°C 0.10M U 1968DMa (62896) 427  
K(Be+H2L) = 7.15  
K(2Be+H2L) = 11.64

\*\*\*\*\*

C8H22N2O6P2 H4L CAS 13516-59-1 (3850)

2,2'-(Ethylenedi-imino)bis(propylphosphonic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ EMF KCl 25°C 0.10M U 1968DMb (63334) 428  
K(Be+H2L)=7.65  
K(2Be+H2L)=11.33

-----  
Be++ gl KCl 25°C 0.10M U K1=7 1965DKb (63335) 429

\*\*\*\*\*

C9H5NOBr2 HL CAS 521-74-4 (3279)

5,7-Dibromo-8-hydroxyquinoline;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ dis oth/un 20°C 1.0M U K1=7.51 B2=20.27 1968RSd (63517) 430  
-----  
Be++ sp none ? 0.0 U K1=3.44 1964PCa (63518) 431

\*\*\*\*\*

C9H5NOCl2 HL CAS 773-76-2 (3278)

5,7-Dichloro-8-hydroxyquinoline;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----  
Be++ dis oth/un 20°C 1.0M U K1=6.4 B2=12.18 1968RSd (63540) 432  
\*\*\*\*\*

C9H5NOI2 HL CAS 83-73-8 (3280)

5,7-Di-iodo-8-hydroxyquinoline;

-----

| Metal                                | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|--------------------------------------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++                                 | dis | oth/un | 20°C | 1.0M | U   |       | K1=9.19 B2=15.09 | 1968RSd (63557) | 433    |
| Medium: 75% v/v dioxan, 0.1 M NaClO4 |     |        |      |      |     |       |                  |                 |        |

\*\*\*\*\*

|   |     |        |              |       |
|---|-----|--------|--------------|-------|
| C9H6N04IS   | H2L | Ferron | CAS 547-91-1 | (275) |
| 7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI |     |        |              |       |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values     | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-----------------|-----------------|--------|
| Be++  | gl  | KN03   | 28°C | 0.10M | U   |       | K1=4.65 B2=9.90 | 1971LSb (63782) | 434    |

\*\*\*\*\*

|                                    |    |       |              |       |
|------------------------------------|----|-------|--------------|-------|
| C9H7NO                             | HL | Oxine | CAS 148-24-3 | (504) |
| 8-Hydroxyquinoline (8-quinolinol); |    |       |              |       |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | dis | oth/un | 20°C | 1.0M | U   |       | K1=7.77 B2=15.55 | 1968RSd (64238) | 435    |

\*\*\*\*\*

|                                     |     |           |             |       |   |  |         |                 |     |
|-------------------------------------|-----|-----------|-------------|-------|---|--|---------|-----------------|-----|
| Be++                                | sp  | none      | ?           | 0.0   | U |  | K1=3.36 | 1964PCa (64239) | 436 |
| *****                               |     |           |             |       |   |  |         |                 |     |
| C9H7N04S                            | H2L | Sulfoxine | CAS 84-88-8 | (448) |   |  |         |                 |     |
| 8-Hydroxyquinoline-5-sulfonic acid; |     |           |             |       |   |  |         |                 |     |

| Metal                | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference       | ExptNo |
|----------------------|-----|--------|------|------|-----|-------|-------------|-----------------|--------|
| Be++                 | sp  | none   | 24°C | 0.0  | C   |       | K1=5.46     | 1976BIa (64525) | 437    |
| Method: fluorescence |     |        |      |      |     |       |             |                 |        |

\*\*\*\*\*

|  |     |               |        |
|--|-----|---------------|--------|
| C9H8O4                                 | H2L | CAS 2613-89-0 | (1145) |
| Phenylmalonic acid; HOOC.CH(C6H5).COOH |     |               |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values          | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----------------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M | C   |       | K1=5.130 B2= 8.61    | 1999ACa (64993) | 438    |
|       |     |        |      |       |     |       | K(Be3(OH)3+L)=4.92   |                 |        |
|       |     |        |      |       |     |       | K(Be3(OH)3+3L)=11.05 |                 |        |

\*\*\*\*\*

|  |    |                |        |
|--|----|----------------|--------|
| C9H10N2O2  | HL | CAS 52829-64-8 | (4627) |
| 2-Acetoacetamidopyridine; C5H4N.NH.CO.CH2.CO.CH3 |    |                |        |

| Metal                              | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|------------------------------------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++                               | gl  | diox/w | 20°C | 50%  | U   |       | K1=6.99 B2=12.75 | 1969KSd (65226) | 439    |
| Medium: 50% dioxan, 0.025 M NaClO4 |     |        |      |      |     |       |                  |                 |        |

\*\*\*\*\*

|   |    |        |      |       |   |  |                  |                 |     |
|---|----|--------|------|-------|---|--|------------------|-----------------|-----|
| Be++  | gl | KN03   | 25°C | 0.10M | U |  | K1=6.55 B2=11.23 | 1967HAb (65227) | 440 |
| *****   |    |        |      |       |   |  |                  |                 |     |
| C9H10N2O2   | HL | (3265) |      |       |   |  |                  |                 |     |
| Salicylaldehyde acetylhydrazone; HO.C6H4.CH:N.NH.CO.CH3 |    |        |      |       |   |  |                  |                 |     |

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  alc/w  20°C  50%  U          K1=<7          1959H0a (65238) 441
*****
C9H10N2O5          H3L                      (4645)
4,5,6,7-Tetrahydroindazol-3-one-5,5-dicarboxylic acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 25°C  50%  U          K(Be+HL)=8.85  1969ZSa (65277) 442
*****
C9H10O8          H4L                      CAS 3724-52-5 (1264)
cis-1,2,3,4-Cyclopentanetetracarboxylic acid; C5H6.(COOH)4
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  NaClO4 25°C  0.19M U      K1=6.46  B2=11.36  1986MSc (65639) 443
*****
C9H11NO          HL                      CAS 10229-63-7 (3872)
N-(Salicylidene)aminoethane; HO.C6H4.CH:N.CH2.CH3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       dis oth/un 25?°C  ?  U      K1=10.4  B2=18.3  1966GSc (65669) 444
K(BeL(OH)2+2H=BeL)=18.4
*****
C9H11NOS          HL                      CAS 34282-30-9 (3287)
N-(Mercaptoacetyl)-4-methylanilide; CH3.C6H4.NH.CO.CH2.SH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C  75%  U          K1=9.48  B2=18.50  1961MAe (65675) 445
*****
C9H11NO2          HL  Phenylalanine  CAS 63-91-2 (2)
2-Amino-3-phenylpropanoic acid; H2N.CH(CH2.C6H5)COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       sp  oth/un  ?      ?  U          B2=3.21          1964PCa (65925) 446
-----
Be++       gl  oth/un 20°C  .005M U      B2=11.9          1953PEa (65926) 447
Medium: 0.005 BeSO4
*****
C9H11NO3          H2L  Tyrosine      CAS 60-18-4 (4)
2-Amino-3-(4-hydroxyphenyl)propanoic acid; HO.C6H4.CH2.CH(NH2).COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----

```

Be++ gl oth/un 20°C .002M U B2=11.1 1953PEa (66211) 448  
Medium: 0.002 BeSO4

\*\*\*\*\*

C9H11N03 HL Phenylserine CAS 2180-37-2 (2546)  
2-Amino-3-hydroxy-3-phenylpropanoic acid; C6H5.CH(OH).CH(NH2)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 17°C .005M U B2=11.1 1953PEa (66258) 449  
Medium: 0.005 BeSO4

\*\*\*\*\*

C9H11N04 H3L DOPA CAS 59-92-7 (5)  
2-Amino-3-(3,4-dihydroxyphenyl)propanoic acid; H2NCH(CH2C6H3(OH)2)COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl oth/un 20°C .005M U B2=11.6 1953PEa (66395) 450  
Medium: 0.005 BeSO4

\*\*\*\*\*

C9H11N307 H3L (3877)  
N-(1-Methyl-2,4,6-trioxo-perhydropyrimidinyl)iminodiethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KNO3 20°C 0.10M U K1=10.42 1963IFb (66524) 451  
K(Be+HL)=3.32

\*\*\*\*\*

C9H13N03 H2L (-)Adrenaline CAS 51-43-4 (252)  
4-(1-Hydroxy-2-(methylamino)ethyl)-1,2-dihydroxybenzene,  
Epinephrine; CH3NHCH(OH)C6H3(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KCl 25°C 0.10M U T H K1=8.63 B2=12.61 1983CVa (66860) 452  
Data for 0 and 37 C. DH(K1)=-44.9 kJ mol<sup>-1</sup>, DS(K1)=8.3 J K<sup>-1</sup> mol<sup>-1</sup>;  
DH(K2)=-41.7, DS(K2)=-44.6.

-----  
Be++ gl KCl 25°C 0.12M U T K1=9.65 B2=15.96 1969CAb (66861) 453  
K1(0 C)=10.78, K1(15 C)=10.08, K1(35 C)=8.75, K1(45 C)=8.30  
K2(0 C)=7.47, K2(15 C)=6.90, K2(35 C)=5.60, K2(45 C)=5.20

\*\*\*\*\*

C9H15N02 HL CAS 15871-65-5 (4655)  
N-Acetoacetyl piperidine; C5H10N-CO.CH2.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 20°C 50% U K1=11.01 B2=19.68 1969KSe (67380) 454  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C9H15N06 H3L CAS 817-11-8 (3271)

3,3',3''-Nitrilotripropionic acid; (HOOC.CH2.CH2)3N

| Metal  | Mtd | Medium | Temp | Conc  | Cal   | Flags | Lg K values          | Reference       | ExptNo |
|--|-----|--------|------|-------|-------|-------|----------------------|-----------------|--------|
| Be++   | gl  | NaClO4 | 25°C | 0.50  | C     |       | K1=9.23              | 1987MDb (67432) | 455    |
| Be++   | gl  | KNO3   | 20°C | 0.10M | M     |       | K1=7.90              | 1975VBb (67433) | 456    |
| *****  |     |        |      |       |       |       |                      |                 |        |
| C9H24N3O9P3  |     |        | H6L  |       | NOTPH |       | CAS 83843-39-3 (224) |                 |        |
| 1,4,7-Triazacyclononane-N,N',N''-tris(methylenephosphonic acid); |     |        |      |       |       |       |                      |                 |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | KNO3   | 25°C | 1.00M | U   | M     |                  | 1988MKb (68313) | 457    |
|       |     |        |      |       |     |       | B(BeCuL)=28.7    |                 |        |
|       |     |        |      |       |     |       | K(Be+Cu+HL)=22.1 |                 |        |
|       |     |        |      |       |     |       | K(Be+CuL)=7.4    |                 |        |
|       |     |        |      |       |     |       | K(Be+CuHL)=5.7   |                 |        |

|      |    |     |      |      |   |  |               |                 |     |
|------|----|-----|------|------|---|--|---------------|-----------------|-----|
| Be++ | gl | KCl | 25°C | 1.0M | U |  |               | 1984KMa (68314) | 458 |
|      |    |     |      |      |   |  | K(Be+HL)=11.5 |                 |     |
|      |    |     |      |      |   |  | K(Be+H2L)=9.3 |                 |     |
|      |    |     |      |      |   |  | K(Be+H3L)=7.3 |                 |     |

\*\*\*\*\*

|         |    |             |        |
|---------|----|-------------|--------|
| C10H6O3 | HL | CAS 83-72-7 | (3294) |
|---------|----|-------------|--------|

2-Hydroxy-1,4-naphthoquinone;

| Metal  | Mtd | Medium | Temp | Conc                | Cal | Flags | Lg K values      | Reference       | ExptNo |
|--|-----|--------|------|---------------------|-----|-------|------------------|-----------------|--------|
| Be++   | gl  | diox/w | 30°C | 75%                 | U   |       | K1=5.62 B2=10.24 | 1960KFc (68459) | 459    |
| *****  |     |        |      |                     |     |       |                  |                 |        |
| C10H7NO2   |     | HL     |      | CAS 131-91-9 (2668) |     |       |                  |                 |        |
| 1-Nitroso-2-naphthol, alpha-Nitroso-beta-naphthol; |     |        |      |                     |     |       |                  |                 |        |

| Metal   | Mtd | Medium | Temp           | Conc | Cal          | Flags | Lg K values      | Reference       | ExptNo |
|---|-----|--------|----------------|------|--------------|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C           | 50%  | U            |       | K1=6.40 B2=11.48 | 1970SSe (68572) | 460    |
| Medium: 50% dioxan, 0.2 M                           |     |        |                |      |              |       |                  |                 |        |
| *****   |     |        |                |      |              |       |                  |                 |        |
| C10H7NO8S2  |     | H3L    | Nitroso-R acid |      | CAS 525-05-3 |       | (1811)           |                 |        |
| 1-Nitroso-2-hydroxynaphthalene-3,6-disulfonic acid; |     |        |                |      |              |       |                  |                 |        |

| Metal   | Mtd | Medium | Temp            | Conc | Cal          | Flags | Lg K values     | Reference       | ExptNo |
|---|-----|--------|-----------------|------|--------------|-------|-----------------|-----------------|--------|
| Be++  | oth | oth/un | 30°C            | 0.0  | U            |       | K1=5.30 B2=9.30 | 1973GBa (69002) | 461    |
| *****   |     |        |                 |      |              |       |                 |                 |        |
| C10H8O8S2                                     |     | H4L    | Chromotropic ac |      | CAS 148-25-4 |       | (1875)          |                 |        |
| 1,8-Dihydroxynaphthalene-3,6-disulfonic acid; |     |        |                 |      |              |       |                 |                 |        |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|  |     |        |      |       |     |          |                  |                 |        |
|--|-----|--------|------|-------|-----|----------|------------------|-----------------|--------|
| Be++   | nmr | oth/un | 20°C | 0.03M | U   | K1=16.2  | B2=28.20         | 1992EYa (69930) | 462    |
| Be++   | gl  | NaNO3  | 25°C | 0.10M | U   | K1=16.3  |                  | 1990HWa (69931) | 463    |
| Be++   | gl  | NaClO4 | 25°C | 0.50M | C M | K1=13.38 | B2=23.30         | 1977SLa (69932) | 464    |
|  |     |        |      |       |     |          | B(BeHL)=15.92    |                 |        |
| Be++   | gl  | NaClO4 | 30°C | 0.20M | U   | K1=16.69 | B2=29.14         | 1967AMa (69933) | 465    |
| Be++   | gl  | KNO3   | 20°C | 0.10M | U   | K1=16.34 | B2=28.19         | 1967BZa (69934) | 466    |
|  |     |        |      |       |     |          | K(Be+HL)=2.9     |                 |        |
| Be++   | gl  | KNO3   | 20°C | 0.10M | U   | K1=16.89 | B2=32.79         | 1965DMb (69935) | 467    |
| *****  |     |        |      |       |     |          |                  |                 |        |
| C10H9NO HL 8-OH-Quinaldine CAS 826-81-3 (998)                      |     |        |      |       |     |          |                  |                 |        |
| 2-Methyl-8-hydroxyquinoline;                                       |     |        |      |       |     |          |                  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags    | Lg K values      | Reference       | ExptNo |
| Be++   | dis | oth/un | 20°C | 1.0M  | U   |          | K1=8.14 B2=15.80 | 1968RSd (70044) | 468    |
| *****  |     |        |      |       |     |          |                  |                 |        |
| C10H9NO2Cl2 HL (3333)  |     |        |      |       |     |          |                  |                 |        |
| N-2,5-Dichlorophenylacetoacetamide (Acetoacet-2,5-dichloroanilide) |     |        |      |       |     |          |                  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags    | Lg K values      | Reference       | ExptNo |
| Be++   | gl  | diox/w | 25°C | 50%   | U   |          | K1=7.17 B2=13.05 | 1969HSc (70144) | 469    |
| Medium: 50% dioxan, 0.1 M KClO4                                    |     |        |      |       |     |          |                  |                 |        |
| Be++   | gl  | diox/w | 20°C | 50%   | U   |          | K1=6.57 B2=11.85 | 1969KSe (70145) | 470    |
| Medium: 50% dioxan, 0.025 M NaClO4                                 |     |        |      |       |     |          |                  |                 |        |
| Be++   | gl  | diox/w | 25°C | 50%   | U   |          | K1=6.7 B2=12.1   | 1963HAd (70146) | 471    |
| *****  |     |        |      |       |     |          |                  |                 |        |
| C10H10NO2Br HL CAS 21675-02-5 (4785)                               |     |        |      |       |     |          |                  |                 |        |
| 1-Acetoacetamido-4-bromobenzene; CH3.CO.CH2.CO.NH.C6H4.Br          |     |        |      |       |     |          |                  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags    | Lg K values      | Reference       | ExptNo |
| Be++   | gl  | diox/w | 25°C | 50%   | U   |          | K1=8.37 B2=15.25 | 1972HHa (70465) | 472    |
| *****  |     |        |      |       |     |          |                  |                 |        |
| C10H10NO2Cl HL CAS 91573-19-2 (4783)                               |     |        |      |       |     |          |                  |                 |        |
| 1-Acetoacetamido-3-chlorobenzene; CH3.CO.CH2.CO.NH.C6H4.Cl         |     |        |      |       |     |          |                  |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags    | Lg K values      | Reference       | ExptNo |
| Be++   | gl  | diox/w | 20°C | 50%   | U   |          | K1=7.59 B2=13.80 | 1969KSe (70469) | 473    |
| Medium: 50% dioxan, 0.025 M NaClO4                                 |     |        |      |       |     |          |                  |                 |        |
| *****  |     |        |      |       |     |          |                  |                 |        |

C10H10N02Cl HL CAS 3027-00-7 (4784)  
1-Acetoacetamido-4-chlorobenzene; CH3.CO.CH2.CO.NH.C6H4.Cl

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       |    | K1=8.39 B2=15.39 | 1972HHa (70476) | 474    |
| Be++  | gl  | diox/w | 20°C | 50%  | U   |       |    | K1=7.79 B2=14.17 | 1969KSe (70477) | 475    |

Medium: 50% dioxan, 0.025 M NaCl04

C10H10N02Cl HL CAS 6144-11-0 (247)  
Acetoacet-2-chloroacetanilide; CH3.CO.CH2.CO.NH.C6H4.Cl

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   | I     |    | K1=7.81 B2=14.18 | 1969HSc (70489) | 476    |

Medium: 50% dioxan, 0.1 M KCl04. In 50% dioxan: K1=9.77, K2=8.45

|      |    |        |      |     |   |  |  |                  |                 |     |
|------|----|--------|------|-----|---|--|--|------------------|-----------------|-----|
| Be++ | gl | diox/w | 20°C | 50% | U |  |  | K1=6.99 B2=12.49 | 1969KSe (70490) | 477 |
|------|----|--------|------|-----|---|--|--|------------------|-----------------|-----|

Medium: 50% dioxan, 0.025 M NaCl04

|      |    |        |      |     |   |  |  |                |                 |     |
|------|----|--------|------|-----|---|--|--|----------------|-----------------|-----|
| Be++ | gl | diox/w | 25°C | 50% | U |  |  | K1=7.4 B2=13.6 | 1963HAd (70491) | 478 |
|------|----|--------|------|-----|---|--|--|----------------|-----------------|-----|

\*\*\*\*\*

C10H10N02F HL CAS 85117-88-0 (4787)  
4-Fluoroacetoacetanilide; CH3.CO.CH2.CO.NH.C6H4.F

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       |    | K1=8.66 B2=15.86 | 1972HHa (70496) | 479    |

\*\*\*\*\*

C10H10N02I HL (4786)  
4-Iodoacetoacetanilide; CH3.CO.CH2.CO.NH.C6H4.I

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       |    | K1=8.34 B2=15.23 | 1972HHa (70501) | 480    |

\*\*\*\*\*

C10H10N2O4 HL CAS 92642-18-7 (4725)  
1-Acetoacetamido-2-nitrobenzene; CH3.CO.CH2.CO.NH.C6H4.NO2

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 20°C | 50%  | U   |       |    | K1=6.55 B2=11.75 | 1969KSe (70566) | 481    |

Medium: 50% dioxan, 0.025 M NaCl04

\*\*\*\*\*

C10H10N2O4 HL CAS 7418-44-2 (4726)  
1-Acetoacetamido-3-nitrobenzene; CH3.CO.CH2.CO.NH.C6H4.NO2

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|



Be++ gl diox/w 20°C 50% U K1=7.21 B2=13.02 1969KSe (70570) 482  
 Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C10H10N2O4 HL CAS 91573-21-6 (4727)

1-Acetoacetamido-4-nitrobenzene; CH3.CO.CH2.CO.NH.C6H4.NO2

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       | K1=7.15 B2=12.83 | 1972HHa (70577) | 483    |

Be++ gl diox/w 20°C 50% U K1=7.49 B2=13.43 1969KSe (70578) 484  
 Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C10H10O2 HL Benzoylacetone CAS 93-91-4 (197)

1-Phenylbutane-1,3-dione; C6H5.CO.CH2.CO.CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 20°C | 17%  | C   |       | K1=12.39 B2=23.15 | 1976JWa (70710) | 485    |

Be++ dis R4N.X 20°C 1.0M U B2=16.06 1971SGb (70711) 486

Be++ dis R4N.X 20°C 1.0M U K1=9.0 B2=16.06 1968RSe (70712) 487

Be++ gl diox/w 30°C 75% U K1=12.02 B2=23.38 1955H0a (70713) 488

Be++ gl diox/w 30°C 75% U K1=12.59 B2=24.01 1953UFa (70714) 489

\*\*\*\*\*

C10H10O3 HL CAS 16636-62-7 (3298)

2-Hydroxybenzoylacetone; HO.C6H4.CO.CH2.CO.CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       | K1=10.52 B2=19.99 | 1955H0a (70799) | 490    |

\*\*\*\*\*

C10H11NO2 L CAS 102-01-2 (250)

Acetoacetanilide; CH3.CO.CH2.CO.NH.C6H5

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U I |       | K1=8.69 B2=15.92 | 1969HSc (70904) | 491    |

Medium: 50% dioxan, 0.1 M KClO4

In 0.1 NaClO4, 75% dioxan: K1=10.79, K2=9.29

Be++ gl diox/w 25°C 50% U T K1=8.69 B2=15.92 1969HSc (70905) 492  
 Medium: 50% dioxan. K1:(10 C)=8.78, (15 C)=8.79, (20)=8.73, (30)=8.69, (35)=8.69  
 (40)=8.65, K2:(10)=7.26, (15)=7.18, (20)=7.21, (30)=7.23, (35)=7.23, (40)=7.23

Be++ gl diox/w 25°C 50% U K1=8.08 B2=14.41 1969KSe (70906) 493  
 Medium: 50% dioxan, 0.025 M NaClO4

-----  
Be++ gl diox/w 25°C 50% U K1=8.3 B2=15.3 1963HAd (70907) 494  
\*\*\*\*\*

C10H12N2O2 HL CAS 89314-29-4 (8507)  
2-[(4-Methylphenyl)hydrazono]-propanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl alc/w 30°C 40% M M K1=4.30 B2= 8.08 1995RRe (71196) 495  
K(BeL+A)=12.50  
K(BeL+en)=10.00  
K(BeL+pro)=7.34  
K(BeL+B)=6.30

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. K(BeL+ala)=6.41, K(BeL+gly)=6.63.  
H2A is catechol, HB is hydroxyproline.

-----  
Be++ gl alc/w 30°C 40% M M 1995RRe (71197) 496  
K(Be(phe)+L)=4.20  
K(BeA+L)=2.60

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. H2A is salicylic acid.

\*\*\*\*\*

C10H12O2 HL CAS 1946-74-3 (202)  
3-Isopropyltropolone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 50% U K1=10.7 B2=19.8 1954BFb (71572) 497

Be++ gl diox/w 30°C 50% U K1=9.1 B2=16.6 1954BFb (71573) 498

\*\*\*\*\*

C10H12O2 HL CAS 499-44-5 (3303)  
4-Isopropyltropolone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp NaCl04 25°C 0.10M U H 1991IIa (71630) 499  
K(Be+HL=BeL+H)=1.17

DH=2.4 kJ mol<sup>-1</sup>, DS=9.2 J K<sup>-1</sup> mol<sup>-1</sup>

\*\*\*\*\*

C10H13NOS HL CAS 99075-17-9 (3339)  
2-Mercapto-N-phenylbutyramide (2-Mercaptobutyranilide)

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=10.21 B2=19.89 1961MAe (71702) 500

\*\*\*\*\*

C10H13NOS HL CAS 34282-28-5 (3338)  
N-(Mercaptoacetyl)-2,6-dimethylaniline; (CH3)2.C6H3.NH.CO.CH2.SH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

-----  
 Be++ gl diox/w 30°C 75% U K1=9.84 B2=19.14 1961MAe (71708) 501  
 \*\*\*\*\*

C10H13NO3S HL (3340)  
 N-(Mercaptoacetyl)-2,5-dimethoxyaniline; HS.CH2.CO.NH.C6H3(OCH3)2  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl diox/w 30°C 75% U K1=9.59 B2=18.55 1961MAe (71751) 502  
 \*\*\*\*\*

C10H13N3O7 H3L (3912)  
 1,3-Dimethyluramil-N,N-diethanoic acid;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl KNO3 20°C 0.10M U K1=10.54 1963IFb (71804) 503  
 K(Be+HL)=3.54  
 \*\*\*\*\*

C10H15NO L Ephedrine CAS 299-42-3 (1836)  
 (1-Methylaminoethyl)benzyl alcohol; C6H5.CH(OH)CH(CH3)NHCH3  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl KCl 25°C 0.12M U T K1=6.57 B2=12.04 1969CAc (72642) 504  
 K1(0 C)=6.96, K1(15 C)=6.80, K1(35 C)=6.19, K1(45 C)=5.90  
 K2(0 C)=5.67, K2(15 C)=5.55, K2(35 C)=5.11, K2(45 C)=4.81  
 \*\*\*\*\*

C10H16N2O8 H4L EDTA CAS 60-00-4 (120)  
 1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestic acid;  
 -----

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
 -----

Be++ gl NaClO4 25°C 0.50M C K1=7.90 1995CDa (73611) 505  
 -----

Be++ gl NaClO4 25°C 0.50M U K1=8.06 1986MFa (73612) 506  
 K(Be+HL)=3.48  
 K(BeL+H)=4.32  
 -----

Be++ gl KNO3 25°C 0.10M U T K1=9.63 1977SVa (73613) 507  
 -----

Be++ gl KNO3 20°C 0.10M M K1=9.7 1975VBb (73614) 508  
 -----

Be++ dis NaNO3 30°C 0.10M U K1=8.68 1970BBc (73615) 509  
 -----

Be++ ix NaCl 20°C 0.10M U K1=8.4 1966BLb (73616) 510  
 K(Be+HL)=2.1  
 K(Be+H2L)=3.7  
 K(Be+H3L)=2.7  
 -----

Be++ sol oth/un 20°C 0.30M U K1=10.2 1963SSd (73617) 511  
 -----

$$K(\text{BeL}+\text{OH})=5.4$$

From the Davies equation, 0.1 M:  $K_1=10.8$ ,  $K(\text{BeL}+\text{OH})=5.2$

-----  
Be++ dis NaClO4 20°C 0.10M U T K1=9.27 1963STc (73618) 512  
Medium: KClO4

\*\*\*\*\*

C10H18O2 HL CAS 37970-50-9 (4711)  
(3-Pentyl)pentane-2,4-dione; CH3.CO.CH(CH2.CH2.CH3).CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 25°C 50% U K1=8.47 B2=15.87 1971MKc (75588) 513  
Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*

C10H18O2 HL CAS 53329-78-7 (4710)  
Decane-2,4-dione; CH3.CO.CH2.CO.(CH2)5.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 25°C 50% U K1=9.54 B2=18.41 1971MKc (75590) 514  
Medium: 50% dioxan, 0.3 M NaClO4

\*\*\*\*\*

C10H18O2 HL CAS 73910-38-6 (4707)  
Isobutyryl pivaloyl methane; (CH3)2.CH.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 30°C 75% U K2=11.23 1972UDa (75597) 515  
Medium: 75% v/v dioxan, 0.01 M Me4NClO4

\*\*\*\*\*

C10H19NO2 HL (4752)  
N,N-Dipropylacetoacetamide; CH3.CO.CH2.CO.N(CH2.CH2.CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 20°C 50% U K1=11.40 B2=20.31 1969KSe (75627) 516  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C10H26N2O6P2S H4L CAS 17156-08-0 (4799)  
Thiobis(ethyleneimino(dimethyl)methylenephosphonic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ EMF KCl 25°C 0.10M U 1968DMb (76746) 517

$$K(\text{Be}+\text{H}_2\text{L})=7.15$$

$$K(2\text{Be}+\text{H}_2\text{L})=11.97$$

\*\*\*\*\*

C10H26N2O7P2 H4L CAS 14619-28-4 (4796)  
Oxybis(ethyleneimino(dimethyl)methylenephosphonic acid);

-----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|-----------------|--------|
| Be++  | EMF | KCl    | 25°C | 0.10M | U   |       |             | 1968DMb (76748) | 518    |

K(Be+H2L)=7.34  
K(2Be+H2L)=12.46

\*\*\*\*\*

|         |  |    |  |  |  |  |               |        |  |
|---------|--|----|--|--|--|--|---------------|--------|--|
| C11H8O2 |  | HL |  |  |  |  | CAS 3144-47-6 | (3344) |  |
|---------|--|----|--|--|--|--|---------------|--------|--|

3,4-Benzotropolone;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|      |    |        |      |     |   |  |                |                 |     |
|------|----|--------|------|-----|---|--|----------------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 50% | U |  | K1=9.2 B2=17.1 | 1954BFc (76972) | 519 |
|------|----|--------|------|-----|---|--|----------------|-----------------|-----|

\*\*\*\*\*

|         |  |    |  |  |  |  |        |  |  |
|---------|--|----|--|--|--|--|--------|--|--|
| C11H8O2 |  | HL |  |  |  |  | (3345) |  |  |
|---------|--|----|--|--|--|--|--------|--|--|

4,5-Benzotropolone;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|      |    |        |      |     |   |  |                |                 |     |
|------|----|--------|------|-----|---|--|----------------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 50% | U |  | K1=8.8 B2=16.2 | 1954BFc (76977) | 520 |
|------|----|--------|------|-----|---|--|----------------|-----------------|-----|

\*\*\*\*\*

|         |  |     |  |  |  |  |             |        |  |
|---------|--|-----|--|--|--|--|-------------|--------|--|
| C11H8O3 |  | H2L |  |  |  |  | CAS 86-48-6 | (1129) |  |
|---------|--|-----|--|--|--|--|-------------|--------|--|

1-Hydroxy-2-naphthoic acid;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|      |    |        |      |     |   |  |                   |                 |     |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 50% | U |  | K1=13.23 B2=22.73 | 1970SSe (77007) | 521 |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|

Medium: 50% dioxan, 0.2 M NaClO4

\*\*\*\*\*

|         |  |     |  |  |  |  |             |        |  |
|---------|--|-----|--|--|--|--|-------------|--------|--|
| C11H8O3 |  | H2L |  |  |  |  | CAS 92-70-6 | (1130) |  |
|---------|--|-----|--|--|--|--|-------------|--------|--|

2-Hydroxy-3-naphthoic acid (3-Hydroxy-2-naphthoic acid);

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|      |    |      |      |       |   |    |                   |                 |     |
|------|----|------|------|-------|---|----|-------------------|-----------------|-----|
| Be++ | gl | KN03 | 30°C | 0.15M | U | IH | K1=12.58 B2=20.14 | 1976SSc (77114) | 522 |
|------|----|------|------|-------|---|----|-------------------|-----------------|-----|

|      |    |        |      |     |   |  |                   |                 |     |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 50% | U |  | K1=12.35 B2=20.85 | 1970SSe (77115) | 523 |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|

Medium: 50% dioxan, 0.2 M

|      |    |        |      |     |   |   |          |                 |     |
|------|----|--------|------|-----|---|---|----------|-----------------|-----|
| Be++ | sp | oth/un | 25°C | 0.0 | U | I | K1=12.51 | 1966MAh (77116) | 524 |
|------|----|--------|------|-----|---|---|----------|-----------------|-----|

In KCl: K(Be+HL=BeL+H)=0.33+2.026sqrtI/(1+1.75sqrtI)-0.05I

|      |    |       |      |     |   |  |                   |                 |     |
|------|----|-------|------|-----|---|--|-------------------|-----------------|-----|
| Be++ | gl | alc/w | 22°C | 50% | U |  | K1=11.98 B2=19.90 | 1961AMb (77117) | 525 |
|------|----|-------|------|-----|---|--|-------------------|-----------------|-----|

Medium: 50% EtOH

\*\*\*\*\*

|          |  |    |  |  |  |  |                |        |  |
|----------|--|----|--|--|--|--|----------------|--------|--|
| C11H8O3S |  | HL |  |  |  |  | CAS 32267-05-3 | (3353) |  |
|----------|--|----|--|--|--|--|----------------|--------|--|

2-Furoyl-2-thenoylmethane; C4H3O.CO.CH2.CO.C4H3S

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

|      |    |        |      |     |   |  |                   |                 |     |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  | K1=12.73 B2=24.17 | 1953UFd (77156) | 526 |
|------|----|--------|------|-----|---|--|-------------------|-----------------|-----|

C11H8O6S H3L CAS 66695-90-7 (1996)  
1-Hydroxy-4-sulfo-2-naphthoic acid;

C11H8O6S H3L CAS 3386-64-6 (2657)  
3-Hydroxy-5-sulfo-2-naphthoic acid;

C11H8O6S H3L CAS 15509-36-1 (2658)  
3-Hydroxy-7-sulfo-2-naphthoic acid;

C11H8O7S                      H4L                      CAS 6407-90-5 (2683)  
1,7-Dihydroxy-4-sulfo-2-naphthoic acid;

Be++      gl   NaClO4 25°C 0.50M C      K1=14.43 B2=20.85 1982LKc (77265) 531  
B(BeHL)=20.33  
B(BeH2L2)=38.76  
B(BeHL2)=30.11

C11H8O7S H4L CAS 6470-93-5 (8345)  
3,5-Dihydroxy-7-sulfo-2-naphthoic acid;

C11H8O9S2 H4L CAS 67097-84-1 (1995)  
1-Hydroxy-4,7-disulfo-2-naphthoic acid;

| Metal                                   | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|---|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++                                    | gl  | NaCl04 | 25°C | 0.50M | C   | M     | K1=10.50 B2=18.70 | 1978LTa (77275) | 533    |
| *****                                   |     |        |      |       |     |       |                   |                 |        |
| C11H8O9S2                               |     | H4L    |      |       |     |       | CAS 67097-83-0    | (1618)          |        |
| 3-Hydroxy-5,7-disulfo-2-naphthoic acid; |     |        |      |       |     |       |                   |                 |        |

| Metal   | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values       | Reference       | ExptNo |
|---|-----|--------|------|-------|-----|-------|-------------------|-----------------|--------|
| Be++  | gl  | NaCl04 | 25°C | 0.50M | C   | M     | K1=10.18 B2=18.17 | 1974SRd (77294) | 534    |
| *****   |     |        |      |       |     |       |                   |                 |        |
| C11H9NO2S   |     | HL     |      |       |     |       | CAS 29556-13-6    | (1450)          |        |
| N-Phenyl-2-thenoylhydroxamic acid; C4H3SCON(C6H5)OH |     |        |      |       |     |       |                   |                 |        |

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|-------------------|-----------------|--------|
| Be++   | gl  | diox/w | 25°C | 70%  | U   |       | K1=10.11 B2=19.01 | 1992DAc (77348) | 535    |
| For N-m-Cl derivative, K1=10.20, K2=8.97; for N-p-Cl, K1=10.40, K2=9.21. |     |        |      |      |     |       |                   |                 |        |
| *****  |     |        |      |      |     |       |                   |                 |        |
| C11H9NO3   |     | HL     |      |      |     |       | CAS 1137-48-0     | (1449)          |        |
| N-Phenyl-2-furylhydroxamic acid; C4H3O.CO.N(C6H5).OH                     |     |        |      |      |     |       |                   |                 |        |

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++   | gl  | diox/w | 25°C | 70%  | U   |       | K1=9.98 B2=18.70 | 1992DAc (77391) | 536    |
| For N-p-tolyl derivative, K1=10.40, K2=9.20, for N-m-Cl, K1=10.00, K2=8.36; for N-p-Cl, K1=10.25, K2=9.00. |     |        |      |      |     |       |                  |                 |        |
| *****  |     |        |      |      |     |       |                  |                 |        |
| C11H9NO4   |     | H2L    |      |      |     |       | CAS 4321-82-7    | (4829)          |        |
| 3-Acetyl-4-hydroxycoumarin oxime;  |     |        |      |      |     |       |                  |                 |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       | K1=7.37 B2=13.25 | 1972HHa (77413) | 537    |
| *****   |     |        |      |      |     |       |                  |                 |        |
| C11H12NOCl  |     | L      |      |      |     |       | CAS 50519-24-9   | (3367)          |        |
| 4-(4-Chlorophenylimino)pentan-2-one; CH3.CO.CH2.C(:N.C6H4.Cl).CH3 |     |        |      |      |     |       |                  |                 |        |

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|-------------------|-----------------|--------|
| Be++   | gl  | diox/w | 30°C | 50%  | U   |       | K1=11.47 B2=22.22 | 1961MJa (77980) | 538    |
| *****  |     |        |      |      |     |       |                   |                 |        |
| C11H12NO2Cl  |     | HL     |      |      |     |       | CAS 42313-41-7    | (4867)          |        |
| N-2-Methyl-3-chlorophenylacetoacetamide; CH3.CO.CH2.CO.NH.C6H3(CH3).Cl |     |        |      |      |     |       |                   |                 |        |

| Metal                              | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values      | Reference       | ExptNo |
|------------------------------------|-----|--------|------|------|-----|-------|------------------|-----------------|--------|
| Be++                               | gl  | diox/w | 20°C | 50%  | U   |       | K1=7.68 B2=13.70 | 1969KSe (77986) | 539    |
| Medium: 50% dioxan, 0.025 M NaCl04 |     |        |      |      |     |       |                  |                 |        |
| *****                              |     |        |      |      |     |       |                  |                 |        |

C11H12NO2C1 HL CAS 78208-47-8 (4868)  
N-2-Methyl-5-chlorophenylacetoacetamide; CH3.CO.CH2.CO.NH.C6H3(CH3).C1

| Metal                              | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|------------------------------------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++                               | gl  | diox/w | 20°C | 50%  | U   |       |    | K1=7.53 B2=13.36 | 1969KSe (77991) | 540    |
| Medium: 50% dioxan, 0.025 M NaClO4 |     |        |      |      |     |       |    |                  |                 |        |

C11H12N2O2 HL Tryptophan CAS 73-22-3 (3)  
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH

| Metal               | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values | Reference       | ExptNo |
|---------------------|-----|--------|------|-------|-----|-------|----|----------|-----------------|--------|
| Be++                | gl  | oth/un | 20°C | .005M | U   |       |    | B2=11.6  | 1953PEa (78191) | 541    |
| Medium: 0.005 BeSO4 |     |        |      |       |     |       |    |          |                 |        |

C11H12N2O3 HL CAS 20771-72-6 (3359)  
4-(4-Nitrophenylimino)pentan-2-one; CH3.CO.CH2.C(:N.C6H4.NO2).CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       |    | K1=12.04 B2=22.67 | 1961MJa (78277) | 542    |

C11H13NO HL CAS 880-12-6 (3361)  
4-(Phenylimino)pentan-2-one; CH3.CO.CH2.C(:N.C6H5).CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       |    | K1=10.87 B2=21.36 | 1961MJa (78439) | 543    |

C11H13NO2 HL CAS 38968-47-7 (4843)  
1-Acetoacetamido-4-methylbenzene; CH3.CO.CH2.CO.NH.C6H4.CH3

| Metal                              | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|------------------------------------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++                               | gl  | diox/w | 20°C | 50%  | U   |       |    | K1=8.53 B2=15.19 | 1969KSe (78448) | 544    |
| Medium: 50% dioxan, 0.025 M NaClO4 |     |        |      |      |     |       |    |                  |                 |        |

C11H13NO2 HL CAS 3026-99-1 (249)  
Acetoacet-2-toluidide; CH3.CO.CH2.CO.NH.C6H4.CH3

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++   | gl  | diox/w | 25°C | 50%  | U   |       |    | K1=8.48 B2=15.36 | 1969HSc (78462) | 545    |
| Medium: 50% dioxan, 0.1 M KClO4                |     |        |      |      |     |       |    |                  |                 |        |
| In 75% dioxan, 0.1 M NaClO4: K1=10.48, K2=9.07 |     |        |      |      |     |       |    |                  |                 |        |

|                                    |    |        |      |     |   |  |  |                  |                 |     |
|------------------------------------|----|--------|------|-----|---|--|--|------------------|-----------------|-----|
| Be++                               | gl | diox/w | 20°C | 50% | U |  |  | K1=7.86 B2=13.71 | 1969KSe (78463) | 546 |
| Medium: 50% dioxan, 0.025 M NaClO4 |    |        |      |     |   |  |  |                  |                 |     |



Be++ gl diox/w 25°C 50% U K1=7.9 B2=14.5 1963HAd (78464) 547  
\*\*\*\*\*

C11H13NO2 HL CAS 20222-64-4 (4842)  
N-3-Tolylacetoacetamide; CH3.CO.CH2.CO.NH.C6H4.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 25°C 50% U K1=8.87 B2=16.28 1972HHa (78472) 548  
-----

Be++ gl diox/w 20°C 50% U K1=8.34 B2=14.94 1969KSe (78473) 549  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C11H13NO3 HL CAS 101374-66-7 (4844)  
1-Acetoacetamido-3-methoxybenzene; CH3.CO.CH2.CO.NH.C6H4.OCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 20°C 50% U K1=8.07 B2=14.49 1969KSe (78483) 550  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C11H13NO3 HL CAS 3006-35-7 (4845)  
1-Acetoacetamido-4-methoxybenzene; CH3.CO.CH2.CO.NH.C6H4.OCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 25°C 50% U K1=8.90 B2=16.36 1972HHa (78490) 551  
-----

Be++ gl diox/w 20°C 50% U K1=8.65 B2=15.36 1969KSe (78491) 552  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C11H13NO3 HL CAS 91099-10-4 (246)  
Acetoacet-2-anisidide; CH3.CO.CH2.CO.NH.C6H4.OCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 25°C 50% U K1=8.58 B2=15.63 1969HSc (78518) 553  
Medium: 50% dioxan, 0.1 M KClO4  
In 75% dioxan, 0.1 M NaClO4: K1=10.65, K2=9.18

Be++ gl diox/w 20°C 50% U K1=7.87 B2=14.07 1969KSe (78519) 554  
Medium: 50% dioxan, 0.025 M NaClO4

Be++ gl diox/w 25°C 50% U K1=8.1 B2=15.0 1963HAd (78520) 555  
\*\*\*\*\*

C11H14O2S HL (4857)  
2-Thenoylpivaloylmethane; C4H3S.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K2=10.21 1972UDa (79005) 556

Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C11H14O3 HL (4819)

2-Furoyl pivaloyl methane; C4H3O.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K2=10.10 1972UDa (79011) 557

Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C11H15NO HL CAS 2565-54-0 (3948)

Salicylideneaminobutane; (2-OH).C6H4.CH:N.CH2.CH2.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ dis oth/un 25°C 0.0 U K1=11.11 B2=20.44 1965GAa (79019) 558

\*\*\*\*\*

C11H17NO3 H2L Isoprenaline CAS 586-06-1 (3950)

3,4-Dihydroxy-1-(1'-hydroxy-2'-(propylamino)ethyl)benzene;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KCl 25°C 0.10M U T H K1=8.25 B2=13.45 1988CVA (79157) 559

Data for 0 and 37 C. DH(K1)=-9.33 kJ mol<sup>-1</sup>, DS(K1)=127.7 J K<sup>-1</sup> mol<sup>-1</sup>;

DH(K2)=-1.2, DS(K2)=96.1.

\*\*\*\*\*

C11H18N2O8 H4L PDTA CAS 4408-81-5 (1655)

1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M C K1=7.83 1995CDa (79265) 560

\*\*\*\*\*

C11H18N2O8 H4L CAS 4408-81-5 (923)

1,3-Diaminopropane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH2)2N.CH2.)2.CH2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M C K1=9.45 1996MDa (79425) 561

B(-3,1,1)=7.46

B(-4,1,1)=13.04

B(-6,3,1)=16.34

B(p,q,r): pH+qBe+rH4L=Hp(Be)q(H4L)r.

\*\*\*\*\*

C11H20O2 HL Dipivaloylmeth. CAS 1118-71-4 (363)

2,2,6,6-Tetramethyl-3,5-heptanedione; (CH3)3C.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K2=11.45 1972UDa (79743) 562

Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C11H28N2O6P2 H4L CAS 17166-00-6 (4876)

2,2'-(Pentamethylenedi-imino)bis(propylphosphonic acid);

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ EMF KCl 25°C 0.10M U 1968DMb (80037) 563

K(Be+H2L)=6.15

K(2Be+H2L)=11.21

\*\*\*\*\*

C12H9N2O2Cl H2L CAS 29600-20-2 (2638)

4-Chlorobenzene-(1-azo-1')-3',4'-dihydroxybenzene; ClC6H5.N:N.C6H3(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp alc/w 20°C 10% U 1981BRb (80593) 564

K(Be2O+L)=7.5

\*\*\*\*\*

C12H9N3O4 H2L CAS 843-33-4 (2639)

4-(3,4-Dihydroxyphenylazo)nitrobenzene; (HO)2.C6H3.N:N.C6H4.NO2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp alc/w 20°C 10% U 1981BRb (80636) 565

K(Be2O+L)=5.6

\*\*\*\*\*

C12H10N2O2 H2L CAS 2050-16-0 (2636)

3,4-Dihydroxyazobenzene; C6H5.N:N.C6H3(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp alc/w 20°C 10% U 1981BRb (80713) 566

K(Be2O+L)=8.4

\*\*\*\*\*

C12H10N2O5S H3L Tropeolin 0 CAS 547-57-9 (1090)

Chrysoin; HS03.C6H4.N:N.C6H3(OH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp alc/w 20°C 10% U 1981BRb (80737) 567

K(Be2O+L)=6.6

\*\*\*\*\*

C12H11NO2S HL CAS 29556-14-7 (2049)

N-(4-Tolyl)-2-thenoylhydroxamic acid; C4H3SCON(OH)C6H4CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 25°C 70% U K1=10.62 B2=20.02 1992DAc (80835) 568

\*\*\*\*\*

C12H12O3 HL (6844)  
3-Benzoylpenta-2,4-dione; CH3.CO.CH(CO.C6H5)CO.CH3

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|----------|-----------------|--------|
| Be++  | gl  | KCl    | 25°C | 0.20M | U   |       |    | K1=5.66  | 1992CMd (81164) | 569    |

C12H15NO HL CAS 13074-74-3 (3383)  
4-(4-Methylphenylimino)pentan-2-one; CH3.CO.CH2.C(:N.C6H4.CH3).CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values         | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       |    | K1=10.9 B2=21.53 | 1961MJa (81423) | 570    |

C12H15NO2 HL (4924)  
2-Pyridoyl pivaloyl methane; C5H4N.CO.CH2.CO.C(CH3)3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       |    | K1=12.36 B2=23.02 | 1972UDa (81428) | 571    |

Medium: 75% v/v dioxan, 0.01 M Me4NC104

C12H15NO2 HL (4925)  
3-Pyridoyl pivaloyl methane; C5H4N.CO.CH2.CO.C(CH3)3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       |    | K2=10.13 | 1972UDa (81433) | 572    |

Medium: 75% v/v dioxan, 0.01 M Me4NC104

C12H15NO2 HL CAS 59554-48-2 (3382)  
4-(2-Methoxyphenylimino)pentan-2-one; CH3.CO.CH2.C(:N.C6H4.OCH3).CH3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 50%  | U   |       |    | K1=10.90 B2=21.53 | 1961MJa (81435) | 573    |

C12H15NO2 HL (4926)  
4-Pyridoyl pivaloyl methane; C5H4N.CO.CH2.CO.C(CH3)3

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference       | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       |    | K2=9.51  | 1972UDa (81439) | 574    |

Medium: 75% v/v dioxan, 0.01 M Me4NC104

C12H15NO2 HL (248)  
Acetoacet-2,4-dimethylanilide; CH3.CO.CH2.CO.CH2.NH.C6H3(CH3)2

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

Be++ gl diox/w 20°C 50% U T K1=8.61 B2=14.97 1969KSe (81444) 575  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C12H15NO2 HL (4921)  
N-3,5-Dimethylphenylacetoacetamide; CH3.CO.CH2.CO.NH.C6H3(CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 20°C 50% U K1=8.63 B2=15.03 1969KSe (81449) 576  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C12H15NO4 HL (4922)  
1-Acetoacetamido-2,4-dimethoxybenzene; CH3.CO.CH2.CO.NH.C6H3(OCH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 20°C 50% U K1=8.68 B2=15.25 1969KSe (81469) 577  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C12H15NO4 HL (4923)  
1-Acetoacetamido-2,5-dimethoxybenzene; CH3.CO.CH2.CO.NH.C6H3(OCH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 20°C 50% U K1=7.55 B2=14.04 1969KSe (81474) 578  
Medium: 50% dioxan, 0.025 M NaClO4

\*\*\*\*\*

C12H16N6O3 HL His-His CAS 306-14-9 (846)  
Histidyl-histidine; H2N.CH(CH2.C3H3N2).CO.NH.CH(CH2.C3H3N2).COOH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KCl 25°C 0.12M U T K1=5.75 B2=9.68 1970CAa (81657) 579  
35 C: K1=4.14, K2=3.45; K1(45 C)=3.21

\*\*\*\*\*

C12H17NO5 HL CAS 34282-27-4 (3393)  
N-(2,6-Diethylphenyl)mercaptoacetamide; HS.CH2.CO.NH.C6H3(CH2.CH3)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=9.81 B2=19.01 1961MAe (81710) 580  
\*\*\*\*\*

C12H20N2O8 H4L CAS 40623-42-5 (3388)  
1,2-Diaminoethane-N,N'-diethanoic-N,N'-dipropanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M C K1=8.50 1995CDa (82158) 581

\*\*\*\*\*

C12H20N2O8 H4L CAS 2458-58-4 (922)

1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.(CH2)4.N(CH2.COOH)2

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |        |      |       |   |  |  |  |                 |     |
|------|----|--------|------|-------|---|--|--|--|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50M | C |  |  | K1=10.44<br>B(-3,1,1)=7.54<br>B(-4,1,1)=13.07<br>B(-6,3,1)=16.03 | 1996MDa (82214) | 582 |
|------|----|--------|------|-------|---|--|--|--|-----------------|-----|

B(p,q,r): pH+qBe+rH4L=Hp(Be)q(H4L)r.

\*\*\*\*\*

C12H30N3O9P3 H6L DOPHET CAS 123325-12-2 (227)

1,4,7-Tris(beta-dioxyphosphorylethyl)-1,4,7-triazacyclononane;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |      |      |      |   |  |  |   |                 |     |
|------|----|------|------|------|---|--|--|---|-----------------|-----|
| Be++ | gl | KNO3 | 25°C | 1.0M | U |  |  | K1=13.4<br>K(Be+HL)=9.4<br>K(Be+H2L)=7.7<br>K(Be+H3L)=7.1 | 1988MKa (84278) | 583 |
|------|----|------|------|------|---|--|--|---|-----------------|-----|

\*\*\*\*\*

C12H32N4O12P4 H8L DOTPH CAS 91987-74-5 (229)

1,4,7,10-Tetraazacyclododecane-N,N',N'',N'''-tetramethylenephosphonic acid;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |      |      |       |   |   |  |                                  |                 |     |
|------|----|------|------|-------|---|---|--|----------------------------------|-----------------|-----|
| Be++ | gl | KNO3 | 25°C | 1.00M | U | M |  | K(Be+CuL)=10.4<br>K(Be+CuHL)=9.8 | 1988MKb (84407) | 584 |
|------|----|------|------|-------|---|---|--|----------------------------------|-----------------|-----|

\*\*\*\*\*

C13H8O3 HL CAS 719-41-5 (3397)

1-Hydroxyxanthone (1-Hydroxy-9-xanthenone)

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |       |      |     |   |  |  |         |                 |     |
|------|----|-------|------|-----|---|--|--|---------|-----------------|-----|
| Be++ | sp | alc/w | 25°C | 50% | U |  |  | K1=8.72 | 1968GDb (84495) | 585 |
|------|----|-------|------|-----|---|--|--|---------|-----------------|-----|

Medium: 50% EtOH, 0.1 M NaClO4

\*\*\*\*\*

C13H9FO2S HL CAS 43191-66-8 (6154)

1-(2'-Thienyl)-3"-fluoro-2"-hydroxyphenyl)-prop-1-one-2-ene;

C4H3S.CH:CH.CO.C6H3(OH)F

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |        |      |       |   |  |  |         |                 |     |
|------|----|--------|------|-------|---|--|--|---------|-----------------|-----|
| Be++ | gl | NaClO4 | 30°C | 0.10M | U |  |  | K1=2.48 | 1989SHa (84511) | 586 |
|------|----|--------|------|-------|---|--|--|---------|-----------------|-----|

\*\*\*\*\*

C13H9NO2 HL (3403)

2-(2'-Hydroxyphenyl)benzoxazole;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

Be++ sp alc/w 20°C 50% U K1=8.27 1984GSb (84565) 587

Be++ gl alc/w 20°C 50% U K1=8.7 1959H0a (84566) 588

\*\*\*\*\*  
C13H10N02Br HL CAS 35021-82-0 (1819)  
N-(4-Bromophenyl)benzohydroxamic acid; C6H5.CO.N(C6H4Br)OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl diox/w 35°C 50% U K1=8.24 B2=15.13 1976GTa (84694) 589

\*\*\*\*\*  
C13H10N02Cl HL CAS 36016-24-7 (1818)  
N-(4-Chlorophenyl)benzohydroxamic acid; C6H5.CO.N(C6H4Cl)OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl diox/w 35°C 50% U K1=8.41 B2=15.39 1976GTa (84717) 590

\*\*\*\*\*  
C13H10N2O HL CAS 5496-07-1 (3404)  
2-(2'-Hydroxyphenyl)benzimidazole;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl alc/w 20°C 50% U K1=8.5 1959H0a (84826) 591

\*\*\*\*\*  
C13H10N2O4 HL CAS 67680-82-4 (1820)  
N-(4-Nitrophenyl)benzohydroxamic acid; C6H5.CO.N(C6H4.NO2)OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl diox/w 35°C 50% U K1=7.76 B2=14.24 1976GTa (84879) 592

\*\*\*\*\*  
C13H10N2O4 HL CAS 2029-61-0 (178)  
N-Phenyl-2-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H5).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl diox/w 25°C 50% U T K1=7.41 B2=13.41 1977VKa (84897) 593

At 35 C: K1=7.34, K2=5.84

\*\*\*\*\*  
C13H10N2O4 HL CAS 17120-18-2 (220)  
N-Phenyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H5).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Be++ gl diox/w 25°C 50% U T K1=7.66 B2=13.81 1977VKa (84909) 594

At 35 C: K1=7.47, K2=6.00

\*\*\*\*\*  
C13H10N2O6S H2L MordentYellow10 CAS 21542-82-5 (1390)  
5-(4'-Sulfofophenylazo)salicylic acid; HO3S.C6H4.N:N.C6H3(OH).COOH

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|------------------------------|-----------------|--------|
| Be++   | sp  | oth/un | 20°C | 0.50M | U   |       | K(BeOH+L)=6.7                | 1968AND (84937) | 595    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H10O3   |     | HL     |      |       |     |       | CAS 5910-23-6                | (3399)          |        |
| Benzoyl-2-furoylmethane; C6H5.CO.CH2.CO.C4H3O                            |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
| Be++   | gl  | diox/w | 30°C | 75%   | U   |       | K1=13.10 B2=25.17            | 1953UFe (85001) | 596    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H11NO2  |     | H2L    |      |       |     |       | CAS 78-75-2                  | (6258)          |        |
| 3-(Salicylideneamino)phenol; HO.C6H4.CH:N.C6H4.OH                        |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
| Be++   | gl  | alc/w  | 25°C | 50%   | U   |       | K1=9.05 B2=14.15             | 1977DWa (85082) | 597    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H11NO2  |     | HL     |      |       |     |       | CAS 304-88-1                 | (181)           |        |
| N-Phenylbenzohydroxamic acid; C6H5.CO.N(C6H5).OH                         |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
| Be++   | gl  | diox/w | 35°C | 50%   | U   |       | K1=8.68 B2=15.83             | 1976GTa (85138) | 598    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| Be++   | gl  | diox/w | 35°C | 50%   | U   |       | K1=8.68 B2=15.83             | 1970GTb (85139) | 599    |
| Medium: 50% dioxan, 0.005 M  |     |        |      |       |     |       |                              |                 |        |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H12N2O2   |     | H2L    |      |       |     |       | CAS 76525-00-3               | (2637)          |        |
| 4-Methylbenzene-(1-azo-1')-3',4'-dihydroxybenzene; CH3C6H5.N:N.C6H3(OH)2 |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
| Be++   | sp  | alc/w  | 20°C | 10%   | U   |       | K(Be2O+L)=7.8                | 1981BRb (85349) | 600    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H12N4O  |     | L      |      |       |     |       | Diphenylcarbaz. CAS 538-62-5 | (1195)          |        |
| Diphenylcarbazone; C6H5.NH.NH.CO.N:N.C6H5                                |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |
| Be++   | gl  | diox/w | 25°C | 0.10M | U   |       | K1=6.7 B2=12.60              | 1986MHb (85406) | 601    |
| *****  |     |        |      |       |     |       |                              |                 |        |
| C13H12O5   |     | HL     |      |       |     |       | CAS 17426-76-5               | (3401)          |        |
| O,O-Dimethylpurpurogallin  |     |        |      |       |     |       |                              |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                  | Reference       | ExptNo |



Be++ gl diox/w 30°C 50% U K2=8.0 1954BFc (85486) 602  
\*\*\*\*\*

C13H13O2Br HL (6846)  
3-Benzoyl-5-bromohexa-5-ene-2-one; CH2=CBr.CH2.CH(CO.CH3)CO.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KCl 25°C 0.20M U K1=5.63 1992CMd (85536) 603  
\*\*\*\*\*

C13H13O2Cl HL (6842)  
3-Benzoyl-5-chlorohex-5-ene-2-one; CH2=CCl.CH2.CH(CO.CH3)CO.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KCl 25°C 0.20M U K1=5.67 1992CMd (85544) 604  
\*\*\*\*\*

C13H14N3O5P H2L CAS 80767-75-5 (1467)  
2-Hydroxy-4-nitrophenyl-N-(2-pyridylmethyl)aminemethylphosphinic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 20°C 0.10M U 1985SIb (85639) 605  
K(Be+HL)=5.20

\*\*\*\*\*  
C13H14N3O5P H2L CAS 80767-76-6 (1468)  
2-Hydroxy-4-nitrophenyl-N-(3-pyridylmethyl)aminemethylphosphinic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 20°C 0.10M U 1985SIb (85652) 606  
K(Be+HL)=5.15

\*\*\*\*\*  
C13H15NO4 HL CAS 35104-87-2 (4997)  
2-Nitrobenzoyl pivaloyl methane; O2N.C6H4.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K2=8.60 1972UDa (85714) 607  
Medium: 75% v/v dioxan, 0.01 M Me4NC1O4

\*\*\*\*\*  
C13H15NO4 HL (4996)  
4-Ethoxycarbonylacetoacetanilide; CH3.CH2.O.CO.C6H4.NH.CO.CH2.CO.CH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 25°C 50% U K1=7.90 B2=14.38 1972HHa (85716) 608  
\*\*\*\*\*

C13H15NO4 HL CAS 18362-53-3 (4998)  
4-Nitrobenzoyl pivaloyl methane; O2N.C6H4.CO.CH2.CO.C(CH3)3

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
|--|-----|--------|------|-------|-----|-------|----------------|-----------------|--------|
| Be++   | gl  | diox/w | 30°C | 75%   | U   |       | K2=9.24        | 1972UDa (85721) | 609    |
| Medium: 75% v/v dioxan, 0.01 M Me4NClO4                        |     |        |      |       |     |       |                |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O3P  |     | H2L    |      |       |     |       | CAS 80767-72-2 | (1460)          |        |
| 2-Hydroxyphenyl-(N-2-pyridylmethylamino)methylphosphinic acid; |     |        |      |       |     |       |                |                 |        |
| -----  |     |        |      |       |     |       |                |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M | U   |       |                | 1985SIa (85779) | 610    |
|  |     |        |      |       |     |       | K(Be+HL)=5.10  |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O3P  |     | H2L    |      |       |     |       | CAS 80767-73-3 | (1461)          |        |
| 2-Hydroxyphenyl-(N-3-pyridylmethylamino)methylphosphinic acid; |     |        |      |       |     |       |                |                 |        |
| -----  |     |        |      |       |     |       |                |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M | U   |       |                | 1985SIa (85792) | 611    |
|  |     |        |      |       |     |       | K(Be+HL)=5.15  |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O3P  |     | H2L    |      |       |     |       | CAS 80767-74-4 | (1462)          |        |
| 2-Hydroxyphenyl-(N-4-pyridylmethylamino)methylphosphinic acid; |     |        |      |       |     |       |                |                 |        |
| -----  |     |        |      |       |     |       |                |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M | U   |       |                | 1985SIa (85805) | 612    |
|  |     |        |      |       |     |       | K(Be+HL)=5.15  |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O4P  |     | H3L    |      |       |     |       | CAS 80767-78-8 | (1463)          |        |
| 2-Hydroxyphenyl-(N-2-pyridylmethylamino)methylphosphonic acid; |     |        |      |       |     |       |                |                 |        |
| C6H4(OH)CH(PO3H2).NH.CH2.C5H4N                                 |     |        |      |       |     |       |                |                 |        |
| -----  |     |        |      |       |     |       |                |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M | U   |       | K1=10.10       | 1985SIa (85818) | 613    |
|  |     |        |      |       |     |       | K(Be+HL)=7.90  |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O4P  |     | H3L    |      |       |     |       | CAS 85946-85-6 | (1464)          |        |
| 2-Hydroxyphenyl-(N-3-pyridylmethylamino)methylphosphonic acid; |     |        |      |       |     |       |                |                 |        |
| C6H4(OH)CH(PO3H2).NH.CH2.C5H4N                                 |     |        |      |       |     |       |                |                 |        |
| -----  |     |        |      |       |     |       |                |                 |        |
| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values    | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M | U   |       | K1=10.20       | 1985SIa (85831) | 614    |
|  |     |        |      |       |     |       | K(Be+HL)=7.95  |                 |        |
| *****  |     |        |      |       |     |       |                |                 |        |
| C13H15N2O4P  |     | H3L    |      |       |     |       | CAS 85946-86-7 | (1465)          |        |
| 2-Hydroxyphenyl-(N-4-pyridylmethylamino)methylphosphonic acid; |     |        |      |       |     |       |                |                 |        |
| C6H4(OH)CH(PO3H2).NH.CH2.C5H4N                                 |     |        |      |       |     |       |                |                 |        |

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  NaClO4 20°C 0.10M U          K1=10.25      1985SIa (85844) 615
                        K(Be+HL)=8.00
*****
C13H15O2Br          HL          CAS 41070-38-6 (4994)
2-Bromobenzoyl pivaloyl methane; Br.C6H4.CO.CH2.CO.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C 75% U          K2=9.46      1972UDa (85918) 616
Medium: 75% v/v dioxan, 0.01 M Me4NC1O4
*****
C13H15O2Br          HL          CAS 41070-33-1 (4995)
4-Bromobenzoyl pivaloyl methane; Br.C6H4.CO.CH2.CO.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C 75% U          K2=10.28     1972UDa (85923) 617
Medium: 75% v/v dioxan, 0.01 M Me4NC1O4
*****
C13H15O2Cl          HL          CAS 41070-37-5 (4992)
2-Chlorobenzoyl pivaloyl methane; Cl.C6H4.CO.CH2.CO.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C 75% U          K2=9.46      1972UDa (85928) 618
Medium: 75% v/v dioxan, 0.01 M Me4NC1O4
*****
C13H15O2Cl          HL          CAS 41070-30-8 (4993)
4-Chlorobenzoyl pivaloyl methane; Cl.C6H4.CO.CH2.CO.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C 75% U          K2=10.37     1972UDa (85933) 619
Medium: 75% v/v dioxan, 0.01 M Me4NC1O4
*****
C13H16O2            HL  Mesitoylacetone CAS 6450-57-3 (4010)
1-(2',4',6'-Trimethylphenyl)butane-1,3-dione;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C 75% U          K1=11.02 B2=21.07 1965UFa (85959) 620
*****
C13H16O2            HL          CAS 13988-67-5 (4973)
Benzoyl pivaloyl methane; C6H5.CO.CH2.CO.C(CH3)3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----

```

Be++ gl diox/w 30°C 75% U K2=10.84 1972UDa (85964) 621  
Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C13H17NO HL (3412)

4-(2,6-Dimethylphenylimino)pentan-2-one;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 50% U K1=9.98 B2=20.28 1961MJa (85967) 622

\*\*\*\*\*

C13H20N04P H3L (1471)

2-Hydroxyphenyl-N-(cyclohexylamino)methylphosphonic acid;

C6H4(OH)CH(PO3H2).NH.C6H11

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaCl04 20°C 0.10M U 1985SIb (86089) 623

K(Be+HL)=7.80

\*\*\*\*\*

C13H22O2 HL CAS 41070-22-8 (4974)

Hexahydrobenzoyl pivaloyl methane; C6H11.CO.CH2.CO.C(CH3)3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=11.66 1972UDa (86374) 624

Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C14H8O3 HL CAS 129-43-1 (2778)

1-Hydroxyanthraquinone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=12.01 B2=23.45 1960KFc (86628) 625

\*\*\*\*\*

C14H8O4 H2L CAS 117-10-8 (3425)

1,8-Dihydroxyanthraquinone;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K2=11.44 1960KFc (86675) 626

\*\*\*\*\*

C14H8O7S H3L DASA CAS 83-61-4 (950)

1,2-Dihydroxyanthraquinone-3-sulfonic acid, Alizarin Red S;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KNO3 20°C 0.10M U K1=10.96 1967BZa (86717) 627

\*\*\*\*\*

C14H9NO2 HL CAS 641-63-4 (4038)

2-(2'-Pyridyl)indan-1,3-dione;

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C  75%  U          K1=10.96  B2=21.71  1964CMb (86788) 628
*****
C14H10N02F          HL          CAS 87221-43-0 (6155)
1-(2'-Pyridyl)-3-(3-fluoro-2-hydroxyphenyl)-prop-1-one-2-ene;
C5H4N.CH:CH.CO.C6H3(OH)F
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  NaCl04 30°C  0.10M U          K1=2.40          1989SHa (86881) 629
*****
C14H12N202          HL          CAS 63213-04-7 (4043)
3-Acetyl-4-hydroxyazobenzene; CH3.CO.C6H3(OH).N:N.C6H5
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C  75%  U          K1=9.95  B2=18.51  1967UDa (87168) 630
*****
C14H12N203          H2L          CAS 4870-46-6 (3432)
2-Hydroxy-5-methyl-2'-carboxy-azobenzene; HO.C6H3(CH3).N:N.C6H4.COOH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 30°C  75%  U          1957SFb (87211) 631
                      K(Be+H2L=BeL+2H)=-3.8
*****
C14H12N204          HL          (179)
N-3-Tolyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 25°C  50%  U T          K1=7.34  B2=13.19  1977VKa (87259) 632
At 35 C: K1=7.22, K2=5.72
*****
C14H12N204          HL          CAS 85407-74-5 (180)
N-4-Tolyl-2-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 25°C  50%  U T          K1=7.89  B2=14.28  1977VKa (87272) 633
At 35 C: K1=7.69, K2=6.17
*****
C14H12N204          HL          (221)
N-4-Tolyl-3-nitrobenzohydroxamic acid; O2N.C6H4.CO.N(C6H4.CH3).OH
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Be++       gl  diox/w 25°C  50%  U T          K1=7.97  B2=14.42  1977VKa (87285) 634

```

At 35 C: K1=7.61, K2=6.10

\*\*\*\*\*

C14H13NO2 HL CAS 1503-92-0 (1817)

N-(4-Tolyl)benzohydroxamic acid; C6H5.CO.N(C6H4.CH3).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 35°C 50% U K1=8.85 B2=16.31 1976GTa (87442) 635

\*\*\*\*\*

C14H13NO2 HL CAS 889-29-2 (6259)

N-Salicylidene-3-methoxyaniline; HO.C6H4.CH:N.C6H4.OCH3

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl alc/w 25°C 50% U K1=6.80 B2=12.35 1977DWa (87525) 636

\*\*\*\*\*

C14H13NO3 HL CAS 68221-23-8 (1816)

N-(4-Methoxyphenyl)benzohydroxamic acid; C6H5.CO.N(C6H4.OCH3).OH

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 35°C 50% U K1=9.05 B2=17.08 1976GTa (87554) 637

\*\*\*\*\*

C14H15N2O8Cl H4L (1903)

4-Chloro-1,2-diaminobenzene-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 25°C 0.50M U K1=5.79 1986MFa (87747) 638

K(Be+HL)=3.59

K(BeL+H)=3.62

\*\*\*\*\*

C14H16NO3P H2L CAS 25881-35-0 (1469)

Phenyl-N-(benzylamino)methylphosphonic acid; C6H5.CH(PO3H2).NH.CH2.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 20°C 0.10M U K1=8.00 1985SIb (87808) 639

\*\*\*\*\*

C14H16NO4P H3L CAS 61146-25-6 (1470)

2-Hydroxyphenyl-N-(benzylamino)methylphosphonic acid; C6H4(OH)CH(PO3H2).NH.CH2.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl NaClO4 20°C 0.10M U 1985SIb (87821) 640

K(Be+HL)=7.95

\*\*\*\*\*

C14H16N2O8 H4L CAS 40774-59-2 (1901)

1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C6H4(N(CH2.COOH)2)2

-----

| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |
|--|-----|--------|------|-----------------------|-----|-------|---|-----------------|--------|
| Be++   | gl  | NaClO4 | 25°C | 1.00M C               | H   |       | K1=6.48                                   | 1992NSa (87944) | 641    |
| By calorimetry: DH(K1)=45.5 kJ mol-1, DS=277 J K-1 mol-1   |     |        |      |                       |     |       |   |                 |        |
| Be++   | gl  | NaClO4 | 25°C | 1.0M U                |     |       | K1=6.48<br>K(BeL+H)=3.48                  | 1988NTa (87945) | 642    |
| Be++   | gl  | NaClO4 | 25°C | 0.50M U               |     |       | K1=6.51<br>K(Be+HL)=3.37<br>K(BeL+H)=3.28 | 1986MFa (87946) | 643    |
| *****  |     |        |      |                       |     |       |   |                 |        |
| C14H17N2O4P  |     | H3L    |      | (1472)                |     |       |   |                 |        |
| 2-Hydroxyphenyl-N-(2-(2'-pyridyl)ethylamino)methylphosphonic acid;C6H4(OH)CH(PO3H2)NHCH2CH2C5H4N |     |        |      |                       |     |       |   |                 |        |
| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |
| Be++   | gl  | NaClO4 | 20°C | 0.10M U               |     |       | K(Be+HL)=7.90                             | 1985SIb (88041) | 644    |
| *****  |     |        |      |                       |     |       |   |                 |        |
| C14H18O2   |     | HL     |      | CAS 41070-28-4 (5035) |     |       |   |                 |        |
| 2-Toluoyl pivaloyl methane; CH3.C6H4.CO.CH2.CO.C(CH3)3   |     |        |      |                       |     |       |   |                 |        |
| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |
| Be++   | gl  | diox/w | 30°C | 75% U                 |     |       | K2=10.40                                  | 1972UDa (88125) | 645    |
| Medium: 75% v/v dioxan, 0.01 M Me4NC1O4  |     |        |      |                       |     |       |   |                 |        |
| *****  |     |        |      |                       |     |       |   |                 |        |
| C14H18O2   |     | HL     |      | CAS 41070-24-0 (5036) |     |       |   |                 |        |
| 4-Toluoyl pivaloyl methane; CH3.C6H4.CO.CH2.CO.C(CH3)3   |     |        |      |                       |     |       |   |                 |        |
| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |
| Be++   | gl  | diox/w | 30°C | 75% U                 |     |       | K2=10.83                                  | 1972UDa (88130) | 646    |
| Medium: 75% v/v dioxan, 0.01 M Me4NC1O4  |     |        |      |                       |     |       |   |                 |        |
| *****  |     |        |      |                       |     |       |   |                 |        |
| C14H18O3   |     | HL     |      | CAS 41070-25-1 (5037) |     |       |   |                 |        |
| 2-Anisoyl pivaloyl methane; CH3O.C6H4.CO.CH2.CO.C(CH3)3  |     |        |      |                       |     |       |   |                 |        |
| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |
| Be++   | gl  | diox/w | 30°C | 75% U                 |     |       | K2=10.79                                  | 1972UDa (88135) | 647    |
| Medium: 75% v/v dioxan, 0.01 M Me4NC1O4  |     |        |      |                       |     |       |   |                 |        |
| *****  |     |        |      |                       |     |       |   |                 |        |
| C14H18O3   |     | HL     |      | CAS 41070-23-9 (5038) |     |       |   |                 |        |
| 4-Anisoyl pivaloyl methane; CH3O.C6H4.CO.CH2.CO.C(CH3)3  |     |        |      |                       |     |       |   |                 |        |
| Metal  | Mtd | Medium | Temp | Conc                  | Cal | Flags | Lg K values                               | Reference       | ExptNo |

Be++ gl diox/w 30°C 75% U K2=11.0 1972UDa (88140) 648  
Medium: 75% v/v dioxan, 0.01 M Me4NC104

\*\*\*\*\*

C14H22N2O8 H4L CDTA CAS 482-54-2 (200)

trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl NaClO4 25°C 0.50M C K1=7.83 1995CDa (88591) 649

-----  
Be++ dis NaClO4 20°C 0.10M U K1=10.81 1963STc (88592) 650

\*\*\*\*\*

C14H24N2O8 H4L EDTP (2936)

Diaminoethane-N,N,N',N'-tetrapropoic acid; (HOOC.CH2CH2)2N.CH2CH2.N(CH2CH2.COOH)2

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl NaClO4 25°C 0.50M C K1=8.45 1995CDa (89677) 651

\*\*\*\*\*

C15H11NO2 HL CAS 55022-23-6 (4061)

2-(6'-Methyl-2'-pyridyl)indan-1,3-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 30°C 75% U K1=11.89 B2=23.50 1964CMb (91062) 652

\*\*\*\*\*

C15H12OS HL (1261)

mono-Thiodibenzoylmethane; C6H5.CO.CH2.CS.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 30°C 75% U K1=9.38 B2=17.35 1969UTa (91487) 653

Medium: 75% dioxan, 0.01 M Me4NI

-----  
Be++ gl diox/w 30°C 75% U K1=9.00 B2=17.86 1966USa (91488) 654

\*\*\*\*\*

C15H12O2 HL Diphenylacac CAS 120-46-7 (362)

1,3-Diphenylpropane-1,3-dione, Dibenzoylmethane; C6H5.CO.CH2.CO.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

-----  
Be++ gl diox/w 20°C 17% C K1=13.16 B2=25.60 1976JWa (91539) 655

-----  
Be++ dis R4N.X 18°C 1.0M U K1=11.11 B2=18.78 1968RSe (91540) 656

Medium: NH4Cl

-----  
Be++ gl diox/w 30°C 75% U K1=13.62 B2=26.03 1953UFe (91541) 657

\*\*\*\*\*

C15H12O2 HL CAS 1214-47-7 (951)

3-Phenyl-1-(2'-hydroxyphenyl)-2-propen-1-one, 2'-hydroxychalkone;



C6H5.CH:CH.CO.C6H4.OH

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 60%  | U   |       |    | K1=10.48 B2=18.80 | 1975KKc (91577) | 658    |
| *****   |     |        |      |      |     |       |    |                   |                 |        |
| C15H12O3  |     | H2L    |      |      |     |       |    | CAS 1469-94-9     | (3445)          |        |
| 2-Hydroxydibenzoylmethane; HO.C6H4.CO.CH2.CO.C6H5 |     |        |      |      |     |       |    |                   |                 |        |

| Metal                        | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values       | Reference       | ExptNo |
|------------------------------|-----|--------|------|------|-----|-------|----|----------------|-----------------|--------|
| Be++                         | gl  | diox/w | 30°C | 75%  | U   |       |    | K1=10.84       | 1955H0a (91605) | 659    |
| *****                        |     |        |      |      |     |       |    |                |                 |        |
| C15H16N4O                    |     | L      |      |      |     |       |    | CAS 15933-19-4 | (6218)          |        |
| Di(2-methylphenyl)carbazone; |     |        |      |      |     |       |    |                |                 |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values        | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|----|-----------------|-----------------|--------|
| Be++  | gl  | diox/w | 25°C | 50%  | U   |       |    | K1=6.9 B2=13.00 | 1986MHb (91937) | 660    |
| Data also for Di-(4-methyl), Di-(2,5-dimethyl), Di-(4-nitro) etc. analogues |     |        |      |      |     |       |    |                 |                 |        |
| *****   |     |        |      |      |     |       |    |                 |                 |        |
| C15H18N2O8  |     | H4L    |      |      |     |       |    | CAS 101455-18-9 | (1902)          |        |
| 1-Methyl-3,4-diaminobenzene-N,N,N',N'-tetraethanoic acid;                   |     |        |      |      |     |       |    |                 |                 |        |

| Metal   | Mtd | Medium | Temp | Conc     | Cal | Flags | Lg | K values        | Reference       | ExptNo |
|---|-----|--------|------|----------|-----|-------|----|-----------------|-----------------|--------|
| Be++  | gl  | NaClO4 | 25°C | 0.50M    | U   |       |    | K1=6.88         | 1986MFa (92082) | 661    |
|   |     |        |      |          |     |       |    | K(Be+HL)=3.74   |                 |        |
|   |     |        |      |          |     |       |    | K(BeL+H)=3.64   |                 |        |
| *****   |     |        |      |          |     |       |    |                 |                 |        |
| C15H26N2O8  |     | H4L    |      | 1,3-PDTP |     |       |    | CAS 187024-04-0 | (8439)          |        |
| 1,3-Diaminopropane-N,N,N',N'-tetrapropanoic acid; |     |        |      |          |     |       |    |                 |                 |        |

| Metal  | Mtd | Medium | Temp | Conc     | Cal | Flags | Lg | K values        | Reference       | ExptNo |
|--|-----|--------|------|----------|-----|-------|----|-----------------|-----------------|--------|
| Be++   | gl  | NaClO4 | 25°C | 0.50M    | C   |       |    | K1=11.07        | 1996MDa (92410) | 662    |
|  |     |        |      |          |     |       |    | B(-1,1,1)=1.33  |                 |        |
|  |     |        |      |          |     |       |    | B(-2,1,1)=5.13  |                 |        |
|  |     |        |      |          |     |       |    | B(-3,1,1)=9.70  |                 |        |
|  |     |        |      |          |     |       |    | B(-4,1,1)=15.80 |                 |        |
| B(-5,3,1)=13.45, B(-6,3,1)=19.02. B(p,q,r): pH+qBe+rH4L=Hp(Be)q(H4L)r. |     |        |      |          |     |       |    |                 |                 |        |
| *****  |     |        |      |          |     |       |    |                 |                 |        |
| C16H13N2O10AsS2  |     | H5L    |      | Thorin I |     |       |    | CAS 3688-92-4   | (2609)          |        |
| 1-((2-Arsonophenyl)azo)-2-hydroxy-3,6-naphthalylidysulfonic acid;      |     |        |      |          |     |       |    |                 |                 |        |

| Metal    | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values       | Reference       | ExptNo |
|----------|-----|--------|------|------|-----|-------|----|----------------|-----------------|--------|
| Be++     | gl  | oth/un | 30°C | ?    | U   |       |    | K1=15.68       | 1964PCa (93186) | 663    |
| *****    |     |        |      |      |     |       |    |                |                 |        |
| C16H15NO |     | HL     |      |      |     |       |    | CAS 18594-93-9 | (3468)          |        |

3-Phenylimino-1-phenylbutan-1-one; C6H5.CO.CH2.C(:N.C6H5).CH3

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|--|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++   | gl  | diox/w | 30°C | 50%  | U   |       |    | K1=10.97 B2=21.84 | 1961MJa (93602) | 664    |
| *****  |     |        |      |      |     |       |    |                   |                 |        |
| C16H15N07  |     | H4L    |      |      |     |       |    | (4082)            |                 |        |
| N-(3-Carboxy-2-hydroxynaphthy-1-ylmethyl)iminodiethanoic acid; |     |        |      |      |     |       |    |                   |                 |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg | K values      | Reference       | ExptNo |
|-------|-----|--------|------|-------|-----|-------|----|---------------|-----------------|--------|
| Be++  | sp  | NaCl04 | 20°C | 0.10M | U   |       |    |               | 1968BWa (93630) | 665    |
|       |     |        |      |       |     |       |    | B(BeH2L)=33.1 |                 |        |
|       |     |        |      |       |     |       |    | B(BeHL)=27.2  |                 |        |

\*\*\*\*\*

|   |    |        |
|---|----|--------|
| C16H17N3O2                                    | HL | (4086) |
| 5-(4'-Dimethylaminophenylazo)-2-acetylphenol; |    |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       |    | K1=11.84 B2=22.33 | 1967UDa (93740) | 666    |
| *****   |     |        |      |      |     |       |    |                   |                 |        |
| C16H17N3O2                                    | HL  | (4085) |      |      |     |       |    |                   |                 |        |
| 6-(4'-Dimethylaminophenylazo)-2-acetylphenol; |     |        |      |      |     |       |    |                   |                 |        |

| Metal   | Mtd | Medium        | Temp   | Conc | Cal | Flags | Lg | K values          | Reference       | ExptNo |
|---|-----|---------------|--------|------|-----|-------|----|-------------------|-----------------|--------|
| Be++  | gl  | diox/w        | 30°C   | 75%  | U   |       |    | K1=12.09 B2=22.73 | 1967UDa (93744) | 667    |
| *****   |     |               |        |      |     |       |    |                   |                 |        |
| C16H21N3  | L   | Pyribenzamine | (3460) |      |     |       |    |                   |                 |        |
| 2-(N-Benzyl-N-(2-dimethylaminoethyl)amino)pyridine; |     |               |        |      |     |       |    |                   |                 |        |

| Metal  | Mtd | Medium         | Temp   | Conc  | Cal | Flags | Lg | K values        | Reference       | ExptNo |
|--|-----|----------------|--------|-------|-----|-------|----|-----------------|-----------------|--------|
| Be++   | gl  | KCl            | 45°C   | 0.12M | U T |       |    | K1=5.05 B2=9.56 | 1969CAc (94113) | 668    |
| 0 C: K1=5.83,K2=4.63; 15 C: K1=5.76,K2=4.59;                           |     |                |        |       |     |       |    |                 |                 |        |
| 25 C: K1=5.56,K2=4.55; 35 C: K1=5.28,K2=4.53                           |     |                |        |       |     |       |    |                 |                 |        |
| *****  |     |                |        |       |     |       |    |                 |                 |        |
| C16H22O2   | HL  | CAS 41070-31-9 | (5147) |       |     |       |    |                 |                 |        |
| 2,4,6-Trimethylbenzoyl pivaloyl methane; (CH3)3.C6H2.CO.CH2.CO.C(CH3)3 |     |                |        |       |     |       |    |                 |                 |        |

| Metal   | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference       | ExptNo |
|---|-----|--------|------|------|-----|-------|----|----------|-----------------|--------|
| Be++  | gl  | diox/w | 30°C | 75%  | U   |       |    | K2=9.94  | 1972UDa (94239) | 669    |
| Medium: 75% v/v dioxan, 0.01 M Me4NC104             |     |        |      |      |     |       |    |          |                 |        |
| *****   |     |        |      |      |     |       |    |          |                 |        |
| C16H25N04   | L   | (7444) |      |      |     |       |    |          |                 |        |
| 1-Aza-4,7,10,13-tetraoxa-1-phenyl-cyclopentadecane; |     |        |      |      |     |       |    |          |                 |        |

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

-----  
 Be++ sp non-aq RT 100% C K1=2.70 2001AVa (94514) 670  
 Method: spectrophotometric titration. Medium: acetonitrile.

\*\*\*\*\*  
 C16H28N2O8 H4L 1,4-BDTP CAS 187024-05-1 (8440)  
 1,4-Diaminobutane-N,N,N',N'-tetrapropanoic acid;  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----

|      |    |        |      |       |   |  |   |                 |     |
|------|----|--------|------|-------|---|--|---|-----------------|-----|
| Be++ | gl | NaClO4 | 25°C | 0.50M | C |  | K1=12.25<br>B(-1,1,1)=1.36<br>B(-2,1,1)=5.33<br>B(-3,1,1)=9.73<br>B(-4,1,1)=16.04 | 1996MDa (94778) | 671 |
|------|----|--------|------|-------|---|--|---|-----------------|-----|

B(-5,3,1)=14.04. B(p,q,r): pH+qBe+rH4L=Hp(Be)q(H4L)r.  
 \*\*\*\*\*  
 C16H28N4O8 H4L DOTA CAS 60239-18-1 (1017)  
 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid;  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----

|      |    |       |      |       |   |  |   |                 |     |
|------|----|-------|------|-------|---|--|---|-----------------|-----|
| Be++ | gl | R4N.X | 25°C | 0.10M | C |  | K1=13.64<br>K(Be+HL)=7.68<br>K(Be+H2L)=2.26 | 1982DSa (94882) | 672 |
|------|----|-------|------|-------|---|--|---|-----------------|-----|

\*\*\*\*\*  
 C16H40N4O12P4 H8L CAS 41007-47-0 (2070)  
 1,4,7,10-Tetraethylphosphonic acid-1,4,7,10-tetraazacyclododecane;  
 C8H16N4(CH2CH2.PO(OH)2)4  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----

|      |    |      |      |       |   |  |  |                 |     |
|------|----|------|------|-------|---|--|--|-----------------|-----|
| Be++ | gl | KNO3 | 25°C | 1.00M | U |  | K1=15.9<br>K(Be+HL)=14.0<br>K(Be+H2L)=10.9<br>K(Be+H3L)=10.5 | 1989PBb (95637) | 673 |
|------|----|------|------|-------|---|--|--|-----------------|-----|

\*\*\*\*\*  
 C17H14O3 HL (6843)  
 1,1-Dibenzoylpropan-2-one; CH3.CO.CH(CO.C6H5)2  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----

|      |    |     |      |       |   |  |         |                 |     |
|------|----|-----|------|-------|---|--|---------|-----------------|-----|
| Be++ | gl | KCl | 25°C | 0.20M | U |  | K1=5.68 | 1992CMd (95965) | 674 |
|------|----|-----|------|-------|---|--|---------|-----------------|-----|

\*\*\*\*\*  
 C17H16O6 HL (4111)  
 2-Hydroxy-2',4',4'-trimethoxydibenzoyl; HO.C6H4.CO.CO.C6H2(OCH3)3  
 -----

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|-------------|-----------|--------|

-----

|      |    |        |   |       |   |  |                  |                 |     |
|------|----|--------|---|-------|---|--|------------------|-----------------|-----|
| Be++ | gl | NaClO4 | ? | 0.10M | U |  | K1=7.45 B2=14.00 | 1963DSa (96182) | 675 |
|------|----|--------|---|-------|---|--|------------------|-----------------|-----|

\*\*\*\*\*

C17H18O2 HL (5207)  
alpha-Naphthoyl pivaloyl methane;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |        |      |     |   |  |  |          |                 |     |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  |  | K2=10.36 | 1972UDa (96235) | 676 |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|

Medium: 75% v/v dioxan, 0.01 M Me4NC104

C17H18O2 HL (5208)  
beta-Naphthoyl pivaloyl methane;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |        |      |     |   |  |  |          |                 |     |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  |  | K2=10.88 | 1972UDa (96240) | 677 |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|

Medium: 75% v/v dioxan, 0.01 M Me4NC104

C17H19N3 L Antazoline CAS 91-75-8 (3486)  
2-(N-(Benzyl)-N-phenylaminomethyl)-1,4,5H-1,3-diazole, antistine;  
C3H5N2.CH2.N(C6H5)CH2.C6H5

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |     |      |       |     |  |  |                  |                 |     |
|------|----|-----|------|-------|-----|--|--|------------------|-----------------|-----|
| Be++ | gl | KCl | 45°C | 0.12M | U T |  |  | K1=7.14 B2=13.15 | 1969CAc (96263) | 678 |
|------|----|-----|------|-------|-----|--|--|------------------|-----------------|-----|

0 C: K1=7.71, K2=6.48; 15 C: K1=7.55, K2=6.31;  
25 C: K1=7.44, K2=6.20; 35 C: K1=7.20, K2=6.08

C17H20O2Fe HL (5222)  
Ferrocenoyl pivaloyl methane;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |        |      |     |   |  |  |          |                 |     |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|
| Be++ | gl | diox/w | 30°C | 75% | U |  |  | K2=11.13 | 1972UDa (96358) | 679 |
|------|----|--------|------|-----|---|--|--|----------|-----------------|-----|

Medium: 75% v/v dioxan, 0.01 M

C17H21NO L Benadryl CAS 58-73-1 (3492)  
N,N-Dimethyl-2-(diphenylmethoxy)ethylamine;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |     |      |       |     |  |  |                  |                 |     |
|------|----|-----|------|-------|-----|--|--|------------------|-----------------|-----|
| Be++ | gl | KCl | 45°C | 0.12M | U T |  |  | K1=5.55 B2=10.45 | 1969CAc (96370) | 680 |
|------|----|-----|------|-------|-----|--|--|------------------|-----------------|-----|

0 C: K1=6.43, K2=5.16; 15 C: K1=6.40, K2=5.09;  
25 C: K1=6.30, K2=5.04; 35 C: K1=5.90, K2=4.95

C17H30N4O8 H4L TRITA CAS 60239-20-5 (1018)  
1,4,7,10-Tetraazacyclotridecane-1,4,7,10-tetraethanoic acid;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg | K values | Reference | ExptNo |
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|
|-------|-----|--------|------|------|-----|-------|----|----------|-----------|--------|

|      |    |      |      |       |   |  |  |                           |                 |     |
|------|----|------|------|-------|---|--|--|---------------------------|-----------------|-----|
| Be++ | gl | KNO3 | 25°C | 0.10M | C |  |  | K1=13.36<br>K(Be+HL)=7.58 | 1982DSa (96646) | 681 |
|------|----|------|------|-------|---|--|--|---------------------------|-----------------|-----|

K(Be+H2L)=2.41

\*\*\*\*\*

C18H11NO2 HL CAS 83-08-9 (4126)  
2-(2'-Quinolyl)indan-1,3-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=11.78 1964CMB (96841) 682

\*\*\*\*\*

C18H18O2 HL CAS 6477-28-7 (4125)  
3-Phenyl-1-(2',4',6'-trimethylphenyl)-propane-1,3-dione;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 75% U K1=11.79 B2=22.91 1965UFa (97293) 683

\*\*\*\*\*

C18H32N4O8 H4L TETA CAS 60239-22-7 (1019)  
1,4,8,11-Tetraazacyclotetradecane-1,4,8,11-tetraethanoic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KNO3 25°C 0.10M C K1=13.38 1982DSa (98194) 684

K(Be+HL)=7.82

K(Be+H2L)=2.47

\*\*\*\*\*

C19H19N7O6 H3L Folic acid CAS 75708-92-8 (194)  
Pteroylglutamic acid;

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl KNO3 30°C 0.10M U I K1=4.65 B2=8.35 1970NDa (99284) 685

I=0: K1=5.30, K2=4.05. I=0.01: K1=5.15, K2=3.90. I=0.05: K1=4.80, K2=3.70

\*\*\*\*\*

C20H14N2O11S3 H2L Hydroxynaphthol CAS 63451-35-4 (2835)  
Hydroxynaphthol blue, 1-(2-Hydroxy-4-sulfo-1-naphthylazo)-2-naphthol-3,

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ sp none 25°C 0.0 U 1978BRb (99726) 686

K1eff=3.63

Keff at pH 10

\*\*\*\*\*

C21H17NO HL CAS 20964-94-7 (3512)  
1-(Phenylimino)-1,3-diphenylpropan-3-one; C6H5.N:C(C6H5).CH2.CO.C6H5

-----  
Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo  
-----

Be++ gl diox/w 30°C 50% U K1=10.55 B2=20.89 1961MJa (101073) 687

\*\*\*\*\*

C21H24O2 HL (4149)

1,3-Bis(2',4',6'-trimethylphenyl)propane-1,3-dione (dimesitoylmethane)

| Metal                    | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference        | ExptNo |
|--------------------------|-----|--------|------|------|-----|-------|-------------------|------------------|--------|
| Be++                     | gl  | diox/w | 30°C | 75%  | U   |       | K1=10.66 B2=20.40 | 1965UFa (101256) | 688    |
| *****                    |     |        |      |      |     |       |                   |                  |        |
| C22H14O9                 |     | H5L    |      |      |     |       | CAS 4431-00-9     | (3513)           |        |
| Aurintricarboxylic acid; |     |        |      |      |     |       |                   |                  |        |

| Metal         | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference        | ExptNo |
|---------------|-----|--------|------|-------|-----|-------|-------------|------------------|--------|
| Be++          | sp  | oth/un | 25°C | ?     | U   |       | K1=4.54     | 1958MDa (101492) | 689    |
| Be++          | oth | oth/un | 25°C | 0.16M | U   |       | K1=5.38     | 1954SLc (101493) | 690    |
| *****         |     |        |      |       |     |       |             |                  |        |
| C22H24N2O8    |     | H2L    |      |       |     |       | CAS 60-54-8 | (2201)           |        |
| Tetracycline; |     |        |      |       |     |       |             |                  |        |

| Metal          | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                | Reference        | ExptNo |
|----------------|-----|--------|------|-------|-----|-------|----------------------------|------------------|--------|
| Be++           | gl  | NaNO3  | 25°C | 0.10M | C   | M     | K1=9.50<br>K(BeL+Gly)=3.80 | 1989GAb (101810) | 691    |
| *****          |     |        |      |       |     |       |                            |                  |        |
| C23H16O9Cl2S   |     | H4L    |      |       |     |       | CAS 1667-99-8              | (711)            |        |
| Chromazurol S; |     |        |      |       |     |       |                            |                  |        |

| Metal  | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                            | Reference        | ExptNo |
|--|-----|--------|------|-------|-----|-------|--|------------------|--------|
| Be++   | gl  | NaCl   | 25°C | 0.10M | M   | I     | K1=4.79 B2=7.19                        | 1986HSc (102542) | 692    |
| In 40% (v/v) dioxan/water, K1=5; B2=8                              |     |        |      |       |     |       |  |                  |        |
| Be++   | sp  | NaCl04 | 25°C | 0.10M | U   |       | K(Be+HL)=4.66<br>B(Be2L)=15.8          | 1968BSb (102543) | 693    |
| Be++   | sp  | NaCl04 | 20°C | 0.10M | U   |       | K(Be+H2L=BeHL+H)=0.05<br>B(Be2L2)=26.8 | 1967SKa (102544) | 694    |
| Be++   | sp  | NaCl04 | 30°C | 0.10M | U   |       | K1eff=4.4 (pH 6.0)                     | 1963SDe (102545) | 695    |
| Be++   | sp  | NaCl04 | 30°C | 0.10M | U   |       | K1=4.6                                 | 1963SDh (102546) | 696    |
| Be++   | sp  | oth/un | 20°C | 0.10M | U   |       | K(?)=6.2                               | 1962AMc (102547) | 697    |
| *****  |     |        |      |       |     |       |  |                  |        |
| C23H18O9S  |     | H4L    |      |       |     |       | CAS 3564-18-9                          | (433)            |        |
| 4'-Hydroxy-3,3'-dimethyl-2''-sulfofuchsone-5,5'-dicarboxylic acid; |     |        |      |       |     |       |  |                  |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                            | Reference        | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|------------------|--------|
| Be++  | sp  | NaCl04 | 20°C | 0.10M | U   |       |  | 1967SKa (102627) | 698    |
|       |     |        |      |       |     |       | K(Be+H2L=BeHL+H)=0.02<br>B(Be2L2)=28.3 |                  |        |

\*\*\*\*\*  
C23H30N2O4 L CAS 361454-16-2 (8960)  
N-(Phenylmethylene)-4-(1,4,7,10-tetraoxa-13-azacyclopentadec-13-yl)benzamine;  
-----

| Metal  | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values                        | Reference        | ExptNo |
|--|-----|--------|------|------|-----|-------|------------------------------------|------------------|--------|
| Be++   | sp  | non-aq | RT   | 100% | C   |       | K1=2.70                            | 2001AVa (102749) | 699    |
| Method: spectrophotometric titration. Medium: acetonitrile.          |     |        |      |      |     |       |                                    |                  |        |
| *****  |     |        |      |      |     |       |                                    |                  |        |
| C25H48N6O8   |     | H3L    |      |      |     |       | Desferrioxamine CAS 70-51-9 (2488) |                  |        |
| Desferrioxamine B; NH2.((CH2)5.NOH.CO.C2H4.CO.NH)2.(CH2)5.NOH.CO.CH3 |     |        |      |      |     |       |                                    |                  |        |

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values  | Reference        | ExptNo |
|-------|-----|--------|------|-------|-----|-------|--|------------------|--------|
| Be++  | sp  | NaCl04 | 25°C | 0.10M | C   |       |  | 1999BB1 (103802) | 700    |
|       |     |        |      |       |     |       | K(Be+2H+HL=BeH3L)=27.63<br>K(Be+H+HL=BeH2L)=22.165<br>K(3Be+HL=Be3(OH)3(HL)+3H)=5.85 |                  |        |

\*\*\*\*\*  
C29H18O6 H3L CAS 5715-76-4 (5356)  
Phenoxydinaphthofuchsonedicarboxylic acid (Naphthochrome Green G);  
-----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                     | Reference        | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---------------------------------|------------------|--------|
| Be++  | sp  | oth/un | 20°C | 0.10M | U   |       |                                 | 1969AMa (105071) | 701    |
|       |     |        |      |       |     |       | K(Be+HL)=6.25<br>K(BeOH+L)=5.42 |                  |        |

\*\*\*\*\*  
C30H18N6O21S6 H9L Calcichrome (4173)  
Cyclo-tris-7-(1-azo-8-hydroxynaphthalene-3,6-disulfonic acid);  
-----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values                                   | Reference        | ExptNo |
|-------|-----|--------|------|-------|-----|-------|---|------------------|--------|
| Be++  | sp  | NaCl04 | 20°C | 0.10M | C   |       |   | 1981EIE (105179) | 702    |
|       |     |        |      |       |     |       | K(Be+H2L)=6.82<br>K(Be+H3L=Be(OH)H2L+H)=-0.30 |                  |        |

\*\*\*\*\*  
C31H32N2O13S H6L Xylenol orange CAS 63721-85-5 (432)  
5,5'-Bis-N,N-bis(carboxymethyl)aminomethyl-4'-hydroxy-3,3'-dimethylfuchsone-2"-sulfonic acid;  
-----

| Metal | Mtd | Medium | Temp | Conc  | Cal | Flags | Lg K values | Reference        | ExptNo |
|-------|-----|--------|------|-------|-----|-------|-------------|------------------|--------|
| Be++  | sp  | NaCl04 | 25°C | 0.10M | U   |       |             | 19650Ta (105455) | 703    |
|       |     |        |      |       |     |       | K(?)=3.92   |                  |        |

\*\*\*\*\*

C37H44N2O13S                      H6L      MeThymol Blue                      (428)  
 3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;

| Metal | Mtd | Medium | Temp | Conc | Cal | Flags | Lg K values       | Reference        | ExptNo |
|-------|-----|--------|------|------|-----|-------|-------------------|------------------|--------|
| Be++  | sp  | oth/un | ?    | ?    | U   |       |                   | 1971ANb (106587) | 704    |
|       |     |        |      |      |     |       | K(Be+H3L)(?)=4.32 |                  |        |

## REFERENCES

- 2002CGa F Cecconi,C Ghilardi,A Ienco,S Midollini; Inorg.Chem.,41,4006 (2002)  
 2001AVa L Antonov,M Vladimirova,M Mitewa; J.Inclusion Phenom.,40,23 (2001)  
 2001BCd P Barbaro,F Cecconi,S Midollini; Inorg.Chem.,40,2725 (2001)  
 2001MDa A Mederos,S Dominguez,E Chinae; J.Coord.Chem.,53,191 (2001)  
 1999ACa L Alderighi,F Cecconi,A Vacca; Polyhedron,18,3305 (1999)  
 1999AVa L Alderighi,A Vacca,F Cecconi; Inorg.Chim.Acta,285,39 (1999)  
 1999BB1 M Birus,A Budimir,M Gabricevic; J.Inorg.Biochem.,75,85 (1999)  
 1999VCa A Valle,E Chinae,S Dominguez,A Mederos; Polyhedron,18,3253 (1999)  
 1998ABe L Alderighi,A Bianchi,A Vacca; Eur.J.Inorg.Chem.,1209 (1998)  
 1997BCa P Barbaro,F Cecconi,C Ghilardi; Inorg.Chim.Acta,262,187 (1997)  
 1997CDc E Chinae,S Dominguez,A Mederos,F Brito; Main Group Metal Chem.,20,11 (1997)  
 1997CIa L Ciavatta,M Iuliano,R Porta; Ann.Chim.(Rome),87,375 (1997)  
 1997RPc G Rao,R Panganoori,K Ram; J.Indian Chem.Soc.,74,94 (1997)  
 1996KOb V Kolhe; J.Indian Chem.Soc.,73,567 (1996)  
 1996MDa A Mederos,S Dominguez,E Chinae; Quimica Analitica(Barcelona),15,S21 (1996)  
 1996PLa J Piispanen,L Lajunen; Acta Chem.Scand.,50,1074 (1996)  
 1995CDa E Chinae,S Dominguez,A Mederos et al; Inorg.Chem.,34,1579 (1995)  
 1995KSb M Koide,H Suzuki,S Ishiguro; J.Chem.Soc.,Faraday Trans.,91,3851 (1995)  
 1995MWb D Michalska,W Wojciechowski; J.Coord.Chem.,34,179 (1995)  
 1995RRe D Rao,G Reddy,E Ramaiah,K Ram; Acta Ciencia Indica, Chem.,21,111 (1995)  
 1992BKf G Boopathy,P Kamalakannan,D Venkappayya; J.Indian Chem.Soc.,69,326 (1992)  
 1992CMD F Chyrarov,O Mukhamed; Zh.Neorg.Khim.,37,(12)2758 (1992)  
 1992Dac N Dallali,Y Agrawal; J.Indian Chem.Soc.,69,219 (1992)  
 1992EYa D Evans,C Wong; J.Chem.Soc.,Dalton Trans.,2009 (1992)  
 1992NSa N Nakasuka,M Sawaragi,K Matsumura,M Tana; Bull.Chem.Soc.Jpn.,65,1722 (1992)  
 1991AGa R Anttila,I Grenthe,J Glaser et al; Acta Chem.Scand.,45,523 (1991)  
 1991IIa M Inamo,K Ishihara,S Funahashi et al; Inorg.Chem.,30,1580 (1991)  
 1990HWa R Hancock,P Wade,M Ngwenya; Inorg.Chem.,29,1968 (1990)  
 1990TSb B Tiwari,S Singh,R Singh et al; Bull.Soc.Chim.Fr.,127,507 (1990)  
 1989GAb M Ghandour,H Azab,A Hassan et al; Polyhedron,8,189 (1989)  
 1989MMe A Mederos,E Medina,J Colomer; Polyhedron,8,2017 (1989)  
 1989MMf S Mishra,A Mishra,K Yadava; Rev.Roumaine Chim.,34,1877 (1989)  
 1989PBb Y Polykarpov,F Beliski et al; Izv.Akad.Nauk(USSR),9,2112 (1989)  
 1989SHa G Sharma; Indian J.Chem.,28A,340 (1989)  
 1988CVa P Chakrawarti,B Vijayvargiya,H Sharma; J.Indian Chem.Soc.,65,314 (1988)



1988JBa M Jaber, F Bertin, G David; Bull.Soc.Chim.Fr., I, 470 (1988)  
 1988MKa T Medved, M Kabachnik et al; Izv.Akad.Nauk(USSR), 9, 2107 (1988)  
 1988MKb T Medved, M Kabachnik et al; Izv.Akad.Nauk(USSR), 9, 2103 (1988)  
 1988MOa J Maslowska, A Owczarek; Pol.J.Chem., 62, 75 (1988)  
 1988NTa N Nakasuka, K Takahashi, M Tanaka; Anal.Chim.Acta, 207, 361 (1988)  
 1988PGc S Prasad, J Ghosh; J.Indian Chem.Soc., 65, 831 (1988)  
 1987BGa J Bruno, I Grenthe, M Sandstrom et al; J.Chem.Soc., Dalton Trans., 2439 (1987)  
 1987BGb J Bruno, I Grenthe, M Munoz; J.Chem.Soc., Dalton Trans., 2445 (1987)  
 1987BRb J Bruno; J.Chem.Soc., Dalton Trans., 2431 (1987)  
 1987HAb P Hakkinen; Finn.Chem.Lett., 14, 15 (1987)  
 1987HLa P Hakkinen, H Lajunen; Finn.Chem.Lett., 14, 7 (1987)  
 1987MDa A Mederos, S Dominguez et al; Polyhedron, 6, 303 (1987)  
 1987MDb A Mederos, S Dominguez, A Medina et al; Polyhedron, 6, 1365 (1987)  
 1987MMA M Maeda, Y Murata, K Ito; J.Chem.Soc., Dalton Trans., 1853 (1987)  
 1986CVb P Chakrawarti, B Vijayvargiya, H Sharma; J.Indian Chem.Soc., 63, 1036 (1986)  
 1986HAc P Hakkinen; Finn.Chem.Lett., 13, 53 (1986)  
 1986HSc K Hayashi, Y Sasaki, S Tagashira et al; Anal.Chem.(USA), 58, 1444 (1986)  
 1986MFa A Mederos, J Felipe, F Brito et al; J.Coord.Chem., 14, 277 (1986)  
 1986MHb K Math, S Hiremath, T Aminabhavi; Indian J.Chem., 25A, 603 (1986)  
 1986MSc A Misra, K Srinivasulu; J.Indian Chem.Soc., 63, 519 (1986)  
 1986SRb S Singh, B Rani, K Yadava; Chemica Scripta, 26, 363 (1986)  
 1986SSe S Sharma, K Saxena, R Saxena; J.Indian Chem.Soc., 63, 479 (1986)  
 1985SIa J Siepak; Pol.J.Chem., 59, 651 (1985)  
 1985SIb J Siepak; Pol.J.Chem., 59, 955 (1985)  
 1985SRa S Singh, B Radna Pani, M Vyas, K Yadava; Pol.J.Chem., 59, 1021 (1985)  
 1984ABe S Abbasi; J.Indian Chem.Soc., 61, 125 (1984)  
 1984GSb D Gladylovich, K Stolyarov; Zh.Neorg.Khim., 29, 3057(1748) (1984)  
 1984HAd P Hakkinen; Finn.Chem.Lett. 151 (1984)  
 1984IDa S Iftekhar, K Dubey; J.Indian Chem.Soc., 61, 702 (1984)  
 1984KMa M Kabachnik, T Medved et al; Izv.Akad.Nauk(USSR), 4, 835 (1984)  
 1984SIa J Sircar; J.Chem.Eng.Data, 29, 141 (1984)  
 1983BEc P Brown, J Ellis, R Sylva; J.Chem.Soc., Dalton Trans., 2001 (1983)  
 1983Cva P Chakrawarti, B Vijayvargiya, H Sharma; J.Indian Chem.Soc., 60, 89 (1983)  
 1983MDa J Maslowska, A Dorabalski; Pol.J.Chem., 57, 1089 (1983)  
 1983MOa J Maslowska, A Owczarek; Pol.J.Chem., 57, 719 (1983)  
 1983MSd K Mandlik, C Saxena, P Khadikar; J.Indian Chem.Soc., 60, 991 (1983)  
 1983PYa P Prasad, H Yadav, S Singh, P Yadava; J.Electrochem.Soc.India, 32, 377 (1983)  
 1983SHF D Shelke; J.Indian Chem.Soc., 60, 631 (1983)  
 1982Cva P Chakrawarti, B Vijayvargiya; J.Indian Chem.Soc., 59, 734 (1982)  
 1982DSa R Delgado, J da Silva; Talanta, 29, 815 (1982)  
 1982Laa L Lajunen; J.Indian Chem.Soc., 59, 1238 (1982)  
 1982LKc L Lajunen, V Kopsa-Moilanen; Finn.Chem.Lett. 6 (1982)  
 1982SLc J Stary, J Liljenzin; Pure & Appl.Chem., 54, 2557 (1982)  
 1981BRb N Basargin, Y Rozovski et al; Zh.Neorg.Khim., 26, 2042(1101) (1981)  
 1981CSb M Candida-Vaz, J.F da Silva; J.Inorg.Nucl.Chem., 43, 1573 (1981)  
 1981CSc M Chattopadhyaya, R Singh; J.Indian Chem.Soc., 58, 1203 (1981)  
 1981DSa S Dubey, A Singh, D Puri; J.Inorg.Nucl.Chem., 43, 407 (1981)  
 1981EIE H Einaga, H Ishii; Talanta, 28, 799 (1981)  
 1981SGa H Stunzhos, I Govorov; Geokhim., 4, 517 (1981)

1980BDe B Bhuyan,S Dubey; J.Indian Chem.Soc.,57,560 (1980)  
 1980DTa G Duc,G Thomas-David; Bull.Soc.Chim.Fr.,I,169 (1980)  
 1980SMA A Samchuck,B Mitskevich; Geokhim.,9,1371 (1980)  
 1980VRa N Voronezhveva,Y Rudyak et al; Koord.Khim.,6,991 (1980)  
 1979DTb G Duc,G Thomas-David; Bull.Soc.Chim.Fr.,I,163 (1979)  
 1979IOa S Ishiguro,H Ohtaki; Bull.Chem.Soc.Jpn.,52,3198 (1979)  
 1979LAa L Lajunen; Finn.Chem.Lett.45 (1979)  
 1979LKa L Lajunen,A Kostama et al; Acta Chem.Scand.,A33,681 (1979)  
 1979LTc L Lajunen,M Tikanmaki; Acta Univ.Oulu,A74,20s (1979)  
 1979SDc A Singh,S Dubey et al; Indian J.Chem.,17A,623 (1979)  
 1978BRb H Brittain; Anal.Chim.Acta,96,165 (1978)  
 1978GKa B Gruenwald,W Knoche; J.Chem.Soc.,Dalton Trans.,1221 (1978)  
 1978JBc M Jaber,F Bertin,G Thomas-David; Can.J.Chem.,56,777 (1978)  
 1978LAB L Lajunen; Finn.Chem.Lett.129 (1978)  
 1978LKe L Lajunen,M Karvo; Anal.Chim.Acta,97,423 (1978)  
 1978LTa L Lajunen,M Tikanmaki; Finn.Chem.Lett.96 (1978)  
 1978MSa B Mitskevich,A Sanichuk; Geokhim.,9,1419 (1978)  
 1978SDa R Sharma,S Dhindsa,D Bhargava; Monatsh.Chem.,109,179 (1978)  
 1978SSa R Srivastava,M Srivastava; J.Inorg.Nucl.Chem.,40,1439 (1978)  
 1977DBa G Duc,F Bertin,G Thomas-David; Bull.Soc.Chim.Fr.,645 (1977)  
 1977DBb G Duc,F Bertin,G Thomas-David; Bull.Soc.Chim.Fr.,196 (1977)  
 1977Dwa K Dubey,B Wazir; Indian J.Chem.,15A,58 (1977)  
 1977JKa U Jain,V Kumari,R Sharma,G Chaturvedi; J.Chim.Phys.,74,1038 (1977)  
 1977SKb G Soboleva,I Khodakovskiy et al; Geokhim.,7,1013 (1977)  
 1977SLa H Saarinen et al; Finn.Chem.Lett.66 (1977)  
 1977SVa J da Silva,M Vaz; J.Inorg.Nucl.Chem.,39,613 (1977)  
 1977VKA P Verma,P Khadikar,J Agrawal; J.Inorg.Nucl.Chem.,39,1847 (1977)  
 1976ABe S Abbasi,B Bhat,R Singh; Indian J.Chem.,14B,718 (1976)  
 1976BIa J Bishop; Anal.Chim.Acta,87,255 (1976)  
 1976DBb G Duc,F Bertin,G Thomas-David; Bull.Soc.Chim.Fr.,414 (1976)  
 1976GKa B Gruenwald,W Knoche,N Rees; J.Chem.Soc.,Dalton Trans.,2338 (1976)  
 1976GTa K Gupta,S Tandon; Talanta,23,255 (1976)  
 1976JWa Z Jablonski,T Wasag,S Millo; Roczn.Chem.50,1467 (1976)  
 1976LGA K Lal,S Gupta; Indian J.Chem.,14A,260 (1976)  
 1976SKc S Sandhu,J Kumaria,R Sandhu; Indian J.Chem.,14A,817 (1976)  
 1976SSc R Sandhu,K Singh; Thermochim.Acta,17,325 (1976)  
 1976SSf J Srivastava,M Srivastava; Indian J.Chem.,14A,818 (1976)  
 1975DBc G Duc,F Bertin,G Thomas-David; Bull.Soc.Chim.Fr.,495 (1975)  
 1975DPb K Dubey,M Puri; Rev.Chim.Minerale,12,255 (1975)  
 1975GSA S Grewal,B Sekhon,S Chopra; Thermochim.Acta,11,315 (1975)  
 1975GSb S Grewal,B Sekhon,B Pannu et al; Indian J.Chem.,13,623 (1975)  
 1975JBb J Joshi,P Bhattacharya; Indian J.Chem.,13,88 (1975)  
 1975KKc P Khadikar,S Kakkar,D Berge; Indian J.Chem.,13,844 (1975)  
 1975SSe R Saxena,S Sheelwant; Monatsh.Chem.,106,1081 (1975)  
 1975TKb H Tsukuda,T Kawai,M Maeda,H Ohtaki; Bull.Chem.Soc.Jpn.,48,691 (1975)  
 1975TRa P Tedesco,V de Rumi; J.Inorg.Nucl.Chem.,37,1833 (1975)  
 1975VBb J Votava,M Bartusek; Collec.Czech.Chem.Comm.,40,2050 (1975)  
 1975VGa A Vanni,M Gennaro,G Ostacoli; J.Inorg.Nucl.Chem.,37,1443 (1975)  
 1974CSa M Chattopadhyaya,R Singh; Anal.Chim.Acta,70,49 (1974)  
 1974DBa G Duc,F Bertin,G Thomas-David; Bull.Soc.Chim.Fr.,793 (1974)

1974HEb J Helisch; Univ.Gottingen,(Diss) (1974)  
 1974KFb W Knoche,C Firth,D Hess; Adv.Mol.Relax.Proc.,6,1 (1974)  
 1974SRc H Saarinen,T Raikas,A Rauhala; Finn.Chem.Lett.104 (1974)  
 1974SRd H Saarinen,T Raikas,L Lajunen; Finn.Chem.Lett.109 (1974)  
 1974TGa P Tedesco,J Gonzalez-Quintana; J.Inorg.Nucl.Chem.,36,2628 (1974)  
 1974VGa A Vanni,M Gennaro; Ann.Chim.(Rome),64,397 (1974)  
 1973CGa L Ciavatta,M Grimaldi; Gazz.Chim.Ital.,103,731 (1973)  
 1973GBa P Govil,S Banerji; Analusis,2,215 (1973)  
 1972BTa F Bertin,G Thomas; Bull.Soc.Chim.Fr.,1665 (1972)  
 1972DTa G Duc,G Thomas; Bull.Soc.Chim.Fr.,4439 (1972)  
 1972HHa H Harries,R Hughes,T Smith; J.Inorg.Nucl.Chem.,34,1609 (1972)  
 1972MKb G Manoussakis,P Karayannidis et al; Chem.Chron.,1,14 (1972)  
 1972PIa K Pitzer; J.Chem.Soc.,Faraday Trans.II,68,101 (1972)  
 1972SSe M Singh,M Srivastava; J.Inorg.Nucl.Chem.,34,567;2067;2081 (1972)  
 1972UDa E Uhlemann,F Dietze; Z.Anorg.Allg.Chem.,393,215 (1972)  
 1971ANb L Anisimova; Sbornik.soobsch Dag.Univ.,Khim.,7,90 (1971)  
 1971BNa T Belyavskaya,I Nemirovskaya; Vestnik Moskov Univ.,12,745 (1971)  
 1971LSb P Lingaiah,E Sundaram; J.Indian Chem.Soc.,48,961 (1971)  
 1971MKc L Moiseeva,N Kuznetsova; Zh.Anal.Khim.,26,11,2090 (1971)  
 1971PTa T Pochkaeva,N Tamm et al; Zh.Neorg.Khim.,16,219(E:113) (1971)  
 1971SGb A Sevastyanov,I Gorodetskaya et al; Vestnik Moskov Univ.,3,328 (1971)  
 1971SKb T Sekine,Y Komatsu,M Sakairi; Bull.Chem.Soc.Jpn.,44,1480 (1971)  
 1971VMa D Vartak,K Menon; J.Inorg.Nucl.Chem.,33,1003 (1971)  
 1970BBc C Bamberger,J Botbol; J.Inorg.Nucl.Chem.,32,1569 (1970)  
 1970CAa I Chawla,A Andrews; J.Inorg.Nucl.Chem.,32,91 (1970)  
 1970CFa Y Couturier,J Faucherre; Bull.Soc.Chim.Fr.,1323 (1970)  
 1970GDa D Goel,Y Dutt,R Singh; J.Inorg.Nucl.Chem.,32,2119 (1970)  
 1970GMj V Gordienko,Y Mikhailyuk; Zh.Anal.Khim.,25,2267(E:1946) (1970)  
 1970GTb K Gupta,S Tandon; J.Indian Chem.Soc.,47,972 (1970)  
 1970HOa M Hirai,Y Oka; Bull.Chem.Soc.Jpn.,43,778 (1970)  
 1970HRA M Hogben,K Radley,L Reeves; Can.J.Chem.,48,2960 (1970)  
 1970NDa R Nayan,A Dey; Z.Naturforsch.,25B,1453 (1970)  
 1970SSe R Sathe,S Shetty; J.Inorg.Nucl.Chem.,32,1383 (1970)  
 1969AMa L Adamovich,A Mirnaya,A Khukhryanskaya; Zh.Anal.Khim.,24,12,1816 (1969)  
 1969CAB I Chawla,A Andrews; J.Inorg.Nucl.Chem.,31,163 (1969)  
 1969CAC I Chawla,A Andrews; J.Inorg.Nucl.Chem.,31,3809 (1969)  
 1969DDc S Dube,S Dhindsa; Z.Naturforsch.,24B,967;1234 (1969)  
 1969DMD N Dyatlova,V Medyntsev,T Balashova et al; Zh.Obshch.Khim.,39,329 (1969)  
 1969HSc H Harries,S Savage,G Wright,N Logan; J.Inorg.Nucl.Chem.,31,2477;3149 (1969)  
 1969KMa H Kakihana,M Maeda; Bull.Chem.Soc.Jpn.,42,1458 (1969)  
 1969KSd A Kettrup,H Specker; Z.Anal.Chem.,246,108;183 (1969)  
 1969KSe A Kettrup,H Specker; Zh.Anal.Khim.,24,6,108;183 (1969)  
 1969LAc E Lanza; Rev.Chim.Minerale,6,653 (1969)  
 1969MBc R Mesmer,C Baes; Inorg.Chem.,8,618 (1969)  
 1969SWa G Schwarzenbach,H Wenger; Helv.Chim.Acta,52,644 (1969)  
 1969UTa E Uhlemann,P Thomas,G Klose,E Arnold; Z.Anorg.Allg.Chem.,364,153 (1969)  
 1969ZSa V Zebic,D Skaric,V Skaric; Croat.Chem.Acta,41,235 (1969)  
 1968AND L Adamovich,V van Nyan; Zh.Anal.Khim.,23,7,994 (1968)  
 1968BSa W Baldwin,D Stranks; Australian J.Chem.,21,2161 (1968)

- 1968BSb W Baldwin,D Stranks; Australian J.Chem.,21,603 (1968)  
 1968BTa F Bertin,G Thomas; Bull.Soc.Chim.Fr.,1255 (1968)  
 1968BWa B Budisinsky,T West; Anal.Chim.Acta,42,455 (1968)  
 1968CSa I Chawla,C Spillert; J.Inorg.Nucl.Chem.,30,2717 (1968)  
 1968DMA N Dyatlova,V Medyntsev,T Medved et al; Zh.Obshch.Khim.,38,1071;1076 (1968)  
 1968DMb N Dyatlova,V Medyntsev,T Medved et al; Zh.Obshch.Khim.,38,5,1065;1071;1076 (1968)  
 1968FHa J Feeney,R Haque,L Reeves,C Yue; Can.J.Chem.,46,1389 (1968)  
 1968GDb B Garg,Y Dutt,R Singh; J.Indian Chem.Soc.,45,576 (1968)  
 1968LCa E Lanza,G Carpeni; Electrochim.Acta,13,519 (1968)  
 1968PGc M Paris,C Gregoire; Anal.Chim.Acta,42,431;439 (1968)  
 1968PRd B Prasad; J.Indian Chem.Soc.,45,1037 (1968)  
 1968RSd N Rudenko,A Sevastyanov; Zh.Neorg.Khim.,13,1,184 (1968)  
 1968RSe N Rudenko,A Sevastyanov,N Lanskaya; Zh.Neorg.Khim.,13,6,1566;8,2106 (1968)  
 1968RVa R Ripan,G Vericeanu; Stud.Univ.Babes-Bolyai,13,31 (1968)  
 1968SKc F Shevchenko,L Kuzina,G Vysotskaya; Ukr.Khim.Zh.,34,1177 (1968)  
 1967AHa S Ahrland; Helv.Chim.Acta,50,306 (1967)  
 1967AMA V Athavale,N Mahadevan,P Mathur,R Sathe; J.Inorg.Nucl.Chem.,29,1947 (1967)  
 1967BMb W Bierrmann,R McCorkell; Can.J.Chem.,45,2846 (1967)  
 1967BZa M Bartusek,J Zelinka; Collec.Czech.Chem.Comm.,32,992 (1967)  
 1967DMA S Dubey,R Mehrotra; Indian J.Chem.,5,327 (1967)  
 1967HAb H Harries; J.Inorg.Nucl.Chem.,29,2484 (1967)  
 1967KLa M Kabachnik,R Lastovskii,T Medved; Proc.Acad.Sci.(USSR),177,1060 (582) (1967)  
 1967MBC R Mesmer,C Baes; Inorg.Chem.,6,1951 (1967)  
 1967OHa H Ohtaki; Inorg.Chem.,6,808 (1967)  
 1967OKa H Ohtaki,H Kato; Inorg.Chem.,6,1935 (1967)  
 1967RBd P Relam,P Bhattacharya; J.Indian Chem.Soc.,44,536 (1967)  
 1967SKa L Sommer,V Kuban; Collec.Czech.Chem.Comm.,32,4355 (1967)  
 1967SSd T Sekine,M Sakairi; Bull.Chem.Soc.Jpn.,40,261 (1967)  
 1967UDa E Uhlemann,F Dietze; Z.Anorg.Chem.,353,26 (1967)  
 1966BLb C Bamberger,F Laguna; J.Inorg.Nucl.Chem.,28,1067 (1966)  
 1966GSc R Green,R Sleet; Australian J.Chem.,19,2101 (1966)  
 1966KWa G Kohler,H Wendt; Ber.Buns.Phys.Chem.,70,674 (1966)  
 1966MAh O Makiitie; Suomen Kem.,B39,26,175 (1966)  
 1966PPa O Presnyakova,R Prishchepo; Zh.Neorg.Khim.,11,1436 (1966)  
 1966USa E Uhlemann,W Suchan; Z.Anorg.Chem.,342,41 (1966)  
 1966VMA D Vartak,N Menon; J.Inorg.Nucl.Chem.,28,2911 (1966)  
 1965ANA G Anderegg; Helv.Chim.Acta,48,1712;1718;1722 (1965)  
 1965BGB Y Buslaev,M Gustyakova; Zh.Neorg.Khim.,10,1524 (1965)  
 1965BKa T Belyavskaya,I Kolosova; Zh.Neorg.Khim.,10,236 (1965)  
 1965BKb T Belyavskaya,I Kolosova; Zh.Neorg.Khim.,10,236 (441) (1965)  
 1965BTa F Bertin,G Thomas,J Merlin; Compt.Rend.,260,1670 (1965)  
 1965BTb I Bear,A Turnbull; J.Phys.Chem.,69,2828 (1965)  
 1965DKb N Dyatlova,M Kabachnik,T Medved; Proc.Acad.Sci.(USSR),161,307 (607) (1965)  
 1965DMb S Dubey,R Mehrotra; J.Less Common Metals,9,123 (1965)

1965GAa R Green,P Alexander; Australian J.Chem.,18,329,651 (1965)  
 1965GAb R Green,P Alexander; Australian J.Chem.,18,651 (1965)  
 1965KBa I Kolosova,T Belyavskaya; Zh.Neorg.Khim.,10,411 (764) (1965)  
 1965MJa D Morris,M Jones; J.Inorg.Nucl.Chem.,27,2454 (1965)  
 1965OTa M Otomo; Bull.Chem.Soc.Jpn.,38,730 (1965)  
 1965SAa M Shying,J Aggett,R Temple; Australian J.Chem.,18,1719 (1965)  
 1965UFa E Uhlemann,E Frank; Z.Anorg.Chem.,340,319 (1965)  
 1964CMb J Cook,D Martin; J.Inorg.Nucl.Chem.,26,571 (1964)  
 1964DAa R Das,S Aditya; J.Indian Chem.Soc.,41,765 (1964)  
 1964DMb S Dubey,R Mehrotra; J.Less Common Metals,7,169 (1964)  
 1964HSA S Hietanen,L Sillen; Acta Chem.Scand.,18,1015;1018 (1964)  
 1964PCa Personal Communication etc; Chem.Soc.Spec.Publ.,no.17 (1964)  
 1964WEb H Wenger; Diss.Univ.Zurich (1964)  
 1963DSa Y Dutt,R Singh; Indian J.Chem.,1,402 (1963)  
 1963GAa R Green,P Alexander; J.Phys.Chem.,67,905 (1963)  
 1963HAD H Harries; J.Inorg.Nucl.Chem.,25,519 (1963)  
 1963IFb H Irving,J Frausto da Silva; J.Chem.Soc.,448;458;3308 (1963)  
 1963KBb I Kolosova,T Belyavskaya; Vestnik Moskov Univ.,18,1,52 (1963)  
 1963SDe S Srivastava,A Dey; J.Inorg.Nucl.Chem.,25,217 (1963)  
 1963SDh S Srivasta,A Dey; Inorg.Chem.,1,216 & unpublished (1963)  
 1963SSd V Starostin,V Spitsyn,G Silina; Zh.Neorg.Khim.,8,335 (660) (1963)  
 1963STc J Stary; Anal.Chim.Acta,28,132 (1963)  
 1962AMc L Adamovich,V Morgul-Meshkova,B Yutsis; Zh.Anal.Khim.,17,673 (678)  
 (1962)  
 1962BKa H de Bruin,D Kaitis,R Temple; Australian J.Chem.,15,457 (1962)  
 1962BKc T Belyavskaya,I Kolosova; Vestnik Moskov Univ.,25,55 (1962)  
 1962BTa H de Bruin,R Temple; Australian J.Chem.,15,153 (1962)  
 1962COa B Carell,A Olin; Acta Chem.Scand.,16,2350;2357 (1962)  
 1962MMb D Martin,B Martin; Inorg.Chem.,1,404 (1962)  
 1962SCd G Schwarzenbach; Pure & Appl.Chem.,5,377 (1962)  
 1961AMb R Agarwal,R Mehrotra; J.Less Common Metals,3,398 (1961)  
 1961CAa V Chukhlantsev,K Alyamovskaya; Isvest.VUZ.Khim.,4,359;706 (1961)  
 1961COc B Carell,A Olin; Acta Chem.Scand.,15,1875 (1961)  
 1961DAa R Das,S Aditya; J.Indian Chem.Soc.,38,19 (1961)  
 1961HGa C Hardy,B Greenfield,D Scargill; J.Chem.Soc.,174 (1961)  
 1961MAe D Martin; J.Am.Chem.Soc.,83,1076 (1961)  
 1961MJa D Martin,G Janusonis,B Martin; J.Am.Chem.Soc.,83,73 (1961)  
 1961PPa R Patnaik,S Pani; J.Indian Chem.Soc.,38,229,364/79,709,896 (1961)  
 1961TPc S Talipov,V Podgornova,G Zinina; Uzbeksk.Khim.Zh.,4,11 (1961)  
 1960BHe A Bhattacharya; Personal communication (1960)  
 1960BSb C Banks,R Singh; J.Inorg.Nucl.Chem.,15,125 (1960)  
 1960KFc H Kido,W Fernelius,C Haas; Penn.State Univ.Con.No.AT(30)-907 (1960)  
 1960SGb P Schindler,A Garrett; Helv.Chim.Acta,43,2176 (1960)  
 1960TVa I Tananaev,A Vinogradova; Zh.Neorg.Khim.,5,321 (1960)  
 1959ASb L Adamovich,G Shupenko; Ukr.Khim.Zh.,25,155 (1959)  
 1959BSa C Banks,R Singh; J.Am.Chem.Soc.,81,6159 (1959)  
 1959BSg A Babko,L Shimadina; Zh.Neorg.Khim.,4,1060 (1959)  
 1959HOa Z Holzbecher; Collec.Czech.Chem.Comm.,24,3915 (1959)  
 1959KGB P Kovalenko,O Geiderovich; Zh.Neorg.Khim.,4,1974 (1959)  
 1959SCf M Smirnov,N Chukreev; Zh.Neorg.Khim.,4,2536 (1959)

1958MDa A Mukherji,A Dey; J.Inorg.Nucl.Chem.,6,314 & others (1958)  
 1957SFb F Snaveley,W Fernelius,B Douglas; J.Soc.Dyers and Colourists,73,491  
 (1957)  
 1956GGa R Gilbert,A Garrett; J.Am.Chem.Soc.,78,3944;5501 (1956)  
 1956KFb I Korenman,F Frum,G Tsyganova; Zh.Obshch.Khim.,26,1558 (1956)  
 1956KSa H Kakihana,L Sillen; Acta Chem.Scand.,10,985 (1956)  
 1955FTa I Feldman,T Toribara,J Havill,W Neuman; J.Am.Chem.Soc.,77,878 (1955)  
 1955HOa E Holst; Diss.Pennsylvania State College (1955)  
 1955IFb R Izatt,W Fernelius,B Block; J.Phys.Chem.,59,235 (1955)  
 1955IFc R Izatt,W Fernelius,B Block; J.Phys.Chem.,59,80 (1955)  
 1955Yaa L Yates; Thesis,State Coll,Washington.M.Fil.15662 (1955)  
 1954BFb B Bryant,W Fernelius; J.Am.Chem.Soc.,76,1696 (1954)  
 1954BFc B Bryant,W Fernelius; J.Am.Chem.Soc.,76,3783 (1954)  
 1954BFd B Bryant,W Fernelius; J.Am.Chem.Soc.,76,4864 (1954)  
 1954IHa R Izatt,C Haas,B Block,W Fernelius; J.Phys.Chem.,58,1133 (1954)  
 1954MAa G Mattock; J.Am.Chem.Soc.,76,4853 (1954)  
 1954SLc J Schubert,A Lindenbaum; J.Biol.Chem.,208,359 (1954)  
 1953PEa D Perkins; Biochem.J.,55,649 (1953)  
 1953UFa L van Uitert,W Fernelius,B Douglas; J.Am.Chem.Soc.,75,2736 (1953)  
 1953UFb L Uitert,W Fernelius,B Douglas; J.Am.Chem.Soc.,75,2736;2739;457 (1953)  
 1953UFD L van Uitert,W Fernelius; J.Am.Chem.Soc.,75,3862 (1953)  
 1953UFe L van Uitert,W Fernelius,B Douglas; J.Am.Chem.Soc.,75,457;2736;2739  
 (1953)  
 1952LAB W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)  
 1952PEa D Perkins; Biochem.J.,51,487 (1952)  
 1951KLb K Kleiner; Zh.Obshch.Khim.,21,18 (1951)  
 1949PEa K Pedersen; Acta Chem.Scand.,3,676 (1949)  
 1949TDa I Tananaev,E Deichman; Izv.Akad.Nauk(USSR),Otd.Khim.,144 (1949)  
 1941BJa J Bjerrum; Thesis,repr.1957,P.Haase&Son,Copenhagen (1941)  
 1931PRa M Prytz; Z.anorg.Chem., 197,103 (1931)  
 1929PRa M Prytz; Z.anorg.Chem., 180,355 (1929)  
 1913BKa B Bleyer,S Kaufmann; Z.Anorg.Chem.,82,71 (1913)  
 1910WOa J Wood; J.Chem.Soc.,97,878 (1910)  
 1899LEa H Ley; Z.Phys.Chem.,30,193 (1899)

#### EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES  
 I Data with various BACKGROUNDS  
 H Data for THERMOCHEMICAL quantities  
 M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC  
 R or IUP=R signifies EVALUATION RATING = Recommended by IUPAC

-----

END