START Experiments recorded for
    from SC-Database on Saturday, 01 January, 2000 at 00:05:55
Software version = 5.81 Data version = 4.62
Experiment list contains 52 experiments for
 (no ligands specified)
 Metal : Ta
 (no references specified)
 (no experimental details specified)

****
e- HL Electron (442)
Electron;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta sp NaClO4 25°C 0.10M U 1971CKa (948) 1
  K(Ta6Cl12 + e)=14.0 (830mV)
Medium:HClO4. K=8.3(0.49V,(+++)). For Br complex, values are 15.0(0.89V) and
10.0(0.59V) (Esce=0.242V). Method:spectroscopy and current-voltage studies
---
Ta kin NaClO4 15°C 0.10M U 1966EMb (949) 2
  K=-1.74
Medium 0.1M HClO4. By spectrophotometry, 22 C: K'=-1.80

Ta oth none 25°C 0.0 U 1952LAb (950) 3
  K=-68.6(-810 mV)
K: 0.5Ta2O5(s)+5H+5e=Ta(s)+2.5H2O. From thermodynamic data
****
Cl- HL Chloride CAS 7647-01-0 (50)
Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta ISE oth/un 175°C ? C 1992BMa (5760) 4
  K6=3.89
Medium: NaCl-AlCl3 melt.

Ta nmr oth/un -90°C var U M 1971BIb (5761) 5
  K'=0.52(cis)
  K'=1.15(trans)
  K"=2.39(cis)
  K"=-1.35(trans)
K': 5TaF2L4=TaF6+4TaFL5. K": 5TaF3L3=2TaF6+3TaFL5. K(5TaF4L2=3TaF6+2TaFL5)=
-1.29(cis); -0.96(trans). Data also for other complexes and Br analogues
---
Ta gl alc/w 25°C 100% U M 1965GSd (5762) 6
  K'=-3.55
  K"=-7.83
Medium: MeOH. K':TaCl5+MeOH=TaOMeCl4+H+Cl, K":TaCl5+2MeOH=Ta(OMe)2Cl3+2H+2Cl
---

```
Ta         oth non-aq 300°C 100%  U T                    1959COa  (5763)   7
                                      K6=3.2 , x units
                                      K(TaCl5(g)+Cl(melt))=1.8
Method: by partial pressure of TaCl5. Medium: liquid NaFeCl4.
K(TaCl5(g)+Cl(in melt)=TaCl6(in melt))=0.5(400 C) atm and x units
**************************************************************************
F-                     HL    Fluoride         CAS 7644-39-3  (201)
Fluoride;
--------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------
Ta         ISE non-aq   ?  100%  C                      1978GRa  (7209)   8
                                      K6=8.88
                                      K(TaF5+TaF6=Ta2F11)=1.50
Medium: liquid anhydrous HF
--------------------------------------------------------------------------
Ta         sp  oth/un   ?     ?  U                      1973LCa  (7210)   9
                                      K(TaH2O2+F)=2.39
                                      B(TaH2O2+2F)=2.35
                                      B(TaH2O2+3F)=1.93
                                      B(TaH2O2+4F)=1.83
--------------------------------------------------------------------------
Ta         ISE NaClO4 25°C  2.0M U       K1=6.37   B2=11.85  1972BAb  (7211)  10
                                      B3=16.03
                                      B4=19.63
                                      B5=23.29
                                      B7=30.21
Metal: Ta(V)
--------------------------------------------------------------------------
Ta         ix  NaClO4 25°C  1.0M U                      1969VAa  (7212)  11
                                      K4=5.90
                                      K4K5=10.80
Metal: Ta(V). Method: quinhydrone electrode also
--------------------------------------------------------------------------
Ta         ix  NaClO4 25°C  3.0M U                      1969VAa  (7213)  12
                                      K4.K5.K6.K7=18.9
                                      K4.K5.K6.K7.K8.K9=25.2
Medium: HClO4. Metal: Ta(V). Medium: quinhydrone electrode also used
--------------------------------------------------------------------------
Ta         EMF NaClO4 25°C  1.0M U                      1966BFb  (7214)  13
                                      K6=3.75
                                      K7=3.10
                                      K8=0.66
Method: quinhydrone electrode
--------------------------------------------------------------------------
Ta         dis NaClO4 25°C  3.0M U                      1965VWa  (7215)  14
                                      K4=5.86
                                      K4K5=10.77
                                      B6/B3=15.67
                                      B7/B3=20.15
```

Ta ix oth/un 25°C 1.00M U 1962VFa (7216) 15
K5=4.8
K6=3.6
K7=3.3
K8=3.0
K9=3.6. Method: anion exchage and quinhydrone electrode.
****
O2-- H2L Peroxide CAS 7772-84-1 (2813)
Peroxide; -O.O-

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta sp oth/un 20°C 78% U TIH 1973VZa (12699) 16
K(TaOSO4+H2L)=2.73
Medium:78.4% H2SO4. K=2.80(15 C), 2.62(35 C), 2.55(55 C)
DH=-17 kJ mol-1 (TaO(SO4) assumed) also 63.5, 88.7, 94.5%

Ta sp oth/un 0°C 90% U 1969CKa (12700) 17
K(TaOSO4+H2L)=3
Medium:H2SO4

Ta sp oth/un 0°C 10% U I 1969VZa (12701) 18
K(TaOSO4+H2L)=1.48
Medium: 10% H2SO4 K=1.48(20%), 2.20(30%), 2.59(50%), 2.80(70%), 3.38(80%), 3.59(100%)

Ta sp non-aq ? 100% U 1968VZa (12702) 19
K(Ta(V)+H2L)=3.43
Medium: H2SO4

Ta vlt oth/un 25°C 0.34M U 1964BRb (12703) 20
B(HTaO3+H2L)=2.0
Medium: H2SO4
****
SCN- HL Thiocyanate CAS 463-56-9 (106)
Thiocyanate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta sp alc/w ? 100% U I K1=3.12 B2=5.48 1964GSa (15264) 21
B3=7.77
Medium:MeOH. In BuOH: K1=3.68, B2=7.05, B3=11.42. In Me2NCHO: K1=3.15, B2=5.92, B3=8.55, B4=11.06, B5=13.52, B6=15.96
****
CH4O L Methyl alcohol CAS 67-56-1 (597)
Methanol; CH3.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---

Ta EMF alc/w 20°C 100% U M 1965GBa (17902) 22
K(TaA(L')4+2L'=Ta(L')6+A)=7.1
K(Ta(H-1L)4+A)=11.04
K(TaA(H-1L)3+TaH-1L)=12.95
K(Ta(L')5+HA=TaA(L')4+L)=4.36
Method: H electrode. Medium: MeOH, 1.0 M Me4NCl. HA=acetylacetone, L'=H-1L

Ta EMF alc/w 20°C 100% U M 1965GBa (17903) 23
K'=14.2
K"=7.85
K(TaA(L')3+L'=TaA(L')4)=9.04
K'"=2.5
Method: H electrode. Medium: MeOH, 1.0 M Me4NCl; H2A=catechol; L'=H-1L. K': TaA(L')3+H2A+L'=TaA2(L')2+2L. K":TaA2(L')2+H2A+L'=TaA3L'. K'":TaAL'4+TaAL'3

Ta EMF alc/w 20°C 100% U 1964GUa (17904) 24
K(Ta(H-1L)4+H-1L)=11.47
K(Ta(H-1L)5+H-1L)=6.67
K(Ta(H-1L)6+H=Ta(H-1L)5+L)=5.1
K(Ta(H-1L)7+H=Ta(H-1L)6+L)=9.9
Method: H electrode; medium: MeOH, 1.0 M Me4NCl

****

C2H2O4 H2L Oxalic acid CAS 144-62-7 (24)
Ethanedioic acid; (COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sol	oth/un	?	0.10M	U		K3=5.91	1970ZPa (19077)	25

Medium: HClO4
Metal ion is TaO+++

Ta sol oth/un 19°C ? U 1965BLd (19078) 26
K(Ta(OH)2+L)=11.10
K(Ta(OH)2+2L)=18.52
K(Ta(OH)2L+OH)=13.33

****

C2H3N L Cyanomethane CAS 75-05-8 (1399)
Acetonitrile; CH3.CN

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U	M	K(TaBr5A+L=TaBr5L+A)=-0.89	1974GMa (19196)	27

Medium: CH2Cl2. A=t-butylcyanide

Ta nmr non-aq -40°C 100% U M 1972MBb (19197) 28
K(TaCl5A+L=TaCl5L+A)=0.32
Medium: CHCl3. A=dimethylether. K=0.36, A= 1,4-dioxan;
K=1.57, A=diethylether; K=0.70, A=1,4-dithiane.

****
C2H6NOCl2P L CAS 667-43-0 (910)
Dichloro(dimethylamine)phosphine oxide; (CH3)2N.P(O)Cl2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta nmr non-aq -60°C 100% U M 1974GMa (21901) 29
K(TaBr5A+L=TaBr5L+A)=1.48
Medium: CH2Cl2, A=acetonitrile
****
C2H6O L CAS 115-10-6 (4214)
Dimethyl ether; CH3.O.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta nmr non-aq -40°C 100% U M 1972MBb (22021) 30
K(TaCl5A+L=TaCl5L+A)=1.25
Medium: CHCl3l. A=diethyl ether. K=0.04, A=dioxan. Metal ion: Ta(V)
****
C2H6S L CAS 75-18-3 (151)
Dimethyl sulfide; CH3.S.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta nmr non-aq -60°C 100% U M 1974GMa (22195) 31
K(TaCl5A+L=TaCl5L+A)=0.72
Medium: CH2Cl2, A=pivalocyanide

Ta nmr non-aq -60°C 100% U M 1974GMa (22196) 32
K(TaBr5A+L=TaBr5L+A)=0.24
Medium: CH2Cl2, A=pivalocyanide

Ta nmr non-aq -40°C 100% U M 1972MBb (22197) 33
K(TaCl5A+L=TaCl5L+A)=0.26
Medium: CHCl3. A=t-butylnitrile. K=0.40, A=acetonitrile, K=1.98, A=diethyl ether. K=0.72, A=diethyl sulfide. K=0.72, A=dimethyl sulfide.

Ta nmr non-aq -60°C 100% U M 1972MBb (22198) 34
K(TaBr5A+L=TaBr5L+A)=0.24
Medium: CH2Cl2. A=pivalonitrile.
****
C2H6Se L DiMeSelenide CAS 81369-92-3 (911)
Dimethylselenide; CH3.Se.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Ta nmr non-aq -60°C 100% U M 1974GMa (22207) 35
K(TaCl5A+L=TaCl5L+A)=0.06
K(TaBr5A+L=TaBr5L+A)=0.43
K(TaBr5B+L=TaBr5L+B)=0.67

Medium: CH2Cl2, A=dimethylthioether, B=t-butylcyanide

****

C2H6Te L DiMeTelluride CAS 593-80-6 (912)

Dimethyltelluride; CH3.Te.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U	M	1974GMa (22209)		36
							K(TaCl5A+L=TaCl5L+A)=0.25		
							K(TaCL5B+L=TaCl5L+B)=0.31		
							K(TaBr5A+L=TaBr5L+A)=0.95		

Medium: CH2Cl2, A=selenobismethane, B=thiobismethane

****

C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)

L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	dis	oth/un	22°C	3.00M	U	M	1972SSj (31366)		37
							K(Ta(OH)4+L)=0.72		
							K(Ta(OH)4+H-1L)=8.83		
							K(Ta(OH)4+H-2L)=15.3		

****

C4H8OS L 1,4-Thioxane CAS 15980-15-1 (4266)

1,4-Oxathiane; cyclo(-O.CH2.CH2.S.CH2.CH2-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U	M	1972MBb (33191)		38
							K(TaCl5L+A=TaCl5A+L)=0.70		

Medium: CHCl3. A=t-butyl nitrile

****

C4H8S L CAS 110-01-0 (150)

Tetrahydrothiophene; cyclo(-CH2.CH2.S.CH2.CH2-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U		1972MBb (33742)		39
							K(TaCl5A+L=TaCl5L+A)=0.63		

A=t-butyl mercaptan. Medium: CHCl3

****

C4H8S2 L 1,4-Dithiane CAS 505-29-3 (4255)

1,4-Dithiane; cyclo-(S.CH2.CH2.S.CH2.CH2-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U		1972MBb (33744)		40
							K(TaCl5A+L=TaCl5L+A)=0.85		

A=t-butyl nitrile. Medium: CHCl3

****

C4H10S L CAS 352-93-2 (4259)
Diethyl sulfide; C2H5.S.C2H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U	M	K(TaBr5A+L=TaBr5L+A)=-0.61	1974GMa (34722)	41

A=t-butyl nitrile. Medium: CH2Cl2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-40°C	100%	U	M	K(TaCl5A+L=TaCl5L+A)=0.00	1972MBb (34723)	42

A=dimethyl ether. Medium: CHCl3.

****

C5H8O2 HL Acetylacetone CAS 123-54-6 (164)
Pentane-2,4-dione; CH3.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	EMF	non-aq	20°C	100%	U	M	K(TaA5+HL=TaA4L+HA)=4.36 K(TaA3L+A)=12.95 K(TaA4L+2A=TaA6+L)=7.10	1971GSa (38090)	43

Medium: MeOH. HA=MeOH

****

C5H9N L t-Butylnitrile CAS 7188-38-7 (913)
t-Butylcyanide;(CH3)3C.CN

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-60°C	100%	U	M	K(TaBr5A+L=TaBr5L+A)=0.11 K(TaBr5B+L=TaBr5L+B)=0.39 K(TaBr5C+L=TaBr5L+C)=1.72	1974GMa (38456)	44

Medium: CH2Cl2, A=acetonitrile, B=thiobismethane, C=dimethylether

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	nmr	non-aq	-40°C	100%	U	M	K(TaCl5A+L=TaCl5L+A)=0.47	1972MBb (38457)	45

Medium: CHCl3. A=dimethyl ether. When A=cyanomethane, K=0.15,
A=1,4-dioxan (-60 C), K=0.51

****

C6H6O2 H2L Catechol CAS 120-80-9 (534)
1,2-Dihydroxybenzene, pyrocatechol; HO.C6H4.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	EMF	alc/w	20°C	100%	U	M	K(TaA3L+A)=9.04 K(TaA3L+TaA4L=Ta2A7L2)=2.50 K(TaA3L+H2L+A=TaA2L2+2HA)=14.2 K(TaA2L2+H2L+A=TaAL3+2HA)=7.85	1971GSa (43837)	46

Medium: MeOH, 1.0 M Me4NCl. HA=CH3OH

****

C6H8O6 H2L Ascorbic acid CAS 50-81-7 (285)

Ascorbic acid (Vitamin C);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sp	oth/un	?	?	U		K1=9.5	1966SAb (45660)	47

****

C10H16N2O8 H4L EDTA CAS 60-00-4 (120)

1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	vlt	oth/un	20°C	1.08M	U			1969VSb (74191)	48
							K(Ta(OH)2+L)=33.6		

Medium: K2SO4

****

C11H9N3O2 H2L PAR CAS 1141-59-9 (636)

4-(2'-Pyridylazo)-1,3-dihydroxybenzene; C5H4N.N:N.C6H3(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sp	oth/un	25°C	?	C		K1=5.77	1980LZb (77582)	49

Medium: hexamethylenetetramine ((CH2)6N4) buffer solution, pH 5.6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sp	oth/un	25°C	?	U			1967ADa (77583)	50
							K(?)=4.5		

****

C14H8O7S H3L DASA CAS 83-61-4 (950)

1,2-Dihydroxyanthraquinone-3-sulfonic acid, Alizarin Red S;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sp	oth/un	?	?	U			1968ADa (86757)	51
							B((TaO)L2)=8.27		

****

C17H17NO3 HL CAS 58434-59-6 (1213)

2'-Hydroxy-4-methoxy-5'-methylbenzylidene acetophenone oxime

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ta	sp	oth/un	30°C	8.00M	U	M		1980GKa (96191)	52
							K(TaO(SCN)+L)=3.56		
							K(TaO(SCN)L+L)=2.07		

REFERENCES

1992BMa J von Barner,L McCurry et al; Inorg.Chem.,31,1034 (1992)

1980GKa S Gholse,R Kharat; Indian J.Chem.,19A,823 (1980)

1980LZb Luo Zongming; Acta Chimica Sinica,38,433 (1980)
1978GRa R Gut,J Rueede; J.Coord.Chem.,8,47 (1978)
1974GMa R Good,A Merbach; Helv.Chim.Acta,57,1192 (1974)
1973LCa G Latysh,A Chernyak,T Serebrennikova; Zh.Neorg.Khim.,18,1014(E:533) (1973)
1973VZa V Vasilev,G Zaitseva; Zh.Neorg.Khim.,18,139(E:70) (1973)
1972BAb E Baumann; J.Inorg.Nucl.Chem.,34,687 (1972)
1972MBb A Merbach,J Bunzli; Helv.Chim.Acta,55,580 (1972)
1972SSj G Shabanova,N Skorik; Zh.Obshch.Khim.,42,204 (1972)
1971BIb Y Buslaev,E Ilin,M Krutkina; Dokl.Akad.Nauk SSSR,200,1345(E:850) (1971)
1971CKa N Cook,T Kuwana,J Espenson; Inorg.Chem.,10,1081 (1971)
1971GSa R Gut,E Schmid,J Serrallach; Helv.Chim.Acta,54,593;609 (1971)
1970ZPa E Zhurennikov,D Pobezhimoskaya; Radiokhim.,12,1,105 (1970)
1969CKa A Chernyak,V Khomutnikov,A Batsuev et al; Zh.Neorg.Khim.,14,1251(E:655) (1969)
1969VAa L Varga; Anal.Chem.,41,323 (1969)
1969VSb G Volkova,V Sochevanov; Zh.Neorg.Khim.,14,5,1245 (1969)
1969VZa V Vasilev,G Zaitseva; Zh.Neorg.Khim.,14,198(E:102) (1969)
1968ADa B Agarwala,A Dey; Chim.Anal.(Paris),50,233 (1968)
1968VZa V Vasilev,G Zaitseva; Zh.Neorg.Khim.,13,84 (1968)
1967ADa B Agarwala,A Dey; Curr.Sci.,36,544 (1967)
1966BFb M Bukhsh,J Flegenheimer,F Hall et al; J.Inorg.Nucl.Chem.,28,421 (1966)
1966EMb J Espenson,R McCarley; J.Am.Chem.Soc.,88,1063 (1966)
1966SAb K Stolyarov,I Amantova; Vestnik Leningr.Univ.,4,141;155;10,133 (1966)
1965BLd A Babko,V Lukachina,B Nabivanets; Zh.Neorg.Khim.,10,467 (865) (1965)
1965GBa R Gut,H Buser,E Schmid; Helv.Chim.Acta,48,878 (1965)
1965GSd A Golub,A Sych; Zh.Neorg.Khim.,10,889 (1965)
1965VWa L Varga,W Wakley,L Nicolson et al; Anal.Chem.,37,1003 (1965)
1964BRb L Budarin,T Rumyantseva,T Sherina; Izv.VUZ.Khim.,7,715 (1964)
1964GSa A Golub,A Sych; Izv.Akad.Nauk Latv.SSR,387 (1964)
1964GUa R Gut; Helv.Chim.Acta,47,2262 (1964)
1962VFa L Varga,H Freund; J.Phys.Chem.,66,21 (1962)
1959COa C Cook; J.Am.Chem.Soc.,81,535 (1959)
1952LAb W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES
I Data with various BACKGROUNDS
H Data for THERMOCHEMICAL quantities
M Data for TERNARY Complexes

END Experiments recorded for
from SC-Database on Saturday, 01 January, 2000 at 00:05:55