START Experiments recorded for
    from SC-Database on Saturday, 01 January, 2000 at 00:33:12
Software version = 5.81 Data version = 4.62
Experiment list contains 78 experiments for
 (no ligands specified)
 2 metals : Te(IV), Te(not 4)
 (no references specified)
 (no experimental details specified)

****
e- HL Electron (442)
Electron;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(IV) sp KCl 300°C 100% U 1972BJb (956) 1
  B(3Te++ =Te++++ + Te2++)=1.3
Medium: Molten (K,Al)Cl

Te(IV) oth none 25°C 0.0 U 1952LAb (957) 2
  K=34.6(1020 mV)
K: Te(OH)6(s)+2H+2e=TeO2(s)+4H2O. K(TeO3+3H2O+4e=Te(s)+6OH)=-38.5(570 mV),
K(Te(s)+2H+2e=H2T(g))=-25.0(-740 mV). K(Te(s)+2e=Te(II))=-38.6(-1140 mV)
****
Br- HL Bromide CAS 10035-10-6 (19)
Bromide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(IV) sp oth/un ? var U 1970BMf (2327) 3
  B6=10.9
Medium: H2SO4

Te(IV) dis NaClO4 25°C 3.0M U K1=0.97 B2=1.58 1967SNc (2328) 4
  B3=1.96
  B4=2.15
  B5=2.21
  B6=2.13

Te(IV) sp NaClO4 6.0M U I 1966RMa (2329) 5
  K5K6=3.55
Medium: HClO4. K5K6=1.55(I=4)

Te(IV) sp non-aq 100% U I K2=2.74 1965KSf (2330) 6
Medium: MeCN. K2=1.20 in DMF; 0.85 in DMSO
****
Cl- HL Chloride CAS 7647-01-0 (50)
Chloride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

```
--------------------------------------------------------------------------------
Te(IV)     sp  oth/un 300°C 100%  U                    1974BBa  (5773)   7
                                       K4=3.66 to 3.92
                                       K5=2.13 to 2.32
                                       K6=0.68 to 0.82
Medium: molten (K,Al)Cl, m units
--------------------------------------------------------------------------------
Te(IV)     dis non-aq 25°C 100%  U T                   1972GOc  (5774)   8
                                       K(HTeL6+H)=3.0
Medium: methylbutyl ketone. K=3.2(40 C), 3.6(60 C)
--------------------------------------------------------------------------------
Te(IV)     sol NaClO4 18°C 0.50M U                     1968NKb  (5775)   9
                                       K(TeOOH+L)=0.5
                                       K(TeOL2+L)=-0.44
                                       K(TeOL3+L)=-0.77
                                       K(TeOL4+2H+2L)=-1.7
--------------------------------------------------------------------------------
Te(IV)     sp  oth/un   ?   0.0  U                     1968SHe  (5776)  10
                                       K(TeOOHCl3+H+Cl)=-3.32
                                       K(TeOCl4+2H)=-2.20
                                       K5=-1.83
                                       K6=-2.19
--------------------------------------------------------------------------------
Te(IV)     dis oth/un 18°C  0.0  U                     1968SHf  (5777)  11
                                       Kd(TeCl4(H2O)2+2TBP)=0.01
TBP in C8H18. Products: 2H2O+TeCl4(TBP)2(org)
--------------------------------------------------------------------------------
Te(IV)     dis NaClO4 25°C  7.0M U       K1=3.24   B2=6.0    1968SNb  (5778)  12
                                       B3=8.34
                                       B4=10.18
                                       B5=12.76
                                       B6=15.30
Medium: HClO4
--------------------------------------------------------------------------------
Te(IV)     sp  NaClO4       8.0M U  I                  1966RMa  (5779)  13
                                       K5K6=1.55
Medium:HClO4. K5K6=0.25(I=6)
--------------------------------------------------------------------------------
Te(IV)     dis oth/un 22°C  var  U                     1965BPb  (5780)  14
                                       Kd(TeO2H+3H+4Cl+3TBP)=-2.80
TBP in hexane
--------------------------------------------------------------------------------
Te(IV)     sp  non-aq 20°C 100%  U  I                  1965KSe  (5781)  15
                                       K5=0.77
Medium: DMSO. K5=0.7 in DMF, 1.62 in MeCN, 2.05 in MeNO2
********************************************************************************
F-                    HL    Fluoride         CAS 7644-39-3  (201)
Fluoride;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
```

```
--------------------------------------------------------------------------------
Te(IV)     oth oth/un   ?   var  U                      1974MMc  (7232)  16
                                        K(TeF4OH+HF=TeF5+H2O)=-0.4
Medium: HF. Method: ir and Raman spectroscopy
********************************************************************************
I-                    HL    Iodide          CAS 10034-85-2  (20)
Iodide;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     sp  oth/un       1.0M U                      1966MUa  (8385)  17
                                        B6eff=7.4 (1 M HCl)
********************************************************************************
NO3-                  HL    Nitrate         CAS 7697-37-2  (288)
Nitrate;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     ix  mixed  20°C 3.00M U        K1=0.28   B2=0.74   1982OKa  (9936)  18
                                        B3=1.28
                                        B4=1.85
                                        B5=2.48
                                        B6=3.30
********************************************************************************
OH-                   HL    Hydroxide         (57)
Hydroxide;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     sp  KCl    25°C  0.0  C                      1991MIb (12227)  19
                                        K(TeCl6=TeCl4(OH)+HCl+Cl)=4.58
                                        *K(TeCl4(OH))=2.66
Calculated from data for solutions in 2.5-10.0 M HCl.
*K(TeCl4(OH)): TeCl4(OH)=TeCl2(OH)2+HCl+Cl. Also by 125Te nmr.
--------------------------------------------------------------------------------
Te(IV)     sp  KNO3   28°C 0.10M U  I     K1=11.95  B2=23.52  1977NSa (12228)  20
                                        B3=34.83
                                        B4=45.85
********************************************************************************
S--                   H2L   Sulfide         CAS 7783-06-4  (705)
Sulfide;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     EMF oth/un 18°C  var  U  I     K1=4.50   B2=8.21   1972GZa (14482)  21
                                        K3=7.11
                                        K4=3.97
                                        K5=2.55
                                        K6=2.00
Metal ion: TeO3--. medium: Na2TeO3
```

```
--------------------------------------------------------------------------------
Te(IV)     sol oth/un   ?   var  U                        1963DGb (14483)  22
                                        Ks(TeS2(s)+S)=7.61
                                        Ks(TeS2(s)+2OH)=4.26
                                        K(TeS2O+H)=8.7
                                        K(HTeS2O+H)=10.5
********************************************************************************
SO4--                  H2L    Sulfate          CAS 7664-93-9  (15)
Sulfate;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     ix  oth/un 22°C 3.00M U        K1=2.81   B2=5.37   1980NOa (16582)  23
                                        B3=7.67
********************************************************************************
CH4O                    L    Methyl alcohol   CAS 67-56-1  (597)
Methanol; CH3.OH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     EMF alc/w  20°C 100%  U                        1971GSa (17905)  24
                                        K(Te(H-1L)3+H-1L)=8.3
                                        K(Te(H-1L)4+H-1L)=4.64
                                        K(TeL'4+TeL'5=Te2L'9)=2.11
Medium: MeOH, 1 M Me4NCl. L'=H-1L (i.e. CH3O)
********************************************************************************
C5H11NS2                HL                       CAS 147-84-2  (2126)
Diethyldithiocarbamic acid; (CH3.CH2)2N.CSSH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     sp  non-aq   ?  100%  U    M                   1968SRg (41371)  25
                                           K(Te(HA)4+4HL=TeL4+4H2A)=5.5
Medium: CCl4.  H2A=dithizone
********************************************************************************
C6H6N2O2                L    o-Nitroaniline   CAS 88-74-4  (463)
2-Nitroaminobenzene; H2N.C6H4.NO2
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     sp  diox/w 25°C 100%  U                        1975BSb (43361)  26
                                        K(TeCl4+L)=1.22
********************************************************************************
C6H10O7                 HL    Glucuronic acid  CAS 6556-12-3  (599)
D-Glucuronic acid;
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(IV)     gl  KCl    25°C 0.10M M        K1=1.24        1987PLb (48423)  27
********************************************************************************
```

C6H12O7 HL Gluconic acid CAS 526-95-4 (904)
D-Gluconic acid, 2,3,4,5,6-Pentahydroxyhexanoic acid; HO.CH2(CHOH)4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=3.05 B2=3.90	1987PLb (49765)	28

C7H8N2O2 L CAS 89-62-3 (466)
2-Nitro-4-methylaminobenzene; CH3.C6H3(NO2).NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	sp	diox/w	25°C	100%	U		K(TeCl4+L)=1.80	1975BSb (55888)	29

C12H22O11 L Turanose CAS 547-25-1 (2701)
3-O-D-Glucopyranosyl-D-fructose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.76	1987PLb (82867)	30

C12H22O11 L alpha-Lactose CAS 5989-81-1 (2486)
4-D-Beta-D-Galactopyranosyl-alpha-D-glucose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.57	1987PLb (82876)	31

C12H22O11 L Maltose CAS 6363-53-7 (2705)
4-O-alpha-D-Glucopyranosyl-D-glucose, Maltobiose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.33	1987PLb (82882)	32

C12H22O11 L Cellobiose CAS 528-50-7 (2697)
4-O-beta-D-Glucopyranosyl-D-glucose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.37	1987PLb (82887)	33

C12H22O11 L Melibiose CAS 66009-10-7 (2699)
6-O-D-Galactopyranose-D-glucose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.80	1987PLb (82891)	34

C12H22O11 L Gentiobiose CAS 554-91-6 (2698)
6-O-D-Glucopyranosyl-D-glucose, Amygdalose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.27	1987PLb (82894)	35

****
C12H22O11 L Trehalose CAS 6138-23-4 (2700)
D-Glucopyranosyl-D-glucopyranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.32	1987PLb (82902)	36

****
C12H22O11 L Sucrose CAS 57-50-1 (2523)
beta-D-Fructofuranosyl-alpha-D-glucopyranoside; Saccharose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=1.23	1987PLb (82913)	37

****
C12H24O11 L Maltitol CAS 585-88-6 (2709)
4-O-alpha-D-Glucopyranosyl-D-glucitol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=3.69	1988HLa (83684)	38

****
C12H24O11 L Lactitol CAS 535-94-4 (2710)
4-O-beta-D-Galactopyranosyl-D-glucitol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	gl	KCl	25°C	0.10M	M		K1=3.40	1988HLa (83687)	39

****
C13H12N2S L diPh-thiourea CAS 102-08-9 (1075)
1,3-Diphenyl-2-thiourea; C6H5.NH.CS.NH.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	sp	oth/un	?	6.0M	U		K(TeBr6+2HL)=7.64	1973MMc (85390)	40

Medium: 5-7 H2SO4, 0.2 NaBr.
****
C13H13N3S L CAS 1768-59-8 (4988)
1,4-Diphenylthiosemicarbazide; C6H5.NH.NH.CS.NH.C6H5

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	sp	non-aq	?	100%	U			1970MMi (85523)	41

K(TeBr6+2HL)=3.9
Medium: benzene.
****
C28H15NO4 L CAS 82-22-4 (3522)
1,1'-Iminodianthraquinone; (1,1'-dianthrimide)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	sp	mixed	?	93%	U		1968LNa (104656)		42
							K(HTeO2+HL)=2.36(?)		

Medium: 93.2% H2SO4

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(IV)	sp	oth/un	70°C	96%	U		1959LSa (104657)		43
							K(H2TeO3+HL=HTeO2L(?))=3.95		

Medium: 96.25% H2SO4
****
e- HL Electron (442)
Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	EMF	oth/un	25?°C	var	U		1964PAa (958)		44
							K=-28.57, 845 mV		

K: 2Te(s) + 2e = Te2--

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	vlt	oth/un	25°C	var	U		1963PAb (959)		45
							K=-17.2, -510 mV		
							K(Te(s)+2e=Te--)=-32.1, -950mV		
							K(Te(s)+Te=Te2--)=3.5		

K: Te(s) + 2H+ + 2e = H2Te
****
F- HL Fluoride CAS 7644-39-3 (201)
Fluoride;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	sp	non-aq	25°C	100%	U		1971PEg (7233)		46
							k(H+TeOF5)=9.2		

Medium: EtOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	con	non-aq	25°C	100%	U		1971PEj (7234)		47
							K(H+TeOF5)=8.8		

Medium: EtOH. K1(HClO4)=4.87
****
MoO4-- H2L Molybdate (443)
Molybdate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	NaCl	25°C	1.0M	C		1987YSa (8759)		48

B(6,6,1)=50.40
B(7,6,1)=53.68
B(8,6,1)=55.47
B(p,q,r)=pH+qMoO4+rTe(OH)6

****

OH- HL Hydroxide (57)
Hydroxide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	KCl	25°C	1.0M	C	T H	*K1(Te(OH)6)=-7.28 *B(2,1)=-6.31 *B(2,2)=-13.45 *B(1,2)=-17.74	1975KMc (12229)	49

*B(2,3)=-22.93. Te is Te(VI). Data for 35, 40, 45 C. DH(*K1)=25 kJ mol-1, DH(*B(2,1))=21, DH(*B(2,2))=59, DH(*B(1,2))=38, DH(*B(2,3))=100.

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	cal	KCl	25°C	1.0M	C	H		1975KMd (12230)	50

Metal is Te(VI), Te(OH)6. DH(*K1)=29.3 kJ mol-1, DS(*K1)=-46.0 J K-1 mol-1 DH(*B(2,1))=25.9, DS(*B(2,1))=-38; DH(*B(2,2))=54.8, DS(*B(2,2))=-71.

****

O2-- H2L Peroxide CAS 7772-84-1 (2813)
Peroxide; -O.O-

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	KCl	25°C	0.10M	U		K(H5TeO6+H2L)=-0.15 K(H5TeO6+2H2L)=-1.41	1961ATa (12704)	51
Te(not 4)	gl	none	25°C	0.0	U		K(H5TeO6+H2L)=-0.17	1959EFa (12705)	52

****

S-- H2L Sulfide CAS 7783-06-4 (705)
Sulfide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	EMF	oth/un	18°C	var	U	I	K1=7.39 B2=11.45 K3=5.04 K4=4.35 K5=2.90 K6=2.49	1972GZa (14484)	53

Metal ion: TeO4--. Medium: Na2TeO4

****

WO4-- H2L Tungstate CAS 13783-36-3 (445)
Tungstate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

```
--------------------------------------------------------------------------------
Te(not 4)  sp  oth/un   ?        U                        1973GBc (17446)  54
                                          K'=18.5
K': H2TeO2(OH)4 + 4H2WO4 = H6TeO6(H2WO4)4
********************************************************************************
CH4N2S                  L    Thiourea         CAS 62-56-6  (51)
Thiocarbamide, Thiourea; (H2N)2CS
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(not 4)  sp  KCl      ?   2.0M U        B2=1.7         1965TSe (17859)  55
Metal: Te++; medium: HCl.
********************************************************************************
C2H4O2S                 H2L    Thioglycolic     CAS 68-11-1  (596)
Mercaptoethanoic acid; HS.CH2.COOH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(not 4)  gl  oth/un 30°C 0.50M U        K1=6.3         1982RAa (20375)  56
Metal: Te(II). Medium: H2SO4.
********************************************************************************
C2H6O2                  L    Ethyleneglycol   CAS 107-21-1  (924)
1,2-Dihydroxyethane (Ethane-1,2-diol); HO.CH2.CH2.OH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(not 4)  gl  oth/un 25°C 0.10M U                         1957RLa (22157)  57
                                          K(H5TeO6+L)=1.21
********************************************************************************
C3H6O2S                 H2L    Thiolactic acid  CAS 79-42-5  (366)
2-Mercaptopropanoic acid;  CH3.CH(SH).COOH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(not 4)  gl  oth/un 30°C 0.50M U        K1=8.6         1982RAa (25174)  58
Metal: Te(II). Medium: H2SO4.
********************************************************************************
C3H6O2S                 H2L                     CAS 107-96-0  (437)
3-Mercaptopropanoic acid; HS.CH2.CH2.COOH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
Te(not 4)  gl  oth/un 30°C 0.50M U        K1=7.6         1982RAa (25229)  59
Metal: Te(II). Medium: H2SO4.
********************************************************************************
C3H7NO2S                H2L    Cysteine         CAS 52-90-4  (96)
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH
--------------------------------------------------------------------------------
Metal      Mtd Medium Temp Conc Cal Flags Lg K values       Reference ExptNo
--------------------------------------------------------------------------------
```

Te(not 4) gl oth/un 30°C 0.50M U K1=5.3 1982RAa (26840) 60
Metal: Te(II). Medium: H2SO4.
****
C3H8O2 L Propyleneglycol CAS 57-55-6 (2025)
Propan-1,2-diol; CH3.CH(OH).CH2(OH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 25°C 0.10M U 1957RLa (27686) 61
K(H5TeO6+L)=1.47
****
C3H8O3 L Glycerol CAS 56-81-5 (2707)
Propane-1,2,3-triol; HO.CH2.CH(OH).CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 25°C 0.10M U 1957RLa (27752) 62
K(H5TeO6+L)=1.86

Te(not 4) oth KCl 25°C 0.10M U 1956ANa (27753) 63
K(H5TeO6+L)=1.77
Method: quinhydrone electrode

Te(not 4) oth oth/un 0°C ->0 U 1956ANd (27754) 64
K(H2TeO4+nL)=0.34
Method: freezing point
****
C4H6O4S H3L Thiomalic acid CAS 70-49-5 (109)
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; HOOC.CH(SH).CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 30°C 0.50M U K1=6.7 1982RAa (30367) 65
Metal: Te(II). Medium: H2SO4.
****
C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)
L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) oth oth/un 22°C ? U 1963LJa (31369) 66
Keff(H5TeO6+L)=1.64 to 1.79
Method: optical rotation
****
C4H10O2 L CAS 5341-95-7 (3575)
meso-Butan-2,3-diol; CH3.CH(OH).CH(OH).CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 25°C 0.10M U 1957RLa (34671) 67

K(H5TeO5+L)=1.16
DL- or meso- not stated
****
C4H10O3 L CAS 623-39-2 (3577)
3-Methoxypropan-1,2-diol; CH2(OH).CH(OH).CH2.OCH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 25°C 0.10M U 1957RLa (34708) 68
K(H5TeO6+L=H3TeO4(H-2L))=1.40
Metal: Te(VI).
****
C5H10O4 L Deoxy-Ribose CAS 533-67-5 (7470)
2-Deoxy-D-ribose, 2-Deoxy-D-erythro-pentose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl KCl 25°C 0.10M U 1979HUa (40329) 69
K(H5TeO6+L)=3.11
****
C5H12O4 H2L Pentaerythrito CAS 115-77-5 (3028)
Pentaerythritol; C(CH2.OH)4

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl KCl 25°C 0.10M U 1960ARa (41663) 70
K(H5TeO6+L=H3TeO4H-2L)=0.58
****
C6H12O6 L D-Fructose CAS 57-48-7 (1561)
D-Fructose

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl KCl 25°C 0.10M U 1957ANa (49553) 71
K(H5TeO6+L=H3TeO4(H-2L))=1.92

Te(not 4) gl oth/un 25°C ? U 1957RLa (49554) 72
K(H6TeO6+H2L=H4TeO4L)=1.44
****
C6H12O6 L D-Galactose CAS 59-23-4 (1559)
D-Galactose

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
---
Te(not 4) gl oth/un 25°C 0.10M U 1957RLa (49569) 73
K(H6TeO6+H2L=H4TeO4L)=1.50
****
C6H12O6 L D-Glucose CAS 492-62-6 (1560)
D-Glucose

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	oth/un	25°C	0.10M	U			1957RLa (49595)	74
							K(H6TeO6+H2L=H4TeO4L)=1.16		

****

C6H12O6 L Inositol CAS 87-89-8 (2285)
myo-Inositol, meso-Inositol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	KCl	25°C	0.10M	U			1967FAa (49639)	75
							K(H5TeO6+L=H3TeO4(H-2L)=1.773		
							K(H5TeO6+2L=HTeO2(H-2L)2)=1.85		

****

C6H14O6 L D-Mannitol CAS 69-65-8 (3664)
D-Mannitol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	EMF	KCl	25°C	0.10M	U			1956ANa (51089)	76
							K(H5TeO6+L=H3TeO4(H-2L))=3.19		

Method: quinhydrone electrode.

****

C8H10O2 L CAS 7138-28-5 (3199)
Phenylethane-1,2-diol; C6H5.CH(OH).CH2.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	oth/un	25°C	0.10M	U			1957RLa (60836)	77
							K(H6TeO6+H2L=H4TeO4L)=1.66		

****

Polymer (4200)
Polyvinyl alcohol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Te(not 4)	gl	oth/un	25°C	0.10M	U			1957RLa (108382)	78
							K'(H5TeO6+L)=0.00		

See reference for definitions

REFERENCES

1991MIb J Milne; Can.J.Chem.,69,987 (1991)
1988HLa P Hakkinen et al; Finn.Chem.Lett.,15,7 (1988)
1987PLb S Purokoski et al; Finn.Chem.Lett.,14,1 (1987)
1987YSa A Yagasaki,Y Sasaki; Bull.Chem.Soc.Jpn.,60,763 (1987)
1982OKa E Oganesian,E Kapantsyan et al; Zh.Neorg.Khim.,27,1990(1124) (1982)
1982RAa T Rao,G Aravamudan,R Narayan; Electrochim.Acta,27,985 (1982)
1980NOa B Nabivanets,E Oganesian et al; Zh.Neorg.Khim.,25,567(313) (1980)
1979HUa E Huttunen; Finn.Chem.Lett.,236 (1979)

1977NSa V Nazarenko,G Shitareva et al; Zh.Neorg.Khim.,22,980(541) (1977)
1975BSb K Bukka,R Satchell; J.Chem.Soc.,Perkin Trans.II,1110 (1975)
1975KMc H Kaehler,S Mateo,F Brito; An.Quim.,71,689 (1975)
1975KMd H Kaehler,S Mateo,J Ascanio,F Brito; An.Quim.,71,763 (1975)
1974BBa J von Barner,N Bjerrum,K Kiens; Inorg.Chem.,13,1708 (1974)
1974MMc J Milne,D Moffet; Inorg.Chem.,13,2751 (1974)
1973GBc E Ganelina,L Bubnova; Zh.Neorg.Khim.,18,2180(E:1152) (1973)
1973MMc Z Melchakova,V Murashova; Zh.Anal.Khim.,28,1,105 (1973)
1972BJb N Bjerrum; Inorg.Chem.,11,2648 (1972)
1972GOc V Golovanov; Zh.Neorg.Khim.,17,2756(E:1443) (1972)
1972GZa T Greiver,Y Zaitsev; Zh.Neorg.Khim.,17,1543(E:796) (1972)
1971GSa R Gut,E Schmid,J Serrallach; Helv.Chim.Acta,54,593;609 (1971)
1971PEg W Porcham,A Engelbrecht; Monatsh.Chem.,102,1279;333 (1971)
1971PEj W Poscham,A Engelbrecht; Z.Phys.Chem.,248,177 (1971)
1970BMf L Bakunina,V Murashova; Zh.Anal.Khim.,25,142(E:115) (1970)
1970MMi Z Melchakova,V Murashova; Zh.Anal.Khim.,25,3,556 (1970)
1968LNa F Langmyhr,G Norheim; Anal.Chim.Acta,41,341 (1968)
1968NKb B Nabivanets,E Kapantsyan; Zh.Neorg.Khim.,13,1817 (1968)
1968SHe L Shikheeva; Zh.Neorg.Khim.,13,2967 (1968)
1968SHf L Shikheeva; Zh.Neorg.Khim.,13,3323 (1968)
1968SNb G Shitareva,V Nazarenko; Zh.Neorg.Khim.,13,1808 (1968)
1968SRg J Stary,J Ruzicka; Talanta,15,505 (1968)
1967FAa R Frostell,P Antikainen; Suomen Kem.,B40,86 (1967)
1967SNc G Shitareva,V Nazarenko; Zh.Neorg.Khim.,12,999 (1967)
1966MUa V Murashova; Zh.Anal.Khim.,21,345 (1966)
1966RMa R Ripan,M Marc; Rev.Roumaine Chim.,11,1063 (1966)
1965BPb A Belyaev,B Ptitsyn; Izv.Sib.Otd.Akad.Nauk SSR,3,144 (1965)
1965KSe R Korewa,H Smagowski; Rocz.Chem.,39,1561 (1965)
1965KSf R Korewa,Z Szponar; Rocz.Chem.,39,349 (1965)
1965TSe V Tarayan,A Sarkisyan; Zh.Neorg.Khim.,10,1457 (2684) (1965)
1964PAa A Panson; J.Phys.Chem.,68,1721 (1964)
1963DGb K Dubey,S Ghosh; J.Indian Chem.Soc.,40,479 (1963)
1963LJa J Lanese,B Jaselskis; Anal.Chem.,35,1878 (1963)
1963PAb A Panson; J.Phys.Chem.,67,2177 (1963)
1961ATa P Antikainen,K Tevanen; Suomen Kem.,B34,3;135 (1961)
1960ARa P Antikainen,V Rossi; Suomen Kem.,B33,94 (1960)
1959EFa J Earley,D Fortnum,A Wojcicki,J Edwards; J.Am.Chem.Soc.,81,1295 (1959)
1959LSa F Langmyhr,O Skaar; Acta Chem.Scand.,13,2107 & unpublished (1959)
1957ANa P Antikainen; Suomen Kem.,B30,45;147 (1957)
1957RLa G Roy,A Laferriere,J Edwards; J.Inorg.Nucl.Chem.,4,106 (1957)
1956ANa P Antikainen; Suomen Kem.,B29,14;135;179 (1956)
1956ANd P Antikainen; Suomen Kem.,B29,123 (1956)
1952LAb W Latimer; "Oxidation Potentials",Prentice Hall,NY (1952)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES
I Data with various BACKGROUNDS

H Data for THERMOCHEMICAL quantities
M Data for TERNARY Complexes

END Experiments recorded for
from SC-Database on Saturday, 01 January, 2000 at 00:33:12