
USER ACCEPTANCE TEST PLAN

RADIO TEAM



TEAM MEMBERS:

- Pepe Loperena Monzon(4518381)
- Marek Stryjeński()
- Aleksei Skorjak(4561139)
- Ian Donker(4629981)

Date:29-3-2021

Version information

Version	Date	Description	Author
V 1.0	22-3-2021	Initial version	Radio team
V 1.2	27-03-2021	Minor Changes	Radio team

CONTENTS

	pendix 2: Document Changes	
	pendix 1: Risk analysis	
	st results	
10)) Test Results	
	Decision Table	
9)	Test Cases	
8)	Entry Criteria	
7)	Team Roles & Responsabilities	
6)	UAT Risks	
5)	Approach	
4)	Test strategy	
	3.2.4 Software requirements	
	3.2.3 Minimum system requirements	
	3.2.2 Resources	
	3.2.1 Time frames	5
3	3.2 UAT constraints	5
	3.1.3 Error reporting	5
	3.1.2 Test documentation	5
	3.1.1 Test environment	5
	3.1 UAT assumptions	5
3)	Assumptions and Constraints	5
2	2.4 Stakeholders	4
	2.3.2 Acceptance criteria	4
	2.3.1 User stories	3
2	2.3 Requirements	3
	2.2.2 Out of the scope	3
	2.2.1 Within the scope	3
2	2.2 UAT scope	3
2	2.1 Assignment	
2)	Assignment formulation	3
	1.3 Involved in creating the UAT	
	1.2 Objective of the UAT	
•	1.1 Project objective	
1)	Introduction	3

1) INTRODUCTION

1.1 PROJECT OBJECTIVE

This document contains an overview of how the testing of the Radio application is going to be done. The application has been created for the testing module and requires 'the radio team' to design and create an application that works like a radio and a user acceptance test plan for it.

1.2 OBJECTIVE OF THE UAT

The objective of the UAT is to inform all who are involved in the testing process of the approach, activities, and the product to be delivered.

1.3 INVOLVED IN CREATING THE UAT

Version 1.0

Name	Responsibility
Pepe Loperena Monzon	Writing and reviewing the UAT
Marek Stryjeński	Writing and reviewing the UAT
Aleksei Skorjak	Writing and reviewing the UAT
Ian Donker	Writing and reviewing the UAT

Table 1. Version 1.0 involvement

2) ASSIGNMENT FORMULATION

2.1 ASSIGNMENT

The goal of the assignment is to create a radio application for the purpose of testing it.

2.2 UAT SCOPE

2.2.1 WITHIN THE SCOPE

- Being able to listen to desired radio station.
- Being able to adjust the volume to a specific threshold.
- Being able to change the radio station by adjusting the frequency.
- Turning on/off the radio.
- Being able to identify which radio station you are listening to.

2.2.2 OUT OF THE SCOPE

The inner parts of the radio.

2.3 REQUIREMENTS

2.3.1 USER STORIES

The table below will describe the user stories, what they want why they want it.

#	As a	l want	So that
1)	User	to press the power button expecting the radio to turn on or off.	I can use the radio for its purpose.
2)	User	to see the threshold of volume.	I can know when we have reached volume loudness limit.
3)	User	to know what the current frequency I am on.	I can know what frequency I am currently on.
4)	User	to see what radio station, I am on.	I can know that I am listening to the desired radio station.

Table 2. User stories

2.3.2 ACCEPTANCE CRITERIA

These are the conditions that the software product must meet to be accepted by the user, a customer, or another system. They are unique for each user story and define the feature behavior from the end-user's view.

2.4 STAKEHOLDERS

The stakeholders and their involvement with the acceptance testing process can be viewed in the table below.

#	Stakeholder	Reason	Responsibility
1)	Software team	These are responsible for creating the test plan and product.	Deliver the test plan and the product to the testing team.
2)	Testing team	Responsible for testing the product.	Test the product according to the UAT and deliver a test report.

Table 3. Stakeholders

3) ASSUMPTIONS AND CONSTRAINTS

The assumptionist and constraints include timing and available resources, as well as test documentation processes. The desired operating system to be used and specific browser versions. In addition, clearly stated the defined assumptions, such as what our testing environment is or how a tester should handle error reporting.

3.1 UAT ASSUMPTIONS

3.1.1 TEST ENVIRONMENT

The test cases will be conducted individually by 1 or 2 IT students on their personal computers due to the COVID-19 quarantine.

3.1.2 TEST DOCUMENTATION

All UAT test cases are documented within the Teams environment.

3.1.3 ERROR REPORTING

Errors, failures, and other flaws are reported in the discord, WhatsApp, or Teams environment.

3.2 UAT CONSTRAINTS

3.2.1 TIME FRAMES

Test results must be provided by April 1st, 2021 by 15:00 PM.

3.2.2 RESOURCES

- Human resources: 1-5 testers available for 1 week.
- Provided hardware: None, their PC.
- Operating system: Windows 10 preferred.
- Internet browser: Firefox or Chrome (latest version preferred).

3.2.3 MINIMUM SYSTEM REQUIREMENTS

Requires a 64-bit processor and operating system.

- RAM: 1GB minimum.
- Storage: 20 GB available space.
- GPU: GTX 670 2GB / AMD R9 280 better minimum;
- CPU: Intel Core i7-3770 / AMD FX-9590 minimum.

3.2.4 SOFTWARE REQUIREMENTS

- IntelliJ IDEA build 202.8194.7.
- IDK version 14.0.2.

4) TEST STRATEGY

The available time for testing is limited; not everything can be tested with equal thoroughness which means that choices must be made regarding the depth of testing. Also, it is strived to divide test capacity as effectively and efficiently as possible over the total test project. This principle is the basis of the test strategy. The test strategy is based on risks: a system must function in practice to an extend that no unacceptable risks for the organization arise from it. If a delivery of a systems brings along many risks, through testing needs to be put in place; the opposite of the spectrum is also true: 'no risk, no test'. The first step in determining the test strategy is the execution of our product risk analysis. The result of that product risk analysis (PRA) that care used for our test level (below).

4.1 TEST STRATEGY TABLE

The content of the column **<test level>** must be same as the corresponding column from the strategy table in the UAT plan.

Characteristic	Test Goal	Risk Class	Test Level	Test Type
Functionality	Making sure the software performs as expected	А	High	Functionality test
User-Friendliness	To see whether the application is suitable for the users	В	Medium	Usability test
Performance	Check the response time of the application under different conditions (low, normal, high)	А	High	Performance test
Security	Revealing flaws in security mechanisms and vulnerable points in the software	С	Medium	Authorization test
Sustainability	To make sure the application is efficient and user friendly	В	Low	Process test

Table 4. Test strategy table

5) APPROACH

This chapter describes how the testing is handled in conformity with the test strategy. The test design gives a good overview of this approach.

Characteristic	Risk class	Test Level	Test type	Testing techniques	
Functionality	Α	High	Functionality Test	Data Cycle Test	
User-Friendliness	В	Medium	Usability Test	Software Usability Measurement Inventory	
Performance	А	High	Performance test	Error Guessing	
Security	С	Medium	Authorisation Test	Syntatic Test	
Sustainability	В	Low	Process test	Process Cycle Test	

Table 5. Testing approach

6) UAT RISKS

This chapter describes the potential UAT risks, which have a chance of occurring during any stage of any UAT test case. For negating the possible risk, each case must be addressed prior testing.

Description	Probability High Med Low	Impact High Med Low	Mitigation	
False UAT testing: bad test case logic	Low	High	Use of trustworthy references and sources	
Not properly trained Testers	Low	Med	Ongoing online lectures and presentations.	
Incomplete test environment due to time constraints	Med	Med	Realistic time and resource planning. And team communication	
Error handling: Testers are not aware on how to report bugs	Med	High	Easy-to-use bug reporting solution for UAT test available	
UAT test failure	Low	High	Program is ready before UAT start	

Table 6. User Acceptance Test Plan risks

7) TEAM ROLES & RESPONSABILITIES

Our UAT team will ensure:

- That defined test cases are planned and conducted accordingly.
- That test results are documented and shared among the projects team.

Name	Roles	Responsabilities
lan Donker	Tester	Testing on windows
Marek Stryjenski	Tester	Testing on windows
Aleksei Skorjak	Tester	Testing on windows
Pepe Loperena	Tester	Testing on windows

Table 7. Team Roles

8) ENTRY CRITERIA

This chapter describes the criteria that must be followed to complete this project. The main ones are those:

- Development of the project must be archived and available for testers.
- Testers must be first briefed on what and how project operates.
- All errors and bugs that have been reported must be fixed.

ID	Criteria
1	Completing class diagram, that represents how system should look like
2	Developing software, based on the class diagram created previously
3	Testing software
4	Reporting eventual bugs in the system
5	Software is ready to move to UAT stage
6	Testers get brief explanation of how system works, and they start testing
7	Testers that take part in UAT, report problems/bugs they encounter
8	UAT test plan is completed

Table 8. Entry Criteria

9) TEST CASES

PROCESS CYCLE TEST


1.1 PURPOSE OF THE TEST CASE

The goal of the Process cycle test is to focus on covering all the variations of the processing in the application.


1.2 BRIEF DESCRIPTION

The process cycle test is a technique that is applied in particular to testing of the quality characteristic of Suitability (integration between the administrative organization and the automated information system). The test basis should contain structured information on the required system behavior in the form of paths and decision points.

Since the volume can't be changed at any time, it cannot be connected to the main process cycle.



Below we cover all the test situations that can occur based on the graph above.



DECISION TABLE

2.1 PURPOSE OF THE TEST CASE

The goal of the decision table is to provide testing of functions that will be important for application.

2.2 BRIEF DESCRIPTION

One of the tables contains the test cases and each of those test cases can either be 0 or 1. The value "1" means that the condition is true; the value "0" means that the condition is false. The next table contains results for each test case. The symbol, X" represents a result, each test case must have at least one result.

Legend	
1 means result is true	
0 means result is false	

Test case Number	1	2	3	4	5	6	8
Button==True	0	1	1	1	0	1	0
RadioOn==True	0	0	1	0	1	0	0
FrequencyExist==True	0	0	0	1	0	1	1
0<=Volume<=20	0	0	0	0	0	1	0

Results Number	1	2	3	4	5	6	7
Playing static sound		х					
Playing music				х		х	
Radio turned on		х		х			
Radio turned off	х		х		х		х
Radio station found				х		х	
Volume error message		х		х			

ERROR GUESSING

3.1 PURPOSE OF THE TEST CASE

The purpose of the error guessing is to guess possible bugs in the areas where formal testing would not work.

3.2 BRIEF DESCRIPTION

The value of error guessing is considering unexpected. Tests made up by the guessing might have not been considered otherwise. This technique realies also on the tester experience in guessing the problematic errors in application.

• What will happen if the button is not working?

- What will happen if the radio is already on and we press the radio button?
- What happens if we put frequency over the expected range?
- What happens if there are two radio stations with the same frequency?
- What will happen if user sets the volume over or below the expected range?
- What will happen if no radio station was found on the selected frequency?
- What if radio station exists on the frequency but radio cannot find it?
- What if the song does not actually play?

10) REQUIREMENTS-BASED TEST CASES

For successful testing process, testers must follow the described test cases step by step, whilst still prepared to swiftly implement improvements for testing and documenting the said test cases. Thorough documenting of every program misconduct case like a bug or unexpected behavior is to be followed.

ID	Test Cases
6.1	Action: Selecting a frequency different from any station
	Expected result: The "static" sound plays, radio keeps working
6.2	Action: Press the power button while radio is playing a station
	Expected result: Radio will turn off
6.3	Action: Volume has been adjusted to minimum
	Expected result: Radio sound will be inaudible
6.4	Action: Adjust the frequency and set a desired station. And checking the display for frequency information
	Expected result: See the correct/expected station frequency playing on the radio
6.5	Action: Set the frequency to outside of the FM band length (hard code set frequency > 108)
	Expected result: FrequencyOutOfFMScopeException

Radio frequency will play nothing until proper
frequency chosen.

Table 8. Requirements Based Test Cases

11) TEST RESULTS

Each tester after completing UAT phase, must fill out below table to mark down their results.


ID	Test Cases	Pass/Fail	Tested By	Date of testing
1	Checking if Radio Station Exist			
2	Playing music			
3	Checking volume range			
4	Adding song to radio station			
5	Changing radio station			

Table 9. Test Results

APPENDIX 1: RISK ANALYSIS

Risk Number	Description	User impact	Severity	Probability	Risk Factor
Risk 1	Power button is not working	User cannot use radio	10	2	20
Risk 2	Volume button is not working	user cannot change the volume	5	2	10
Risk 3	Frequency button is not working	User cannot change the radio station	6	2	12
Risk 4	Screen is not displaying anything	User has no visual clues about what he is doing	8	5	40
Risk 5	Speakers are not working	User cannot use radio for its purpose	10	7	70
Risk 6	Maximum volume is never reached	The volume does not go up	3	6	18

table 10: risk analysis



APPENDIX 2: DOCUMENT CHANGES

 ${\it This\ chapter\ is\ left\ empty\ for\ subsequent\ assessment\ notes\ and\ comments.}$